MIDLAND INDUSTRIES

FITTINGS • VALVES • HOSE • CLAMPS & ACCESSORIES







2021



Midland Metal MFG — A MIDLAND INDUSTRIES COMPANY

Anderson Metals AMC — A MIDLAND INDUSTRIES COMPANY

Stainless Adapters Inc. — A MIDLAND INDUSTRIES COMPANY

Champion Brass Fittings • Connectors • Valves — A MIDLAND INDUSTRIES COMPANY

Mid-America Fittings, LLC. — A MIDLAND INDUSTRIES COMPANY

Buchanan Rubber Ltd — A MIDLAND INDUSTRIES COMPANY

Amiflex Inc. — A MIDLAND INDUSTRIES COMPANY

MIDLANDINDUSTRIES.COM | FIND US ON:


ACCOUNT MANAGER

FULL CONTROL AT YOUR FINGER TIPS!

MUCH MORE THAN JUST PLACING ORDERS!

LOG INTO ACCOUNT MANAGER FOR:

- Get Account Information
- New Customer Profile
- Check Your Order History
- Access Your Invoices
- Download Current Pricing
- Print Bin Labels
- Check Backorders
- Print Invoices
- Pick A Preferred Warehouse
- Save Orders
- Manage Part Numbers
- Quick Order
- Upload Your Order
- And More...



LOG IN TO MIDLANDINDUSTRIES.COM

VISIT WWW.MIDLANDINDUSTRIES.COM AND LOGIN TO YOUR ACCOUNT USING YOUR CUSTOMER ID AND PASSWORD.

- View your price and available stock.
- View open orders and tracking information on all shipments.
- Download pricing files.
- Update your Customer Profile and Contacts
- For Purchasing, Accounts Payable, Sales, and Marketing.
- Check your message center to see the latest updates and specials.

CUSTOMER ID # : _____

PASSWORD : _____

MULTIPLIER : _____

Fax 1-800-877-5391

MIDLAND INDUSTRIES

sales@midlandindustries.com

FIND WHAT YOU NEED

TABLE OF CONTENTS	INTRO 4-6
PICTORIAL	PAGES 21-49
NUMERICAL INDEX	PAGES 592-626
GENERAL INFORMATION	PAGES 627-629
KNOWLEDGE BANK	PAGE 630
THREAD INFORMATION	PAGE 635
THREAD PROFILES	PAGE 636

CUSTOMER TOOLS

MARKETING SOLUTIONS	INTRO 9-15
LOCATIONS / TRANSIT MAPS	INTRO 19-20
ACCOUNT MANAGER	INSIDE FRONT COVER

PRODUCTS AND SERVICES



CUSTOM CATALOGS — SEE INTRO PAGE 10



PRIVATE LABELING — SEE INTRO PAGE 12



CUSTOM BIN LABELS — SEE INTRO PAGE 13



MOBILE APP — SEE INTRO PAGE 14



BRASSCATALOG.COM WEBSITE — SEE INTRO PAGE 15

MIDLANDINDUSTRIES.COM

NEW PRODUCTS INTRO PGS 7-8

PICTORIAL INDEX PGS 21-49

BRASS PGS 1-164

LEAD FREE PGS 165-199

LF VALVES & PLUMBING PGS 200-220

VALVES PGS 221-273

NIPPLES & FITTINGS PGS 274-364

PLASTIC PGS 365-379

HOSE ACCESSORIES PGS 380-408

HOSE PGS 409-438

CLAMPS PGS 452-472

TUBING PGS 473-479

PRESSURE WASHER 480-485

PNEUMATICS PGS 486-508

TRUCK & TRAILER PGS 509-530

HYDRAULICS PGS 531-575

STAINLESS STEEL ADAPTERS 576-591

NUMERICAL INDEX 592-626

MIDLAND INDUSTRIES

THE BUILT TO SERVE ADVANTAGE

As a new family of companies working together we're building the most powerful platform our industry has ever seen.

Founded upon a legacy of customer service, our mission is to give you a distinct competitive advantage. As a leader in globally sourced and domestically manufactured products we're providing needed innovations to distributor supply chains with a variety of marketing and data driven initiatives.

Save time and money with the industry knowledge that comes from decades of experience and hard work. Building advantage means you gain access to our growing network of distribution centers across North America. Come see what the Midland Advantage can do for your business.

THE PERFECT FIT

For decades the Midland family has been the chosen manufacturer and supplier of fittings, valves, hose and accessories to distributors across North America. Today's Midland Industries and our family of companies are committed to helping our customer serve their customers better Experience simple, worry-free products and innovations that make doing business easier.

MFG Midland Metal
A MIDLAND INDUSTRIES COMPANY

AMC® Anderson Metals
A MIDLAND INDUSTRIES COMPANY

STAINLESS ADAPTERS INC.
A MIDLAND INDUSTRIES COMPANY

CHAMPION BRASS
FITTINGS • CONNECTORS • VALVES
A MIDLAND INDUSTRIES COMPANY

MID-AMERICA FITTINGS, LLC.
A MIDLAND INDUSTRIES COMPANY

BUCHANAN RUBBER LTD
A MIDLAND INDUSTRIES COMPANY

AMIFLEX INC.
A MIDLAND INDUSTRIES COMPANY

www.MidlandIndustries.com | 800-821-5725

Connect with us

TABLE OF CONTENTS




INTRODUCTION

Account Manager	1
Find What You Need	2
About Midland Industries	3
Table Of Contents	4
New Products	7
Suite Of Marketing Tools	9
Custom Catalog	10
Shop Brass Catalog	11
Private Label Shipping	12
Bin Labels	13
Midland App	14
Brasscatalog.com	15
Customer Profile	16
Oem Solutions	17
Domestic Manufacturing	18
Distribution Locations	19



BRASS FITTINGS

Pipe Fittings	1
Hose Barb Fittings	14
Push On Barb Fittings	30
Garden Hose Fittings	37
Sae 45° Flare	49
Inverted Flare Fittings	68
Compression Fittings	76
Flareless Fittings	90
Push-In/ Push-To-Connect Fittings	95
Brass Push-In Fittings	96
Nickel Plated Push-In Fittings	102
N/P w/ N/P Collet	111
SS Push-In	115
Composite Body Push-In Fittings	119
D.O.T. Push-In Tube Fittings	127
Composite Body Dot Airbrake Fittings	134
D.O.T. Air Brake - Nylon Tubing	139
D.O.T. Air Brake Reusable Hose/ Fittings	146
Adapters For Grease Fittings	153
Specialty Valves And Cocks	154



LEAD FREE

Lead Free Fittings	165
Lead Free Pipe	166
Lead Free Hose Barb	174
Lead Free Garden Hose	177
Lead Free Flare	180
Lead Free Compression	186
Lead Free Valves	198
Lead Free Ball Valves	201
Lead Free Press Ball Valves	204
C/E Pex & Pex Ball Valves Lead Free	205
Lead Free Push-Fit Ball Valve	206
Lead Free Gate, Check etc	207
Lead Free Frost Free Sillcock	208
Lead Free Hose Bibb, Boiler Drain, Sillcock	209
Lead Free Supply Stops	212
Lead Free SS Supply Connectors	213
Transition, Water Meter	218
Rubber Couplings	220



VALVES

Forged Brass Ball Valve	222
Locking Handle Ball Valve	223
Butterfly Handle Ball Valve	223
Nickel Plated Ball Valve	224
N/P Ball Valve W/Ss Trim	225
Italian Ball Valve	226
Male X Female Brass Ball Valve	227
Italian Male X Female Ball Valve	228
Tee Handle Ball Valve - Male X Female	229
Locking Handle Ball Valves - Female X Male	230
Gas Ball Valves	233
Side Outlet 3-Way Ball Valve	238
Brass Gate Valve	240
Bronze Ips Gate Valve	241
Ductile Iron Valves	263
And Accessories	263

TABLE OF CONTENTS *(CONTINUED)*



NIPPLES & FITTINGS

Brass Nipples	275
Bronze Fittings	284
Lead Free Brass Fittings	284
Stainless Steel Fittings	308
Black And Galvanized Steel Nipples	316
Merchant Couplings	335
Api Line Couplings	336
Malleable Fittings	337
Steel Fittings	347
300# Malleable	349
Bull Plugs And Swages	351
Carbon Steel Flanges	353
Copper Fittings	359



PLASTIC FITTINGS

Schedule 80 Pvc Nipples	366
Pipe-Nylon Poly	368
Hose Barb	370
Garden Hose	374
Compression	375
Plastic Push-In Tube Fittings	376



HOSE ACCESSORIES

Cam And Groove	381
Crimplok Cam & Groove	393
Combination Nipples	398
Combination Nipples	399
Hose Barb X Male Pipe	399
Victaulic Grooved	399
Combination Nipples	399
Hose Menders	403
Universal Coupling	404
Ground Joint Coupling	405
Fire Hose Fittings	408



BUCHANAN HOSE

Air & General Purpose	416
Material Handling	420
Petroleum & Chemical	423
Water Suction & Discharge	431
Ferrules	439
Sleeves	445



HOSE CLAMPS

Worm Gear Clamps	453
Quick Release	457
T-Bolt Clamps	458
Mega Clamps	459
Constant Torque Hose Clamps	462
Muffler Clamps	465
Exhaust Clamps	466
Carbon Steel 1-Ear Clamps	467
Ear Clamps	468
Hammerlock Clamps	468
Clamp Tools	469
Lined Band Clamps	470
Hose Ferrules	472



TUBING

Polyurethane NSF 51®	474
Polyethylene	475
Nylon 12 Tubing	477
PVC Polyvinylchloride Tubing - NSF61	478
Tube Cutters	478
Aluminum Tubing - Easy Bend	479
Copper Tubing - Refrigeration Tubing	479



HIGH PRESSURE SPRAYERS

Nozzles 481
Swivels 482
Sprayers 483
Quick Disconnects 484



PNEUMATICS

Industrial Interchange 487
Universal Series Couplers 489
Aro 210 Interchange 490
Automotive/ Parker Interchange (Tru-Flate) 491
Lincoln Interchange 492
Straight Through 493
Mini/ Mold 493
Vents, Mufflers, Filters 494
Manifolds 496
Safety Valves 497
Tank Valves 498
Blow Guns 499
Tire Gauges 500
Foot Chucks 501
Gauges 505
Teflon Tape 508



TRUCK AND TRAILER

Air Coils 509
Hose Support 510
Gladhands 513
Air Cylinder 517
Coiled Cable 521
Accessories 527
Nylon Dot Air Brake Tubing 529
Fuel Line And Air Brake Hose 530



HYDRAULIC ADAPTERS & ACCESSORIES

Technical Information 532
Profile Size Chart 538
JIC 542
Pipe 548
O-Ring 553
BSP/Metric 563
Flange 572
QDs 567
Flow Control 570




STAINLESS STEEL ADAPTERS

JIC 580
Pipe 584
SAE O-Ring 588
Hose Crimp 591

NEW PRODUCTS

STAINLESS STEEL SUPPLY CONNECTOR

BALLCOCK CONNECTOR NOW WITH N/P BRASS NUT



PAGE: 260

LEAD FREE, FULL PORT BRASS BALL VALVES PUSH-FITTING END



PAGE: 252

LF BRASS FROST FREE SILLCOCK VALVES/ ANTI SIPHON



PAGE: 254

LOW PRESSURE LF BRASS VALVES



PAGE: 255-257

NOW CARRYING FULL LINE OF

CHAMPION BRASS
FITTINGS • CONNECTORS • VALVES

A MIDLAND INDUSTRIES COMPANY

&

MID-AMERICA
FITTINGS, LLC.

A MIDLAND INDUSTRIES COMPANY

NICKEL PLATED PUSH-IN FITTINGS WITH NICKEL PLATED COLLET



PAGE: 146

BRONZE IPS GATE VALVE



PAGE: 285

SS PUSH-IN FITTINGS



PAGE: 150

BLIND FLANGES



PAGE: 400

SCH 40 SINLGE RUN NIPPLE BLACK



PAGE: 368


BUILDING ADVANTAGE STARTS WITH VISIBILITY.

YOUR BRAND IS OUR BRAND. At Midland we keep our name off of everything so your customers only see yours. Our dedication to being a silent partner helps you build your brand while gaining critical exposure your market.

Our customized suite of **MARKETING TOOLS** helps you grow and expand your business. We make it simple to sell and ship with greater ease and accuracy.

TO SCHEDULE A DEMO CONTACT; SALES@MIDLANDINDUSTRIES.COM. LET'S START BUILDING TOGETHER!

MARKETING



CUSTOM CATALOG

Print custom catalogs with your brand, your pricing and your contact information.



FREE E-COMMERCE SITE

We will provide you with a free, fully functional, custom branded e-commerce site, pre-loaded with all of Midland's 20,000 items.

ORDER GATHERING



BIN LABELS

Create & print personalized bin labels with your brand to affix to bin boxes. Helps with reorders and managing your warehouse.



MIDLAND APP


Use the app to scan bin labels on location to quickly reorder, check stock and pricing. Save orders to submit later.

SHIPPING



PRIVATE LABEL

Private label shipments with your logo on boxes, packing slips and product labels...shipped how you want it, today!



OPTION A (FREE): CUSTOM DIGITAL

Our designers will work with you to create a cover that incorporates your branding. Choose between a Flip catalog, PDF or Both!

OPTION B: CUSTOM COVER

CONTACT YOUR SALES REP FOR PRICING

Our designers will work with you to create a cover that incorporates your branding. Cover will be full color with black and white internal pages. No custom options for internal pages. No minimum quantity required.

OPTION C: BLACK & WHITE CUSTOMIZED CATALOG

CONTACT YOUR SALES REP FOR PRICING

Your company logo and contact information will print on the footer of each page. Includes a full color custom cover with black and white internal pages. Minimum of 25 required.

OPTION D: FULL COLOR CUSTOMIZED CATALOG

CONTACT YOUR SALES REP FOR PRICING

Your company logo and contact information will print on the footer of each page. Entire catalog is printed in full color. Minimum of 25 required.

GET STARTED TODAY

MidlandIndustries.com/marketing


CUSTOM CATALOG


Print custom catalogs with your brand, your pricing and your contact information.

A UNIQUE CATALOG AT A REASONABLE PRICE

Using Midland's newest catalog as a template, we can completely customize the look, contact information, and pricing to fit your company's needs. The process is simple and takes about a month to complete (times may vary due to the printer's schedule). Work with our designer to customize a catalog that is unique and properly represents your company.


Custom Catalogs have list prices so your sales team can use to sell to your customers.






SHOP.BRASSCATALOG

Midland Industires will provide you with a fully functional branded E-commerce site, preloaded with every one of Midland's 40,000 items.





HOW IS IT USED?

Shop Brass Catalog (SBC) is an e-commerce platform we have developed for our customers to sell our products to their customers. Our customers can choose to have Midland fulfill the order or they can fulfill the order themselves.

SBC can be used as a Point of Sale system for showroom floor sales. Simply enter the order on the website while the customer is at the counter, get P.O. number from the customer and enter the order. Then simply use the site to log orders and bill them.

ADDITIONALFEATURES

- Easy Sign-Up
- Free Marketing Materials
- Cart and Checkout
- Admin Page



IDENTIFICATION TAGS

Tags and packing slips are printed with your company information.

SHIPPING

Shipped in a blank box, with no reference to Midland anywhere.

GET STARTED TODAY

MidlandIndustries.com/marketing

PRIVATE LABELING

Private label shipments with your logo on boxes, packing slips and product labels.

SHIPPED HOW YOU WANT IT, TODAY!

Last year, Midland Industries shipped over 17,000 private labeled packages for our customers. Our customers trust Midland with their customers! Private-labeled packages are shipped in generic boxes with your return shipping information on the pack list and a generic UPS label; Midland isn't referenced anywhere on the shipment. Using this program you have access to an additional 40,000 items without investing in additional inventory. Drive up your profits-not your inventory costs-by using Midland Industries' Private Label Shipping.



PERSONALIZED

Print labels with pictures and barcodes.

SCAN

Using the MIdland Metal mobile app you can scan the labels to check stock and place orders.

CUSTOMER SERVICE

Put your custom labels on your customer's bins.

GET STARTED TODAY

MidlandIndustries.com/marketing

BIN LABELS ON DEMAND

Now you can create and print personalized Bin Labels on demand for any product that Midland carries. Labels can be customized with your logo or name. Multiple sizes available.

4" x 2"



3.5" x 2"




2.625" x 1"



BIN LABELS FOR MIDLAND PRODUCTS

Looking for a way to keep your foot in the door with your customers? Try labeling their bins. Using easy-to-follow steps, you're able print labels with pictures and barcodes. Then, using the Midland app, scan the labels on the bins to place orders. Not only will you save time with stock replenishment, you will improve your relationship with your customers as well.



CHECK STOCK/PRICING

The mobile app gives you quick access to stock and pricing on your displayed items.

SEARCH

Search for products by part number or keyword. Browse by category or type.

CUSTOMER SERVICE

Manage your customer's inventory by using your custom bin labels. Scan for quick reordering.

GET STARTED TODAY


MidlandIndustries.com/marketing

MOBILE APP

Use the app to scan bin labels on location to quickly re-order, check stock or pricing. Save orders to submit later.

SCAN BIN LABELS FOR EASY ACCESS

You can affix these bin labels on your bins and/or your customer's bins. Use the app on your smartphone to quickly scan labels for re-order or to save orders to place at the end of the day.





PDF CATALOG
Full color or black/white PDF catalog online.

PRINT
Print by product category or page. Available in color or black/white.

GET STARTED TODAY
MidlandIndustries.com/marketing

BRASSCATALOG.COM

Brasscatalog.com is an unbranded sales and marketing tool. Use it to provide your customers with specifications, pictures and pricing. With no reference to Midland. Your customers can access over 40,000 products by product category.


Online, download or print a generic line card, pictorial index and product category pages with no reference to Midland Industries.

Access catalog pages with list prices so your sales team can use to sell to your customers.


CUSTOMER PROFILE

To better serve you, Midland has added a customer profile page to the account manager tab on **midlandindustries.com**. We want to ensure that we are sending the right information to the right people. Please take a minute to make sure your information is up to date. Thank You!

Purchasing: New product information, Order acknowledgement, Updated pricing, Specials
Sales and Marketing: Suite of marketing tools, Library of sales resources
Accounting: Invoices, Payment information




HELP US HELP YOU!



UPLOAD YOUR LOGO IN ACCOUNT MANAGER TO UTILIZE ALL OF OUR CUSTOMIZABLE MARKETING TOOLS!

To access your customer profile, log in to your account manager and select the profile tab along the top menu.



MIDLAND OEM SOLUTIONS

In an ever changing global business environment, all applications are not created equal. As an OEM partner, Midland can help the distributor work with Original Equipment Manufacturers and specify solutions in order to make informed purchasing decisions around technology, applications and relevant specification requirements.

Certain OEM applications require specific fittings, hoses, clamps and valves. For example, your application may require easier installation, a globally available product, or extended life among other critical features. No matter what the application, Midland is prepared to meet the demands of your end user business with our OEM solutions and equipment.

When you work with Midland, you are getting a Midland designed product made worldwide in our factories in the US, Asia and Europe, assembled by dedicated employees. Therefore, as an OEM wholesale partner, Midland Industries can promise premier customer service, high quality manufacturing standards, on-time delivery and a philosophy of continuous improvement. This allows the distributor to remain competitive in the marketplace and achieve growth objectives on new and existing projects.

As part of the Midland OEM program, you can expect increased co-marketing opportunities, better market planning with our sales force, and improved customer engagement with co-managed objectives.

INNOVATIVE THINKING. INNOVATIVE SOLUTIONS.

PARTNERING FOR YOUR SUCCESS!

Ask about our OEM Solutions – contact specials@midlandindustries.com to get started today.









DOMESTIC MANUFACTURING

Midland Industries is a leading manufacturer of our MAF™ brand of industrial fitting products for use by OEM's and wholesale distributors.

Midland Industries Engineering and Design team works closely with OEM's in the automotive, trucking, HVAC, industrial, consumer and commercial electronics and appliances and fluid industries. We take original design concepts, sometimes drawn on nothing more than a lid of a pizza box over lunch and move them seamlessly from CAD drawing phase, prototype phase, sample production phase and final production in a matter of weeks instead of months. This is done by using a variety of CNC machine tools and our facilities at our disposal. This includes "Miltronics Vertical Machining Center", "Okuma Turning Centers" and Miyano Machining Centers complete with "Live Tooling" on both long and short beds to create specialty custom parts. At the same time, we achieve maximum quality, efficiency and cost savings for the customer.

COMMITTED TO BEING AN INDUSTRY LEADER

IN ENVIRONMENTAL "BEST PRACTICES" AND WILL APPLY IT TO ALL ASPECTS OF OUR BUSINESS.

In addition to our MAF™ brand brass fittings, Midland Industries is a major supplier of **chrome-plated** and **nickel-plated brass fittings** as well as **black and galvanized malleable iron pipe fittings, stainless steel pipe fittings, cast bronze fittings and red brass pipe nipples** along with a wide variety of plumbing installation and repair specialty products.

TO FIND OUT MORE OR TO HAVE YOUR SPECIALTY PARTS QUOTED VISIT:


MIDLANDINDUSTRIES.COM/MANUFACTURING

MIDLAND INDUSTRIES

Fax 1-800-877-5391

sales@midlandindustries.com

MIDLAND INDUSTRIES DISTRIBUTION



UPS GROUND TIME IN TRANSIT

NEXT DAY DELIVERY

3 DAY DELIVERY

2 DAY DELIVERY

*2 Day Delievery is determined by warehouse location and inventory at specified location.

* For detailed UPS Ground time in transit maps please visit **www.UPS.com/maps**

DISTRIBUTION LOCATIONS

1) MIDWEST DISTRIBUTION
Full Stocking Location
3145 Oak Street
Kansas Ciy, MO 64111

2) WEST COAST DISTRIBUTION
Full Stocking Location
659 E Ball Rd
Anahiem, CA 92805

3) TEXAS DISTRIBUTION
Full Stocking Location
5544 Armour Drive,
Houston, TX 77020

4) TEXAS DISTRIBUTION
Full Stocking Location
600 E. Centre Park
DeSoto, TX 75115

MIDLAND INDUSTRIES CUSTOMER SERVICE
Phone: 800-821-5725
Fax: 800-877-5391
Email: Sales@MidlandIndustries.com
www.MidlandIndustries.com

You can easily check stock and availability for products at these locations online using Account Manager. All accounting will be handled in Kansas City.

CANADIAN DISTRIBUTION


5) BUCHANAN RUBBER-EDMONTON
9547-12 Ave SW,
Edmonton, AB T6X-0C3
Phone: 1-888-775-4673
Fax: 1-888-990-4673
Sales@BuchananRubber.com

6) BUCHANAN RUBBER-TORONTO
50 Fasken Drive
(units 11-21),
Etobicoke, ON M9W-1K5
Phone: 1-888-775-4673
Fax: 1-888-990-4673
Sales@BuchananRubber.com

7) AMIFLEX-MONTREAL
9555 Henri Bourassa Ouest,
Montreal, QC H4S-1S7
Phone: 1-888-775-4673
Fax: 1-888-990-4673
Sales@BuchananRubber.com

Canadian operations serviced through our Edmonton, Toronto & Montreal distribution centers. For more information call customer service at 1-800-775-HOSE (4673)

BRASS
PICTORIAL INDEX

BRASS FITTINGS PGS 1-164	**PIPE PG 1**	90° ELBOW  PG 2	90° FORGED EL  PG 2	45° ELBOW  PG 2	UNION TEE  PG 2	FGD TEE  PG 2	RED FRG TEE  PG 3	CROSS  PG 3
FORGED  PG 3	COUPLING  PG 3	RED COUPLING  PG 4	UNION  PG 4	CAP  PG 4	90° ST EL  PG 4	90° ST EL  PG 4	FORGE 90°  PG 5	FORGE RED  PG 5
HEX BUSHING  PG 5	FACE BUSHING  PG 6	SQ HEAD PLUG  PG 6	COUNTERSUNK  PG 6	SLOTTED HEAD  PG 6	CORED HEX  PG 6	SOLID HEX  PG 7	LOCKNUT  PG 7	CLOSE NIPPLE  PG 7
LONG NIPPLE  PG 7	HEX NIPPLE  PG 8	RED HEX NIPPLE  PG 8	45° ST EL  PG 8	45° FORGE ST EL  PG 8	STREET TEE  PG 9	FORGED ST TEE  PG 9	FORGED ST TEE  PG 9	EXTENDER  PG 9
FPT X MPT SWIVEL  PG 9	MPT X FPT SWIVEL  PG 9	90° MALE ELBOW  PG 10	BARSTOCK ELBOW  PG 10	90° RED ELBOW  PG 10	MALE BRANCH T  PG 10	FGD BRANCH TEE PG 10	ALL MALE T PG 11	LONG ST EL PG 11
LONG EX ADAPT PG 11	FIP X MIP WYE PG 11	MALE WYE N/P PG 11	ALL FIP N/P WYE PG 11	**BULKHEAD FITTINGS PGS 12-13**	BULKHEAD FXF PG 12	BULKHEAD FXM PG 12	BULKHEAD FXM PG 12	BULKHEAD FXM PG 12
BULK TUBE X F PG 12	FPXCLAMP-STUD PG 12	MARINE BULK-HEAD PG 12	STEEL BULK-HEAD PG 13	STEEL BULK-HEAD PG 13	STEEL BULK-HEAD PG 13	STEEL BULK-HEAD PG 13	STEEL BULK-HEAD PG 13	STAINLESS BULKHEAD PG 13
STAINLESS BULKHEAD PG 13	**HOSE BARB PG 14**	MALE ADAPTER PG 15	BSPT ADAPTER PG 16	SWL MALE ADPT PG 16	SWL MALE ADPT PG 16	MENDER/ SPLICER PG 16	FEMALE ADAPT PG 17	FEMALE SWIVEL PG 17


BRASS
PICTORIAL INDEX

MALE SWIVEL  PG 17	MALE SWIVEL  PG 17	GASKET  PG 18	HB 90° ELBOW  PG 18	BS 90° ELBOW  PG 19	TEE  PG 19	90° HB ELBOW  PG 19	FEMALE HB EL  PG 20	45° ELBOW  PG 20
CROSS  PG 20	BALL END  PG 21	BALLSEAT  PG 21	BALLSEAT  PG 21	45° FLARE  PG 21	BARB X COMP  PG 21	DUAL FLARE  PG 22	DUAL FLARE  PG 22	FEM FLARE  PG 22
FEM FLARE SWL 	JIC FLARE SWL  PG 22	**REUSABLE FITTINGS PG 23**	REUSABLE MALE  PG 23	REUSABLE STEMS  PG 23	REUSABLE SWIVELS  PG 23	REUSABLE FERRULES  PG 23	REUSABLE STEMS  PG 23	**FUEL HOSE PG 24**
FUEL HOSE  PG 24	BUBBLE BARB  PG 24	INV FLARE CONN  PG 24	90° MALE ELBOW  PG 24	BUBBLE BARB  PG 24	SWL MALE ELBOW  PG 25	WELD CON-NECTOR  PG 25	WELD HOSE NUT  PG 25	HOSE CON-NECT  PG 25
TUBE BARB PG 26	UNION SINGLE BARB  PG 26	MALE ADAPTER 1 BARB  PG 26	FEMALE ADAPTER  PG 26	BULKHEAD UNION  PG 26	UNION ELBOW  PG 26	MALE 90° ELBOW  PG 26	FEMALE 90° EL PG 26	1 BARB TEE PG 26
MALE BRANCH T PG 26	FEMALE BRANCH T PG 26	TWO BARB PG 26	2 BARB TEE PG 26	90° ELBOW 2 BARB PG 26	**SS. HOSE BARB PG 27**	SS ADAPTER PG 27	SS SPLICER PG 27	SS BARB ELBOW PG 27
#304 SS HOSE PG 27	#304 RED NIPPLE PG 27	#316 SS HOSE NIPPLE PG 27	**BEVERAGE BARB PG 28**	PIPE ADAPTER PG 28	HOSE SPLICER PG 28	BRASS SPLIC-ERS PG 28	FLARE ADAPTER PG 28	THINWALL SPLICERS PG 28
TAILPIECE PG 28	SWIVEL SETS PG 28	PLUG PG 28	TAILPIECE PG 28	SWIVEL BARB PG 28	COMPRESSION PG 28	90° ELBOW PG 28	SWIVEL ELBOW PG 29	U-BEND PG 29

BRASS
PICTORIAL INDEX

HOSE TEES  PG 29	SWIVEL ELBOW  PG 29	U-BEND  PG 29	THINWALL  PG 29	MALE ELBOWS  PG 29	CROSS  PG 29	BARB SPLICER  PG 29	**PUSH-ON BARB PG 31**	MALE ADAPTER  PG 31
MALE SWIVEL  PG 31	FEMALE  PG 31	HOSE SPLICER  PG 32	FEMALE  PG 32	MALE ELBOW  PG 32	TUBE ADAPTER  PG 33	SAE FLARE  PG 33	37° JIC FLARE  PG 33	DUAL SEAL  PG 33
45° SAE FL SWL  PG 34	37° JIC FL SWL  PG 34	INV FLARE SWL  PG 34	FEMALE ADAPTER  PG 35	BALLSEAT SWIVEL  PG 35	FEMALE SWIVEL  PG 35	316 MALE ADPT  PG 36	FEMALE SWIVEL  PG 36	37° JIC FL SWL  PG 36
GARDEN HOSE PG 38	SWL MGH X FGH  PG 38	SWL FGH X FGH  PG 38	FGH X FGH  PG 38	SWL FGH X FPIPE  PG 38	COOLER FIT-TINGS  PG 38	COOLER FIT-TINGS  PG 38	COOLER FIT-TINGS  PG 38	RGD FGH X FPIPE  PG 38
RGD FGH X FPIPE  PG 39	SWL FGH X MPIPE  PG 39	DSHWSHR ELBOW  PG 39	SWL FGH X MPIPE  PG 39	SWL FGH X MPIPE  PG 39	RGD FGH X MPIPE  PG 39	RGD FEMALE PIPE PG 40	RGD FEMALE PIPE PG 40	RGD MALE PIPE PG 40
RGD MGH X MGH PG 40	GH NUT PG 40	GH NUT PG 40	GH WASHER PG 41	GH WASHER PG 41	GH FILTER WSHR PG 41	GH CAP PG 41	GH CAP W/ CHAIN PG 41	GH PLUG PG 41
MENDER PG 42	QCK DISCON GH PG 42	QCK DISCON GH PG 42	MALE FL X FGH RGD PG 42	MALE FL SWIVEL PG 42	COMP X FGH PG 42	COMP X MGH PG 42	FEMALE SWIVEL PG 43	SS FEMALE SWL PG 43
MALE END PG 43	SS MALE END PG 43	GH COUPLING PG 43	GH COUPLING PG 43	FEMALE END PG 44	MALE END PG 44 PG 20	GH COUPLING PG 44	FEMALE SWL 2” PG 44	MALE END 2” PG 44


BRASS
PICTORIAL INDEX

GH COUPLING  PG 44	FE. SHRT SHNK  PG 45	MALE SHRT  PG 45	SHRT SHNK  PG 45	FE. LONG SHNK  PG 45	M. LONG  PG 45	LONG SHNK  PG 45	BRASS BALL  PG 46	HOSE SHUT-  PG 46
PL. GH VALVE  PG 46	ZINC Y  PG 47	CAST WYE  PG 47	2-WAY SHUT-  PG 47	"Y" CONNEC-  PG 47	SWL HOSE  PG 47	"Y" CONNEC-  PG 47	BRASS NOZZLE  PG 48	CROSS PTTRN  PG 48
CROSS PTTRN NOZ  PG 48	SPRAY NOZZLE  PG 48	SPRAY NOZZLE  PG 48	SPRAY NOZZLE  PG 48	PL. SPRAY NOZZ  PG 48	FLARE PG 49	SHORT ROD NUT  PG 50	RED. SHRT ROD  PG 50	LONG ROD NUT  PG 50
LONG FRG. NUT  PG 51	SHORT FRG. NUT  PG 51	HVY. SHRT NUT  PG 51	FLARED PLUG  PG 52	FLARED CAP  PG 29	FNGR TIGHT. CAP  PG 52	COPPER GASKET  PG 52	COPPER BON-NET  PG 53	M BALL CHK CON  PG 53
UNION  PG 53	REDUCING UNION  PG 54	UNION TEE  PG 54	REDUCING TEE  PG 54	M. BRANCH TEE  PG 55	FE. ADAPTER PG 55	MALE ADAPTER PG 56	MALE ELBOW PG 57	FEMALE ELBOW PG 58
MALE RUN TEE PG 58	FLARE CROSS PG 59	FE RUN TEE PG 59	FLARE ELBOW PG 59	45° ELBOW PG 60	UNION PG 60	FE. FL ADAPTER PG 60	FL REDUCER PG 60	FORGED SWIVEL PG 61
SWIVEL ELBOW PG 61	FL X SWT PG 61	SPACE HEATER PG 62	SPACE NUT PG 62	HEATER MALE PG 62	SPACE FEMALE PG 62	HEATER UNION PG 62	GAS RANGE PG 62	GAS MALE PG 62
RANGE FEMALE PG 62	RANGE CAP PG 62	POL PG 63	POL TEE PG 63	TAILPIECE PG 63	TAIL AND NUT PG 63	POL CAP PG 63	PLUG AND CHAIN PG 63	ADAPTER PG 63

BRASS
PICTORIAL INDEX

MALE ADAPTER  PG 63	TAILPIECE  PG 64	POL ADAPTER  PG 64	TAILPIECE  PG 64	POL ADAPTER  PG 64	HEX HEAD  PG 64	POL ADAPTER  PG 64	SOFT NOSE  PG 64	POL ADAPTER  PG 64
PROPANE  PG 65	DUST PLUG  PG 65	POL X MIP  PG 65	APPLIANCE TEE  PG 65	FPT X POL  PG 65	APPLIANCE TEE  PG 65	APPLIANCE TEE  PG 65	O-RING  PG 65	DUAL APPLI-  PG 65
37 FLARE PG 66	JIC UUNION  PG 66	JIC FE ADPT  PG 66	MALE ADAPTER  PG 66	JIC SWIVEL  PG 66	90° ELBOW  PG 67	FE ELBOW  PG 67	45° ELBOW  PG 67	**INVERTED FLARE PG 69**
CHROMATE NUT  PG 69	LONG STEEL NUT  PG 69	INVERTED FL NUT  PG 69	METRIC TUBE NUT  PG 69	UNION INTER-NAL  PG 70	FE. ADAPTER  PG 70	MALE ADAPTER  PG 70	ELBOW  PG 71	45° ELBOW  PG 71
UNION TEE  PG 71	STEEL PLUG  PG 72	BRASS PLUG  PG 72	M. BRANCH TEE  PG 72	FEMALE ELBOW  PG 72	MALE RUN TEE  PG 72	FE. BRANCH TEE PG 73	TRAIL BRAKE TEE PG 73	CYLINDER ADAPT PG 73
CYLINDER ADAPT PG 74	CARBURETOR PG 74	RESTRICT. ADAPT PG 74	SAE FL X INVERT PG 75	METRIC ADAPTER PG 75	ADAPT STAN-DARD PG 75	METRIC UNION PG 75	**COMPRESSION PG 77**	BRASS SLEEVE PG 77
BRASS NUT PG 77	UNION PG 77	REDUCING UNION PG 78	TEE PG 78	REDUCING TEE PG 78	UNION ELBOW PG 79	REDUCING ELBOW PG 79	FE. ADAPTER PG 79	MALE ADAPTER PG 80
MALE ELBOW PG 81	MALE ELBOW PG 81	MALE RUN TEE PG 82	M. BRANCH TEE PG 83	M. BRANCH TEE PG 83	FE. ELBOW PG 82	FORGED TEE PG 83	ADAPTER TEE PG 83	FE. BRANCH TEE PG 84

BRASS
PICTORIAL INDEX

45° ELBOW  PG 84	CAP  PG 84	COMPRESS  PG 84	BULKHEAD  PG 85	CHECK VALVE  PG 85	TANK ADAPTER  PG 85	**DOUBLE COMP. PG 86**	DOUBLE COM-  PG 86	MALE ADAPTER  PG 86
90° ELBOW  PG 86	BREAK-AWAY  PG 86	**SPLIT SLEEVE PG 87**	SPLIT SLEEVE  PG 87	NUT  PG 87	DBL. END  PG 87	CONNECTOR  PG 87	ELBOW  PG 87	**COMP ASSEMBLIES PG 88**
DELRIN SLEEVE  PG 88	BRASS INSERT  PG 88	LONG NUT COMP  PG 88	SELF-ALIGN SLEEVE  PG 88	**CAPTIVE SLEEVE PG 89**	CAP SLEEVE NUT  PG 89	UNION  PG 89	TEE  PG 89	FE ADAP  PG 89
MALE ADAPTER  PG 89	MALE ELBOW  PG 89	M. BRANCH TEE  PG 89	ANG. NEED. VALV  PG 89	SLE. NEED. VALV  PG 89	**FLARELESS PG 91**	NUT PLS. SLEEVE  PG 91	UNION  PG 91	BULKHEAD UNION  PG 91
UNION TUBE  PG 91	BULKHEAD UNION  PG 91	UNION TEE  PG 92	FE. CONNEC-TOR  PG 92	M. CONNECTOR  PG 92	MALE ELBOW  PG 92	FEMALE ELBOW  PG 93	MALE RUN TEE  PG 93	M. BRANCH TEE  PG 93
FE. BRANCH TEE PG 93	UNI NUT SLEEVE PG 94	NUT PG 94	PLASTIC SLEEVE PG 94	BRASS SLEEVE PG 94	CAP PG 94	**PUSH-IN FITTINGS PG 95**	**BRASS PUSH-IN PG 96**	UNION CON-NECT PG 97
UNION TEE PG 97	UNION ELBOW PG 97	FE. CONNEC-TOR PG 97	M. CONNECTOR PG 98	SWVL. M. ELBOW PG 98	FIXED M. ELBOW PG 99	FE. SWVL ELBOW PG 99	FEMALE ELBOW PG 99	SWVL M. RUN T PG 100
FIXED M. RUN T PG 100	SWVL M. BRANCH PG 100	FIX M. BRANCH T PG 100	UNION "Y" PG 101	BULKHEAD UNION PG 101	FE. BLKHD UNION PG 101	CROSS PG 101	REDUCER PG 101	PLASTIC PLUG PG 101

BRASS
PICTORIAL INDEX

N/P PUSH-IN FITTINGS PG 102	UNION CON-  PG 103	UNION TEE  PG 103	UNION ELBOW  PG 103	FE. CONNEC-  PG 103	FIXED M.  PG 104	MALE W/INT  PG 104	M. CONNECTOR  PG 104	SWVL. M.  PG 105
FE. SWVL  PG 105	SWVL. M. RUN T  PG 105	REDUCER  PG 106	UNION "Y"  PG 106	SWVL M.  PG 106	BULKHEAD  PG 106	**N/P VALVES PG 106**	PUSH-IN VALVE  PG 107	TUBE X MIP  PG 107
FIP MINI BALL  PG 107	MXF MINI BALL  PG 107	FIP ANGLE BALL  PG 107	3-WAY MINI  PG 107	3 WAY MINI  PG 107	**METRIC N/P BRASS PG 108**	UNION  PG 108	UNION TEE  PG 108	UNION ELBOW  PG 108
UNION "Y"  PG 108	PLUG  PG 108	METRIC TUBE M.  PG 109	INTERNAL HEX  PG 109	METRIC TUBE ELB  PG 109	METRIC SWVL TEE  PG 110	METRIC SWVL TEE  PG 110	BULKHEAD  PG 110	**N/P WITH NICKEL COLLET PG 111**
NC UNION  PG 111	NC TEE  PG 111	NC ELBOW  PG 111	NC FE ADAP  PG 111	NC MALE ADAP  PG 112	NC MALE ELL  PG 112	MALE RUN TEE  PG 113	MALE BRANCH T  PG 113	BULKHEAD PG 113
METRIC N/P PG 113	METRIC UNION PG 113	METRIC TEE PG 113	METRIC ELL PG 114	FE ADAP PG 114	MALE ADAP PG 114	SW MALE ELL	BULKHEAD PG 114	**SS PUSH-IN PG 115**
SS UNION PG 115	SS TEE PG 115	SS ELL PG 115	FE ADAP PG 115	MALE ADAP PG 116	SW MALE ELL PG 116	MALE RUN TEE PG 117	MALE BRANCH T PG 117	FE BULKHEAD PG 118
UNION BULK PG 118	Y UNION PG 118	**COMPOSITE BODY PUSH-IN PG 119**	UNION PG 120	UNION TEE PG 120	FE. CONNEC-TOR PG 120	90° UNION ELB. PG 120	UNION "Y" CONN PG 120	M. CONNECTOR PG 121


BRASS
PICTORIAL INDEX

SW MALE  PG 121	LONG PTTN  PG 121	FE. SWVL  PG 122	45 SWIVEL ELL  PG 122	SWVL M. RUN T  PG 122	SWVL M.  PG 122	BULKHEAD FE.  PG 123	BULKHEAD  PG 106	SWIVEL "Y"  PG 123
NEEDLE VALVE  PG 123	FLOW CON-  PG 123	FLOW CON-  PG 123	**METRIC COMP PUSH-IN PG 124**	METRIC MALE  PG 124	METRIC ELBOW  PG 124	FEMALE ADAP  PG 124	METRIC TEE  PG 124	METRIC UNION  PG 124
METRIC TEE  PG 124	METRIC TEE  PG 125	METRIC SW ELBOW  PG 125	METRIC WYE  PG 126	METRIC SW WYE  PG 126	**DOT PUSH-IN PG 127**	PLUG  PG 128	UNION  PG 128	UNION TEE  PG 128
UNION ELBOW  PG 128	FEMALE CONN  PG 129	MALE CONNEC-TOR  PG 129	MALE ELBOW  PG 130	MALE SWL ELBOW  PG 130	FEMALE ELBOW  PG 131	FEMALE SWL EL  PG 131	MALE RUN TEE  PG 131	MALE SWL RUN T  PG 132
MALE 45° ELBOW  PG 132	45° SWL ELBOW  PG 132	MALE BRANCH T  PG 132	SWL BRANCH TEE  PG 133	FEM BRANCH T  PG 133	BULK CONNECT  PG 133	BULKHEAD UNION PG 133	FEM BULK UNION PG 133	**COMP D.O.T. PUSH-IN PG 134**
STRAIGHT UNION PG 135	UNION TEE PG 135	UNION 90° EL PG 135	FEM CONNEC-TOR PG 135	MALE CONNEC-TOR PG 136	90° MALE ELBOW PG 136	90° FEMALE EL PG 136	MALE RUN TEE PG 137	MALE BRANCH T PG 137
FEM BRANCH T PG 137	45° MALE ELBOW PG 137	UNION "Y" PG 138	MALE BRANCH "Y" PG 138	BULKHEAD UNION PG 138	FEM BULK CONN PG 138	**DOT AIR BRAKE NYLON PG 139**	SLEEVE PG 140	NUT PG 140
UNION PG 140	BULKHEAD UNION PG 140	SS INSERT PG 140	BRASS INSERT PG 140	TEE PG 141	RED BRANCH TEE PG 141	ELBOW PG 141	FEMALE ADAPTER PG 141	MALE ADAPTER PG 142

BRASS
PICTORIAL INDEX

SWL MALE  PG 142	MALE ELBOW  PG 142	SWL MALE  PG 142	FEMALE  PG 142	MALE RUN TEE  PG 143	MALE BRANCH  PG 143	FEM BRANCH T  PG 143	45° ELBOW  PG 143	SWL 45° ELBOW  PG 143
DOT AIR BRAKE COPPER PG 144	SLEEVE  PG 144	NUT  PG 144	UNION  PG 144	TEE  PG 144	UNION ELBOW  PG 144	FE ADAP  PG 145	MALE ADAPTER  PG 145	90° MALE  PG 145
MALE BRANCH T  PG 145	**DOT FOR HOSE PG 146**	SLEEVE  PG 146	NUT  PG 146	NUT-USE SPRING  PG 146	SPRING  PG 147	NUT/SPRING  PG 147	UNION  PG 147	CONNECTOR HOSE  PG 147
MALE CONNEC-TOR  PG 147	ADAPTER FOR SWL  PG 148	MALE ADAPTER  PG 148	ADAPTER BODY  PG 148	MALE ADAPTER  PG 148	**GREASE FITTINGS PG 149**	1/8 STR.  PG 149	BALL CHECK 1/8 LONG  PG 149	1/8" 30  PG 149
1/8" 45  PG 149	65° 1/8"  PG 149	90° 1/8"  PG 149	1/4 STR  PG 149	65° BALL CHECK  PG 150	SHORT 1/4-28  PG 150	LONG 1/4-28  PG 150	EXTRA LONG 1/4-28 PG 150	SHORT 45° BC 1/4-28 PG 150
SHORT 45° BC 1/4-28 PG 150	LONG 45° BC 1/4-28 PG 150	90° BALL CHECK 1/4-28 PG 150	DRIVE TYPE PG 151	DRIVE TYPE PG 151	6MM PG 151	6MM 45° PG 151	6MM 90° PG 151	8MM PG 151
8MM 45° PG 151	8MM 90° PG 151	10MM PG 152	10MM 45° PG 152	10MM 90° PG 152	5/16"-24 PG 152	3/8" - 24 PG 152	BUTTON HEAD PG 152	WHIP HOSE PG 152
ADAPTERS PG 153	ADAPTERS PG 153	EXTENSIONS PG 153	45° ANGLE PG 153	90° ANGLE PG 153	COUPLING PG 153	BULKHEAD PG 153	**DRAIN COCKS PG 154**	GAS SHUT OFF PG 155

LEAD FREE
PICTORIAL INDEX

DRAIN COCK  PG 155	TRUCK DRAIN  PG 155	SHUT OFF  PG 155	LEVER HANDLE  PG 155	AIR TANK  PG 155	INTERNAL SEATED  PG 156	INTERNAL SEATED  PG 156	LG INTERNAL  PG 156	TEE HANDLE  PG 156
EXT W/ SPOUT  PG 156	BIBB NEEDLE  PG 156	RADIATOR  PG 156	**SHUT OFF COCKS PG 157**	COMP X MALE  PG 157	COMP X COMP  PG 157	FEMALE X FEM  PG 157	MALE X FE-  PG 157	MALE X MALE  PG 157
NEEDLE VALVES PG 158	COMP X MALE  PG 158	COMP X M ANGLE  PG 158	COMP X COMP  PG 158	FLARE X MALE  PG 158	FLARE X MALE  PG 159	FLARE X FLARE  PG 159	AIR VENT  PG 159	MALE TO MALE  PG 159
F X F  PG 159	MALE X FE-MALE  PG 159	**SPECIALTY VALVES PG 160**	TRUCK VALVE  PG 160	FEMALE TO MALE  PG 160	HOSE BARB X MIP  PG 160	FLARE TO MALE  PG 160	MIP X FLARE  PG 160	**SOLID BOTTOM VALVES PG 160**
SOLID BOTTOM  PG 160	FIP X FIP  PG 160	FUEL VALVE  PG 160	MALE X MALE  PG 160	F X F  PG 160	MALE X FLARE  PG 160	**SHUT OFF COCK VALVES PG 161**	3-WAY (SIDE)  PG 161	3-WAY (BOT-TOM)  PG 161
4-WAY PG 161	**MARINE FITTINGS PG 162**	ANTI-SIPHON PG 162	ANTI-SIPHON PG 162	ALUM ANTI-SIPHON PG 162	MXF ANTI-SIPHON PG 162	ALUM MXF PG 162	ALUM BARB PG 162	FL X MIP PG 162
6-PORT PG 162	**MINIATURE BALL VALVES PG 163**	MINI BALL PG 163	MALE X MALE PG 163	PIPE X BARB PG 163	F X F PG 163	F X F PG 163	F X F PG 163	FNPT X FNPT PG 163
MNPT X FNPT PG 163	**PANEL MOUNT PG 163**	PANEL MOUNT PG 163	F X F PG 163	F X F PG 163	4-WAY FIP PG 163	**CHECK VALVES PG 164**	FIPXFIP BUNA-N PG 164	M X F BUNA-N PG 164

BRASS/LEAD FREE
PICTORIAL INDEX

MNPT X MNPT  PG 164	MNPT X FNPT  PG 164	FNPT X FNPT  PG 164	NPT X NPSM  PG 164	F X F  PG 164	F X M  PG 164	M X F  PG 164	M X M CHECK  PG 164	**L/F PIPE PG 165**
FGD ELL  PG 166	FGD TEE  PG 167	BS TEE  PG 167	BS 45  PG 166	BS ELL  PG 166	FACE BUSH  PG 169	SQ. HEAD  PG 168	CAP  PG 168	CROSS  PG 167
COUPLING  PG 167	BUSHING  PG 169	HEX PLUG  PG 169	CS PLUG  PG 168	UNION  PG 168	ST. ELL  PG 172	BS ST ELL  PG 172	FGD ST ELL  PG 172	45 ST ELBOW  PG 172
HEX NIPPLE  PG 170	CL. NIPPLE  PG 170	ADAPTER  PG 171	NIPPLE  PG 170	ALL MALE  PG 173	BS ELL  PG 173	MALE BRANCH  PG 173	MALE RUN  PG 172	**L/F PUSH-ON PG 173**
DUAL SEAT  PG 173	MALE ADAPTER  PG 173	**L/F HOSE BARB PG 174**	RIGID MALE ADAPTER  PG 174	FORGED HOSE BARB  PG 176	MENDER/ SPLICER  PG 176	RIGID FEMALE  PG 175	BARB TEE PG 176	FEMALE PG 176
LF MINI BALL PG 177	**L/F GARDEN HOSE PG 178**	MGH X MALE PG 179	GARDEN HOSE PG 177	FGH X MALE PG 178	MGH X MGH PG 178	BRASS CON-NECTOR PG 179	SWIVEL PG 178	MALE END PG 177
FEMALE SWIVEL PG 177	CAP PG 179	GARDEN HOSE NUT PG 179	RIGID PG 178	SWIVEL PG 177	FGH X MALE PG 178	MGH X FEMALE PG 178	EVAP CLR FTGS PG 179	**L/F FLARE PG 180**
SHORT ROD NUT PG 180	SHORT FORGE NUT PG 180	UNION PG 181	FLARED CAP PG 181	TEE PG 181	PLUG PG 182	FEMALE ADAPTER PG 182	MALE BRANCH TEE PG 182	FORGED SWIVEL PG 183

VALVES
PICTORIAL INDEX

MALE ADAPTER  PG 183	UNION ELBOW  PG 184	FIP BRANCH  PG 184	90° MALE  PG 184	FEMALE  PG 185	L/F COMPRESSION PG 186	BRASS SLEEVE  PG 186	NUT  PG 187	BRASS INSERT  PG 187
CAPTIVE  PG 187	CAP  PG 187	UNION  PG 188	TANK UNION  PG 188	TEE  PG 188	UNION ELBOW  PG 189	FEMALE  PG 190	COMP X SWEAT  PG 190	MALE ADAPTER  PG 191
MALE ELBOW  PG 192	TANK CONNEC-TOR  PG 192	FEMALE ELBOW  PG 193	45 ELBOW  PG 193	MALE RUN TEE  PG 193	MALE BRANCH TEE  PG 194	COMPX FIP X MIP  PG 194	FIPXMIPXCOMP  PG 194	COMPX FIP TEE  PG 194
COMP X FE FL  PG 194	COMP X MALE FLARE  PG 194	COMP X FE COMP  PG 195	COMP X FE FLARE  PG 195	COMP X FE GDN HOSE  PG 195	COMP X FE GDN HOSE 90  PG 195	ADD-A-TEE  PG 195	N/P COMPRESSION PG 196	NUT  PG 196
UNION  PG 196	RED UNION  PG 196	TEE  PG 196	UNION ELBOW  PG 196	FEMALE COU-PLING  PG 196	COMP X SWT  PG 197	MALE ADAPTER PG 197	MALE ELBOW PG 197	FEMALE ELBOW PG 197
ICE MAKER KIT PG 197	L/F NEEDLE VALVES PGS 198-199	COMP NEEDLE VLV PG 198	COMP X MIP NDL VLV PG 198	COMP X M ANGLE PG 198	FL X FL NEEDLE VALVE PG 198	FL X MIP NEEDLE VALVE PG 198	FIP X FIP NEEDLE VALVE PG 198	M X F PIPE PG 198
MIP X MIP NEEDLE VALVE PG 199	VALVE WITH TEE PG 199	VALVE W/ SADDLE PG 199	SADDLE ONLY PG 199	SADDLE VALVE PG 199	L/F & PLBG PG 200	L/F BRASS BALL VALVES PG 201	LF BALL VALVE PG 201	SWT X SWT PG 201
FIP X FIP LF PG 202	SWT X SWT LF PG 202	LF ITALIAN PG 203	SWT X SWT LF PG 203	L/F GATE & CHECK VALVES PG 204	LF GATE VALVE PG 207	GATE VALVE CXC PG 207	LF BRASS CHECK PG 207	SWING CHECK PG 207

VALVES
PICTORIAL INDEX

CXC SWING  PG 207	Y-STRAINER  PG 207	LF COPPER  PG 204	C/E PEX UNION  PG 205	C/E PEX W/  PG 205	PEX BALL  PG 205	MIP X PROPEX  PG 205	PEX DRAIN  PG 205	PUSH FIT  PG 206
FROST FREE PG 208	MALE HOSE  PG 209	FIP HOSE BIBB  PG 209	SWT HOSE  PG 209	FIP BOILER  PG 210	MIP BOILER  PG 210	ANGLE MALE  PG 210	ANGLE FIP  PG 211	PEX SILLCOCK  PG 211
CE PEX SILL-COCK  PG 211	VACUUM BREAK  PG 211	**SUPPLY STOPS & CONNECTORS PG 212**	ANGLE STOPS  PG 212	CONTRACTOR  PG 212	COMP X FIP  PG 212	COMP X SWT  PG 212	X C/E PEX  PG 212	X PEX  PG 212
1/4 COMP  PG 212	PRESS FIT  PG 212	3-WAY SUPPLY STOPS  PG 212	STRAIGHT STOPS  PG 213	X FIP  PG 213	X SWT  PG 213	X C/E PEX  PG 213	X PEX  PG 213	1/4 COMP  PG 213
XCPVC  PG 213	PRESS FIT  PG 213	3/8 X FIP LAV CONNECTOR  PG 214	3/8 X 3/8 LAV CNCTR  PG 214	PVC BALLCOCK CNCTR  PG 214	PVC LAV CON-NECTOR PG 214	PVC LAV 3/8 COMP CNCTR PG 214	FIP X B/C SS CONNECTOR PG 214	ICE MAKER SS CNCTR PG 215
3/8 GDN HOSE SS CNCTR PG 215	WATER HEATER CONNECTOR PG 215	WASHING MA-CHINE CNCTR PG 215	CONNECTOR W/ELBOW PG 215	**PEX ADAPTERS PG 216**	PEX CLAMP PG 216	STD PEX X MALE NPT ADAPTER PG 216	STD PEX X FEMALE NPT ADAPTER PG 216	STD PEX X FEMALE NPSM ADAPTER PG 216
STD PEX TEE PG 216	PEX PLUG PG 216	PEX TEE PG 217	PEX COUPLING PG 168	PEX COUPLING PG 217	PEX ELBOW PG 217	PEX MALE ELBOW PG 217	**TRANSITION FITTINGS PG 218**	CPVC SS MALE ADAPTER PG 218
CPVC BRASS ADAPTER PG 218	FEMALE ADAPTER CPVC PG 218	CPVC DROP EAR BRASS PG 218	CPVC SS MALE ADAPTER PG 218	CPVC SS DROP EAR PG 218	METER COU-PLING PG 219	FLANGE OVAL PG 219	FLANGE OVAL PG 219	RBR COUPLING PG 220

NIPPLES AND FITTINGS
PICTORIAL INDEX

RBR RED CPLG  PG 220	TEST CAP  PG 220	CONNECTORS  PG 220	**VALVES PG 221**	FORGED  PG 222	LOCKING  PG 223	BUTTERFLY  PG 223	FXF NICKEL  PG 224	NP/SS TRIM  PG 225
ITALIAN BALL  PG 226	M X F  PG 227	ITALIAN M X F  PG 228	MXF TEE  PG 229	FXM LOCKING  PG 230	SPRING  PG 231	RIGHT ANGLE  PG 231	3WAY NON-  PG 232	SAFETY EX-  PG 232
GAS VALVES PG 233	GAS BALL VALVE  PG 233	FLARE X FLARE  PG 233	FLARE X MIP  PG 233	FLARE X FIP  PG 233	ITALIAN GAS BALL  PG 233	**MINI BALL VALVES PG 234**	ITALIAN MINI BALL  PG 234	M X F  PG 234
MINI MXF BRASS  PG 234	FXF FLAG HANDLE  PG 235	TEE HANDLE  PG 235	SCREWDRIVER  PG 235	MXF FLAG  PG 236	TEE HANDLE  PG 236	SCREWDRIVER  PG 236	F X F MINI  PG 237	F X M MINI  PG 237
M X M MINI  PG 237	BARB X MALE MINI  PG 237	BARB X FE-MALE  PG 237	BARB X BARB MINI  PG 237	**3-WAY BALL VALVE PG 238**	3-WAY SIDE OUT  PG 238	3-WAY BOTTOM  PG 238	STRAINER  PG 239	RADIATOR AIR PG 239
KEY ONLY PG 239	SILLCOCK PG 239	HOSE BIBBS PG 239	GARDEN VALVE PG 239	GATE VALVE PG 240	BRONZE GATE PG 241	QUICK OPEN-ING PG 242	Y-STRAINER PG 243	**BRASS SWING CHECK PG 244**
SWING CHECK PG 244	Y-SWING CHECK PG 244	CHECK VALVE PG 245	IN LINE CHECK PG 245	IN LINE CHECK PG 246	**SS FULL PORT VALVES PG 247**	2000# PG 247	316 SS 1-PC 1000 STD PORT PG 248	316 SS 2-PC 1000 FP PG 249
SS MINI PG 250	SS M X F PG 250	FXF BUTTER-FLY PG 251	MXF BUT-TERFLY PG 251	MXM BUT-TERFLY PG 251	**SS CHECK VALVES PG 252**	304 CHECK PG 252	SS IN LINE PG 253	FXF SPRING CHK PG 254

NIPPLES AND FITTINGS
PICTORIAL INDEX

MXF SPRING  PG 254	Y-SPRING  PG 255	2PC BARREL  PG 255	Y STRAINER  PG 256	SS SWING CHK  PG 256	SS GLOBE  PG 256	SS GATE VALVE  PG 256	**CARBON STEEL BALL VALVES PG 257**	STANDARD  PG 257
2PC FULL PORT  PG 258	2 WAY  PG 259	3 WAY  PG 259	CHECK VALVES  PG 260	**PVC VALVES PG 261**	PVC THREAD  PG 261	SLIP X SLIP  PG 261	FIP X FIP  PG 261	SLIP X SLIP  PG 261
IN-LINE CHECK  PG 262	FIP PVC CHECK  PG 262	DRUM FAUCET  PG 262	DRUM & BAR-REL  PG 262	**DUCTILE IRON VALVES PG 264**	BUTTERFLY VALVE LEVER  PG 264	BUTTERFLY VALVE GEAR  PG 264	GEAR RE-PLACEMENT  PG 266	WHEEL  PG 266
EXTENSIONS  PG 266	ROLL PIN  PG 266	WAFER CHECK  PG 267	CHECK VALVE UL  PG 268	CHECK  PG 268	CHECK  PG 269	GATE VALVE NO TAP  PG 270	GATE VALVE NRS RES.  PG 270	GATE VALVE DI  PG 270
GATE VALVE FL X MJ  PG 270	**NIPPLES & FITTINGS PG 272**	**BRASS NIPPLES PG 274**	SEAMLESS SCH 40  PG 276	CHROME PLATED  PG 282	**BRONZE FITTINGS PG 283**	**L/F BRONZE FITTINGS PG 284**	90° ELBOW  PG 285	90° REDUCE ELB  PG 285
90° STREET ELLS  PG 286	45° ELBOW  PG 286	45 ST ELBOW PG 287	CROSS PG 287	TEE PG 288	REDUCING TEE PG 289	COUPLING PG 290	REDUCE COUP PG 291	CAP PG 292
UNION PG 292	HEX LOCKNUT PG 294	HEX BUSHING PG 293	HEX BUSHING PG 293	CNTRSUNK PLUG PG 294	CORED PLUG PG 294	SOLID PLUG PG 295	HEX NIPPLE PG 295	REDUCE HEX NIP PG 295
LF COMPANION FLANGE PG 296	LF SWT COMP FLANGE PG 296	LF FLOOR FLANGE PG 296	**C/P BRONZE FITTINGS PG 297**	C/P TEE PG 297	C/P CROSS PG 297	C/P ST ELL PG 297	C/P 45 ST ELL PG 297	C/P COUPLING PG 297

NIPPLES AND FITTINGS
PICTORIAL INDEX

C/P ELL  PG 297	C/P 45 ELL  PG 298	C/P UNION  PG 298	C/P CAP  PG 298	C/P BUSHING  PG 298	C/P PLUG  PG 298	**CLEANOUT PLUGS PG 299**	CLEANOUT  PG 299	CS C/O PLUG  PG 299
C/O PLUG W/  PG 299	**DROP EAR ELBOWS PG 299**	BRONZE D/E  PG 299	SWT X SWT  PG 299	PEX X FIP  PG 299	**BRONZE INSERT FITTINGS PG 300**	BARB FOR PL  PG 300	BRONZE TEE  PG 300	90 BRONZE  PG 300
UNION 90  PG 300	**STEEL INSERT FITTINGS PG 300**	STEEL INSERT  PG 300	REDUCER  PG 300	UNION  PG 300	**SS INSERT FITTINGS PG 301**	SS MALE ADAPTER  PG 301	SS 90 ELBOW  PG 301	**L/F INSERT FITTINGS PG 301**
LF UNION  PG 301	LF MALE BRANCH  PG 301	LF UNION ELBOW  PG 301	**SS COUPLINGS PG 301**	SS DROP WELL  PG 301	SS HEAVY CPLG  PG 301	SS MERCHANT  PG 301	**SS NIPPLES PG 302**	304 SCH 40 WELDED  PG 303
316 SCH 40 WELDED  PG 303	**SS FITTINGS PG 304**	90° ELBOW  PG 309	90° STREET ELB.  PG 309	45° ELBOW  PG 309	TEE  PG 310	CROSS  PG 310	HEX NIPPLE  PG 310	REDUCE HEX NIP  PG 310
COUPLING  PG 311	REDUCE COUP  PG 311	MACHINED COUP  PG 311	HALF COU-PLING  PG 312	UNION PG 312	CAP-CAST PG 312	HEX CAP-BRSTCK PG 312	HEX BUSHING PG 313	HEX LOCKNUT PG 314
HEX SOCKET PLG PG 315	CORED PLUG PG 314	SOLID PLUG PG 315	SOLID HEX PLUG PG 315	CORED HEX PLUG PG 314	HOSE NIPPLE PG 314	REDUCING PG 315	**STEEL NIPPLES PG 316**	SCH 40 GALVA-NIZED PG 317
SCH 40 BLACK PG 317	SINGLE NIP RUN PG 324	ASSORTMENTS PG 325	TOTE TRAYS PG 325	SCH 80 SEAM-LESS PG 326	XXS SEAMLESS PG 332	**GROOVE NIPPLES PG 332**	THREAD X GROOVE PG 333	GROOVE X GROOVE PG 334


NIPPLES AND FITTINGS
PICTORIAL INDEX

MERCHANT COUPLINGS PG 335	MERCHANT  PG 335	MERCHANT  PG 335	HALF MECHANT  PG 335	API LINE COUP  PG 336	**MALLEABLE FITTINGS PG 337**	90° ELBOW  PG 338	90° ELB. BLACK  PG 338	REDUCE  PG 338PG 338
REDUCE  PG 338	GALV ST.  PG 338	BLK. ST. ELBOW  PG 338	45° GALV  PG 339	45° BLK.  PG 339	45° GALV ST.  PG 339	45° BLK. ST.  PG 339	GALV CROSS  PG 339	BLACK CROSS  PG 339
GLAV TEE  PG 340	BLACK TEE  PG 340	GALV REDUCE T  PG 340	BLK. REDUCE T  PG 340	BULLHEAD TEE  PG 340	BLK. BLKHD TEE  PG 340	REDUCING TEE  PG 341	MALL SERVICE T  PG 341	MALL SERVICE T  PG 341
GALV OUT TEE  PG 341	BLK. OUT TEE  PG 341	GALV COU-PLING  PG 342	BLK. COUPLING  PG 342	GALV RED COUP  PG 342	BLK. RED COUP  PG 342	INSIDE HEX  PG 343	BLK. HEX BUSH  PG 343	GALV HEX BUSH  PG 343
GALV UNION  PG 344	BLACK UNION  PG 344	GALV SQR PLUG  PG 344	BLK SQR PLUG  PG 344	GALV CAP  PG 344	BLACK CAP  PG 344	LATERAL Y PG 345	LOCKNUTS PG 345	COUPLING PG 345
OUTLET ELBOW PG 345	GALV FLR FLANGE PG 346	BLK FLR FLANGE PG 346	EXTENSION PG 346	SHROOM CAP PG 346	**STEEL FITTINGS PG 347**	GALV HEX BUSH PG 347	BLK HEX BUSH PG 347	GALV CAP PG 347
BLK CAP PG 347	GALV FACE BUSH PG 347	BLK FACE BUSH PG 347	GALV SQR PLUG PG 348	BLK SQR PLUG PG 348	GALV HEX PLUG PG 348	BLK HEX PLUG PG 348	GALV CS PLUG PG 348	BLK CS PLUG PG 348
CS HEX PG 348	BLK CS PLUG PG 348	**300# MALLEABLE PG 349**	90° ELBOW PG 349	45° ELBOW PG 349	90° ST ELBOW PG 349	TEE PG 349	COUPLING PG 349	REDUCE COUP PG 350

PLASTIC
PICTORIAL INDEX

CAP  PG 350	UNION  PG 350	MAG DRAIN  PG 350	**SWAGES BULLPLUGS PG 351**	BULL PLUG  PG 351	XH BULL PLUG  PG 351	SCH 40 SWAGE  PG 351	HEX SWAGE  PG 352	SCH 80 SWAGE  PG 352
XXH SWAGE  PG 352	**CARBON STEEL FLANGES PG 353**	SLIP-ON  PG 353	THREADED  PG 353	WELD NECK  PG 354	BLIND FLNG  PG 354	**DUCTILE IRON FLANGES PG 355**	COMP FLANGE  PG 355	COMPANION  PG 355
BLIND FLANGE  PG 356	**GASKET SETS PG357**	RUBBER GAS-KETS SETS  PG 357	FULL FACE RED RUBBER GASKET  PG 358	NON-AS-BESTOES RING GASKET  PG 358	**COPPER FITTINGS PG 360**	90° EL CXC  PG 360	90° ST EL FTG X C  PG 360	90° LONG TURN  PG 360
90° LONG TURN ST  PG 360	45° EL CXC  PG 360	45° ST FTG X C  PG 361	COUPLING  PG 361	COUPLING  PG 361	COUPLING  PG 361	REDUCER W/ STOP  PG 362	FITTING RE-DUCER  PG 362	MALE ADAPTER  PG 362
FTGXM ADAPTER  PG 363	FEMALE ADAPTER  PG 363	FTG X F ADAPTER  PG 363	CAP  PG 363	UNION C X C  PG 364	U-TYPE STRAP  PG 364	TEE  PG 364	**PLASTIC FITTINGS PG 365**	**PLASTIC NIPPLES PG 366**
PIPE NY-LON POLY PG 367	ELBOW  PG 368	TEE  PG 368	STREET ELBOW PG 368	STREET ELBOW PG 368	HEX HEAD PLUG PG 368	HEX HEAD PLUG PG 368	HEX BUSHING PG 369	HEX BUSHING PG 369
HEX NIPPLE PG 369	HEX NIPPLE PG 369	RED NIPPLE PG 369	RED NIPPLE PG 369	COUPLING PG 370	COUPLING PG 370	PIPE CAP PG 370	PLASTIC BULK-HEAD PG 370	**PIPE/ HOSE BARB PG 370**
MALE ADAPTER PG 370	MALE ADAPTER PG 371	HOSE X MALE 90° PG 371	HOSE X MALE 90° PG 371	UNION ELBOW PG 372	SPLICER PG 372	SPLICER PG 372	RED SPLICER PG 372	RED SPLICER PG 372

HOSE ACCESSORIES
PICTORIAL INDEX

BARBED TEE  PG 373	BARBED TEE  PG 373	BARBED Y  PG 373	BARBED Y PG 373	REDUCING TEE  PG 373	REDUCING TEE  PG 373	M BRANCH TEE  PG 373	**PLASTIC GARDEN HOSE PG 374**	GH CAP  PG 374
GH NUT  PG 374	GH ADPT  PG 374	GH THREAD  PG 374	MGH X F  PG 374	FGH X M  PG 374	FGH X F  PG 374	MGH X M  PG 374	**PLASTIC COMPRESSION PG 375**	UNION CON-  PG 375
BULKHEAD UNION  PG 375	UNION TEE  PG 375	UNION ELBOW  PG 375	FEMALE CONNECT  PG 375	MALE CONNECTOR  PG 375	MALE ELBOW  PG 375	**NSF PUSH-IN PG 376**	UNION CONNECT  PG 376	BULKHEAD UNION  PG 376
UNION TEE  PG 376	UNION ELBOW  PG 376	REDUCING ELBOW  PG 376	FEMALE CONNECT  PG 377	MALE CONNECTOR  PG 377	STEM ADAPTER  PG 377	REDUCER  PG 377	FIXED ELBOW  PG 378	PLUG-IN ELBOW  PG 378
2-WAY DIVIDER  PG 378	PLUG  PG 378	BSP ADAPTER  PG 378	PLXPL  PG 378	PL X MIP VALVE  PG 378	CHECK VALVE  PG 379	STOP VALVE  PG 379	LOCKING CLIP PG 379	FLOW BEND CLIP PG 379
SPANNER	STOP VALVE ADAPTER PG 379	SLIP TEE VALVE PG 379	**HOSE ACCESSORIES PG 380**	**CAM AND GROOVE PG 380**	**ALUMINUM SPOOL & PART A PG 381**	M ADPT X F NPT A PG 381	FEMALE COUPLER B PG 381	HOSE SHANK C PG 381
FEMALE COUPLER D PG 381	HOSE SHANK E PG 382	MALE ADAPER F PG 382	DUST CAP DC PG 382	DUST CAP DP PG 382	SPOOL ADAPTER PG 383	MALE ADAPTER A PG 383	SWIVEL A PG 383	FEMALE COUPLER B PG 383
ELBOW C PG 383	REDUCER C PG 383	REDUCER D PG 384	FEMALE COUPLER D PG 384	FEMALE COUPLER DD PG 384	SWIVEL D PG 384	MALE ADAPTER F PG 384	**POLY CAM & GROOVE PG 385**	MALE ADAPTER A PG 385

HOSE ACCESSORIES
PICTORIAL INDEX

FEMALE COU-  PG 385	HOSE SHANK C  PG 385	FEMALE COU-  PG 385	M X HOSE  PG 386	MALE ADAPTER  PG 386	DUST CAP DC  PG 386	DUST PLUG DP  PG 386	**SS CAM & GROOVE PG 387**	FEMALE  PG 387
FEMALE COU-  PG 387	HOSE SHANK C  PG 387	FEMALE COU-  PG 387	HOSE SHANK E  PG 388	MALE ADAPTER  PG 388	DUST CAP DC  PG 388	DUST PLUG DP  PG 388	SS ADAPTER  PG 389	SS COUPLER  PG 389
SS DA  PG 389	ELBOW D SS  PG 389	**BRASS CAM & GROOVE PG 390**	MALE ADAPTER A  PG 390	FEMALE COU-PLER B  PG 390	HOSE SHANK C  PG 390	FEMALE COU-PLER D  PG 390	HOSE SHANK E  PG 391	MALE ADAPTER F  PG 391
DUST CAP DC  PG 391	DUST CAP DP  PG 391	**CRIMPLOK PG 393**	ALUM DC  PG 393	ALUM B  PG 393	ALUM D  PG 393	ALUM C  PG 393	SS B  PG 394	SS D  PG 394
SS DC  PG 394	SS C  PG 394	ALUM C  PG 395	ALUM C AND E  PG 395	SS CRIMPLOK  PG 395	CRIMP CAMS  PG 395	SS HANDLE  PG 396	BRASS HANDLE PG 396	BUNA-N GAS-KET PG 396
SAFETY CLIP PG 396	SILICONE GASKET PG 397	VITON GASKET PG 397	**KING NIPPLES PG 398**	HOSE NIPPLE STEEL PG 398	ZINC PLATED PG 398	REDUCER/EX-PANDER PG 398	316 SS PG 398	BRASS PG 399
ALUMINUM PG 399	STEEL VIC-TAULIC PG 399	PLATED GROOVED PG 399	CRIMP KING PLATED PG 401	CRIMP KING PG 401	CRIMP COMBO PG 401	CRIMP KING PG 401	SQUARE CUT PG 402	SS FLANGE NIPPLE PG 402
VICTAULIC PG 402	HOSE MENDER STEEL PG 403	PLATED STEEL MENDER PG 403	316 HOSE MEND PG 403	BRASS MENDER PG 403	**UNIVERSAL COUPLINGS PG 404**	UNIVERSAL PG 404	WASHER PG 404	FEMALE NPT PG 404

HOSE CLAMPS
PICTORIAL INDEX

HOSE END  PG 404	TRIPLE CON-  PG 404	GROUND JOINT  PG 405	HOSE STEM  PG 405	WING NUT  PG 405	F SPUT ONLY  PG 406	M NPT STEM  PG 406	BOLT CLAMP  PG 406	STEEL HOSE  PG 406
ALUMINUM  PG 406	**STRAINERS & NOZZLES PG 407**	SAFETY CHECK  PG 407	FOOT VALVE  PG 407	ROUND  PG 407	LONG STRAINER  PG 407	BOTTOM  PG 407	BOTTOM HOLE  PG 407	FOG NOZZLE  PG 407
FIRE HOSE FITTINGS PG 408	FIRE HOSE  PG 408	FXM HEX ADPT  PG 408	DBL M HEX NIP  PG 408	M SWL ADAPTER  PG 408	BRASS CAP  PG 408	NOZZLE  PG 408	**BUCHANAN HOSE PG 416**	CLEAR BRAID PG 416
JACK HAMMER  PG 417	JACK HAMMER  PG 417	HOT AIR BLOWER  PG 417	JACK HAMMER  PG 417	GENERAL PURPOSE  PG 418	GENERAL PURPOSE  PG 418	MARINE EX- HAUST  PG 419	PUSH-ON  PG 419	FUEL LINE  PG 420
ARI SUCTION  PG 420	IND VACUUM  PG 421	BULKMASTER SOFTWALL  PG 421	EPDM SUCTION  PG 422	SANDBLAST  PG 422	FLEXLITE  PG 423	FLEXCHEM  PG 423	TANK TRUCK PG 424	FLEXLITE PG 424
TANK TRUCK PG 425	OIL VACUUM PG 425	TANK TRUCK 300 PG 426	OIL VACUUM PG 426	FRACLINE 400 PG 427	PETRO DIS- CHARGE PG 427	HOT TAR PG 428	PETRO DIS- CHARGE PG 428	PETRO DIS- CHARGE PG 429
STEAM 250 BLACK PG 429	STEAM 250 PG 430	BLUE LAYFLAT PG 431	BLUE ASSEM- BLY PG 431	BROWN LAY- FLAT PG 432	DURAFLEX PG 433	DURAFLEX PG 433	HIGH PRES- SURE PG 434	HIGH PRES- SURE PG 434
SATURN OLIVE PG 435	SATURN GREEN PG 435	SATW PG 436	SAT PG 436	WATER SUC- TION PG 437	SUPERFLEX PG 437	CRIMPLOK FERRULES PG 439	CRIMPLOK SLEEVES PG 445	**HOSE CLAMPS PG 452**

PRESSURE WASHER/ PNEUMATICS

PICTORIAL INDEX

WORM GEAR PG 453	MINI WORM GEAR  PG 453	WORM GEAR CLAMP  PG 453	QUICK RE-LEASE  PG 457	T-BOLT CLAMPS  PG 458	M6 MAXI  PG 459	MKL MEGAK-LAMP  PG 459	M8 MAXI  PG 460	M10 MAXI HEAVY  PG 460
M8S STD MAXI  PG 460	T-BOLT SPRING LDD  PG 461	V-BAND  PG 462	CONSTANT TORQUE  PG 462	HEAVY DUTY  PG 463	DOUBLE BOLT  PG 463	SC SPIRAL  PG 464	M10DC MAXI  PG 464	GUILLOTINE  PG 465
SADDLE  PG 465	FLAT  PG 465	LAP  PG 466	BUTT  PG 466	EXHAUST  PG 466	EASY FORM  PG 466	1-EAR  PG 467	HAMMERLOCK  PG 468	2-EAR  PG 468
GAPLESS  PG 468	SIDE JAW  PG 469	PINCERS  PG 469	CRIMPER  PG 469	LOKING TOOL  PG 469	LOKING TOOL  PG 469	MARINE EM-BOSSED  PG 470	MINI CLAMPS SS  PG 470	MINI ALUZINC  PG 470
LINED CLAMPS  PG 470	VINYL COATED  PG 471	RUBBER LINED  PG 471	HOSE FERRULE-SS  PG 472	**TUBING PG 473**	POLYURE-THANE  PG 474	BLACK PG 474	BLUE PG 474	RED PG 474
POLYETHYL-ENE PG 475	BLACK POLY PG 476	GREEN POLY PG 476	BLUE POLY PG 476	RED POLY PG 476	NYLON 12 PG 477	PVC PG 478	MINITUBING CUT PG 478	TUBING CUT-TER PG 478
PLASTIC TUBE CUT PG 478	MOUNTING RACK PG 478	ALUMINUM PG 479	COPPER TUBE PG 479	SOFT COPPER PG 479	**PRESSURE SPRAYERS PG 480**	QD NOZZLE PG 481	MEG NOZZLE PG 481	RUBBER TIP PG 482
SS LIVE SWIVEL PG 482	THERMAL RELIEF PG 482	BOOM SWIVEL PG 483	WAND PG 483	SPRAY GUN PG 483	GUN W/EXT PG 483	MALE STEEL PLUG PG 484	FE. STEEL PLUG PG 484	MOLDED GRIP PG 485


PNEUMATICS
PICTORIAL INDEX

MOLDED GRIP  PG 485	**PNEUMATICS PG 486**	**INDUS-TRIAL QUICK DISCONNECTS PG 487**	INDUSTRIAL  PG 487	BRASS M.  PG 487	STEEL FE.  PG 487	STEEL M. COUP  PG 487	BR. HOSE  PG 487	STL. HOSE  PG 487
BR. PUSH-ON  PG 488	STL PUSH-ON  PG 488	STEEL M. PLUG  PG 488	STEEL FE.  PG 488	BRASS M. PLUG  PG 488	STL HOSE  PG 488	PUSH-ON PLUG  PG 488	STL SWL M.  PG 488	**UNIVERSAL PG 489**
UNIVERSAL SERIES  PG 489	BRASS FE. COUP  PG 489	BR. HOSE COUP  PG 489	SS M. COUPLER  PG 489	SS FE. COU-PLER  PG 489	SS MALE PLUG  PG 489	SS FE. PLUG  PG 489	**ARO 210 INTERCHANGE PG 490**	ARO 210  PG 490
FEMALE COU-PLER  PG 490	HOSE ID COUP  PG 490	MALE PLUG  PG 490	FEMALE PLUG  PG 490	HOSE ID PLUG  PG 490	**AUTO INTERCHANGE PG 491**	AUTO INTER-CHANGE  PG 491	BR. FE. COU-PLER  PG 491	STL. M. COU-PLER  PG 491
STL. FE. COU-PLER  PG 491	BR. MALE PLUG  PG 491	BR. FE. PLUG  PG 491	STEEL MALE PLUG  PG 491	STEEL FE. PLUG  PG 492	HOSE ID COUP  PG 492	PUSH-ON COUP  PG 492	HOSE ID PLUG  PG 492	PUSH-ON PLUG  PG 492
LINCOLN INTERCHANGE PG 492	LINCOLN PG 492	FEMALE COU-PLER PG 492	STEEL MALE PLUG PG 492	STEEL FE. PLUG PG 492	**MISC COUPLERS PG 493**	HIGH FLOW PG 493	FEMALE COU-PLER PG 493	MALE PLUG PG 493
FEMALE PLUG PG 493	MOLD COOL-ANT PG 493	FEMALE PLUG PG 493	MINI QD PG 493	FE PLUG PG 493	**MUFFLERS VENTS PG 494**	BR. MUFFLER PG 494	STAINLESS MUFFLER PG 494	BR. BREATH VENT PG 494
STLS BREATH VEN PG 499	PSI SNUBBER PG 494	SPEED VALVE PG 495	SPEED VALVE PG 495	MUFF W/ FLOW PG 495	HI FLOW MUFF PG 495	HI FLOW MUFF PG 495	HI FLOW MUFF PG 495	HI FLOW MUFF PG 495
NIP INLINE FILTER PG 495	RPR AIR/OIL FILTER PG 495	AIR REGULA-TOR PG 496	MANIFOLD PG 495PG 496	AIR MANIFOLD PG 495PG 496	**SAFETY VALVES PG 497**	HI FLOW MUFFSAFETY VALVES PG 497	SAFETY VALVES PG 497	CHECK VALVE PG 497


HYDRAULICS
PICTORIAL INDEX

CHECK VALVE  PG 497	**TANK VALVES PG 498**	BIKE PUMP FITT  PG 498	INFLATOR  PG 498	SLIDE VALVE  PG 498	SPRING CORE  PG 498	SPRING CORE  PG 498	SPRING CORE  PG 498	BLK PLASTIC CAP  PG 498
DOME CAP  PG 498	**BLOW GUNS PG 499**	CPCT BLOW GUN  PG 499	SAFE BLOW GUN  PG 499	SAFE BLOW GUN  PG 499	CPCT BLOW GUN  PG 499	PISTOL BLOW GUN  PG 499	PISTOL BLO-GUN  PG 499	**MISC GAUGES PG 499**
RUB TIP NOZZLE  PG 499	HI FLOW NOZZLE  PG 500	M-TIRE GAUGE  PG 500	STANDARD NOZZ  PG 500	VOL REGULA-TOR  PG 500	EXTENSION PG 500	GUN ADAPTER  PG 500	COIL AIR HOSE  PG 500	COIL AIR HOSE  PG 501
HEX BALL CHUCK  PG 501	M. BALL CHUCK  PG 501	BALL CHCK BARB  PG 501	DUAL AIR CHUCK  PG 501	DUAL STRT AIR  PG 501	INFLATOR/ GAUGE  PG 501	INFLATOR/ GAUGE  PG 501	**GAUGES PG 504**	DRY GAUGE  PG 505
CENTER BACK MOUNT  PG 505	LIQUID FILLED  PG 506	WATER TEST  PG 507	GAS TEST  PG 507	**TAPES & SEALANT PG 508**	THREAD SEAL  PG 508	BLUE SEAL TAPE  PG 508	YEL GAS TAPE  PG 508	GRE OXY TAPE  PG 508
GREY SS TAPE PG 508	**TRUCK & TRAILER PG 509**	AIR COIL PG 509	SLIDER COIL PG 509	AIRLINE CABLE PG 510	AIRBRAKE REPAIR PG 510	POGO STICK PG 510	HOSE HOLDER PG 510	HOSE HOLDER PG 510
HOSE SEPARA-TOR PG 510	CLIP CARA-BINER PG 511	HANGER BRACKET PG 511	YOKE PG 511	FRAME CLIP PG 511	AIRHOSE CLIP PG 511	TENDER KIT PG 512	SPRING PG 512	SLIDER BAR PG 512
GLADHANDS PG 513	BRACKET MOUNT PG 513	KNOB STYLE GH PG 514	LEVER STYLE GH PG 514	GLADHAND GRIP PG 515	AL GLADHAND PG 515	GLADHAND PACIFER PG 515	GLADHAND SEAL PG 515	GH COUPLING KIT PG 515

HYDRAULICS
PICTORIAL INDEX

NYLON GH  PG 515	GH HOLDER KIT  PG 516	GLADHAND  PG 516	KING PIN LOCK  PG 517	AIR CYLINDER  PG 517	HIGH LIFT PG 518	TAILGATE  PG 518	TAILGATE AIR  PG 518	FIFTH WHEEL  PG 519
AIR TANK  PG 519	D2 AIR GOVER-  PG 519	QCK RELEASE  PG 519	R12 RELAY  PG 520	R14 RELAY  PG 520	3 WAY SOLE-  PG 520	UNI SOLENOID  PG 520	AIR SOLENOID  PG 520	7 WAY CABLE  PG 521
6 WAY ELEC CABLE  PG 522	4 WAY ELEC CABLE  PG 522	DUEL POLE  PG 522	SINGLE POLE  PG 522	PLUG  PG 523	PLUG  PG 523	SOCKET  PG 523	7W DBLE GRIP  PG 523	ADAPTER  PG 523
RV 7WAY PLUG  PG 523	RV 7WAY SOCK  PG 524	4WAY PLUG  PG 524	GROUND KIT  PG 524	PROTECTOR BOOT  PG 524	CIRCUIT BREAKER  PG 525	NOSE BOX-DEEP  PG 526	BATT GRND STRAP PG 526	SS BATTERY NUT  PG 526
DEER WHISTLE  PG 527	CONSP TAPE  PG 528	TARP STRAP  PG 528	DOT TUBING  PG 529	FUEL LINE PG 530	AIR BRAKE HOSE PG 530	HYDRAULICS PG 531	STEEL PIPE SWIVEL PG 540	M. SWL ADAPTER PG 540
FE. SWL ADAPTER PG 540	M. ELB ADAPTER PG 540	FE. UNION ELB. PG 540	M. 45° ELBOW PG 541	FE. 45° UNION PG 541	M. SWL TEE PG 541	FE. SWL TEE PG 541	FE. SWL TEE PG 541	JIC FLARE PG 542
LONG JIC NUT PG 542	JIC CAP PG 542	JIC TUBE NUT PG 542	JIC TUBE SLEEVE PG 542	JIC TUBE UNION PG 542	JIC M. CONN PG 543	JIC FE. CONN PG 543	JIC RED/EXP PG 544	PLUG PG 544
JIC UNION ELB. PG 544	JIC M. ELBOW PG 545	JIC M. ELBOW PG 545	MALE 45° ELBOW PG 545	M. BRANCH TEE PG 546	JIC FE. TEE PG 546	JIC UNION TEE PG 546	LOCKNUT PG 546	JIC BULK UNION PG 546

HYDRAULICS
PICTORIAL INDEX

BULK UNION ELB  PG 547	45° UNION ELB  PG 547	BULK BRANCH T  PG 547	BULK RUN TEE  PG 547	JIC TO FEMALE  PG 547	JIC TO MALE  PG 547	**STEEL PIPE FITTINGS PG 548**	PIPE COUPLING  PG 548	HEX PIPE NIPPLE  PG 548
EXP/ PIPE ADAP  PG 548	HEX RED/ BUSH  PG 549	HEX HEAD PLUG  PG 549	HOLLOW HEX PLG  PG 549	FLUSH HLW PLUG  PG 549	SQR HEAD PLUG  PG 549	PIPE CAP  PG 550	MALE ELBOW  PG 550	45° M. ELBOW  PG 551
90° ST ELBOW  PG 551	45° ST ELBOW  PG 551	FE. ELBOW  PG 551	45° FE. ELBOW  PG 551	MALE PIPE TEE  PG 552	FE. PIPE TEE  PG 552	ST PIPE TEE  PG 552	FE. RUN PIPE T  PG 552	MALE PIPE TEE  PG 552
FE. PIPE TEE  PG 552	**STEEL O-RING ADAPTERS PG 553**	JIC TO O-RING  PG 553	O-RING TO PIPE  PG 553	O-RING TO 37°  PG 553	O-RING UNION  PG 553	FE. O-RING  PG 554	O-RING TO FE.  PG 554	O-RING PLUG  PG 554
O-RING HLW PLG  PG 554	O-RING PORT  PG 555	**JIC SWIVEL PG 555**	JIC SWL ELBOW  PG 555	JIC SW X MIP  PG 555	JIC SWL 45°  PG 555	JIC SWL TO F 90°  PG 555	JIC SWL CONN PG 556	JIC SWL TO M PG 556
JIC SWL TOF ADP PG 556	JIC SWL BRANCHT PG 556	JIC SWL RUN T PG 556	**JIC O-RING PG 556**	JIC RUN TEE PG 556	JIC TO ORING 90° PG 557	JIC TO ORING 45° PG 557	JIC BRANCH TEE PG 557	ORING TO F 90° PG 557
ORING TO M 90° PG 558	ORING JIC 90° PG 558	F TO M ORING 90° PG 558	M ORING SWL AD PG 558	90° ORING SWL PG 559	45° ORING SWL PG 559	O-RING PG 559	NITRILE O-RING PG 559	BRAZE TUBE NUT PG 559
BRAZETUBE SLV PG 560	CAP PG 560	BULKHEAD LKNUT PG 560	MALE UNION PG 560	FACE SEAL ADPT PG 560	FE ORFS X ORFS PG 560	PLUG PG 561	ORFS UNION 90° PG 561	ORFS TO M 90° PG 561

STAINLESS STEEL
PICTORIAL INDEX

ORFS TO PIPE  PG 561	ORFS UNION T  PG 561	M ORFS TO  PG 562	M TO F 37° SWL  PG 561	SWL NUT  PG 562	37° SWIVEL  PG 562	O-RING ELBOW  PG 562	ORFS TO 45°  PG 562	SWIVEL ELBOW  PG 563
STEEL BSPT ADAPTERS PG 563	JIC BSPT  PG 563	BSPT ELBOW  PG 563	HEX NIPPLE  PG 563	PLUG  PG 563	HEX NIPPLE  PG 563	COUPLING  PG 564	FEMALE  PG 564	ELBOW  PG 564
45° ELBOW  PG 564	MALE NIPPLE  PG 564	MALE BSPP  PG 564	SWIVEL BSPP  PG 565	PLUG BSPP  PG 565	HOLLOW BSPP  PG 565	FEMALE BSPP  PG 565	**METRIC PG 565**	MALE CONNEC-TOR  PG 565
MALE ELBOW  PG 566	STRAIGHT SWIVEL  PG 566	METRIC PARAL-LEL  PG 566	HOLLOW  PG 566	FEMALE ADAPTER  PG 566	**ISO A & B INTERCHANGE PG 567**	NO SPILL  PG 567	DRYBREAK  PG 567	ISO-A COUPLER  PG 567
ISO-A PLUG  PG 567	ISO-B COUPLER  PG 567	ISO-B PLUG  PG 567	FLUSH FACE  PG 568	FLUSH FACE  PG 568	LSQ SERIES 	LSQ SERIES  PG 568	AG SERIES PG 569	KZE SERIES PG 569
FLOW CONTROL PG 570	FLOW VALVE PG 570	NEEDLE VALVE PG 570	PRESSURE VALVE PG 571	JIC FLANGE PG 573	JIC FLANGE PG 573	JIC FLANGE PG 573	FLANGE KIT PG 574	FLANGE KIT PG 574
SPLIT FLANGE PG 574	FLANGE PLUG PG 574	FLANGE HALF PG 575	FLANGE PAD PG 575	FLANGE HALF PG 575	**STAINLESS STEEL ADAPTERS PG 579**	PIPE SWIVEL PG 579	PIPE SWIVEL PG 579	TUBE SLEEVE PG 580
TUBE NUT PG 580	CAP PG 580	MALE ADAPTER PG 581	UNION PG 581	FEMALE ADAPTER PG 582	PLUG PG 582	MJIC X FJIC PG 582	BULKHEAD NUT PG 583	FEMALE BULK-HEAD PG 583

STAINLESS STEEL
PICTORIAL INDEX

BULKHEAD  PG 583	BULKHEAD  PG 583	PIPE NIPPLE  PG 584	HEX PIPE  PG 584	COUPLING  PG 584	ADAPTER  PG 585	PLUG  PG 585	PLUG  PG 585	BUSHING  PG 585
CAP  PG 586	STREET ELBOW  PG 586	MALE ELBOW  PG 586	ALL MALE TEE  PG 587	ELBOW  PG 587	TEE  PG 587	MORB X FIP  PG 588	BOSS X JIC SW  PG 588	MJIC X MORB  PG 588
PLUG  PG 589	PLUG  PG 589	FIP X FJIC SWIVEL  PG 590	MIP X FJIC SWIVEL  PG 590	MALE API  PG 591	JIC 90 SWIVEL  PG 591	FEMALE CRIMP  PG 591		

MIDLAND INDUSTRIES


A NEW FAMILY OF COMPANIES WORKING TOGETHER

The new Midland Industries is a family of brands recognizable industry wide. With our history of outstanding customer service and innovation, Midland Industries is the perfect fit of customer driven solutions, smart technology and deep product selection - built on strong family values and traditions.

WE OFFER ALL THE RESOURCES



BRASS FITTINGS



VALVES



NIPPLES & FITTINGS



PLASTIC FITTINGS



CLAMPS



TUBING



PNEUMATICS



ACCESSORIES



HYDRAULICS



STAINLESS STEEL HYDRAULIC ADAPTERS



HIGH PRESSURE SPRAYER



HOSE

SCHEDULE A SALES MEETING WITH MIDLAND INDUSTRIES!

SHOP OUR AMAZING BRANDS

Midland Metal — A Midland Industries Company

Anderson Metals — A Midland Industries Company

Stainless Adapters Inc. — A Midland Industries Company

Champion Brass — Fittings • Connectors • Valves — A Midland Industries Company

Mid-America Fittings, LLC. — A Midland Industries Company

Buchanan Rubber Ltd — A Midland Industries Company

Amiflex Inc. — A Midland Industries Company

For More Info Or To Schedule A Sales Meeting Visit Us At **MidlandIndustries.com**

PIPE FITTINGS



Pipe Size	1/16	1/8	1/4	3/8	1/2	3/4	1
Thread Size	1/16-27	1/8-27	1/4-18	3/8-18	1/2-14	3/4-14	1-11$^{1/2}$
Working Pressure	1200	1200	1200	1200	1200	1000	1000
Thread OD	1/4	3/8	1/2	5/8	3/4	1	1-1/4

Typical Application: Grease, fuels, LP and Natural gas (available on special order), refrigeration, instrumentation and hydraulic systems.

Pressure: Operating pressure up to 1200 PSI.
Vibration: Fair resistance.
Temperature Range:
-65^{0}F to +250^{0}F (-53^{0}C to +121^{0}C).

Used With: Brass, bronze, copper, steel, aluminum and iron pipe.

Tolerance : +/- .02 on all dimensions. Dimension Data can change without notice. Please call us when dimensions are critical.


Conformance: Meets specifications and standards of ASA, ASME and SAE

- Not lead free
- **"L" at the end of a Part# means Light Pattern**

- these fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

- **Assembly Instructions**

1 - Tighten approximately 2-1/2 turns past hand tight.
2 - Fittings with Everseal tighten two turns past hand tight. Brittle materials require special cautions.



Actual outside diameters of pipe threads




Actual Male Thread Profiles

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PIPE
BRASS FITTINGS

90° FEMALE ELBOW

SAE# 130238




100

PART #	THREAD SIZE NPTF	A	B	APPROX. WT. LBS.	LIST PRICE
28001	1/8″	0.55	0.56	0.09	---
28002	1/4″	0.78	0.68	0.13	---
28003	3/8″	0.84	0.81	0.16	---
28004	1/2″	1.09	1.00	0.34	---
28005	3/4″	1.16	1.25	0.60	---
28015B	3/8" x 1/4"	0.84	0.81	0.18	---
28053B	1/2" x 1/4"	1.09	1.00	0.37	---
28016B	1/2" x 3/8"	1.09	1.00	0.36	---

100 2200P 3500 302 200

90° FORGED FEMALE ELBOW




100F

PART #	THREAD SIZE NPTF	A	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28009	1/8″	0.57	0.50	0.04	---
28010	1/4″	0.70	0.68	0.10	---
28011	3/8″	0.81	0.81	0.12	---
28012	1/2″	1.00	1.00	0.23	---
28013	3/4″	1.13	1.25	0.42	---
28014	1/4″ x 1/8″	0.72	0.65	0.12	---
28015	3/8″ x 1/4″	0.81	0.81	0.15	---
28016	1/2″ x 3/8″	1.00	1.00	0.28	---
28017	1"	1.42	1.50	0.75	---

1200P E7 100AF 100B

45° FEMALE ELBOW




10045

PART #	THREAD SIZE NPTF	A	B	APPROX. WT. LBS.	LIST PRICE
28018	1/8″	0.45	0.56	0.06	---
28019	1/4″	0.66	0.68	0.12	---
28020	3/8"	0.69	0.81	0.16	---
28021B	1/2"	0.94	1.00	0.25	---

129 2201P 205 23355 45EZ 105 100-45A

UNION TEE

SAE# 130438




101

PART #	THREAD SIZE NPTF	A	B	C	APPROX. WT. LBS.	LIST PRICE
28022	1/16"	0.55	0.55	0.58	0.11	---
28024	1/8″	0.55	0.55	0.56	0.08	---
28025	1/4″	0.78	0.78	0.68	0.17	---
28026	3/8″	0.84	0.84	0.81	0.22	---
28027	1/2″	1.09	1.09	1.00	0.43	---
28028	3/4″	1.16	1.16	1.25	0.64	---

311 101A 322 2203P 3700 203

UNION FORGED TEE




101F

PART #	THREAD SIZE NPTF	A & B	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28032	1/8″	0.56	0.50	0.06	---
28033	1/4″	0.71	0.68	0.13	---
28034	3/8″	0.81	0.81	0.16	---
28035	1/2″	1.00	1.00	0.27	---
28036	3/4″	1.16	1.25	0.53	---
28023	1″	1.42	1.50	.924	---

1203P LT7 101AF 101B

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


REDUCING FORGED TEES



101FR

PART #	1 NPT	2 NPT	3 NPT	A & B	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28029	1/8"	1/8"	1/4"	0.72	0.69	0.16	---
28030	1/4"	1/4"	1/8"	0.72	0.69	0.14	---
28031	1/4"	1/4"	3/8"	0.81	0.81	0.21	---
28038	3/8"	1/4"	3/8"	0.81	0.81	0.18	---
28039	3/8"	3/8"	1/4"	0.81	0.81	0.18	---
28046	1/2"	1/2"	3/8"	1.00	1.00	0.30	---
28047	3/4"	1/2"	3/4"	1.20	1.25	0.59	---
28048	3/4"	3/4"	1/2"	1.16	1.25	0.59	---

CROSS




102

PART #	THREAD SIZE NPTF	A	B	APPROX. WT. LBS.	LIST PRICE
28041	1/8"	0.55	0.56	0.10	---
28042	1/4"	0.78	0.68	0.21	---
28043	3/8"	0.84	0.81	0.25	---
28044	1/2"	1.09	1.00	0.51	---
28045	3/4"	1.16	1.25	0.75	---

2205P 3950 228 102A 102BE

FORGED CROSS




102F

PART #	THREAD SIZE NPTF	A	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28049	1/8"	0.56	0.50	0.06	---
28050	1/4"	0.72	0.69	0.15	---
28051	3/8"	0.81	0.81	0.18	---
28052	1/2"	1.00	1.00	0.34	---

C7 105 102AF 102B

COUPLING

SAE# 130138



103

PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28057	1/16"	0.75	0.44	0.02	
28058L	1/8"	0.75	0.50	0.02	---
28058	1/8"	0.75	0.56	0.03	---
28059L	1/4"	0.88	0.63	0.03	---
28059	1/4"	1.12	0.75	0.09	---
28060L	3/8"	1.00	0.81	0.06	---
28060	3/8"	1.12	0.87	0.10	---
28061L	1/2"	1.19	0.93	0.09	---
28061	1/2"	1.50	1.06	0.19	---
28062L	3/4"	1.19	1.25	0.18	---
28062	3/4"	1.53	1.25	0.24	---
28063	1"	1.89	1.50	.357	---

207P 371 3300 103AH 103B


DIMENSION DATA CAN CHANGE WITHOUT NOTICE. PLEASE CHECK WHEN DIMENSIONS ARE CRITICAL.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PIPE
BRASS FITTINGS

REDUCING COUPLING

SAE# 130138




119

PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28181L	1/4" x 1/8"	0.94	0.62	0.04	---
28181	1/4" x 1/8"	0.97	0.75	0.08	---
28182	3/8" x 1/8"	0.94	0.87	0.10	---
28183L	3/8" x 1/4"	1.00	0.81	0.06	---
28183	3/8" x 1/4"	1.16	0.87	0.12	---
28180*	1/2" x 1/8"	1.19	0.93	0.15	---
28184L	1/2" x 1/4"	1.11	1.00	0.10	---
28184	1/2" x 1/4"	1.28	1.06	0.20	---
28185L	1/2" x 3/8"	1.19	0.93	0.10	---
28185	1/2" x 3/8"	1.38	1.06	0.20	---
28187	3/4" x 1/4"	1.19	1.19	0.17	---
28188*	3/4" x 3/8"	1.32	1.37	0.20	---
28189*	3/4" x 1/2"	1.19	1.18	0.14	---
28178	1" x 1/2"	1.50	1.56	0.41	---
28179	1" x 3/4"	1.56	1.56	0.39	---

*Not to SAE specs

377 3300 208P 108 119B 119AH

UNION




104

PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28067	1/8"	1.25	0.94	0.13	---
28068	1/4"	1.31	1.06	0.18	---
28069	3/8"	1.75	1.25	0.33	---
28070	1/2"	1.79	1.56	0.50	---
28071	3/4"	1.96	1.68	0.47	---

3250 212P 104A 104B

CAP




108

PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28075	1/8"	0.47	0.56	0.03	---
28076	1/4"	0.60	0.68	0.04	---
28077	3/8"	0.69	0.81	0.06	---
28078	1/2"	0.78	0.93	0.08	---
28079	3/4"	0.94	1.25	0.16	---
28080	1"	1.13	1.50	0.23	---

3129 213P 23129 108A 108B

90˚ STREET ELBOW

SAE# 130239




116

PART #	THREAD SIZE NPTF	A	B	C	APPROX. WT. LBS.	LIST PRICE
28161	1/16"	0.69	0.60	0.47	0.04	---
28156	1/8"	0.48	0.66	0.56	0.05	---
28156S	1/8" short	0.34	0.57	0.50	0.03	---
28157	1/4"	0.72	0.91	0.735	0.09	---
28157S	1/4" short	0.45	0.78	0.68	0.07	---
28158	3/8"	0.78	0.97	0.81	0.16	---
28159	1/2"	1.03	1.25	1.00	0.33	---
28160	3/4"	1.12	1.38	1.25	0.52	---

2202P 304 115 202 3400 116A

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FORGED 90° STREET ELBOW




116F

PART #	THREAD SIZE NPTF	A	B	WRENCH FLATS	APPROX. WT. LBS.	LIST PRICE
28165	1/8″	0.61	0.85	0.62	0.06	---
28166	1/4″	0.50	0.86	0.72	0.08	---
28167	3/8″	0.70	1.00	0.88	0.10	---
28168	1/2″	0.96	1.43	1.00	0.20	---
28169	3/4″	0.90	1.40	1.25	0.25	---

5E8 1202P 116AF 116B

FORGED REDUCING 90° STREET ELBOW




128

*Barstock

PART #	THREAD SIZE NPTF FXM	A	B	WRENCH FLATS	APPROX. WT. LBS.	LIST PRICE
28259*	1/8" x 1/16"					---
28260	1/8″ x 1/4″	0.50	0.87	0.71	0.08	---
28261B*	1/4″ x 1/8″	0.53	0.72	0.69	0.07	---
28261	1/4″ x 1/8″	0.50	0.81	0.72	0.06	---
28262	1/4″ x 3/8″	0.93	1.06	0.59	0.12	---
28263	3/8″ x 1/4″	0.58	0.94	0.81	0.07	---
28264	3/8″ x 1/2″	0.97	1.36	1.00	0.28	---
28265	1/2″ x 3/8″	0.96	1.37	1.00	0.22	---
28265B*	1/2" x 3/8"	1.03	1.11	1.00	0.24	---

PIPE SWIVEL 90° STREET ELBOW


▪ Burst Pressure 1,200 PSI ▪ Working Pressure 300 PSI



PART #	MIP XFIP THREAD SIZE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
28430	1/4″	1.18	1.25	.625	0.22	---

HEX BUSHING

SAE# 130140



110

PART #	THREAD SIZE NPTF MXF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28101	1/8" x 1/16"				
28102L	1/4″ x 1/8″	0.62	0.56	0.02	---
28102	1/4″ x 1/8″	0.75	0.56	0.04	---
28103	3/8″ x 1/8″	0.75	0.68	0.05	---
28104L	3/8″ x 1/4″	0.69	0.68	0.03	---
28104	3/8″ x 1/4″	0.75	0.75	0.05	---
28105L	1/2″ x 1/8″	0.81	0.81	0.08	---
28105	1/2″ x 1/8″	1.00	0.87	0.10	---
28106L	1/2″ x 1/4″	0.81	0.81	0.08	---
28106	1/2″ x 1/4″	1.00	0.87	0.11	---
28107L	1/2″ x 3/8″	0.81	0.81	0.05	---
28107	1/2″ x 3/8″	1.00	0.87	0.10	---
28108	3/4″ x 1/8″	0.94	1.06	0.20	---
28109L	3/4″ x 1/4″	0.94	1.06	0.18	---
28110L	3/4″ x 3/8″	0.94	1.06	0.15	---
28111L	3/4″ x 1/2″	0.94	1.06	0.11	---
28111	3/4″ x 1/2″	1.00	1.12	0.14	---
28091	1" x 1/8"	1.15	1.37	0.29	---
28112	1″ x 1/4″	1.15	1.37	0.32	---
28113	1″ x 3/8″	1.12	1.37	0.30	---
28114	1″ x 1/2″	1.31	1.44	0.29	---
28115	1″ x 3/4″	1.31	1.37	0.20	---

373 3220 209P 110A 110B

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PIPE
BRASS FITTINGS


FACE BUSHING



110F

PART #	THREAD SIZE NPTF MXF	A	APPROX. WT. LBS.	LIST PRICE
28121	1/4" x 1/8"	0.45	0.01	---
28122	3/8" x 1/8"	0.50	0.03	---
28116	3/8" x 1/4"	0.50	0.02	---
28090	1/2" x 1/8"	0.56	0.06	---
28128	1/2" x 1/4"	0.56	0.05	---
28117	1/2" x 3/8"	0.56	0.03	---
28129	3/4" x 1/4"	0.62	0.11	---
28130	3/4" x 3/8"	0.62	0.08	---
28118	3/4" x 1/2"	0.64	0.03	---
28120	1" x 1/2"	0.75	0.11	---
28119	1" x 3/4"	0.77	0.10	---

SQUARE HEAD PLUG
1/8 - 1/2 Solid




109

PART #	THREAD SIZE NPTF	A	B	APPROX. WT. LBS.	LIST PRICE
28084	1/8"	0.58	0.27	0.02	---
28085	1/4"	0.80	0.37	0.03	---
28086	3/8"	0.80	0.43	0.06	---
28087	1/2"	1.07	0.55	0.13	---
28088**	3/4"	1.09	0.61	0.20	---
28089**	1"	1.24	0.81	0.35	---

** Cored

3151 211P 109A 109B

COUNTERSUNK HEX PLUG
3/4" taper thread




109AL

PART #	THREAD SIZE NPTF	A	SOCKET SIZE	APPROX. WT. LBS.	LIST PRICE
28092	1/16"	0.30	0.12	0.01	---
28093	1/8"	0.30	0.18	0.01	---
28094	1/4"	0.45	0.26	0.02	---
28095	3/8"	0.45	0.31	0.03	---
28096	1/2"	0.61	0.39	0.05	---

3153 219P 109CS 118

SLOTTED-HEAD PLUG




117

PART #	THREAD SIZE NPTF	A	APPROX. WT. LBS.	LIST PRICE
28174	1/8"	0.31	0.01	---
28175	1/4"	0.42	0.02	---
28176	3/8"	0.45	0.05	---

220P 3150 117A 117B

CORED HEX PLUGS




121

PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28200	1/16"	0.48	0.38	0.01	---
28201	1/8"	0.55	0.43	0.01	---
28202	1/4"	0.62	0.56	0.02	---
28203	3/8"	0.72	0.68	0.06	---
28204	1/2"	0.81	0.87	0.09	---
28205	3/4"	0.94	1.06	0.16	---

218P 3152 121A 103 121B PPH 218P

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SOLID HEX HEAD PLUGS




121S

PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28201S	1/8′	0.55	0.43	0.02	---
28202S	1/4″	0.75	0.56	0.05	---
28203S	3/8″	0.66	0.68	0.07	---
28204S	1/2″	0.81	0.87	0.12	---
28205S	3/4″	0.92	1.06	0.24	---

121AS

LOCKNUT

- Jam Nuts
- Straight pipe thread




111

PART #	THREAD SIZE NPSL	HEX	THICKNESS	APPROX. WT. LBS.	LIST PRICE
28123	1/8″	0.68	0.19	0.02	---
28124	1/4″	0.87	0.25	0.04	---
28125	3/8″	1.00	0.31	0.04	---
28126	1/2″	1.125	0.25	0.04	---
28127	3/4"	1.38	0.38	0.09	---

210P 21102 111A 111B

CLOSE NIPPLE




112

PART #	THREAD SIZE NPTF	A	APPROX. WT. LBS.	LIST PRICE
28131	1/8″	0.75	0.01	---
28132	1/4″	0.88	0.02	---
28133	3/8″	1.00	0.05	---
28134	1/2″	1.12	0.06	---
28135	3/4″	1.31	0.11	---

165 215PN 3326 112A 112B

LONG NIPPLE



113

- NOTE: For longer lengths and larger diameters, see our red brass nipples section.



PART #	THREAD SIZE NPTF	A LENGTH	APPROX. WT. LBS.	LIST PRICE
28140	1/8″	1.50	0.03	---
28141	1/8″	2.00	0.04	---
28142	1/8″	2.50	0.06	---
28143	1/8″	3.00	0.06	---
28475	1/8"	3.50	0.07	---
28144	1/4″	1.50	0.03	---
28145	1/4″	2.00	0.05	---
28146	1/4″	2.50	0.08	---
28147	1/4″	3.00	0.10	---
28481	1/4"	3.50	0.12	---
28148	3/8″	1.50	0.06	---
28149	3/8″	2.00	0.10	---
28150	3/8″	2.50	0.10	---
28151	3/8″	3.00	0.13	---
28487	3/8"	3.50	0.17	---
28152	1/2″	1.50	0.08	---
28153	1/2″	2.00	0.12	---
28154	1/2″	2.50	0.16	---
28155	1/2″	3.00	0.20	---
28493	1/2"	3.50	0.24	---
28136	3/4"	1.50	0.12	---
28497	3/4"	2.00	0.18	---
28498	3/4"	2.50	0.23	---
28499	3/4"	3.00	0.28	---


113B 113A 166 3327, 3328, 3329, 3330 3331 215PNL

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PIPE
BRASS FITTINGS

HEX NIPPLE

SAE# 130137




122

PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28210	1/16"	0.97	0.38	0.02	---
28211L	1/8"	0.91	0.43	0.02	---
28211	1/8"	0.97	0.43	0.03	---
28212L	1/4"	1.12	0.56	0.04	---
28212	1/4"	1.38	0.56	0.06	---
28213L	3/8"	1.25	0.68	0.07	---
28213	3/8"	1.41	0.68	0.07	---
28214L	1/2"	1.50	0.87	0.11	---
28214	1/2"	1.81	0.87	0.17	---
28215L	3/4"	1.55	1.07	0.17	---
28215	3/4"	1.96	1.13	0.23	---
28216L	1"	1.75	1.39	0.22	---

216P 3325 379 122AH 122B

REDUCING HEX NIPPLE

SAE# 130137



123


PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28218	1/8" x 1/16"	1.00	0.56	0.05	---
28220L	1/4" x 1/8"	1.00	0.56	0.04	---
28220	1/4" x 1/8"	1.19	0.56	0.04	---
28221L	3/8" x 1/8"	1.11	0.68	0.06	---
28221	3/8" x 1/8"	1.22	0.68	0.07	---
28222L	3/8" x 1/4"	1.19	0.68	0.06	---
28222	3/8" x 1/4"	1.41	0.68	0.07	---
28223L	1/2" x 1/4"	1.34	0.87	0.09	---
28223	1/2" x 1/4"	1.62	0.87	0.12	---
28224L	1/2" x 3/8"	1.41	0.87	0.11	---
28224	1/2" x 3/8"	1.62	0.87	0.12	---
28225L	3/4" x 1/2"	1.81	1.06	0.19	---
28225	3/4" x 1/2"	1.50	1.06	0.15	---
28227	1" x 3/4"	2.31	1.38	0.38	---

216P 3325 379 122AH 122B

45° STREET ELBOW

SAE# 130339

124




PART #	THREAD SIZE NPTF	B	A	C	APPROX. WT. LBS.	LIST PRICE
28230	1/8"	0.38	0.50	0.56	0.03	---
28231	1/4"	0.56	0.72	0.68	0.09	---
28232	3/8"	0.56	0.78	0.81	0.12	---
28233	1/2"	0.75	1.00	1.00	0.20	---
28234	3/4"	0.75	1.06	1.25	0.34	---

306 3350 2214P 224

45⁰ FORGED STREET ELBOW

124F




PART #	THREAD SIZE NPTF	A	B	WRENCH FLATS	APPROX. WT. LBS.	LIST PRICE
28238	1/8"	0.63	0.81	0.56	0.05	---
28239	1/4"	0.63	1.06	0.81	0.11	---
28240	3/8"	0.72	1.06	0.93	0.17	---

45E8 124B

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STREET TEE/ SERVICE TEE/ MALE RUN TEE


SAE# 130424



127

PART #	THREAD SIZE NPTF	A	B	C	APPROX. WT. LBS.	LIST PRICE
28245	1/8″	0.55	0.66	0.56	0.08	---
28246	1/4″	0.78	0.91	0.68	0.17	---
28247	3/8″	0.84	0.97	0.81	0.22	---
28248	1/2″	1.09	1.25	1.00	0.40	---
28249	3/4″	1.16	1.39	1.25	0.60	---

FORGED STREET TEE




127F

PART #	THREAD SIZE NPTF	A	B	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28253	1/8″	0.56	0.75	0.50	0.05	---
28254	1/4″	1.03	1.00	0.46	0.13	---
28255	3/8″	1.19	1.09	0.68	0.24	---
28256	1/2″	1.52	1.40	0.88	0.45	---

107 T8 127B

EXTENDER ADAPTER

SAE# 130139




120

PART #	THREAD SIZE NPTF FXM	A	HEX	APPROX. WT. LBS.	LIST PRICE
28190L	1/8″ x 1/8″	0.83	0.50	0.03	---
28190	1/8″ x 1/8″	0.88	0.56	0.04	---
28191L	1/4″ x 1/8″	0.94	0.62	0.04	---
28191	1/4″ x 1/8″	1.06	0.75	0.07	---
28192L	1/4″ x 1/4″	1.00	0.62	0.04	---
28192	1/4″ x 1/4″	1.25	0.75	0.07	---
28198	3/8″ x 1/8″	1.00	0.81	0.06	---
28193L	3/8″ x 1/4″	1.12	0.81	0.08	---
28193	3/8″ x 1/4″	1.25	0.87	0.09	---
28194L	3/8″ x 3/8″	1.24	0.81	0.10	---
28194	3/8″ x 3/8″	1.25	0.87	0.11	---
28197	1/2" x 1/8"	1.09	0.94	0.07	---
28199	1/2″ x 1/4″	1.46	1.06	0.08	---
28195L	1/2″ x 3/8″	1.19	0.93	0.09	---
28195	1/2″ x 3/8″	1.47	1.06	0.18	---
28196L	1/2" x 1/2"	1.25	0.94	0.10	---
28196	1/2″ x 1/2″	1.66	1.06	0.12	---
28207	3/4″ x 3/8″	1.59	1.25	0.26	---
28208	3/4″ x 1/2″	1.69	1.37	0.14	---
28208L	3/4″ x 1/2″	1.22	1.25	0.13	---
28209	3/4″ x 3/4″	1.69	1.37	0.34	---

375 222P 3200 R1 120AH 120B

PIPE SWIVEL ADAPTER

*300 PSI all sizes



PART #	THREAD SIZE NPTF FXM	A	HEX 1	HEX 2	APPROX. WT. LBS.	LIST PRICE
28424	1/8"	1.10	0.43	0.50	0.05	---
28425	1/4″	1.34	0.56	0.62	0.06	---
28426	3/8″	1.36	0.68	0.75	0.08	---
28427	1/2"	1.87	0.87	0.95	0.10	---

MALE NPT X FEMALE NPT

- 360° Turning
- Swivels




PART #	SIZE	LIST PRICE
320061	1/4	---

344R 3183

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PIPE
BRASS FITTINGS


FORGED 90° MALE ELBOW



PART #	THREAD SIZE NPTF	A	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28266	1/8″	0.79	0.38	0.04	---
28267	1/4″	0.87	0.45	0.06	---
28268	3/8″	1.06	0.59	0.12	---
28269	1/2″	1.38	0.78	0.21	---

LE5 3455 116AMF

BARSTOCK 90° MALE ELBOW



PART #	THREAD SIZE NPTF	A	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28266B	1/8"	0.69	0.56	0.08	---
28267B	1/4"	0.95	0.59	0.09	---
28268B	3/8"	1.01	0.71	0.15	---
28269B	1/2"	1.40	1.00	0.38	---
28270B	3/4"	1.50	1.25	0.55	---
28276B	1/2" x 3/8"	1.12	1.00	0.35	---


FORGED 90° MALE REDUCING ELBOW



PART #	THREAD SIZE NPTF	A	B	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28274	1/4″x 1/8″	0.88	0.78	0.47	0.06	---
28275	3/8″ x 1/4″	0.90	0.90	0.46	0.06	---
28276	1/2″ x 3/8″	1.12	1.00	0.59	0.12	---

MALE BRANCH TEE


SAE# 130425



PART #	THREAD SIZE NPTF	A	B	C	APPROX. WT. LBS.	LIST PRICE
28281	1/8″	0.66	0.55	0.56	0.08	---
28282	1/4″	0.91	0.78	0.68	0.15	---
28283	3/8″	0.97	0.84	0.81	0.22	---
28284	1/2″	1.25	1.09	1.00	0.40	---
28285	3/4″	1.38	1.16	1.25	0.62	---

T9 X106 23601 3600 2224P 226 329 128

FORGED MALE BRANCH TEE




PART #	THREAD SIZE NPTF	A	B	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28281F	1/8″	0.75	0.56	0.50	0.06	---
28282F	1/4″	1.00	1.03	0.46	0.12	---

T9

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PIPE
BRASS FITTINGS

FORGED ALL MALE TEE




PART #	THREAD SIZE NPTF	A	B	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
28290	1/8″	0.75	0.75	0.43	0.06	---
28291	1/4″	0.86	0.86	0.43	0.08	---
28292	3/8″	1.09	1.09	0.60	0.16	---
28293	1/2″	1.22	1.22	0.68	0.22	---
28294	3/4″	1.43	1.43	0.87	0.38	---

T12 M101

LONG STREET ELLS


D.O.T. Approved



PART #	THREAD SIZE NPTF	A	B	APPROX. WT. LBS.	LIST PRICE
28440	1/8″	1-3/16″	0.50	0.06	---
28441	1/8″	1-7/16″	0.50	0.06	---
28442	1/8″	1-11/16″	0.50	0.06	---
28443	1/8″	1-7/8″	0.50	0.16	---
28328	1/4″	1-3/16″	0.75	0.12	---
28329	1/4″	1-7/16″	0.75	0.14	---
28330	1/4″	1-11/16″	0.75	0.15	---
28331	1/4"	1-7/8"	0.62	0.09	----
28332	1/4″	2-1/4″	0.75	0.17	----
28333	3/8″	1-3/4″	0.87	0.22	---


LONG EXTENSION ADAPTERS

D.O.T. Approved




PART #	THREAD SIZE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
28335	1/8″	1-1/4″	0.50	0.04	---
28336	1/8″	1-3/4″	0.50	0.05	---
28337	1/8″	3″	0.50	0.09	---
28338	1/4″	1-9/16″	0.62	0.07	---
28339	1/4″	1-13/16″	0.62	0.08	---
28340	1/4″	2-1/16″	0.62	0.10	---

PIPE WYE FIP X MIP



28-295



28-296

PART #	THREAD SIZE NPT	A	APPROX. WT. LBS.	LIST PRICE
28295	1/4"	1.56	.15	---
28296	1/4 N/P	1.4	.12	---

PIPE WYE FIP X FIP - NICKEL PLATED




PART #	THREAD SIZE NPT	A	APPROX. WT. LBS.	LIST PRICE
28298	1/4	1.4	.12	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BULKHEAD FITTINGS
BRASS FITTINGS


BULKHEAD / ANCHOR / FRAME COUPLINGS

FEMALE PIPE X
FEMALE PIPE




Part #	Terminal Bolts/ Frame A	B	Hole Size	Length (in.)	List Price
28299	1/8-27 NPTF	5/8-18 UNS	5/8	0.96	---
28300	1/8-27 NPTF	5/8-18 UNS	5/8	1-1/2	---
28301	1/4-18 NPTF	3/4-16 UNS	3/4	15/16	---
28302	1/4-18 NPTF	3/4-16 UNS	3/4	1-1/2	---
28315*	1/4-18 NPTF	3/4-16 UNS	3/4	1-1/2	---
28303	3/8-18 NPTF	1-14 UNS	1	1-5/16	---
28304	1/2-14 NPTF	1-1/8-14 UNS	1-1/8	1-1/2	---
28311	3/4-14 NPTF	1-5/16-12	1-5/16	1-1/2	---
28316**	1-11/1/2	1-5/8-14	1-5/8	1.68	---

* Same as 28-302 except with a larger mounting nut. **Without washer




FEMALE PIPE X MALE PIPE

	A	B	C		
28317	1/4-18 NPTF	1-14 UNS	1/2-14 NPTF	2-1/8	---
28318	3/8-18 NPTF	1-14 UNS	1/2-14 NPTF	1-11/16	---
28319	3/8-18 NPTF	1-14 UNS	1/2-14 NPTF	1-29/32	---




FEMALE PIPE X MALE PIPE

28313	1/4-18 NPTF	1-14 UNS	1/2-14 NPTF	2-7/8	---




FEMALE PIPE X MALE PIPE

28346	3/8-18 NPTF	1-14 UNS	1/2-14 NPTF	1-7/8	---
28347	1/2-14 NPTF	1-14 UNS	1/2-14 NPTF	2-3/8	---



TUBE X FEMALE PIPE

28321	1/2-O.D. Tube	7/8-20 UNCF	3/8-18 NPTF	1-5/16	---
28322	3/8-O.D. Tube	7/8-20 UNCF	3/8-18 NPTF	1-3/8	---



FEMALE PIPE X CLAMPING STUD ELBOW

28348	3/8-18 NPTF	7/8-20 UNEF	3/8-18 NPTF	2-5/16	---



BRASS MARINE BULKHEAD

46540	5/16 Hose ID	----	----	2.37	---
46541	3/8 Hose ID	----	----	2.37	---


CROSSOVER NUMBERS

28-300	207x2	129A-A	50004	55207								1495B-A	ACBH207-2	207ACBH-2					
28-301	207X4	129AS-B		55611		S611	114-44	1345	382-44S	392C-94			ACBHS207-4						
28-302	207X4	129A-B	50005	55661			114B-44	1344	382-44L		035081		ACBH207-4	207ACBH-4			11306		90648
28-303	207X6	129A-C	50006	55607		S661/ S607	114-66	1346	382-66		035087		ACBH207-6	207ACBH-6			11307	17709	
28-304	207X8	129A-D	50007	55807		S807	114-88	1351					ACBH207-8	207ACBH-8					
28-317				55615		S615	117-84												
28-318				55620		S620			381-86S						11304				
28-319			50001				115-86				035079	1496-DC							
28-313			50010	55600		S664	115-88	1342	380-84	5730	035021				11300	55X6			
28-346			50013	55613		S613													
28-347			50012	55629		S629					035039								
28-321					391-86/1347	S608													
28-322					391-66	S609													
28-348				55616															

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


BULKHEAD FITTINGS
BRASS FITTINGS

STEEL BULKHEAD FITTINGS




Part #	Terminal Bolts/ Frame A	B	C	Length (in.)	List
28306	1/4-18 NPTF	3/4 - 16 UNS		0.94	---
28307	1/4-18 NPTF	3/4 - 16 UNS		1.50	---
28308	3/8-18 NPTF	1 - 14 UNS		1.31	---

FEMALE PIPE X MALE PIPE




28309	1/4-18 NPTF	3/4 - 16 UNS	1/2-14 NPTF	2.16	---
28310	1/4-18 NPTF	3/4 - 16 UNS	1/2-14 NPTF	2.53	---




28345	1/4-18 NPTF	3/4 - 16 UNS	1/2-14 NPTF	2-5/32	---

FEMALE PIPE X MALE PIPE



28325	1/4-18 NPTF	3/4 - 16 UNS	1/2-14 NPTF	1-11/16	---



28312	1/4-18 NPTF	1-14 UNS	1/2-14 NPTF	2.94	---
28320	1/4-18 NPTF	1-14 UNS	1/2-14 NPTF	3-15/16	---

STAINLESS STEEL BULKHEAD FITTINGS

- Temperature range: -20F°- 360F°
- Working pressure: 1450 - 2175PSI

BULKHEAD FITTINGS - STAINLESS STEEL 316L NPT (1/8-1/2")



PART #	SIZE	HOLE SIZE	HEX	LENGTH	LIST PRICE
28300SS	1/8"	0.701	0.866	0.748	---
28301SS	1/4"	0.858	1.063	0.748	---
28303SS	3/8"	1.055	1.260	1.102	---
28304SS	1/2"	1.173	1.417	1.378	---

BULKHEAD FITTINGS - STAINLESS STEEL 316 NPT (3/4-2")



PART #	SIZE	HOLE SIZE	HEX	LENGTH	LIST PRICE
63214	3/4"	1-5/8"	2-15/32"	1-13/16"	---
63215	1"	2-1/4"	3-1/16"	2-7/8"	---
63216	1-1/4"	2-1/4"	3-1/16"	2-3/8"	---
63217	1-1/2"	3"	4-1/4"	2-5/8"	---
63218	2"	3"	4-1/4"	2-5/8"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB FITTINGS




▪ **Temperature and Working Pressure Ranges**
From -40^{0}F to + 160^{0}F at 150 PSI maximum.

▪ **Tolerance**
+/- .02 on all dimensions. Dimension Data can change without notice. Please call us when dimensions are critical.


Note: These fittings are intended for use with hose clamp, similar type clamp or a crimped ferrule.

▪ **Assembly Instructions**
1- Cut hose cleanly and squarely to length.
2- Slide clamp on hose.
3- Lubricate hose. Push hose on fitting until hose bottoms against stop ring or hex.
4- Position hose clamp as shown below and secure with a screwdriver or wrench. Maintain "A" dimension noted below for proper clamp positioning.



Hose Size	A
3/16"	1/4"
1/4"	1/4"
5/16"	1/4"
3/8"	1/8"
1/2"	1/8"
5/8"	1/8"
3/4"	1/8"


Actual Profile of Hose Barbs



WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

RIGID MALE ADAPTER

- These are not Lead Free



29
129

PART #	HOSE I.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32950	1/16" x 10/32"	0.90	0.45	0.38	0.01	---
32951	1/16" x 1/16"	0.91	0.48	0.38	0.01	---
32912	1/8" x 10/32"	0.92	0.48	0.38	0.01	---
32300	1/8" x 1/16"	0.93	0.48	0.38	0.01	---
32001 *	1/8" x 1/8"	1.19	0.69	0.43	0.02	---
32027	1/8" x 1/4"	1.16	0.46	0.56	0.02	---
32952	3/16" x 1/16"	1.20	0.75	0.38	0.02	---
32002 *	3/16" x 1/8"	1.19	0.75	0.43	0.02	---
32003 *	3/16" x 1/4"	1.37	0.69	0.56	0.04	---
32953	3/16" x 3/8"	1.44	0.69	0.68	0.04	---
32301	1/4" x 1/16"	1.44	0.88	0.43	0.02	---
32004 *	1/4" x 1/8"	1.47	0.97	0.43	0.02	---
32005 *	1/4" x 1/4"	1.72	0.97	0.56	0.04	---
32006 *	1/4" x 3/8"	1.72	0.97	0.68	0.05	---
32007	1/4" x 1/2"	1.72	0.81	0.87	0.10	---
32954	1/4" x 3/4"	1.86	0.96	1.06	0.15	---
32008 *	5/16" x 1/8"	1.47	0.97	0.43	0.02	---
32009 *	5/16" x 1/4"	1.72	0.97	0.56	0.04	---
32010 *	5/16" x 3/8"	1.76	0.97	0.68	0.06	---
32011 *	3/8" x 1/8"	1.53	0.97	0.56	0.03	---
32012 *	3/8" x 1/4"	1.75	0.97	0.56	0.05	---
32013 *	3/8" x 3/8"	1.72	0.96	0.68	0.06	---
32014 *	3/8" x 1/2"	1.87	0.97	0.87	0.09	---
32026 *	3/8" x 3/4"	1.97	0.97	1.06	0.16	---
32956	7/16" x 1/4"	1.75	0.97	0.56	0.05	---
32957	7/16" x 3/8"	1.73	0.97	0.70	0.07	---
32958	7/16" x 1/2"	1.87	0.97	0.88	0.10	---
32302	1/2" x 1/8"	1.57	0.95	0.56	0.06	---
32015 *	1/2" x 1/4"	1.72	0.97	0.56	0.04	---
32016 *	1/2" x 3/8"	1.76	0.97	0.68	0.07	---
32017 *	1/2" x 1/2"	1.87	0.96	0.87	0.11	---
32018 *	1/2" x 3/4"	1.94	0.97	1.06	0.16	---
32303	1/2" x 1"	2.31	0.99	1.37	0.33	---
32304	5/8" x 1/4"	1.67	0.92	0.68	0.06	---
32019 *	5/8" x 3/8"	1.76	0.97	0.68	0.08	---
32020 *	5/8" x 1/2"	1.87	0.96	0.87	0.11	---
32021 *	5/8" x 3/4"	1.87	0.96	1.06	0.14	---
32305	5/8" x 1"	2.31	0.96	1.37	0.36	---
32915	3/4" x 1/4"	1.64	0.87	0.81	0.11	---
32306	3/4" x 3/8"	1.65	0.87	0.81	0.12	---
32022 *	3/4" x 1/2"	1.87	0.96	0.87	0.14	---
32023 *	3/4" x 3/4"	1.87	0.96	1.06	0.15	---
32316	3/4" x 1"	2.55	1.15	1.37	0.38	---
32307	1" x 1/2"	1.80	0.87	1.06	0.18	---
32024 *	1" x 3/4"	2.19	1.19	1.06	0.32	---
32025 *	1" x 1"	2.48	1.19	1.37	0.39	---
32029	1-1/4" x 3/4"	2.37	1.19	1.37	0.35	---
32028	1-1/4" x 1"	2.55	1.19	1.37	0.46	---

4244 PGH 101 102 201A 125HBL 105B-1 KF-PS MPB

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB
BRASS FITTINGS


BRASS RIGID MALE BSPT BARB ADAPTER




29SWV
29MS

Part #	HOSE I.D. X MALE BSPT	LIST PRICE
32450	1/4" x 1/8"	---
32451	1/4" x 1/4"	---
32452	3/8" x 1/4"	---
32453	3/8" x 3/8"	---
32454	3/8" x 1/2"	---
32455	1/2" x 3/8"	---
32456	1/2" x 1/2"	---
32457	3/4" x 3/4"	---
32458	1" x 1"	---

SWIVEL MALE ADAPTER



Rotation 360°
NBR O-Ring




PART #	HOSE I.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32329	3/16" x 1/8"	2.00	0.78	0.56	0.06	---
32331	3/16" x 1/4"	1.95	0.78	0.56	0.06	---
32332	1/4" x 1/8"	2.19	0.97	0.56	0.06	---
32349	1/4" x 1/4"	2.12	0.97	0.56	0.06	---
32351	3/8" x 1/8"	2.12	0.97	0.56	0.07	---
32201	3/8" x 1/4"	2.12	0.97	0.56	0.07	---
32360	3/8" x 3/8"	2.12	0.97	0.69	0.08	---
32355	1/2" x 3/8"	2.12	0.97	0.68	0.10	---
32356	1/2" x 1/2"	2.33	0.97	0.87	0.14	---
32357	3/4" x 3/4"	2.33	0.97	1.06	0.20	---
32386	1" x 1"	2.88	1.19	1.38	0.40	---

SMS 103

PART #	HOSE I.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32200	1/4" x 1/4"	1.65	.89	0.56	0.04	---
32202	3/8" x 3/8"	1.75	1.00	0.68	0.08	---

MENDER/ SPLICER



29S
129S

PART #	HOSE I.D. X HOSE I.D.	A	B	O.D.	APPROX. WT. LBS.	LIST PRICE
32091 *	1/8"	0.98	0.45	0.31	0.01	---
32092	3/16"	1.62	0.77	0.36	0.02	---
32093 *	1/4"	2.00	0.96	0.37	0.02	---
32079 *	1/4" x 1/8"	1.50	0.97	0.37	0.02	---
32094 *	5/16"	2.00	0.96	0.39	0.02	---
32090 *	5/16" x 1/4"	2.00	0.97	0.50	0.03	---
32095 *	3/8"	2.00	0.97	0.51	0.04	---
32960	3/8 x 1/8	1.58	1.00	0.50	0.03	---
32961	3/8 x 3/16	1.75	1.00	0.50	0.03	---
32080 **	3/8" x 1/4"	2.06	0.97	0.56	0.03	---
32375 *	3/8" x 5/16"	2.00	0.97	0.50	0.03	---
32096 *	1/2"	2.00	0.96	0.62	0.06	---
32087 *	1/2" x 3/8"	2.06	0.97	0.71	0.06	---
32097	5/8"	2.05	0.96	0.75	0.08	---
32088	5/8" x 3/8"	2.06	0.97	0.75	0.06	---
32376	5/8" x 1/2"	2.06	0.97	0.75	0.07	---
32098 *	3/4"	2.50	1.15	0.87	0.10	---
32089	3/4" x 1/2"	2.28	1.19	0.87	0.10	---
32379	3/4" x 5/8"	2.02	0.96	0.87	0.10	---
32380	1" x 3/4"	2.58	1.19	1.12	0.18	---
32099	1"	3.00	1.44	1.12	0.23	---

MSB 122HBL HM 129 178 73 108




* Add SS to the end of the part number for Stainless.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB
BRASS FITTINGS

RIGID FEMALE ADAPTER



29F
129F

PART #	HOSE I.D. X FEMALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32050	1/8″ x 1/8″	0.96	0.46	0.50	0.02	---
32317	1/8″ x 1/4″	1.15	0.46	0.62	0.04	---
32051	3/16″ x 1/8″	1.10	0.68	0.50	0.02	---
32062	3/16″ x 1/4″	1.44	0.75	0.62	0.04	---
32052	1/4″ x 1/8″	1.35	0.93	0.50	0.02	---
32053	1/4″ x 1/4″	1.60	0.97	0.62	0.06	---
32054	1/4″ x 3/8″	1.65	1.03	0.75	0.04	---
32441	1/4" x 1/2"	1.66	0.97	0.93	0.08	---
32055	5/16″ x 1/8″	1.47	0.97	0.56	0.04	---
32056	5/16″ x 1/4″	1.66	0.97	0.62	0.04	---
32318	5/16″ x 3/8″	1.66	0.97	0.75	0.06	---
32320	5/16″ x 1/2″	1.67	0.96	0.93	0.08	---
32057	3/8″ x 1/8″	1.47	0.97	0.56	0.04	---
32058	3/8″ x 1/4″	1.61	0.97	0.62	0.06	---
32059	3/8″ x 3/8″	1.63	1.00	0.81	0.08	---
32063	3/8″ x 1/2″	1.72	0.94	0.93	0.12	---
32442	3/8" x 3/4"	1.97	0.97	1.18	0.20	---
32449	1/2" x 1/8"	1.51	0.98	0.56	0.06	---
32064	1/2″ x 1/4″	1.66	0.96	0.62	0.08	---
32060	1/2″ x 3/8″	1.66	0.97	0.75	0.08	---
32061	1/2″ x 1/2″	1.76	0.96	0.93	0.12	---
32443	1/2" x 3/4"	1.97	0.97	1.18	0.26	---
32444	5/8" x 3/8"	1.66	0.97	0.75	0.08	---
32445	5/8" x 1/2"	1.66	0.97	0.93	0.10	---
32446	5/8" x 3/4"	1.97	0.97	1.18	0.21	---
32447	3/4" x 1/2"	1.88	1.19	0.93	0.13	---
32065	3/4″ x 3/4″	2.19	1.21	1.18	0.22	---
32049	1″ x 3/4″	2.19	1.19	1.18	0.26	---
32321	1" x 1"	2.32	1.19	1.44	0.35	---
32448	1-1/4" x 1"	2.32	1.19	1.43	0.44	---

209A 128 29A 29F 126HB 126 FPB 105B-2 KF-RS 104 144


SWIVEL FEMALE ADAPTER NPTF



PART #	HOSE I.D. X FEMALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32470	1/4" x 1/4"	1.80	0.97	0.62	0.06	---
32472	3/8" x 1/4"	1.80	0.97	0.62	0.06	---
32473	3/8" x 3/8"	1.82	0.97	0.75	0.09	---
32475	1/2" x 3/8"	1.82	0.97	0.75	0.09	---
32476	1/2" x 1/2"	1.86	0.97	0.93	0.14	---

HIGH VOLUME MALE SWIVEL

▪ 300 PSI ▪ Nitrile Buna (NBR) O-Ring



32-781



28-415 & 28-417

PART #	HOSE I.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32781	3/8″ x 1/4″	1.83	0.87	0.62	0.07	---
28415	1/4" x 1/4"	1.30	0.94	0.81	0.14	---
28417	3/8" x 1/4"					

4065


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB
BRASS FITTINGS

SWIVEL FEMALE ADAPTER - WITH GASKET

- NPSM Thread

National Pipe Straight Gasket Seal Swivel




29UFS
129UFS

- Not recommend for water due to fiber gasket - for air service only.

PART #	HOSE I.D. X FEMALE NPSM	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32131	1/8" x 1/8"	0.90	0.46	0.50	0.02	---
32132	3/16" x 1/8"	1.19	0.75	0.50	0.03	---
32133	3/16" x 1/4"	1.28	0.75	0.62	0.04	---
32120	1/4" x 1/8"	1.41	0.97	0.50	0.02	---
32121	1/4" x 1/4"	1.50	0.97	0.62	0.02	---
32129	1/4" x 3/8"	1.63	0.97	0.75	0.04	---
32130	5/16" x 1/4"	1.50	0.97	0.62	0.04	---
32122	3/8" x 1/4"	1.54	1.00	0.62	0.06	---
32123	3/8" x 3/8"	1.60	0.97	0.75	0.06	---
32354	3/8" x 1/2"	1.66	0.97	0.93	0.10	---
32124	1/2" x 3/8"	1.60	0.97	0.75	0.08	---
32125	1/2" x 1/2"	1.66	0.97	0.93	0.12	---
32117	1/2" x 3/4"	1.82	1.19	1.18	0.16	---
32118	5/8" x 3/4"	1.82	1.19	1.18	0.18	---
32119	3/4" x 3/4"	1.82	1.19	1.18	0.14	---

130 126 29FSG KF-RN NPSM Gasket Seat

FORGED HOSE BARB 90° ELBOW



29E
129E



32-330
**Square Barstock Body

PART #	HOSE I.D. X MALE NPTF	A	B	C	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
32308	3/16" x 1/8"	0.95	0.70	0.66	0.37	0.02	---
32391	3/16" x 1/4"	1.00	0.84	0.63	0.46	0.10	---
32038 *	1/4" x 1/8"	1.01	0.81	0.71	0.47	0.06	---
32039 *	1/4" x 1/4"	1.01	0.87	0.63	0.47	0.06	---
32309 **	1/4" x 3/8"	1.08	0.97	0.73	0.69	0.12	---
32036	5/16" x 1/8"	1.01	0.81	0.63	0.47	0.04	---
32040	5/16" x 1/4"	1.01	0.87	0.63	0.47	0.06	---
32310	5/16" x 3/8"	1.06	0.94	0.63	0.50	0.06	---
32046 *	3/8" x 1/8"	1.01	0.81	0.63	0.47	0.06	---
32041 *	3/8" x 1/4"	1.02	0.88	0.65	0.47	0.06	---
32042 *	3/8" x 3/8"	1.09	0.93	0.68	0.50	0.08	---
32047 *	3/8" x 1/2"	1.11	1.09	0.63	0.59	0.10	---
32048	1/2" x 1/4"	1.06	1.00	0.68	0.59	0.10	---
32043 *	1/2" x 3/8"	1.06	1.09	0.69	0.59	0.10	---
32311 *	1/2" x 1/2"	1.31	1.19	0.87	0.56	0.12	---
32044	5/8" x 3/8"	1.12	1.06	0.61	0.56	0.12	---
32045	5/8" x 1/2"	1.12	1.12	0.68	0.63	0.14	---
32312	5/8" x 3/4"	1.46	1.26	0.93	1.06	0.32	---
32313	3/4" x 1/2"	1.31	1.28	0.87	0.85	0.22	---
32314 *	3/4" x 3/4"	1.46	1.26	0.91	1.06	0.32	---
32330 **	3/4" x 1"	1.57	1.64	0.90	1.34	0.64	---
32315	1" x 3/4"	1.60	1.40	0.95	1.06	0.32	---
32319	1" x 1"	1.69	1.64	0.98	1.30	0.43	---

129 HBE1 KF-PS90 HE-1 29E 146




* Add SS to the end of the part number for Stainless.

Dimension data can change without notice. Please check when dimensions are critical.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB
BRASS FITTINGS

BARSTOCK HOSE BARB 90° ELBOW





29EBS

PART #	HOSE I.D. X MALE NPTF	A	B	C	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
32038B	1/4″ X 1/8″	1.00	0.75	0.75	0.50	0.02	---
32039B	1/4″ X 1/4″	1.02	0.91	0.74	0.56	0.04	---
32309B	1/4" X 3/8"	1.19	0.84	0.76	0.58	0.09	---
32036B	5/16" X 1/8"	1.06	0.66	0.76	0.44	0.04	---
32040B	5/16" X 1/4"	1.12	0.84	0.76	0.58	0.07	---
32310B	5/16" X 3/8"	1.19	0.84	0.76	0.72	0.09	---
32046B	3/8" X 1/8"	1.32	0.94	0.97	0.58	0.06	---
32041B	3/8″ X 1/4″	1.32	0.89	0.97	0.58	0.08	---
32042B	3/8″ X 3/8″	1.50	1.06	0.97	0.75	0.14	---
32047B	3/8" X 1/2"	1.52	1.25	0.97	0.90	0.26	---
32048B	1/2" X 1/4"	1.53	1.06	0.97	0.72	0.12	---
32043B	1/2″ X 3/8″	1.53	1.07	0.97	0.72	0.16	---
32311B	1/2" X 1/2"	1.53	1.25	0.97	0.90	0.26	---
32314B	3/4" X 3/4"	1.33	1.27	0.97	1.10	0.32	---

129HB

HOSE BARB TEES






29T
129T

32-128

PART #	HOSE BARB SIZE (1 & 2) X 3	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
32367 *	1/8″	0.84	0.83	0.25	0.02	---
32368	3/16"	1.02	1.02	0.37	0.03	---
32365 **	1/4″	1.00	1.00	0.44	0.06	---
32350 *	(1/4") x 1/8"	0.94	0.94	0.44	0.04	---
32366	5/16″	1.00	1.00	0.44	0.06	---
32126 **	3/8″	1.01	1.01	0.43	0.06	---
32400 *	1/2″	1.02	1.00	0.43	0.08	---
32352 *	(1/2") x 3/8"	1.26	1.26	0.43	0.10	---
32361	5/8"	1.26	1.26	0.75	0.16	---
32363	3/4"	1.45	1.45	0.90	0.18	---
32353	(3/4") x 1/2"	1.41	1.41	0.88	0.23	---
32128 *	3/8″HB x 1/4″ MIP	1.00	0.94	0.43	0.06	---

* Add SS to the end of the part number for Stainless.

90° HOSE BARB ELBOW




PART #	HOSE I.D. X HOSE I.D.	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
32429	1/8" x 1/8"	0.55	0.55	0.37	0.03	---
32433	3/16" x 3/16"	0.90	0.90	0.37	0.03	---
32412	1/4″ x 1/8″	1.02	1.02	0.44	0.04	---
32413 *	1/4″ x 1/4″	1.01	1.01	0.44	0.04	---
32425	5/16" x 5/16"	1.15	1.15	0.48	0.05	---
32414	3/8″ x 1/8″	1.01	1.01	0.44	0.04	---
32415	3/8″ x 1/4″	1.00	1.00	0.44	0.04	---
32416 *	3/8″ x 3/8″	1.02	1.02	0.44	0.04	---
32417	3/8″ x 1/2″	1.24	1.10	0.50	0.06	---
32418	1/2″ x 1/4″	1.24	1.08	0.50	0.06	---
32419	1/2″ x 3/8″	1.22	1.09	0.50	0.06	---
32420 *	1/2″ x 1/2″	1.24	1.24	0.50	0.06	---
32434	5/8" x 5/8"	1.20	1.20	0.75	0.16	---
32435	3/4" x 1/2"	1.41	1.41	0.88	0.21	---
32436	3/4" x 3/4"	1.41	1.41	0.88	0.21	---

* Add SS to the end of the part number for Stainless.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB
BRASS FITTINGS


90° FEMALE HOSE BARB ELBOW



29FEF

PART #	HOSE I.D. X FEMALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
32401	1/4″ x 1/8″	1.01	0.82	0.47	0.06	---
32402	1/4″ x 1/4″	1.13	0.91	0.56	0.10	---
32403	3/8″ x 1/8″	1.01	0.82	0.47	0.06	---
32404	3/8″ x 1/4″	1.15	0.91	0.56	0.10	---
32405	3/8″ x 3/8″	1.15	1.11	0.68	0.14	---
32406	3/8″ x 1/2″	1.26	1.39	0.75	0.20	---
32407	1/2″ x 1/4″	1.26	0.91	0.56	0.10	---
32410	1/2″ x 3/8″	1.24	1.11	0.68	0.14	---
32411	1/2″ x 1/2″	1.37	1.39	0.75	0.20	---
32409	3/4" x 3/4"	1.52	1.75	0.81	0.50	---

45° ELBOW



294S
1294S

PART #	HOSE I.D. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
32110	1/4″ x 1/8″	0.91	0.62	0.53	0.04	---
32109*	1/4″ x 1/4″	1.00	0.62	0.57	0.06	---
32111	3/8″ x 1/8″	0.83	0.66	0.53	0.04	---
32112	3/8″ x 1/4″	0.82	0.84	0.53	0.06	---
32113	3/8″ x 3/8″	0.93	0.87	0.59	0.08	---
32346	1/2″ x 1/4″	1.00	0.84	0.59	0.08	---
32114	1/2″ x 3/8″	1.00	0.88	0.59	0.08	---
32116	1/2" x 1/2"	1.15	0.94	0.59	0.12	---
32115	5/8″ x 3/8″	0.97	0.88	0.59	0.10	---
32345	3/4" x 1/2"	1.15	0.94	0.81	0.13	---

* Barstock

140 HE145 139HB KF-PS45 13945

CROSSES




PART #	HOSE ID	LIST PRICE
32608	1/4	---
32609	5/16	---
32610	3/8	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB
BRASS FITTINGS

BALL END SWIVEL
NPSM - Ball seat type




29FS
129FS

PART #	HOSE I.D. X NPSM	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32066	1/8" x 1/8"	0.46	0.44	0.50	0.03	---
32067	3/16" x 1/8"	0.75	0.44	0.50	0.03	---
32068	3/16" x 1/4"	0.75	0.52	0.62	0.04	---
32962	3/16" x 3/8"	0.75	0.63	0.75	0.05	---
32069	1/4" x 1/8"	0.97	0.44	0.50	0.04	---
32070	1/4" x 1/4"	0.97	0.53	0.62	0.06	---
32078	1/4" x 3/8"	0.97	0.63	0.75	0.06	---
32071	5/16" x 1/4"	0.97	0.52	0.62	0.05	---
32389	5/16" x 3/8"	0.97	0.63	0.75	0.07	---
32072	3/8" x 1/4"	0.97	0.53	0.62	0.06	---
32073	3/8" x 3/8"	0.97	0.59	0.75	0.08	---
32074	3/8" x 1/2"	0.97	0.69	0.94	0.14	---
32075	1/2" x 3/8"	0.97	0.59	0.75	0.08	---
32076	1/2" x 1/2"	0.97	0.69	0.94	0.10	---
32077	3/4" x 3/4"	0.97	0.70	1.12	0.14	---

128HBLSV 29FS 209AS 124 131

BALLSEAT MALE ADAPTER
Beveled seat




30° Seat

PART #	NPSM X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
32359	1/8" x 1/8"	0.94	0.43	0.03	---
32034	1/4" x 1/8"	1.06	0.56	0.04	---
32030	1/4" x 1/4"	1.25	0.56	0.06	---
32362	3/8" x 1/4"	1.28	0.68	0.08	---
32031	3/8" x 3/8"	1.30	0.68	0.08	---
32392	3/8" x 1/2"	1.47	0.88	0.13	---
32364	1/2" x 3/8"	1.35	0.87	0.10	---
32032	1/2" x 1/2"	1.53	0.87	0.14	---
32033	3/4" x 3/4"	1.53	1.06	0.20	---

172 134 127HB 122AS


BALLSEAT UNION



30° Seat

PART #	NPSM X NPSM	A	HEX	APPROX. WT. LBS.	LIST PRICE
32460	1/8"	0.79	0.43	0.02	---
32461	1/4"	1.09	0.56	0.04	---
32462	3/8"	1.19	0.68	0.07	---
32463	1/2"	1.31	0.87	0.10	---

45° FLARE ADAPTER



29SAE
129SAE

PART #	HOSE I.D. X 45° FLARE	THREAD	A	B	HEX	APPROX. WT. LBS.	LIST
32322	3/16" x 1/4"	7/16-20	1.5	0.75	0.43	0.03	---
32081 *	1/4" x 1/4"	7/16-20	1.72	0.97	0.43	0.03	---
32082 *	1/4" x 3/8"	5/8-18	1.82	0.97	0.62	0.07	---
32083	5/16" x 5/16"	1/2-20	1.75	0.97	0.50	0.08	---
32084 *	3/8" x 3/8"	5/8-18	1.82	0.97	0.62	0.08	---
32085	3/8" x 1/2"	3/4-16	1.97	0.97	0.75	0.10	---
32086	1/2" x 1/2"	3/4-16	1.97	0.97	0.75	0.10	---

* Add SS to the end of the part number for Stainless.

142 201BF KF-MS KDS

COMPRESSION ADAPTER - BARB X MALE COMPRESSION




PART #	SIZE	LIST PRICE
18534	1/4" x 1/4"	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB
BRASS FITTINGS

DUAL 45°/ 37° FLARE SWIVEL






CRIMP STYLE

PART #	HOSE ID X DUAL SEAT	THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32107	3/16″ x 1/4″	7/16-20	1.34	0.75	0.56	0.04	---
32107C**	3/16 X 1/4	7/16-20	1.42	0.78	0.56	0.04	---
32337	1/4″ x 1/4″	7/16-20	1.56	0.97	0.56	0.04	---
32337C**	1/4" X 1/4"	7/16-20	1.60	0.97	0.56	0.04	---
32102	1/4″ x 5/16″	1/2-20	1.61	0.97	0.62	0.06	---
32339	5/16″ x 5/16″	1/2-20	1.60	0.97	0.62	0.06	---
32340	3/8″ x 1/2″	3/4-16	1.68	0.97	0.87	0.10	---
32341	1/2″ x 1/2″	3/4-16	1.68	0.97	0.87	0.10	---
32341C**	1/2" X 1/2"	3/4-16	1.75	0.97	0.87	0.09	---
32342	1/2″ x 5/8″	7/8-14	1.76	0.97	1.00	0.12	---
32394**	5/8" x 5/8"	7/8-14	1.83	0.97	1.00	0.14	---

** Swivel crimp style

KDS

FEMALE 45° FLARE SWIVEL



29SAE
129SAE




CRIMP STYLE

PART #	HOSE I.D. X FEMALE 45° FLARE	UNF THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32326	3/16″ x 3/16″	3/8-24	1.19	0.75	0.43	0.04	---
30295**	3/16" x 3/8"	5/8-18	1.82	0.90	0.75	0.04	---
32101	1/4″ x 1/4″	7/16-20	1.57	0.97	0.56	0.04	---
32103	1/4″ x 3/8″	5/8-18	1.64	0.97	0.75	0.08	---
32104	5/16″ x 5/16″	1/2-20	1.61	0.97	0.62	0.05	---
32327	5/16″ x 3/8″	5/8-18	1.67	0.97	0.75	0.08	---
32105	3/8″ x 3/8″	5/8-18	1.64	0.97	0.75	0.08	---
32105C**	3/8" x 3/8"	5/8-18	1.71	0.97	0.75	0.07	---
32106	3/8″ x 1/2″	3/4-16	1.81	0.97	0.87	0.10	---
32100	1/2″ x 1/2″	3/4-16	1.68	0.97	0.87	0.12	---
32328	3/4" x 3/4"	1-1/16-14	2.00	0.97	1.25	0.20	---

29SAE 209ASF 146HBLFSV KF-NS 128 FSS 146 144

** Swivel crimp style (crimped on the outside of fitting)

FEMALE 37° J.I.C. FLARE SWIVEL



CRIMP STYLE

STAINLESS STEEL



32338SS

PART #	HOSE ID X FEMALE 37° FLARE	THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32334	1/4″ x 3/8″	9/16-18	1.60	0.97	0.68	0.06	---
32335	5/16″ x 3/8″	9/16-18	1.60	0.97	0.68	0.06	---
32336	3/8″ x 3/8″	9/16-18	1.60	0.97	0.68	0.10	---
32336C**	3/8" X 3/8"	9/16-18	1.66	0.97	0.68	0.06	---
32338*	3/4" x 3/4"	1-1/16-12	2.00	0.97	1.25	0.20	---
32338SS	3/4" x 3/4"	1-1/16-12	2.00	0.97	1.25	0.24	---
32338C	3/4" x 3/4"	1-1/16-12	2.13	1.19	1.25	0.20	---
32397**	1" x 1"	1-5/16-12	2.31	1.19	1.50	0.33	---

KJS

*Available in swivel crimp style - add a "C" at the end of the part # (100 piece minimum)

** Swivel crimp style

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

REUSABLE
BRASS FITTINGS


REUSABLE MALE FITTINGS



29RU17

PART #	HOSE ID	HOSE OD	MALE NPTF	LIST PRICE
32727	1/4"	1/2"	1/4"	---
32728	1/4"	9/16"	1/4"	---
32726	1/4"	5/8"	1/4"	---
32741	5/16"	5/8"	1/4"	---
32742	3/8"	5/8"	1/4"	---
32744	3/8"	11/16"	1/4"	---
32725	3/8"	3/4"	1/4"	---
32747	3/8"	5/8"	3/8"	---
32750	3/8"	11/16"	3/8"	---
32746	1/2"	7/8"	1/2"	---

REUSABLE FEMALE SWIVEL STEMS



PART #	HOSE ID	FEMALE NPSM	LIST PRICE
32770	1/4"	1/4"-18	---
32771	3/8"	3/8"-18	---

REUSABLE FEMALE SWIVELS



29RU16

PART #	HOSE ID	HOSE OD	FEMALE NPSM	LIST PRICE
32772	1/4"	1/2"	1/4"	---
32773	3/8"	5/8"	3/8"	---
32774	3/8"	11/16"	3/8"	---
32775	1/2"	7/8"	1/2"	---

REUSABLE FERRULES



PART #	HOSE ID	HOSE OD	LIST PRICE
32749	1/4"	1/2"	---
32751	1/4"	9/16"	---
32752	1/4"	5/8"	---
32753	3/8"	5/8"	---
32754	3/8"	11/16"	---
32755	3/8"	3/4"	---
32756	1/2"	7/8"	---

REUSABLE MALE STEMS



PART #	HOSE ID	MALE NPT THREAD	LIST PRICE
32758	1/4"	1/4"	---
32759	3/8"	1/4"	---
32760	3/8"	3/8"	---
32761	1/2"	1/2"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE BARB
BRASS FITTINGS

BRASS FUEL HOSE BARBS

Typical Application: Low pressure air, fuel and oil applications. Generally used for automotive, light truck, and small engine fuel lines. Use with fuel hose SAE 30R7 & SAE 30R9.
Advantages: Easy to assemble, just push the fitting into the hose & clamp. Good selection of configurations at reasonable cost.

MALE CONNECTOR
HOSE BARB X MALE PIPE



159
29SB

PART #	HOSE ID	MIP	IND #	LIST PRICE
38800	3/16	1/8	1541	---
38802	1/4	1/8	1537	---
32377	1/4	1/4	1581	---
38806	5/16	1/8	1551	---
38808	5/16	1/4	1555	---
38810	3/8	1/8	1565	---
32381	3/8	1/4	1564	---
32382	3/8	3/8	1566	---
32383	1/2	3/8		---
32384	1/2	1/2		---
32385	5/8	1/2	1431	---
32387	3/4	1/2	1430	---
32388	3/4	3/4		---

68HB

BUBBLE BARB MALE ADAPTER
BUBBLE X MIP



PART #	BUBBLE X MIP	LIST PRICE
32176	3/8 x 3/8	---
32177	1/2 x 1/4	---
32178	1/2 x 3/8	---
32179	1/2 x 1/2	---
32182	5/8 x 3/8	---
32183	5/8 x 1/2	---
32184	3/4 x 1/2	---
32180	3/4 x 3/4	---
32185	1 x 3/4	---
32181	1 x 1	---

INVERTED FLARE MALE CONNECTOR
HOSE BARB X INVERTED FLARE

159IN
291FSB



PART #	HOSE ID	INV. FLARE	IND #	LIST PRICE
38828	5/16	1/4	1598	---
38830	5/16	5/16	1560	---
38832	5/16	3/8	1561	---
38834	3/8	5/16	1568	---
38836	3/8	3/8	1570	---

269HB

90° MALE ELBOW
HOSE BARB X MALE PIPE

29ESB



PART #	HOSE ID	MIP	IND #	LIST PRICE
38860	1/4	1/8	1582	---
38862	5/16	1/8	1556	---
38864	5/16	1/4	1557	---
38866	3/8	1/8	1572	---
38868	3/8	1/4	1571	---

BUBBLE BARB

159E



PART #	HOSE ID	MIP	LIST PRICE
32186	3/8	3/8	---
32194	1/2	1/4	---
32187	1/2	3/8	---
32191	1/2	1/2	---
32195	5/8	1/4	---
32188	5/8	3/8	---
32189	5/8	1/2	---
32190	3/4	1/2	---
32192	3/4	3/4	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

WELDED HOSE FITTINGS
BRASS FITTINGS

INVERTED FLARE MALE SWIVEL 90° ELBOW
HOSE BARB X TUBE O.D.




159ELS
291MES

Part #	Hose ID	Inv. Flare	Ind #	List Price
38873	5/16	5/16	1405	---
38874	3/8	3/8	1407	---

WELDED HOSE FITTINGS

STEM ONLY - WELDING HOSE CONNECTOR




PART #	HOSE I.D.	A	APPROX. WT. LBS.	LIST PRICE
30410	3/16″	1.43	0.02	---
30411	1/4″	1.43	0.02	---
30413	3/8″	1.43	0.04	---

Assemble with nuts below.

201RWA WRS WLS

RIGHT HAND 9/16 - 18 FOR OXYGEN LINE - WELDING HOSE NUT




PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
30420	R.H. Nut only	0.63	0.68	0.04	---

Assemble with stem above.

201RWA WRS KF-PE 152

LEFT HAND 9/16 - 18 FOR ACETYLENE LINE - WELDING HOSE NUT



PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
30421	L.H. Nut only	0.63	0.68	0.04	---

Assemble with stem above.

209LWA WLS 154 KF-RE

RIGHT HAND 9/16 - 18 #122RWA - WELDING HOSE CONNECTOR




651
WH42R

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
30401	1/4″-18	1.30	0.62	0.06	---
32437	3/8"-18	1.30	0.68	0.09	---
32438*	9/16"-18	1.25	0.68	0.07	---

* Right UNF thread

156

LEFT HAND 9/16 - 18 #122LWA - WELDING HOSE CONNECTOR



652
WH42L

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
30406	1/4″-18	1.30	0.62	0.06	---
32439	3/8"-18	1.30	0.68	0.09	---
32440*	9/16"-18	1.25	0.68	0.07	---

* Left UNF thread

158


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BARBED FOR PLASTIC TUBING

BRASS FITTINGS

BRASS BARBS FOR POLYETHYLENE TUBING

- Quick connecting fittings that do not require tube preparations for hand assembly. Inexpensive with excellent resistance to vibration.



UNION

29MBS



TUBE O.D. (TUBE I.D.) X TUBE O.D. (TUBE I.D.)

PART #	SIZE	LIST PRICE
21003	1/4(1/8) x 1/4(1/8)	---
21007	3/8(1/4) x 1/4(1/8)	---

1062 962

MALE ADAPTER

29MB



TUBE O.D. (TUBE I.D.) X MALE PIPE

PART #	SIZE	LIST PRICE
21021	1/4(1/8) x 1/16	---
21023	1/4(1/8) x 1/8	---
21025	1/4(1/8) x 1/4	---

1068 968 688

FEMALE ADAPTER

29FMB



TUBE O.D. (TUBE I.D.) X FEMALE PIPE

PART #	SIZE	LIST PRICE
21043	1/4(1/8) x 1/8	---
21046	3/8(1/4) x 1/4	---
21049	1/2(3/8) x 3/8	---

1066 966 26 668

BULKHEAD UNION

29MBHS



TUBE O.D. (TUBE I.D.)

PART #	SIZE	LIST PRICE
21082	1/4(1/8)	---
21083	3/8(1/4)	---
21084	1/2(3/8)	---

1074

UNION ELBOW

1065
965

29BEMB



TUBE O.D (I.D.)

PART #	SIZE	LIST PRICE
21095	1/4(1/8)	---
21097	3/8(1/4)	---
21099	1/2(3/8)	---

MALE 90° ELBOW

29MBE



TUBE O.D. (I.D.) X MALE PIPE

PART #	SIZE	LIST PRICE
21109	1/8" x 1/4-28"	---
21111	1/4(1/8) x 1/16	---
21113	1/4(1/8) x 1/8	---
21115	1/4(1/8) x 1/4	---
21117	3/8(1/4) x 1/8	---
21119	3/8(1/4) x 1/4	---

1069 969 229

FEMALE 90° ELBOW

29MBFE



TUBE O.D. (I.D.) X FEMALE PIPE

PART #	SIZE	LIST PRICE
21133	1/4(1/8) x 1/8	---

1070 970 230

UNION TEE

29MBT



O.D. (I.D.) X O.D. (I.D.) X O.D. (I.D.)

PART #	SIZE	LIST
21151	1/4(1/8)	---
21153	3/8(1/4)X 3/8(1/4) X1/4(1/8)	---
21155	3/8(1/4)	---
21159	1/2(3/8)X1/2(3/8) X3/8(1/4)	---
21161	1/2(3/8)	---

1064 964 224

MALE BRANCH TEE

3

29MRMT

1 2



O.D. (I.D.) X O.D. (I.D.) X MALE PIPE

PART #	SIZE	LIST PRICE
21193	1/4(1/8) x 1/4(1/8) x 1/8	---

1072 972 232

FEMALE BRANCH TEE

3

29MBPT

1 2




O.D. (I.D.) X O.D. (I.D.) X FEMALE PIPE

PART #	SIZE	LIST
21207	1/4(1/8) x 1/4(1/8) x 1/8	---

1077 978

TWO BARB FITTINGS

More Sizes Available - Please Ask!



MALE ADAPTER PIPE



TUBE O.D. (I.D.) X MALE PIPE

PART #	SIZE	LIST PRICE
32150	1/4(1/8) x 1/8	---
32151	1/4(1/8) x 1/4	---
32153	3/8(1/4) x 1/4	---

28

UNION TEE



PART #	TUBE O.D. (I.D.)	LIST PRICE
32159	1/4(1/8 ID)	---

90° ELBOW



PART #	TUBE O.D. (I.D.)	LIST PRICE
32170	1/4(1/8 ID)	---

225

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BARSTOCK/ CAST SS HOSE BARB


BRASS FITTINGS

316 STAINLESS STEEL MACHINED RIGID MALE ADAPTER



PART #	HOSE I.D. X NPT	LIST PRICE
32001SS	1/8" x 1/8"	---
32002SS	3/16" x 1/8"	---
32003SS	3/16" x 1/4"	---
32004SS	1/4" x 1/8"	---
32005SS	1/4" x 1/4"	---
32006SS	1/4" x 3/8"	---
32008SS	5/16" x 1/8"	---
32009SS	5/16" x 1/4"	---
32010SS	5/16" x 3/8"	---
32011SS	3/8" x 1/8"	---
32012SS	3/8" x 1/4"	---
32013SS	3/8" x 3/8"	---
32014SS	3/8" x 1/2"	---
32015SS	1/2" x 1/4"	---
32016SS	1/2" x 3/8"	---
32017SS	1/2" x 1/2"	---
32018SS	1/2" x 3/4"	---
32019SS	5/8" x 3/8"	---
32020SS	5/8" x 1/2"	---
32021SS	5/8" x 3/4"	---
32022SS	3/4" x 1/2"	---
32023SS	3/4" x 3/4"	---
32024SS	1" x 3/4"	---

316 STAINLESS STEEL SPLICER



PART #	HOSE I.D. X HOSE I.D.	A	B	LIST PRICE
32091SS	1/8"			---
32093SS	1/4"	2.03	0.97	---
32094SS	5/16"			---
32095SS	3/8"	2.06	0.97	---
32096SS	1/2"	2.06	0.97	---
32098SS	3/4"	2.50	1.19	---

316 STAINLESS STEEL BARB ELBOW



PART #	HOSE I.D. X NPT	LIST PRICE
32038SS	1/4 x 1/8	---
32039SS	1/4 x 1/4	---
32041SS	3/8 x 1/4	---
32042SS	3/8 x 3/8	---
32043SS	1/2" x 3/8"	---
32311SS	1/2 x 1/2	---
32314SS	3/4" x 3/4"	---

304 STAINLESS STEEL HOSE NIPPLES



▪ Cast

PART #	HOSE I.D. X MALE PIPE	LIST PRICE
73951	1/4"	---
73952	3/8"	---
73953	1/2"	---
73954	3/4"	---
73955	1"	---
73956	1-1/4"	---
73957	1-1/2"	---
73958	2"	---
73959	2-1/2"	---
73960	3"	---

304 STAINLESS STEEL REDUCING HOSE NIPPLES



▪ Cast

PART #	HOSE I.D. X MALE PIPE	LIST PRICE
73970	1/4" X 1/8"	---
73971	3/8" X 1/4"	---
73972	1/2" X 3/8"	---
73973	1/2" X 1/4"	---
73974	3/4" X 1/2"	---
73975	1" X 3/4"	---
73976	1" X 1/2"	---
73977	1-1/4" X 1"	---
73979	1-1/2" X 1-1/4"	---
73980	1-1/2" X 1"	---
73981	2" X 1-1/2"	---
73982	2" X 1-1/4"	---

316 STAINLESS STEEL HOSE NIPPLES



▪ Cast

PART #	HOSE I.D. X MALE PIPE	LIST PRICE
973951	1/4"	---
973952	3/8"	---
973953	1/2"	---
973954	3/4"	---
973955	1"	---
973956	1-1/4"	---
973957	1-1/2"	---
973958	2"	---
973959	2-1/2"	---
973990	3"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BEVERAGE FITTINGS
BRASS FITTINGS

BARB TO MALE PIPE ADAPTER



PART #	SIZE	LIST PRICE
34587	1/4" x 1/8"	---
34588	1/4" x 1/4"	---
34589	1/4" x 3/8"	---
34590	3/8" x 1/8"	---
34591	3/8" x 1/4"	---
34592	3/8" x 3/8"	---
34595	3/8" x 1/2"	---

BARB TO MALE FLARE ADAPTER



HOSE ID X 45° FLARE

PART #	SIZE	LIST PRICE
34579	1/4" x 1/4"	---
34586	1/4" x 5/16"	----
34584	1/4" x 3/8"	----
34580	1/4" x 1/2-16"	---
34583	3/8" x 1/4"	---
34585	3/8" x 3/8"	---
34581	3/8" x 1/2-16"	---

FEMALE FLARE SWIVEL SETS



PART #	SIZE	LIST PRICE
34501	1/4" x 1/4"	---
34502	5/16" x 1/4"	---
34504	3/8" x 3/8"	---

ONE PIECE SWIVEL BARB X FE.



PART #	SIZE	LIST PRICE
34510	3/8" x 1/4"	---

HOSE SPLICER (STRAIGHT)



ID HOSE

PART #	SIZE	LIST PRICE
34532	3/16"	---
34533	1/4"	---
34534	1/4" x 3/16"	---
34536	5/16"	---
34537	5/16" x 1/4"	---
34535	3/8"	---
34538	3/8" x 3/16"	---
34543	3/8" x 1/4"	---
34539	3/8" x 5/16"	---

THINWALL SPLICERS



PART #	SIZE	LIST PRICE
34533T	1/4"	---
34535T	3/8"	---
34541T	1/2"	---
34540T	1/2" x 3/8"	---

PLUG



PART #	SIZE	LIST PRICE
34572	1/4"	---

THINWALL

PART #	SIZE	LIST PRICE
34572T	1/4"	---

BARB X COMPRESSION



PART #	SIZE	LIST PRICE
34625	1/4" x 3/8"	---

PLATED BRASS SPLICERS

ID SIZES
VINYL TUBE ID/ PL. TUBE ID



PART #	SIZE	LIST
34725	3/16"/1/4"	---
34726	1/4" x 3/16"/ 5/16" x 1/4"	---
34728	5/16"/3/8"	---
34727	5/16" x 3/16"/ 3/8"/1/4"	---

TAILPIECES



SS BARB X SWIVEL SHANK

PART #	SIZE	LIST PRICE
34711	-/ 3/16"	---
34713	3/16"/ 1/4"	---
34715	1/4"/ 5/16"	---
34716	3/8"/-	---
34717	1/2"/ 3/8"	---



N/P BRASS

PART #	SIZE	LIST PRICE
34710	3/16"/1/4"	---
34712	1/4"/5/16"	---
34714	5/16"/3/8"	---
34716	3/8"/-	---
34718	1/2"/-	---



#304 SS 90° ELBOW

PART #	SIZE	LIST PRICE
34720	3/16"/-	---
34721	1/4"/1/4"	---
34722	5/16"/5/16"	---
34723	3/8"/3/8"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BEVERAGE FITTINGS
BRASS FITTINGS

90° SWIVEL ELBOW



HOSE ID X FEMALE 45°

PART #	SIZE	LIST PRICE
34525	1/4" x 1/4"	---
34526	3/8" x 1/4"	---
34529	3/8" x 3/8"	---
34531	1/2" x 1/2"	---

BARB TO SWIVEL ELBOW



HOSE ID X FEMALE 45° FLARE

PART #	SIZE	LIST PRICE
34600	1/4" x 1/4"	---
34601	3/8" x 1/4"	---

MALE ELBOWS



HOSE ID X MALE NPTF

PART #	SIZE	LIST PRICE
34610	1/4" x 1/8"	---
34611	3/8" x 1/4"	---
34612	3/8" x 3/8"	---
34613	1/2" x 1/2"	---

FEMALE ADAPTERS



BARB X FEMALE PIPE

PART #	SIZE	LIST PRICE
34661	1/4"	---
34658	1/2"	---

U-BEND



PART #	SIZE	A	LIST PRICE
34633	3/8"	2	---

THINWALL U-BEND

Part #	Size	A	List Price
34633T	3/8"	1-1/2	---

U-BEND W/MANIFOLD



THINWALL

PART #	SIZE	LIST PRICE
34621T	1/4"	---
34622T	3/8"	---

CROSS



PART #	SIZE	LIST PRICE
34635T	1/4"	---
34638T	3/8"	---

Y TEES



PART #	SIZE	A	LIST PRICE
34650T	1/4"	1-1/8	---
34652T	3/8"	1-1/4	---

BARB HOSE TEES



ID HOSE

PART #	SIZE	LIST PRICE
34561	1/8"	---
34562	1/4"	---
34565	5/16"	---
34563	3/8"	---

REDUCING TEES

PART #	1&2	3	LIST PRICE
34567	1/4"	3/8"	---
34568	3/8"	1/4"	---

THINWALL TEES



PART #	SIZE	LIST PRICE
34562T	1/4"	---
34565T	5/16"	---
34563T	3/8"	---
34564T	1/2"	---

REDUCING THINWALL TEES

PART #	1&2	3	LIST PRICE
34567T	1/4"	3/8"	---
34568T	3/8"	1/4"	---

90° BARB SPLICER



ID HOSE

PART #	SIZE	LIST PRICE
34551	1/4"	---
34550	5/16"	---
34552	3/8"	---

THINWALL 90° BARB SPLICERS



PART #	SIZE	LIST PRICE
34551T	1/4"	---
34552T	3/8"	---
34553T	1/2"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PUSH ON BARB FITTINGS



Typical Application: Low Pressure Air, Fuel, Lube, and Oil Lines

▪ Pressure determined by tube material and hardness. Our parts have been tested to max 150 PSI.

Advantages: Easy assembly. No clamps needed!!

▪ **Assembly Instructions**

1- Lubricate insert.

2- Hold hose at angle as shown & push on and up over first barb.

3- Continue to push straight on until hose is seated under protective plastic cap. Keep hands back from hose end area so that hose can expand.

▪ **Disassembling Instructions**

1- Split hose. Do not cut completely through hose. Sealing edge of barb could be damaged.

2- Bend hose and remove with a quick pull.

See lead free section for lead free push-on barb fittings. **Stainless steel available at the end of this section.**


Actual Profile of Push On Barbs



WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PUSH-ON FITTINGS
BRASS FITTINGS

MALE ADAPTER




29PO1
129PO1

PART #	HOSE I.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30200 *	1/4" x 1/8"	1.43	0.87	0.50	0.04	---
30201 *	1/4" x 1/4"	1.66	0.87	0.56	0.06	---
30211	1/4" x 3/8"	1.66	0.87	0.68	0.06	---
30208	1/4" x 1/2"	1.83	0.88	0.88	0.10	---
30212	5/16" x 1/8"	1.42	0.77	0.43	0.04	---
30213	5/16" x 1/4"	1.66	0.87	0.56	0.06	---
30202	3/8" x 1/8"	1.53	0.97	0.50	0.04	---
30203 *	3/8" x 1/4"	1.69	0.89	0.56	0.07	---
30204 *	3/8" x 3/8"	1.76	0.97	0.68	0.08	---
30205	3/8" x 1/2"	1.97	0.97	0.87	0.10	---
30392	3/8" x 3/4"	1.97	0.92	1.06	0.16	---
30216	1/2" x 1/4"	1.76	0.97	0.68	0.08	---
30206 *	1/2" x 3/8"	1.76	0.97	0.68	0.09	---
30207 *	1/2" x 1/2"	1.97	0.97	0.87	0.14	---
30217	1/2" x 3/4"	1.97	0.97	1.06	0.16	---
30218	1/2" x 1"	2.29	0.97	1.37	0.34	---
30219	5/8" x 3/8"	2.34	1.50	0.75	0.12	---
30209	5/8" x 1/2"	2.45	1.45	0.87	0.16	---
30214	5/8" x 3/4"	2.45	1.45	1.06	0.18	---
30215 *	3/4" x 1/2"	2.45	1.45	0.87	0.21	---
30210 *	3/4" x 3/4"	2.45	1.45	1.06	0.20	---
30238	1" x 3/4"	2.93	1.50	1.25	0.43	---
30239	1" x 1"	3.11	1.50	1.37	0.49	---

301 P990A HLM 100B-1 KA-MB 272 29PO 725 625 BPN 941 30182

MALE SWIVEL




29PO9
129PO2

PART #	HOSE I.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30422	1/4" x 1/8"	2.07	0.87	0.56	0.06	---
30385	1/4" x 1/4"	2.02	0.87	0.56	0.06	---
30423	3/8" x 1/8"	2.12	0.97	0.56	0.07	---
30386	3/8" x 1/4"	2.12	0.97	0.56	0.08	---
30387	3/8" x 3/8"	2.12	0.97	0.68	0.08	---
30388	1/2" x 3/8"	2.12	0.97	0.68	0.10	---
30389	1/2" x 1/2"	2.33	0.97	0.87	0.14	---
30424	5/8" x 1/2	2.80	1.45	0.88	0.18	---
30390	3/4" x 3/4"	2.80	1.45	1.06	0.24	---

921 HMS 285 31382

FEMALE GASKET SEAL SWIVEL - NPSM



129PO9

PART #	HOSE I.D. X GASKET SWIVEL (NPSM)	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30359	1/4" x 1/8"	1.39	0.77	0.50	0.03	---
30358	1/4" x 1/4"	1.47	0.82	0.68	0.06	---
30360	3/8" x 1/4"	1.61	1.00	0.68	0.06	---
30361	3/8" x 3/8"	1.77	0.97	0.81	0.08	---
30362	3/8" x 1/2"	1.80	0.92	0.93	0.09	---
30363	1/2" x 1/2"	1.90	1.02	0.93	0.11	---
30366	3/4" x 3/4"	2.36	1.55	1.18	0.32	---


▪ Not recommend for water due to fiber gasket - for air service only.

Dimension data can change without notice. Please check when dimensions are critical.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PUSH ON HOSE BARB
BRASS FITTINGS

HOSE SPLICER




29P08
129PO14

PART #	HOSE I.D.	A	APPROX. WT. LBS.	LIST PRICE
30300	1/4"	1.87	0.04	---
30305	5/16"	1.80	0.04	---
30301	3/8"	2.00	0.06	---
30302	1/2"	2.01	0.08	---
30303	5/8"	3.03	0.14	---
30304	3/4"	3.03	0.14	---
30306	1"	3.21	0.28	---

BPM 696 29SPO 296 915 729 100B-Y KA-RM MHL 296 38282

RIGID FEMALE ADAPTER




29PO2
129PO7

PART #	HOSE I.D. X FEMALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30220	1/4" x 1/8"	1.35	0.87	0.50	0.02	---
30221	1/4" x 1/4"	1.51	0.87	0.62	0.06	---
30384	1/4" x 3/8"	1.51	0.77	0.75	0.06	---
30391	5/16" x 1/8"	1.32	0.77	0.50	0.03	---
30222	5/16" x 1/4"	1.51	0.87	0.62	0.06	---
30393	3/8" x 1/8"	1.47	0.92	0.56	0.06	---
30224	3/8" x 1/4"	1.61	0.97	0.62	0.06	---
30225	3/8" x 3/8"	1.63	0.97	0.75	0.06	---
30394	3/8' x 1/2"	1.66	0.92	0.93	0.12	---
30397	3/8" x 3/4"	1.97	0.97	1.18	0.20	---
30223	1/2" x 1/4"	1.76	1.02	0.68	0.08	---
30226	1/2" x 3/8"	1.63	0.97	0.75	0.08	---
30227	1/2" x 1/2"	1.77	0.97	0.93	0.14	---
30396	1/2" x 3/4"	2.07	1.02	1.18	0.20	---
30398	5/8" x 3/8"	2.24	1.55	0.75	0.10	---
30229	5/8" x 1/2"	2.24	1.48	0.93	0.11	---
30403	5/8" x 3/4"	2.26	1.44	1.19	0.20	
30399	3/4" x 1/2"	2.24	1.50	0.93	0.14	---
30395	3/4" x 3/4"	2.55	1.50	1.18	0.24	---
30400	1" x 3/4"	2.55	1.55	1.18	0.25	---
30402	1" x 1"	2.68	1.55	1.43	0.37	---

30282 29FPO HLF 626 274 726 940

MALE ELBOW



29POE
129PO20


PART #	HOSE I.D. X MALE NPTF	A	B	BODY WIDTH	APPROX. WT. LBS.	LIST PRICE
30372	1/4" x 1/8"	0.98	0.75	0.50	0.04	---
30373	1/4" x 1/4"	1.04	0.95	0.56	0.06	---
30374	5/16" x 1/8"	1.02	0.94	0.50	0.06	---
30375	5/16" x 1/4"	1.09	0.94	0.56	0.08	---
30370	3/8" x 1/8"	1.11	0.75	0.50	0.10	---
30371	3/8" x 1/4"	1.13	0.90	0.56	0.10	---
30376	3/8" x 3/8"	1.21	0.92	0.70	0.12	---
30377	3/8" x 1/2"	1.30	1.19	0.87	0.22	---
30382	1/2" x 3/8"	1.32	1.02	0.70	0.13	---
30378	1/2" x 1/2"	1.50	1.19	0.87	0.22	---
30379	5/8" x 1/2"	1.98	1.19	0.87	0.26	---
30383	3/4" x 1/2"	2.15	1.24	0.87	0.25	---
30381	3/4" x 3/4"	2.07	1.28	1.06	0.34	---

100-C 29EPO 273

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PUSH ON HOSE BARB
BRASS FITTINGS

RIGID TUBE ADAPTER




29PO1D
129PO15

PART #	HOSE I.D. X O.D TUBE	A	B	APPROX. WT. LBS.	LIST PRICE
30290	1/4" x 3/16"	1.68	0.77	0.04	---
30291	1/4" x 1/4"	1.88	0.77	0.04	---
30292	1/4" x 5/16"	1.88	0.77	0.04	---
30293	5/16" x 5/16"	1.91	0.79	0.04	---
30294	3/8" x 3/8"	2.03	0.92	0.06	---
30426	3/8" x 1/2	1.81	0.97	0.04	---
30297	1/2" x 1/2"	2.13	1.02	0.06	---
30298	5/8" x 5/8"	2.61	1.50	0.10	---
30299	3/4" x 3/4"	2.61	1.50	0.25	---

294 100B-X KA-RL 303 732 694

MALE SAE FLARE ADAPTER




29PO3
129PO4

PART #	HOSE I.D. X 45° MALE FLARE	UNF THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30240	1/4" x 1/4"	7/16-20	1.45	0.75	0.43	0.04	---
30241	1/4" x 5/16"	1/2-20	1.59	0.84	0.50	0.04	---
30249	5/16" x 5/16"	1/2-20	1.60	0.80	0.50	0.06	---
30271	3/8" x 5/16"	1/2-20	1.64	0.86	0.50	0.08	---
30243	3/8" x 3/8"	5/8-18	1.83	0.92	0.62	0.08	---
30245	1/2" x 1/2"	3/4-16	1.98	1.02	0.875	0.10	---
30246	5/8" x 5/8"	7/8-14	2.73	1.50	0.87	0.19	---
30247	3/4" x 3/4"	1-1/16-14	2.98	1.50	1.06	0.32	---

100B-3 KA-MS 727 945 682 302 282


37° MALE JIC FLARE ADAPTER



29PO11
129PO6

PART #	HOSE I.D. X MALE JIC	UNF THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
32900	1/4" x 1/4"	7/16-20	1.57	0.84	0.50	0.04	---
32901	1/4" x 5/16"	1/2-20	1.60	0.83	0.56	0.04	---
32906	1/4" x 3/8"	9/16-18	1.63	0.77	0.62	0.05	---
32902	3/8" x 3/8"	9/16-18	1.78	0.97	0.62	0.06	---
32903	1/2" x 1/2"	3/4-16	1.97	0.97	0.75	0.10	---
32907	5/8" x 5/8"	7/8-14	2.62	1.50	0.93	0.19	---
32905	3/4" x 3/4"	1-1/16-12	2.79	1.50	1.12	0.29	---

SAE/JIC DUAL 45°/37° FEMALE SWIVEL



29PO5
129PO10

PART #	HOSE I.D. X DUAL SEAT	UNF THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30230 *	1/4" x 1/4"	7/16-20	1.53	0.87	0.56	0.06	---
30231	1/4" x 5/16"	1/2-20	1.53	0.87	0.62	0.04	---
30232	5/16" x 5/16"	1/2-20	1.56	0.87	0.62	0.04	---
30427	3/8" x 5/16"	1/2-20	1.74	0.87	0.62	0.06	---
30233	3/8" x 1/2"	3/4-16	1.79	0.97	0.87	0.10	---
30234 *	1/2" x 1/2"	3/4-16	1.77	0.97	0.87	0.10	---
30235	1/2" x 5/8"	7/8-14	1.84	0.97	1.00	0.12	---
30236	5/8" x 1/2"	3/4-16	2.27	1.45	0.87	0.18	---
30237	5/8" x 5/8"	7/8-14	2.33	1.45	1.00	0.14	---
30428	3/4" x 5/8"	7/8-14	2.33	1.45	1.00	0.20	---


29FDS 287 HDF 309 735 690 P990-K 305 935/ 934

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

DIMENSION DATA CAN CHANGE WITHOUT NOTICE. PLEASE CHECK WHEN DIMENSIONS ARE CRITICAL.

PUSH ON HOSE BARB
BRASS FITTINGS

45° SAE FLARE FEMALE SWIVEL




29P06
129PO14

PART #	HOSE I.D. X 45° FEMALE FLARE	UNF THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30250	1/4" x 1/4"	7/16-20	1.54	0.87	0.56	0.04	---
30251	1/4" x 5/16"	1/2-20	1.57	0.87	0.62	0.04	---
30253	1/4" x 3/8"	5/8-18	1.63	0.87	0.75	0.06	---
30254	5/16" x 5/16"	1/2-20	1.58	0.87	0.68	0.06	---
30260	5/16" x 3/8"	5/8-18	1.63	0.87	0.75	0.08	---
30252	3/8" x 3/8"	5/8-18	1.73	0.97	0.75	0.10	---
30257	3/8" x 1/2"	3/4-16	1.85	0.87	0.87	0.10	---
30261	1/2" x 3/8"	5/8-18	1.92	1.05	0.75	0.10	---
30255	1/2" x 1/2"	3/4-16	1.77	0.97	0.87	0.12	---
30258	5/8" x 5/8"	7/8-14	2.35	1.45	1.00	0.14	---
30259	3/4" x 3/4"	1-1/16-14	2.42	1.45	1.25	0.22	---

30882 728 P990-H 29AEPO 307 284 100S-4 KA-NS HSF 684 934

FEMALE 37° JIC FLARE SWIVEL




29P07
129PO12

PART #	HOSE I.D. X FEMALE JIC	UNF THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30265	1/4" x 1/4"	7/16-20	1.54	0.87	0.56	0.04	---
30264	1/4" x 3/8"	9/16-18	1.57	0.87	0.68	0.06	---
30270	5/16" x 3/8"	9/16-18	1.60	0.82	0.68	0.06	---
30266 *	3/8" x 3/8"	9/16-18	1.70	0.97	0.68	0.08	---
30267	1/2" x 1/2"	3/4-16	1.78	0.97	0.87	0.10	---
30268	5/8" x 5/8"	7/8-14	2.33	1.45	1.00	0.14	---
30269 *	3/4" x 3/4"	1-1/16-12	2.40	1.45	1.25	0.22	---
30429	1" x 1"	1-5/16-12	2.60	1.45	1.50	0.39	---

JF 944/934 29J1CPO HJF 688 738 288 100B-6 308 P990-F 30682 KA-NJ

INVERTED FLARE MALE SWIVEL



29P016
129PO6


PART #	HOSE I.D. X MALE INV FLARE	UNF THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30275	1/4" x 3/16"	3/8-24	1.52	0.87	0.37	0.04	---
30276	1/4" x 1/4"	7/16-24	1.56	0.87	0.43	0.04	---
30277	1/4" x 5/16"	1/2-20	1.62	0.87	0.50	0.04	---
30280	5/16" x 5/16"	1/2-20	1.62	0.87	0.50	0.06	---
30283	5/16" x 3/8"	5/8-18	1.63	0.87	0.62	0.06	---
30284	3/8" x 5/16"	1/2-20	1.72	0.97	0.50	0.06	---
30279	3/8" x 3/8"	5/8-18	1.76	0.97	0.62	0.06	---
30282	1/2" x 1/2"	3/4-18	1.84	0.97	0.75	0.10	---
30286	5/8" x 5/8"	7/8-18	2.50	1.57	0.87	0.14	---

290 100B-B KA-MF 1MS 947

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PUSH ON HOSE BARB
BRASS FITTINGS

INVERTED FLARE FEMALE ADAPTER




29P013
129PO13

PART #	HOSE I.D. X FEMALE INV FLARE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30310	1/4" x 3/16"	1.12	0.84	0.50	0.02	---
30311	1/4" x 1/4"	1.14	0.84	0.56	0.02	---
30312	1/4" x 5/16"	1.18	0.82	0.62	0.02	---
30316	5/16" x 5/16"	1.25	0.81	0.62	0.04	---
30313	3/8" x 5/16"	1.32	0.87	0.62	0.04	---
30314	3/8" x 3/8"	1.35	0.95	0.75	0.06	---
30315	1/2" x 1/2"	1.73	1.04	0.87	0.12	---

306 100B-A KA-NG 292 P990-J 736 692 946

FEMALE BALLSEAT SWIVEL




29P04
129PO8

PART #	HOSE I.D. X FEMALE NPSM	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30340	1/4" X 1/8"	1.39	0.85	0.50	0.06	---
30341	1/4" X 1/4"	1.47	0.82	0.68	0.06	---
30342	1/4" x 3/8"	1.40	0.77	0.68	0.09	---
30343	3/8" X 1/4"	1.61	0.97	0.68	0.08	---
30344	3/8" X 3/8"	1.75	0.95	0.81	0.10	---
30430	3/8" x 1/2"	1.79	0.97	0.93	0.11	---
30346	1/2" X 1/2"	1.88	1.09	0.93	0.12	---
30345	1/2" x 3/4"	2.36	1.02	1.18	0.18	---
30349	3/4" X 3/4"	2.36	1.55	1.18	0.22	---

628 278 29SPO 731 NPSM

SAE/ JIC 37°/ 45° FEMALE SWIVEL 90° ZINC PLATED STEEL



PART #	HOSE I.D. X FEMALE 37°/45°	UNF THREAD	A	B	APPROX. WT. LBS.	LIST PRICE
30480	1/4"	7/16-20	1.55	0.83	.064	---
30482	3/8"	9/16-18	1.85	0.91	.095	---
30483*	3/8"	5/8-18	1.98	0.85	.095	---
30484	1/2"	3/4-16	2.33	1.09	.171	---
30486	3/4"	1-1/16-12	3.26	1.81	.281	---


* SAE

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL PUSH ON 316 HOSE BARB


BRASS FITTINGS

316 STAINLESS STEEL MALE ADAPTERS




PART #	HOSE I.D. X NPT	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30200SS	1/4" x 1/8"	1.42	0.77	0.44	0.027	---
30201SS	1/4" x 1/4"	1.61	0.77	0.56	0.043	---
30203SS	3/8" x 1/4"	1.76	0.92	0.56	0.053	---
30204SS	3/8" x 3/8"	1.76	0.92	0.69	0.067	---
30206SS	1/2" x 3/8"	1.86	1.02	0.69	0.071	---
30207SS	1/2" x 1/2"	2.07	1.02	0.88	0.119	---
30215SS	3/4" x 1/2"	2.55	1.50	0.88	0.20	---
30210SS	3/4" x 3/4"	2.55	1.50	1.06	0.194	---

316 STAINLESS STEEL SAE/ JIC 45°/ 37° FEMALE SWIVEL



PART #	HOSE I.D. X FEMALE 45°/37°	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30230SS	1/4" x 1/4"	1.48	0.74	0.56	0.023	---
30234SS	1/2" x 1/2"	1.93	1.03	0.88	0.04	---

316 STAINLESS STEEL FEMALE 37° JIC FLARE SWIVEL



PART #	HOSE I.D. X FEMALE 37°	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30266SS	3/8" x 3/8"	1.75	.92	0.68	0.065	---
30269SS	3/4" x 3/4"	2.53	1.50	1.25	0.259	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GARDEN HOSE FITTINGS



▪ **Temperature and Working Pressure Ranges**

From +35^{0}F to +100^{0}F at 75 PSI maximum or the recommended working pressure of the garden hose. (Not to exceed 150 PSI.)

Note: All female connector ends should have a rubber washer inserted prior to usage.

FGH = Female Garden Hose threads
MGH = Male Garden Hose threads
Male garden hose threads are all 3/4" with an outside diameter of 1.0625 and 11-1/2" threads per inch.



Male Garden Hose Profile




See Plastic section for Plastic Garden Hose Fittings



Lead free Garden Hose

Washers included are #30150B black rubber washers.

Actual Profile of Garden Hose Barbs




WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL PUSH ON 316 HOSE BARB
BRASS FITTINGS

SWIVEL - MGH X FGH

▪WASHER INCLUDED

Internal Hex



PART #	MGH X FGH	A	HEX	APPROX. WT. LBS.	LIST PRICE
30000**	3/4" x 3/4"	1.03	0.50*	0.26	---

* Internal Hex
* Not a live swivel
** available in swivel crimp style

SWIVEL - FGH X FGH

▪WASHER INCLUDED



30-011



30-012

PART #	FGH X FGH	A	HEX	APPROX. WT. LBS.	LIST PRICE
30011	3/4" x 3/4"	1.03	1.18 O.D.	0.24	---
30012	No Swivel	1.08	1.19	0.24	---

HUS 91 203W GSU 101GHSV 22AS 506 FS66

SWIVEL - FGH X FEMALE PIPE

▪WASHER INCLUDED



PART #	FGH X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
30001	3/4" x 1/2"	1.20	1.00	0.11	---
30006	3/4" x 3/4"	1.11	1.12	0.11	---

S1 HSU11 91Z 197S 98GHSV 5AS 21517 502 FS65

EVAPORATIVE COOLER FITTINGS



50-016



30-013



30-020

PART #	SIZE	LIST PRICE
50016	MGH x 1/2" FIP	---
30013	1/2 MIP x 1/2 FIP x 1/8	---
30019	3/4 MIP x 3/4 FIP x 1/8	---
30020	MGH x FGH x 1/8	---

RIGID - FGH X FEMALE PIPE

▪WASHER INCLUDED





30-017

PART #	FGH X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
30016	3/4" x 1/8"	1.02	1.18	0.08	---
30017	3/4" x 1/4"	0.65	1.12	0.07	---
30018	3/4" x 3/8"	1.19	1.18	0.11	---

95GH 501

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GARDEN HOSE
BRASS FITTINGS

RIGID - FGH X FEMALE PIPE




PART #	FGH X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
30078	3/4" x 1/2"	1.06	1.18	0.10	---
30083	3/4" x 3/4"	1.06	1.18	0.12	---

FS67 198 HU11 21507 501 99GH 5A H15PP

SWIVEL - FGH X MALE PIPE

·WASHER INCLUDED




PART #	FGH X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
30047	3/4" x 1/4"	2.04	0.75	0.13	---
30048	3/4" x 3/8"	2.06	0.75	0.14	---
30049	3/4" x 1/2"	2.06	0.87	0.18	---

504 89GH W1 62H4 88GH W1

3/8" COMP 3/4" FGH DISHWASHER 90° ELBOW


· WASHER INCLUDED



PART #	3/4 FEMALE GARDEN HOSE THREAD X 3/8 COMPRESSION	LIST PRICE
30055	3/4" x 3/8" Body Only	---
30056	3/4" x 3/8" w/ nut & sleeve	---

SWIVEL - FGH X MALE PIPE

· WASHER INCLUDED




* Crimp style

PART #	FGH X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
30181*	3/4" x 1/4"	1.43	1.18	0.13	---
30184*	3/4" x 3/8"	1.43	1.18	0.15	---
30183	3/4" x 1/2"	1.32	0.81	0.11	---
30182*	3/4" x 3/4"	1.43	1.18	0.14	---

RIGID - FGH X MALE PIPE

· WASHER INCLUDED



PART #	FGH X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
30087	3/4" x 3/8"	1.37	1.18	0.11	---
30088	3/4" x 1/2"	1.06	1.18	0.09	---
30088S	3/4" x 1/2"(1/2"SWT)				
30093	3/4" x 3/4"	1.06	1.18	0.11	---
30094	3/4" x 3/4"(1/2" FIP)	1.17	1.18	0.11	---
30093L*	3/4" x 3/4"	1.22	1.18	0.14	---


* Long pattern
** 1/2 Swt = 5/8 O.D.

21505 503 83GH 20A HU21 199 H7

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GARDEN HOSE
BRASS FITTINGS


RIGID - MGH X FEMALE PIPE



PART #	MGH X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
30066	3/4" x 1/4"	1.10	1.06	0.09	---
30067	3/4" x 3/8"	1.09	1.06	0.12	---
30068	3/4" x 1/2"	0.81	1.06	0.10	---
30073	3/4" x 3/4"	1.12	1.18	0.10	---
30074	3/4" x 1"	1.36	1.37	0.19	
30075	1" x 1"	1.60	1.38	0.25	

197 18R HU12 H11PP 18A 507 18H 81GH 21503 MF67

RIGID - MGH X MALE PIPE




PART #	MGH X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
30054	3/4" x 1/4"	1.26	1.06	0.12	
30053	3/4" x 3/8"	1.25	1.06	0.10	---
30058	3/4" x 1/2"	1.31	1.06	0.12	---
30058S*	34" x 1/2"SWT				
30063**	3/4" x 3/4" x 1/2"	1.31	1.06	0.13	---
30063BE***	3/4" x 3/4"	1.31	1.06	0.15	---
30063S	3/4" x 3/4" Short	1.10	1.06	0.10	---
30064	3/4" x 1"	1.88	1.37	0.35	---
30065	1" x 1"	1.88	1.37	0.26	

No Tap
* (1/2 Swt = 5/8 O.D.)
** (Tapped 1/2 FIP)
*** (Tapped 1/2 FIP Both ends)

19R 196 H530 21501 508 HU22 514 71GH 19A

RIGID - MGH X MGH




PART #	MGH X MGH	A	HEX	APPROX. WT. LBS.	LIST PRICE
30098	3/4" x 3/4" (1/2" FIP)	1.22	1.06	0.13	---
30099	3/4" x 3/4"	1.38	1.06	0.15	---
30100*	1" x 3/4"	1.31	1.37	0.21	---
30101	1" x 1"	1.38	1.37	0.23	

* 1-11-1/2

21500 509 75GH 23A H8 19R

GARDEN HOSE NUT



PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
30021	Knurled	0.61	1.37 O.D.	0.08	---
30022	Hex Nut	0.62	1.18	0.08	---


Dimension data can change without notice. Please check when dimensions are critical.

94GH GHN1 HNR 21514

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GARDEN HOSE
BRASS FITTINGS

GARDEN HOSE WASHERS



30-150



30-150R

PART #	SIZE	A	B	THICK-NESS	APPROX. WT. LBS.	LIST PRICE
30150	black*	0.98	0.68	0.13	0.01	---
30150R	red	1.00	0.68	0.13	0.01	---
30151	1"	1.27	0.86	0.16	0.01	---

GHW 901GH

* plasticized rubber

GARDEN HOSE FILTER WASHER



- 300 Series Stainless Steel Screen

PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
30180	30 Mesh	0.52	1.00	0.02	---
30180F	60 Mesh	0.52	1.00	0.02	---

LA662

GARDEN HOSE CAP



30-103




30-103B




PART #	SIZE	A	APPROX. WT. LBS.	LIST PRICE
30103	3/4" Die Cast	0.58	0.04	---

513 96GH GHN5 HC1 LA215 21518 200-W

- Garden hose washers sold seperately


GARDEN HOSE CAP WITH CHAIN



PART #	SIZE	A	APPROX. WT. LBS.	LIST PRICE
30142	3/4" w/ 12" Chain	0.58	0.06	---

* Zinc die cast

GARDEN HOSE PLUG



PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
30026	3/4"	0.69	0.61	0.12	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GARDEN HOSE
BRASS FITTINGS


HOSE MENDERS - SOLID BARB X BARB



PART #	HOSE I.D. X HOSE I.D.	A	B	O.D.	APPROX. WT. LBS.	LIST PRICE
32096	1/2"	2.00	0.96	0.62	0.06	---
32097	5/8"	2.05	0.96	0.75	0.08	---
32098	3/4"	2.50	1.15	0.87	0.10	---
32099	1"	3.00	1.44	1.02	0.23	---

QUICK DISCONNECT GARDEN HOSE COUPLERS

·WASHER INCLUDED



30-452 30-451

- Unvalved construction allows maximum Flow
- 150 PSI
- NBR Seals

PART #	SIZE	A	APPROX. WT. LBS.	LIST PRICE
30450	Complete	1.70	0.24	---
30451	Female end	1.14	0.12	---
30452	Male end	1.26	0.12	---
30149	Recessed Washer	1.02	0.01	

LA73C

MALE FLARE X FGH RIGID




PART #	MALE FLARE X FGH	A	HEX	APPROX. WT. LBS.	LIST PRICE
30123	3/8" x 3/4"	1.31	1.18	0.10	---
30128	1/2" x 3/4"	1.38	1.18	0.12	---
30133	5/8" x 3/4"	1.53	1.18	0.14	---

190 46WH HFU21

MALE FLARE X FGH SWIVEL

·WASHER INCLUDED




PART #	MALE FLARE X FGH	A	HEX	APPROX. WT. LBS.	LIST PRICE
30052	1/4" x 3/4"	1.24	0.75	0.10	---
30138	3/8" x 3/4"	1.25	0.25*	0.12	---
30139	1/2" x 3/4"	1.49	0.81	0.14	---

* Internal Hex

50GHSV 51GHSV W1 68H 191

COMPRESSION X FGH

·WASHER INCLUDED



PART #	SWIVEL COMPRESSION X FGH	A	HEX 1	HEX 2	APPROX. WT. LBS.	LIST PRICE
30050	1/4" x 3/4"	1.02	0.50	0.75	0.09	---
30051	3/8" x 3/4"	1.04	0.62	0.75	0.12	---


PART #	NO SWIVEL COM-PRESSION X MGH	A	HEX 1	HEX 2	APPROX. WT. LBS.	LIST PRICE
30135	1/4" x 3/4"	1.45	0.50	0.625	0.14	---
30136	3/8" x 3/4"	1.525	0.625	0.62	0.15	---
30137	1/2" x 3/4"	1.8	0.815	0.685	0.19	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


BARSTOCK BRASS GARDEN HOSE COUPLINGS

FEMALE SWIVEL ONLY

•WASHER INCLUDED



29FGH
329F




BRASS

PART #	HOSE BARB X FGH	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30031	3/8″ x 3/4"	1.82	1.19	1.18	0.11	---
30032	1/2″ x 3/4"	1.82	1.19	1.18	0.12	---
30033	5/8″ x 3/4"	1.82	1.19	1.18	0.13	---
30034	3/4″ x 3/4"	1.82	1.19	1.18	0.15	---
30044	1" x 3/4"	2.10	1.19	1.18	0.18	---
30035	1″ x 1"	2.28	1.47	1.50	0.18	---

STAINLESS STEEL 316

30032SS	1/2" x 3/4"	1.82	1.19	1.18	0.12	---
30033SS	5/8" x 3/4"	1.82	1.19	1.18	0.13	---
30034SS	3/4" x 3/4"	1.82	1.19	1.18	0.15	---

MALE END ONLY



29MGH
329M



BRASS

PART #	HOSE BARB X MGH	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30039	3/8″ x 3/4"	1.88	1.19	1.06	0.12	---
30040	1/2″ x 3/4"	1.88	1.19	1.06	0.12	---
30041	5/8″ x 3/4"	1.88	1.19	1.06	0.12	---
30042	3/4″ x 3/4"	1.88	1.19	1.06	0.13	---
30045	1" x 3/4"	1.94	1.19	1.06	0.21	---
30043	1″ x 1"	2.34	1.47	1.37	0.26	---

STAINLESS STEEL 316

30040SS	1/2" x 3/4"	1.88	1.19	1.06	0.12	---
30041SS	5/8" x 3/4"	1.88	1.19	1.06	0.12	---
30042SS	3/4" x 3/4"	1.88	1.19	1.06	0.13	---

GARDEN HOSE COUPLING

•WASHER INCLUDED



BRASS

PART #	HOSE BARB	LIST PRICE
30025	3/8″	---
30027	1/2″	---
30028	5/8″	---
30029	3/4″	---
30046	1"(3/4" threads)	---
30030	1″	---



STAINLESS STEEL 316


30027SS	1/2"	---
30028SS	5/8"	---
30029SS	3/4"	---

Dimension data can change without notice. Please check when dimensions are critical.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GARDEN HOSE
BRASS FITTINGS

FEMALE SWIVEL ONLY - SHORT SHANK KNURLED NUT




PART #	HOSE BARB X FGH	A	B	APPROX. WT. LBS.	LIST PRICE
30464	1/4" x 3/4"	1.39	0.77	0.09	
30466	1/2" x 3/4"	1.50	0.88	0.08	---
30467	5/8" x 3/4"	1.50	0.88	0.09	---
30468	3/4" x 3/4"	1.47	0.88	0.10	---

FEMALE END ONLY - SHORT SHANK W/ HEX



PART #	HOSE X FGH	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30453	1/2" x 3/4"	1.63	1.00	1.18	0.11	---
30454	5/8" x 3/4"	1.63	1.00	1.18	0.11	---
30455	3/4" x 3/4"	1.63	1.00	1.18	0.13	---

MALE END ONLY - SHORT SHANK



PART #	HOSE BARB X MGH	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30469	1/4" x 3/4"	1.55	0.88	1.06	0.11	
30471	1/2" x 3/4"	1.55	0.88	1.06	0.11	---
30472	5/8" x 3/4"	1.56	0.88	1.06	0.12	---


GARDEN HOSE COUPLING SETS - SHORT SHANK W/ HEX NUT



PART #	HOSE BARB	LIST PRICE
30457	1/2"	---
30458	5/8"	---
30459	3/4"	---

FEMALE SWIVEL ONLY - 2" SHANK


•WASHER INCLUDED



PART #	HOSE BARB X FGH	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30505	1/2" x 3/4"	2.55	2.04	1.18	0.13	---
30506	5/8" x 3/4"	2.56	2.04	1.18	0.16	---
30507	3/4" x 3/4"	2.67	2.04	1.18	0.17	---
30508	1" x 1"	2.84	2.03	1.43	0.29	---

GHFL 594

MALE END ONLY - 2" SHANK



PART #	HOSE BARB X MGH	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
30510	1/2" x 3/4"	2.72	2.04	1.06	0.16	---
30511	5/8" x 3/4"	2.72	2.04	1.06	0.17	---
30512	3/4" x 3/4"	2.72	2.04	1.06	0.20	---
30513	1" x 1"	2.90	2.03	1.37	0.28	---

GHML 593

GARDEN HOSE COUPLING SETS - 2" SHANK




PART #	HOSE X FGH	LIST PRICE
30516	1/2"	---
30517	5/8"	---
30518	3/4"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NPSM GARDEN HOSE
BRASS FITTINGS


NPSM FEMALE SHORT SHANK



329NPSM

PART #	HOSE ID	NPSM THREAD	A	B	HEX	LIST PRICE
30545	1/2	3/4"	1.45	0.88	1.18	---
30546	5/8	3/4"	1.47	0.88	1.18	---
30547	3/4	3/4"	1.47	0.88	1.18	---
30548	1	1"	1.50	1.00	1.50	---

NPSM MALE SHORT SHANK




PART #	HOSE ID	NPSM THREAD	A	B	HEX	LIST PRICE
30550	1/2	3/4"	1.56	0.88	1.06	---
30551	5/8	3/4"	1.56	0.88	1.06	---
30552	3/4	3/4"	1.56	0.88	1.06	---
30553	1	1"	1.77	0.98	1.30	---

NPSM SHORT SHANK SETS




PART #	SIZE	LIST PRICE
30540	1/2"	---
30541	5/8"	---
30542	3/4"	---
30543	1"	---

NPSM FEMALE LONG SHANK



PART #	HOSE ID	NPSM THREAD	A	B	HEX	LIST PRICE
30565	1/2	1/2"	2.09	1.50	0.94	---
30566	5/8	3/4"	2.09	1.50	1.18	---
30567	3/4	3/4"	2.09	1.50	1.18	---
30568	1	1"	2.12	1.53	1.50	---

NPSM MALE LONG SHANK



PART #	HOSE ID	NPSM THREAD	A	B	HEX	LIST PRICE
30570	1/2	1/2"	2.18	1.50	0.87	---
30571	5/8	3/4"	2.18	1.50	1.06	---
30572	3/4	3/4"	2.18	1.50	1.06	---
30573	1	1"	2.32	1.53	1.30	---

NPSM LONG SHANK SETS



PART #	SIZE	LIST PRICE
30560	1/2"	---
30561	5/8"	---
30562	3/4"	---
30563	1"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


GARDEN HOSE VALVES/ FITTINGS

BRASS FITTINGS

WROUGHT BRASS

WROUGHT BRASS - FEMALE END ONLY


·WASHER INCLUDED



PART #	HOSE BARB X FGH	A	B	APPROX. WT. LBS.	LIST PRICE
30526	5/8" x 3/4"	1.58	0.91	0.05	----
30527	3/4" x 3/4"	1.50	0.84	0.06	----

85L

WROUGHT BRASS COUPLINGS - MALE END ONLY



PART #	HOSE BARB X MGH	A	B	APPROX. WT. LBS.	LIST PRICE
30530	1/2" x 3/4"	1.50	0.88	0.02	----


85M

GARDEN HOSE VALVES

ONE WAY BRASS BALL VALVE - FGH X MGH

▪ 500 PSI ▪ 180°F


▪ WASHER INCLUDED



PART #	FGH X MGH	A	B	C	HEX	APPROX. WT. LBS.	LIST PRICE
30161	3/4" x 3/4"	1.87	1.89	1.31	1.06	0.42	---

ONE WAY BRASS BALL VALVE - FEMALE PIPE X MGH

▪ 500 PSI ▪ 180°F



PART #	FEMALE NPTF X MGH	A	B	C	HEX	APPROX. WT. LBS.	LIST PRICE
30162	3/4" x 3/4"	1.55	1.89	1.31	1.06	0.42	---

ZINC ALLOY HOSE SHUT-OFF W/ ONE LEVER


▪ WASHER INCLUDED



PART #	FGH X MGH	A	APPROX. WT. LBS.	LIST PRICE
30631	3/4" x 3/4"	1.67	0.08	---

PLASTIC GARDEN HOSE VALVE ▪ CYCOLAC BODY & BALL

▪ WASHER INCLUDED



PART #	FGH X MGH	A	HEX	APPROX. WT. LBS.	LIST PRICE
30163	3/4" x 3/4"	1.75	1.25	0.04	---

LA45OC


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GARDEN HOSE VALVES

BRASS FITTINGS

ZINC ALLOY HOSE - "Y" CONNECTOR

▪ WASHER INCLUDED




PART #	SIZE FGH X MGH(2)	A	B	APPROX. WT. LBS.	LIST PRICE
30141	3/4"	1.70	0.57	1.5	

86Y 21A

CAST BRASS HOSE - "Y" CONNECTOR

▪ WASHER INCLUDED

86YRB
HY12




PART #	SIZE FGH X MGH(2)	A	B	APPROX. WT. LBS.	LIST PRICE
30140	3/4"	1.40	0.67	0.22	---

86Y 21A

PLASTIC, NON-CORROSIVE, 2-WAY HOSE SHUT-OFF "Y"

▪ WASHER INCLUDED




No Swivel

PART #	SIZE FGH X MGH(2)	A	B	APPROX. WT. LBS.	LIST PRICE
30160	3/4"	0.74	1.87	0.08	---

"Y" SHAPE ZINC ALLOY CONNECTOR W/ TWO LEVERS

▪ WASHER INCLUDED



No Swivel

PART #	SIZE FGH X MGH(2)	A	B	APPROX. WT. LBS.	LIST PRICE
30626	3/4"	0.60	1.66	0.10	---

"Y" SHAPE BRASS CONNECTOR W/ 2-WAY SHUT OFF


▪ WASHER INCLUDED



▪ Brass Levers

PART #	SIZE	DESCRIPTION FGH SWIVEL X MGH(2)	APPROX. WT. LBS.	LIST PRICE
30627	3/4"	3/4 Double Y valve, swivel inlet	0.56	---

ZINC ALLOY SWIVEL HOSE CONNECTOR




PART #	SIZE FGH X MGH	A	B	APPROX. WT. LBS.	LIST PRICE
30629	3/4"	1.31	1.50	0.08	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GARDEN HOSE NOZZLES
BRASS FITTINGS

2-1/2" BRASS NOZZLE


· WASHER INCLUDED



PART #	SIZE	A	APPROX. WT. LBS.	LIST PRICE
30637	3/4"	2.50	0.14	---

3" CROSSED PATTERN BRASS NOZZLE


· WASHER INCLUDED



PART #	SIZE	A	APPROX. WT. LBS.	LIST PRICE
30640	3/4"	2.89	0.25	---

4" CROSSED PATTERN BRASS NOZZLE

· WASHER INCLUDED



PART #	SIZE	A	APPROX. WT. LBS.	LIST PRICE
30638	3/4"	3.80	0.50	---

· WASHER INCLUDED



Adjustable Spray

Part #	Size		List Price
30600	5-1/2"	Zinc Alloy spray nozzle with insulated handle soft grip and front thread protector	---

· WASHER INCLUDED

Lead Free



Part #	Size		List Price
30620	4-1/4"	Zinc Alloy spray nozzle	---

· WASHER INCLUDED



Lead Free
Adjustable Spray

Part #	Size		List Price
30609	5-1/4"	Zinc Alloy spray nozzle with easily adjustable brass head and plastic grip	---

· WASHER INCLUDED



Part #	Size		List Price
30630	4-1/2"	Plastic spray nozzle	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE



Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4
Thread Size-B	5/16-24	3/8-24	7/16-20	1/2-20	5/8-18	11/16-16	3/4-16	7/8-14	1-1/16-14

▪Typical Application
LP and natural gas, flammable liquids, instrumentation, refrigeration, power steering, hydraulic and pneumatic systems.

▪Working Pressure Ranges
Temperature and type of tubing used are important factors. However, the following table is a good guide for proper selection. Temperature 73^{0}F with copper tubing:

PSI	Tube O.D. (in.)	Tube Wall (in.)
2800	1/8	.030
1900	3/16	.030
1400	1/4	.030
1200	5/16	.032
1000	3/8	.032
750	1/2	.032
650	5/8	.035
550	3/4	.035
450	7/8	.035

▪Vibration
Good resistance - use long nut when greater vibration resistance is required.

▪Temperature Range
-65^{0}F to +250^{0}F (-53^{0}C to +121^{0}C) range at maximum operating pressures.

▪Used With
Copper, brass, aluminum and steel hydraulic tubing that can be flared.


▪ Tolerance
+/- .03 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

▪Conformance
Meets specifications and standards of ASA, ASME, SAE and MS (Military standards).

Assembly Instructions
1- Cut tubing to desired length. Make sure all burrs are removed and ends are cut square.
2- Slide nut on tube. Threaded end "A" of nut must face out.
3- Flare end of tube with a 45^0 flaring tool.
a-Measure flare diameter.
b- Examine flare for excessive thin out.
4- Lubricate threads and assemble to fitting body. Nut should be turned hand tight.
5- Tighten assembly with wrench until a solid feeling is encountered. From that point, apply a one-sixth turn.
Note: Do not over-torque as it may damage the fitting or split the tubing at the flare.

▪ See Lead Free Flare Fittings

Actual O.D. of Flare Fittings




WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

SHORT ROD NUT

SAE# 010110




41S
411S

PART #	THREAD SIZE UNF	THREAD	A	HEX	APPROX. WT. LBS.	LIST PRICE
10013	1/8"	5/16-24	0.50	0.37	0.01	---
10014	3/16"	3/8-24	0.62	0.43	0.02	---
10015	1/4"	7/16-20	0.75	0.56	0.03	---
10015L	1/4"	7/16-20	0.75	0.50	0.03	---
10016	5/16"	1/2-20	0.88	0.62	0.04	---
10017L	3/8"	5/8-18	0.77	0.75	0.05	---
10017	3/8"	5/8-18	1.00	0.75	0.04	---
10018	7/16"	11/16-16	1.06	0.81	0.06	---
10019L	1/2"	3/4-16	0.93	0.87	0.06	---
10019	1/2"	3/4-16	1.12	0.87	0.09	---
10020L	5/8"	7/8-14	1.08	1.00	0.10	---
10020	5/8"	7/8-14	1.31	1.06	0.15	---
10021	3/4"	1-1/16-14	1.50	1.25	0.24	---
10022	7/8"	1-1/4-12	1.62	1.50	0.36	---
10026	1"	1-3/8-12	1.81	1.62	0.44	---

20910 41FS 1110 N1 41FX 441S 'L'


REDUCING SHORT ROD NUT



PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10023	3/8" x 1/4"	0.74	0.81	0.06	---
10024	1/2" x 3/8"	0.86	0.94	0.10	---
10025	5/8" x 1/2"	0.99	1.06	0.12	---

LONG ROD NUT

SAE# 010111



41L

PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10001	1/8"	0.75	0.37	0.01	---
10002	3/16"	0.81	0.43	0.02	---
10003L	1/4"	0.98	0.55	0.03	---
10003	1/4"	0.94	0.56	0.03	---
10004	5/16"	1.12	0.62	0.04	---
10005	3/8"	1.31	0.75	0.06	---
10006	1/2"	1.62	0.87	0.12	---
10007	5/8"	1.88	1.06	0.20	---
10008	3/4"	2.19	1.25	0.34	---

41FL N2 241 441 41

"L" means light pattern.


-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

LONG FORGED NUT

SAE# 010167



640L
641L

PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10028	1/4″	0.94	0.62	0.05	---
10030	3/8″	1.06	0.81	0.08	---
10031	1/2″	1.19	0.94	0.12	---
10032	5/8″	1.44	1.06	0.26	---
10033	3/4″	1.75	1.31	0.35	---

41FF 39 N4 14FL 641

SHORT FORGED NUT

SAE# 010166



641S
6401S

PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10038	3/16″	0.56	0.50	0.02	---
10039	1/4″	0.60	0.62	0.04	---
10040	5/16″	0.66	0.69	0.04	---
10041	3/8″	0.70	0.81	0.06	---
10042	1/2″	0.82	0.94	0.08	---
10043	5/8″	0.95	1.06	0.12	---
10044	3/4″	1.16	1.31	0.22	---
10045	7/8″	1.18	1.38	0.30	---

14FS 41FFS 40 641-S 1116 NS4

EXTRA HEAVY SHORT FORGED NUT



641SH
6401SXH

PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10046	1/4″	0.63	0.75	0.04	---
10047	3/8″	0.72	0.88	0.06	---
10048	1/2″	0.88	1.00	0.08	---
10049	5/8″	0.98	1.12	0.12	---

NSA

FORGED REDUCING NUT



660
662S


PART #	FEMALE FLARE X OD	A	HEX	APPROX. WT. LBS.	LIST PRICE
10051	5/16″ x 1/4″	0.66	0.75	0.06	---
10052	3/8″ x 1/4″	0.72	0.81	0.06	---
10053	3/8″ x 5/16″	0.72	0.81	0.08	---
10054	1/2″ x 3/8″	0.81	0.94	0.08	---
10055	5/8″ x 3/8″	0.96	1.12	0.15	---
10056	5/8″ x 1/2″	0.97	1.06	0.12	---
10058	3/4″ x 5/8″	1.17	1.31	0.30	---

NSR4 14FS 41FRS 40R 662-S

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

FLARED PLUG




39
439

PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10062	1/8"	0.53	0.34	0.01	
10063	3/16"	0.59	0.50	0.02	---
10064 *	1/4"	0.69	0.43	0.02	---
10065 *	5/16"	0.78	0.50	0.04	---
10066 *	3/8"	0.88	0.62	0.06	---
10067	1/2"	1.06	0.75	0.10	---
10068	5/8"	1.19	0.87	0.14	---
10069	3/4"	1.32	1.06	0.22	---

* Available in Stainless Steel. Add SS to the part#

58 639F PF 57 P2 2229 439

FLARED CAP



40
440


PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10073	1/8"	0.46	0.37	0.02	
10074	3/16"	0.47	0.50	0.02	---
10075 *	1/4"	0.48	0.50	0.02	---
10075EH	1/4"	0.54	0.57	0.02	
10076	5/16"	0.62	0.62	0.04	---
10077 *	3/8"	0.58	0.75	0.03	---
10078	1/2"	0.69	0.81	0.14	---
10079	5/8"	0.81	0.94	0.20	---
10080	3/4"	1.17	1.37	0.30	---

* Available in Stainless Steel. Add SS to the part#

640F 41FC 56 N5 2129 54 440

FINGER TIGHTENING CAP

- Neoprene
- **O-Ring Included**




NFTS
FTC5

PART #	THREAD SIZE UNF	A	APPROX. WT. LBS.	LIST PRICE
10081	1/4"	0.62	0.02	---
10082	3/8"	0.70	0.03	

NFT5

COPPER GASKET

SAE# 010113



463


PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
10084	3/16"	0.31	0.12	0.01	---
10085	1/4"	0.36	0.19	0.01	---
10086	5/16"	0.42	0.22	0.01	---
10087	3/8"	0.55	0.28	0.01	---
10088	1/2"	0.66	0.41	0.01	---
10089	5/8"	0.77	0.50	0.01	---
10090	3/4"	0.95	0.62	0.01	---

B2 2GF 6251 FG 157 59 46

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COPPER BONNET

SAE# 010114





464

PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
10094	3/16″	0.16	0.31	0.01	---
10095	1/4″	0.22	0.36	0.01	---
10097	3/8″	0.34	0.55	0.01	---
10098	1/2″	0.41	0.66	0.01	---
10099	5/8″	0.44	0.77	0.01	---
10100	3/4″	0.56	0.95	0.01	---

B1 3GF 64C 57 156 FB 695 464

MALE BALL CHECK CONNECTOR





43
403


PART #	MALE FLARE X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10131*	1/4" x 1/8"	1.06	0.43		---
10256WC	1/4″ x 1/4″	1.24	0.6	0.04	---
10133*	3/8″ x 1/4″	1.31	0.62	0.08	---
10132	5/16" x 1/8"	1.14	0.50	0.04	

43A

* Note: Ball & Spring position may be reversed to change flow/check position. Min working pressure 3 PSI.

UNION

SAE# 010101



42
402

PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10104	1/8″	0.91	0.31	0.02	---
10105	3/16″	1.06	0.37	0.02	---
10106L	1/4″	1.19	0.43	0.03	---
10106 *	1/4″	1.19	0.43	0.03	---
10106EH	1/4"	1.55	0.56	0.05	
10107	5/16″	1.34	0.50	0.05	---
10108L	3/8″	1.50	0.62	0.09	---
10108 *	3/8′	1.50	0.62	0.09	---
10109L	1/2″	1.67	0.75	0.12	---
10109	1/2″	1.81	0.75	0.14	---
10110L	5/8″	2.00	0.87	0.20	---
10110	5/8″	2.12	0.87	0.20	---
10111	3/4″	2.44	1.06	0.35	---
10112	7/8″	2.72	1.25	0.52	---

* Available in Stainless Steel. Add SS to the part# 42F U2


"L" means light pattern.

-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

REDUCING UNION




42R
506

PART #	THREAD SIZE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10115	1/4" x 1/8"	1.11	0.44	0.03	---
10116	1/4" x 3/16"	1.12	0.44	0.03	---
10117	5/16" x 1/4"	1.28	0.50	0.04	---
10118	3/8" x 1/4"	1.38	0.62	0.06	---
10119	3/8" x 5/16"	1.44	0.62	0.08	---
10120	1/2" x 1/4"	1.53	0.75	0.10	---
10121	1/2" x 3/8"	1.69	0.75	0.10	---
10122	5/8" x 3/8"	1.88	0.87	0.17	---
10123	5/8" x 1/2"	1.87	0.87	0.14	---
10126	3/4" x 1/2"	2.18	1.06	0.26	---
10127	3/4" x 5/8"	2.20	1.06	0.27	---

656F UR2 42-R

UNION TEE



Forged Tee

44F
404
244


SAE# 010401

PART #	THREAD SIZE UNF	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10157	1/8"	0.67	0.36	0.04	---
10158	3/16"	0.75	0.36	0.06	---
10159 **	1/4"	0.78	0.36	0.06	---
10160 **	5/16"	0.91	0.44	0.10	---
10161 **	3/8"	1.00	0.44	0.12	---
10162	1/2"	1.16	0.59	0.19	---
10163	5/8"	1.41	0.69	0.30	---
10164	3/4"	1.64	0.88	0.53	---
10165	7/8"	1.75	1.25	0.93	---

** Available in Stainless Steel. Add SS to the part#

244F T2 144F

REDUCING TEE 1 X 2 X 3



44FR
509


PART #	THREAD SIZE UNF 1X2X3	A	C	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10170	1/4" x 1/4" x 3/8"	0.91	1.00	0.44	0.10	---
10171	5/16" x 5/16" x 1/4"	0.94	0.94	0.44	0.12	---
10172	3/8" x 1/4" x 1/4"	0.91	1.00	0.44	0.10	---
10173	3/8" x 1/4" x 3/8"	1.00	0.91	0.44	0.12	---
10174	3/8" x 3/8" x 1/4"	1.00	0.88	0.44	0.11	---
10175	3/8" x 3/8" x 1/2"	1.00	1.19	0.59	0.14	---
10176	3/8" x 3/8" x 5/8"	1.16	1.44	0.69	0.16	---
10178	1/2" x 3/8" x 3/8"	1.16	1.12	0.59	0.18	---
10179	1/2" x 3/8" x 1/2"	1.16	1.09	0.59	0.18	---
10180	1/2" x 1/2" x 1/4"	1.16	0.97	0.59	0.18	---
10181	1/2" x 1/2" x 3/8"	1.16	1.12	0.59	0.19	---
10182	1/2" x 1/2" x 5/8"	1.28	1.41	0.69	0.28	---
10187	5/8" x 1/2" x 5/8"	1.44	1.33	0.69	0.27	---
10188	5/8" x 5/8" x 3/8"	1.38	1.16	0.69	0.30	---
10189	5/8" x 5/8" x 1/2"	1.38	1.28	0.69	0.28	---

144F TR2 659F 684F 44R

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

MALE BRANCH TEE
SAE# 010425



Forged Tee


45R
245
405

PART #	MALE FLARE X MALE NPT (1&2) X3	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10203	3/16" x 1/8"	0.75	0.75	0.36	0.10	---
10204	1/4" x 1/8"	0.78	0.75	0.36	0.05	---
10205	1/4" x 1/4"	0.88	0.88	0.44	0.08	---
10206	1/4" x 3/8"	0.92	1.00	0.47	0.10	---
10207	5/16" x 1/8"	0.89	0.78	0.44	0.08	---
10208	5/16" x 1/4"	0.94	0.94	0.44	0.08	---
10209	3/8" x 1/8"	1.00	0.91	0.44	0.14	---
10210	3/8" x 1/4"	1.00	0.94	0.44	0.12	---
10211 **	3/8" x 3/8"	1.00	1.00	0.47	0.13	---
10212 **	3/8" x 1/2"	1.12	1.22	0.69	0.22	---
10213	1/2" x 1/4"	1.16	1.00	0.59	0.20	---
10214	1/2" x 3/8"	1.16	1.14	0.59	0.19	---
10215	1/2" x 1/2"	1.22	1.22	0.69	0.24	---
10216	1/2" x 3/4"	1.38	1.41	0.88	0.22	---
10217	5/8" x 3/8"	1.38	1.25	0.69	0.24	---
10218	5/8" x 1/2"	1.41	1.31	0.69	0.29	---
10219	5/8" x 3/4"	1.41	1.41	0.88	0.36	---
10220	3/4" x 1/2"	1.63	1.59	0.88	0.49	---

** Available in Stainless Steel. Add SS to the part#

T1 145F 45

FEMALE ADAPTER
SAE# 010103



46
246
406

PART #	MALE FLARE X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10227	3/16" x 1/8"	0.97	0.56	0.03	---
10228L	1/4" x 1/8"	1.03	0.56	0.03	---
10228	1/4" x 1/8"	1.03	0.56	0.04	---
10229L	1/4" x 1/4"	1.06	0.68	0.06	---
10229	1/4" x 1/4"	1.23	0.68	0.07	---
10230	1/4" x 3/8"	1.18	0.81	0.08	---
10231	1/4" x 1/2"	1.31	0.94	0.06	---
10232	5/16" x 1/8"	1.06	0.56	0.05	---
10233	5/16" x 1/4"	1.28	0.68	0.08	---
10234	3/8" x 1/8"	1.09	0.62	0.08	---
10235L	3/8" x 1/4"	1.25	0.68	0.08	---
10235	3/8" x 1/4"	1.31	0.81	0.08	---
10236L	3/8" x 3/8"	1.25	0.81	0.08	---
10236	3/8" x 3/8"	1.25	0.81	0.10	---
10237L	3/8" x 1/2"	1.31	0.94	0.08	---
10237	3/8" x 1/2"	1.60	1.00	0.16	---
10238	3/8" x 3/4"	1.41	1.18	0.11	---
10239	1/2" x 1/4"	1.37	0.75	0.10	---
10240L	1/2" x 3/8"	1.38	0.81	0.12	---
10240	1/2" x 3/8"	1.50	0.81	0.14	---
10241L	1/2" x 1/2"	1.42	0.94	0.10	---
10241	1/2" x 1/2"	1.75	1.00	0.12	---
10242L	1/2" x 3/4"	1.40	1.10	0.16	---
10242	1/2" x 3/4"	1.60	1.12	0.16	---
10243	5/8" x 3/8"	1.24	0.87	0.12	---
10244L	5/8" x 1/2"	1.51	0.86	0.15	---
10244	5/8" x 1/2"	1.62	0.94	0.12	---
10245	5/8" x 3/4"	1.65	1.12	0.17	---
10246	3/4" x 1/2"	1.74	1.18	0.32	---
10247	3/4" x 3/4"	1.75	1.18	0.22	---
10248	7/8" x 3/4"	1.94	1.31	0.26	---

46 U3

▪ More sizes available.


"L" means light pat-

-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

MALE ADAPTER



48
248
408

SAE# 010102

PART #	MALE FLARE X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10253	1/8″ x 1/8″	0.92	0.43	0.02	---
10254	3/16″ x 1/8″	1.00	0.43	0.03	---
10255L	1/4″ x 1/8″	1.06	0.43	0.03	---
10255 *	1/4″ x 1/8″	1.06	0.43	0.04	---
10255EH	1/4" x 1/8"	1.06	0.44	0.03	
10256L	1/4″ x 1/4″	1.15	0.56	0.03	---
10256 *	1/4″ x 1/4″	1.25	0.56	0.04	---
10256SS	1/4" x 1/4"				
10257 *	1/4″ x 3/8″	1.31	0.68	0.06	---
10258	1/4″ x 1/2″	1.44	0.87	0.11	---
10259L	5/16″ x 1/8″	1.15	0.50	0.04	---
10259	5/16″ x 1/8″	1.16	0.50	0.04	---
10260L	5/16″ x 1/4″	1.31	0.56	0.06	---
10260	5/16″ x 1/4″	1.34	0.56	0.06	---
10261 *	5/16″ x 3/8″	1.38	0.68	0.08	---
10262	3/8″ x 1/8″	1.25	0.62	0.07	---
10263L	3/8″ x 1/4″	1.31	0.62	0.06	---
10263 *	3/8″ x 1/4″	1.44	0.62	0.08	---
10263SS	3/8" x 1/4"				
10264L	3/8″ x 3/8″	1.37	0.68	0.09	---
10264 *	3/8″ x 3/8″	1.42	0.68	0.09	---
10264SS	3/8" x 3/8"				
10265L	3/8″ x 1/2″	1.44	0.89	0.12	---
10265 *	3/8″ x 1/2″	1.69	0.87	0.14	---
10266	3/8″ x 3/4″	1.81	1.06	0.18	---
10267	1/2″ x 1/4″	1.60	0.75	0.11	---
10268L	1/2″ x 3/8″	1.46	0.75	0.10	---
10268	1/2″ x 3/8″	1.62	0.75	0.12	---
10269L	1/2″ x 1/2″	1.62	0.87	0.13	---
10269	1/2″ x 1/2″	1.79	0.87	0.15	---
10270	1/2″ x 3/4″	1.75	1.06	0.22	---
10271	5/8″ x 1/4″	1.81	0.87	0.14	---
10272L	5/8″ x 3/8″	1.67	0.87	0.14	---
10272	5/8″ x 3/8″	1.81	0.87	0.18	---
10273L	5/8″ x 1/2″	1.80	0.87	0.11	---
10273	5/8″ x 1/2″	2.00	0.87	0.20	---
10274	5/8″ x 3/4″	1.85	1.06	0.21	---
10275	3/4″ x 1/2″	2.19	1.06	0.28	---
10276	3/4″ x 3/4″	2.08	1.06	0.28	---
10277	7/8″ x 1/2″	2.22	1.25	0.52	---
10278	7/8″ x 3/4″	2.35	1.25	0.41	---
10279	1″ x 3/4″	2.44	1.43	0.53	---
10280	1″ x 1″	2.44	1.43	0.53	---

* Available in Stainless Steel. Add SS to the part#

U1 48


"L" means light pattern.

-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

90° MALE ELBOW

SAE# 010202



Forged Elbow



Barstock Elbow

49
249
409

PART #	MALE FLARE X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10283	1/8″ x 1/8″	0.63	0.73	0.37	0.04	---
10283B*	1/8″ x 1/8″	0.62	0.69	0.43	0.04	---
10284	3/16″ x 1/8″	0.75	0.75	0.38	0.04	---
10284B*	3/16″ x 1/8″	0.75	0.75	0.43	0.06	---
10285	3/16″ x 1/4″	0.81	0.88	0.44	0.08	---
10286	1/4″ x 1/8″	0.84	0.78	0.38	0.04	---
10286L	1/4″ x 1/8″	0.96	0.80	0.37	0.04	---
10286B*	1/4″ x 1/8″	0.81	0.78	0.47	0.05	---
10287 **	1/4″ x 1/4″	0.81	0.88	0.44	0.05	---
10287B*	1/4″ x 1/4″	0.91	0.93	0.59	0.08	---
10288 **	1/4″ x 3/8″	0.91	0.91	0.47	0.08	---
10289	1/4″ x 1/2″	1.03	1.09	0.59	0.10	---
10290	5/16″ x 1/8″	0.91	0.88	0.44	0.06	---
10290B*	5/16″ x 1/8″	0.91	0.78	0.52	0.06	---
10291	5/16″ x 1/4″	0.98	0.96	0.44	0.08	---
10291B*	5/16″ x 1/4″	0.95	0.92	0.62	0.08	---
10292	5/16″ x 3/8″	1.06	1.09	0.59	0.08	---
10293	3/8″ x 1/8″	1.00	0.91	0.53	0.08	---
10293B*	3/8″ x 1/8″	1.03	0.91	0.65	0.08	---
10294	3/8″ x 1/4″	1.01	0.89	0.48	0.08	---
10294B*	3/8″ x 1/4″	0.97	1.04	0.68	0.11	---
10295 **	3/8″ x 3/8″	1.00	0.88	0.47	0.10	---
10295L	3/8″ x 3/8″	0.95	0.89	0.46	0.11	---
10295B*	3/8″ x 3/8″	1.06	1.09	0.69	0.12	---
10296 **	3/8″ x 1/2″	1.10	1.09	0.59	0.12	---
10297	3/8″ x 3/4″	1.25	1.31	0.81	0.12	---
10298	1/2″ x 1/4″	1.19	1.00	0.59	0.12	---
10298B*	1/2″ x 1/4″	1.22	1.19	0.81	0.12	---
10299	1/2″ x 3/8″	1.10	1.00	0.59	0.13	---
10299B*	1/2″ x 3/8″	1.22	1.12	0.77	0.18	---
10300	1/2″ x 1/2″	1.16	1.13	0.59	0.14	---
10300B*	1/2″ x 1/2″	1.26	1.26	0.94	0.26	---
10301	1/2″ x 3/4″	1.42	1.25	0.81	0.24	---
10311	5/8″ x 1/4″	1.34	1.13	0.72	0.28	---
10302	5/8″ x 3/8″	1.35	1.22	0.72	0.20	---
10302B*	5/8″ x 3/8″	1.41	1.25	0.94	0.20	---
10303	5/8″ x 1/2″	1.35	1.22	0.72	0.20	---
10303L	5/8″ x 1/2″	1.29	1.11	0.70	0.20	---
10303B*	5/8″ x 1/2″	1.41	1.38	0.94	0.20	---
10304	5/8″ x 3/4″	1.44	1.31	0.81	0.25	---
10305	3/4″ x 1/2″	1.67	1.50	0.88	0.34	---
10306	3/4″ x 3/4″	1.67	1.63	0.88	0.30	---
10306B*	3/4″ x 3/4″	1.60	1.62	0.91	0.32	---
10307	7/8″ x 3/4″	1.75	1.68	1.00	0.44	---
10308	1″ x 3/4″	1.94	1.69	1.31	0.75	---
10309	1″ x 1″	1.94	1.75	1.25	0.78	---

* Barstock
** Available in Stainless Steel. Add SS to the part#

Dimension data can change without notice. Please check when dimensions are critical.


249F 49 E1 149F

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

90° FEMALE ELBOW

SAE# 010203



Forged Elbow




50F
250
500

PART #	MALE FLARE X FEMALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10312	3/16" x 1/8"	0.81	0.44	0.56	0.05	---
10313	1/4" x 1/8"	0.90	0.46	0.56	0.06	---
10313B*	1/4" x 1/8"	0.95	0.46	0.56	0.06	---
10314	1/4" x 1/4"	0.97	0.59	0.75	0.08	---
10314B*	1/4" x 1/4"	0.95	0.66	0.75	0.08	---
10315	1/4" x 3/8"	1.03	0.57	0.81	0.09	---
10333	1/4" x 1/2"	1.08	0.66	1.00	0.12	---
10316	5/16" x 1/8"	0.94	0.88	0.45	0.08	---
10306B*	5/16" x 1/8"	0.94	0.87	0.56	0.07	---
10317	5/16" x 1/4"	1.03	0.58	0.75	0.06	---
10318	3/8" x 1/8"	1.00	0.88	0.47	0.10	---
10319	3/8" x 1/4"	1.06	0.59	0.75	0.09	---
10319B*	3/8" x 1/4"	1.15	0.73	0.68	0.14	----
10320	3/8" x 3/8"	1.06	0.57	0.81	0.10	---
10320B*	3/8" x 3/8"	1.10	0.75	0.82	0.16	---
10321	3/8" x 1/2"	1.16	0.66	1.00	0.14	---
10321L	3/8" x 1/2"	1.21	0.42	0.96	0.13	---
10322	3/8" x 3/4"	1.28	0.72	1.25	0.12	---
10323	1/2" x 1/4"	1.25	0.70	0.88	0.13	---
10324	1/2" x 3/8"	1.25	0.70	0.88	0.12	---
10324B*	1/2" x 3/8"	1.26	0.75	0.88	0.16	---
10325	1/2" x 1/2"	1.29	0.72	1.00	0.18	---
10325L	1/2" x 1/2"	1.24	0.71	0.98	0.17	---
10326	1/2" x 3/4"	1.41	0.72	1.25	0.20	---
10327	5/8" x 3/8"	1.35	1.22	0.72	0.22	---
10328	5/8" x 1/2"	1.38	0.75	1.00	0.20	---
10329	5/8" x 3/4"	1.50	0.76	1.25	0.28	---

* Barstock

E3 50 150F

FORGED MALE RUN TEE



51F
501

PART #	MALE FLARE X MALE NPTF (1&3) X 2	A	B	C	BODY SIZE	AP-PROX. WT. LBS.	LIST PRICE
10361	3/16" x 5/16" x 1/8"	0.87	0.78	0.97	0.44	0.08	---
10343	3/16" x 1/8"	0.75	0.75	0.75	0.37	0.05	---
10344	1/4" x 1/8"	0.78	0.75	0.78	0.37	0.06	---
10344B*	1/4" x 1/8"	0.90	0.76	0.86	0.37	0.07	---
10345	1/4" x 1/4"	0.88	0.88	0.88	0.44	0.08	---
10347	5/16" x 1/8"	0.88	0.80	0.88	0.44	0.08	---
10348	5/16" x 1/4"	0.94	0.94	0.94	0.44	0.08	---
10350	3/8" x 1/4"	1.00	0.94	1.00	0.44	0.12	---
10351	3/8" x 3/8"	1.00	1.00	1.00	0.47	0.10	---
10340	3/8" x 1/2" x 3/8"	1.09	1.09	1.16	0.59	0.18	---
10352	3/8" x 1/2"	1.12	1.22	1.12	0.69	0.12	---
10353	1/2" x 3/8" x 1/2"	1.22	1.22	1.15	0.69	0.22	---
10354	1/2" x 3/8"	1.16	1.09	1.16	0.59	0.18	---
10355	1/2" x 1/2"	1.22	1.22	1.22	0.69	0.22	---
10357	5/8" x 1/2"	1.41	1.31	1.41	0.69	0.28	---
10359	3/4" x 1/2"	1.63	1.59	1.63	0.88	0.48	---
10360	3/4" x 3/4"	1.62	1.44	1.62	0.88	0.48	---


Dimension data can change without notice. Please check when dimensions are critical.

T3 151F 51

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FORGED FLARE CROSS

SAE# 010501




52
502

PART #	THREAD SIZE UNF	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10373	1/4″	0.88	0.44	0.10	---
10374	5/16″	0.92	0.44	0.10	---
10375	3/8″	1.00	0.44	0.16	---
10376	1/2″	1.16	0.59	0.24	---

455 C1 147F 52

FORGED ADAPTER TEE / SERVICE TEE




53
503

PART #	SIZE 1 X 2 X 3	A	B	C	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10382	1/8″ x 1/8″ x 1/4″	0.72	0.53	0.80	0.47	0.08	---

T17 53

FORGED 90° FLARE ELBOW




55F
505

PART #	THREAD SIZE UNF	A	APPROX. WT. LBS.	LIST PRICE
10404	1/8″	0.64	0.04	---
10405	3/16″	0.75	0.06	---
10406	1/4″	0.81	0.08	---
10406B*	1/4"	0.89	0.04	---
10407	5/16″	0.91	0.10	---
10408	3/8″	1.00	0.10	---
10409	1/2″	1.16	0.14	---
10409B*	1/2"	1.23	0.22	---
10410	5/8″	1.41	0.22	---
10411	3/4″	1.66	0.68	---
10412	7/8″	1.81	0.82	---

* Barstock

E2 155F

FORGED REDUCING ELBOW



55R
507


PART #	MALE FLARE X MALE FLARE	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10416	3/8″ x 1/4″	1.00	0.88	0.47	0.08	---
10419	1/2″ x 3/8″	1.19	1.02	0.59	0.14	---
10421	5/8″ x 1/2″	1.34	1.23	0.72	0.21	---

ER2 657F 55R


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

45° ELBOW



Forged



54 Barstock
4945
40945

SAE# 010302

PART #	MALE FLARE X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
10448	1/4" x 1/8"	0.67	0.64	0.41	0.04	---
10448B*	1/4" x 1/8"	0.67	0.64	0.44	0.04	---
10449	1/4" x 1/4"	0.75	0.86	0.53	0.07	---
10450	5/16" x 1/8"	0.78	0.64	0.53	0.06	---
10451	5/16" x 1/4"	0.81	0.86	0.53	0.07	---
10452	3/8" x 1/4"	0.91	0.86	0.53	0.09	---
10452B*	3/8" x 1/4"	0.89	0.86	0.64	0.12	---
10453	3/8" x 3/8"	0.93	0.94	0.59	0.11	---
10454	3/8" x 1/2"	0.99	1.17	0.75	0.19	---
10455	1/2" x 3/8"	1.07	0.88	0.59	0.12	---
10455B*	1/2" x 3/8"	1.06	0.94	0.76	0.18	---
10456	1/2" x 1/2"	1.12	1.18	0.75	0.20	---
10460	5/8" x 3/8"	1.13	0.95	0.81	0.22	---
10457	5/8" x 1/2"	1.12	1.17	0.78	0.18	---
10458	3/4" x 1/2"	1.28	1.16	0.88	0.26	---

* Barstock

E145 54 159F 654F 59FF 254 47 4945

FEMALE 45° FLARE FITTINGS

UNION




600
600F

SAE# 010107 ▪ Use with Copper Gasket

PART #	FEMALE FLARE X FEMALE FLARE	A	HEX	APPROX. WT. LBS.	LIST PRICE
10135	1/4"	1.00	0.62	0.06	---
10136	3/8"	1.25	0.81	0.14	---
10137	1/2"	1.43	0.94	0.18	---
10138	5/8"	1.69	1.07	0.24	---
10139	3/4"	2.00	1.31	0.42	---

2310 U4 660HD 32

FEMALE FLARE ADAPTER




664

SAE# 010106

PART #	FEMALE FLARE X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10440	1/4" x 1/8"	0.91	0.62	0.05	---
10441	1/4" x 1/4"	1.01	0.62	0.06	---
10442	3/8" x 1/4"	1.28	0.81	0.10	---
10438	3/8" x 1/2"				
10443	1/2" x 3/8"	1.36	0.94	0.14	---
10444	1/2" x 1/2"	1.46	0.94	0.14	---
10439	5/8" x 1/2"				

U5 664FHD 33 48-FF

FLARE REDUCER
SAE# 010105



601

PART #	MALE FLARE X FEMALE FLARE	A	HEX	APPROX. WT. LBS.	LIST PRICE
10462	1/4" x 3/8"	1.22	0.81	0.10	---
10461	1/4" x 1/2"	1.36	0.94	0.14	---
10463 *	3/8" x 1/4"	1.12	0.62	0.06	---
10464	3/8" x 1/2"	1.44	0.94	0.14	---
10473	3/8" x 5/8"	1.63	1.12	0.16	---
10467	1/2" x 3/8"	1.41	0.81	0.13	---
10468	1/2" x 5/8"	1.68	1.06	0.20	---
10469	5/8" x 1/2"	1.63	1.00	0.17	---
10470	5/8" x 3/4"	1.97	1.31	0.31	---

▪ More sizes available

* Available in Stainless Steel. Add SS to the part#


UR3 661FHD 227 46-FF

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAE 45° FLARE
BRASS FITTINGS

BRASS FLARE SWIVEL FITTINGS

FORGED SWIVEL
SAE# 010108




700

PART #	FEMALE FLARE UNF	A	HEX	APPROX. WT. LBS.	LIST PRICE
10481	1/4″	0.59	0.62	0.04	---
10482	5/16″	0.62	0.68	0.06	---
10483	3/8″	0.69	0.81	0.10	---
10483L	3/8"	0.63	0.80		---
10484	1/2″	0.81	0.94	0.16	---
10484L	1/2"	0.82	0.92		---
10485	5/8″	0.94	1.06	0.24	---
10486	3/4″	1.12	1.31	0.34	---

1350 US4 14FSV 34


REDUCING SWIVELS



700R

PART #	FEMALE FLARE UNF	A	B	HEX 1	HEX 2	APPROX. WT. LBS.	LIST PRICE
10487	3/8″ x 1/4″	0.72	0.60	0.81	0.62	0.08	---
10488	1/2″ x 3/8″	0.84	0.70	0.94	0.81	0.12	---
10489	5/8″ x 1/2″	0.98	0.82	1.03	0.94	0.22	---

FORGED SWIVEL ELBOWS



701

PART #	MALE FLARE X FEMALE FLARE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
10493	1/4″	0.93	0.86	.563	0.12	---
10494	3/8″	1.13	1.1	.75	0.20	---
10495	1/2"	1.29	1.20	.88	0.25	---
10496	5/8"	1.50	1.30	1.00	0.37	---
10497	3/4"	1.83	1.60	1.25	0.54	---

ES4

FLARE SWEAT FITTINGS



PART #	FLARE X SWEAT	LIST PRICE
10600	1/4" x 1/4"	---
10602	1/4" x 3/8"	---
10620	3/8" x 1/4"	---
10612	3/8" x 3/8"	---
10613	3/8" x 1/2"	---
10621	1/2" x 1/2"	---
10611	1/2" x 5/8"	---
10614	5/8" x 5/8"	---
10622	5/8" x 7/8"	---
10615	3/4" x 3/4"	---
10616	3/4" x 7/8"	---
10617	7/8" x 7/8	---
10618	1" x 1-1/8"	---
10619	1-1/8" x 1-1/8"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SPACE HEATER/ GAS RANGE FITTINGS

BRASS FITTINGS

SPACE HEATER FITTINGS

9/16-24 FINE THREAD FLARE NUT

#M-82SH



41FT
800

PART #	SIZE	LIST PRICE
14001	3/8	---

MALE ADAPTER

#M-83SH



PART #	SIZE	LIST PRICE
14016	3/8 x 3/8	---
14017	3/8 x 1/2	---

FEMALE ADAPTER

#M-80SH



46FT
805

PART #	SIZE	LIST PRICE
14018	3/8 x 3/8	---
14025	3/8 x 1/2	---

UNION



PART #	SIZE	LIST PRICE
14011	3/8	---

BRASS GAS RANGE FITTINGS

BRASS MALE ADAPTERS 15/16-16 FLARE THREAD

45RG
408RC



PART #	MALE FLARE X MALE NPTF	LIST PRICE
35130	3/8" x 3/8"(1/8 Tap)	---
35133	3/8" x 3/8"(1/4 Tap)	---
35131	3/8" x 1/2"(3/8 Tap)	---
35132	1/2" x 1/2" (3/8" FIP TAP)	---
35134	15/16" x 1/2"	---

BRASS FEMALE ADAPTERS



PART #	FLARE X FIP	LIST PRICE
35136	15/16" x 1/2"	---

DRUM ADAPTERS

K1




- Straight Thread

SAE# 010165

PART #	MALE FLARE X FIP	LIST PRICE
50011	1/4" x 1/2"	---
50001	1/4" x 3/4"	---

RD IF K1

CAP



PART #	SIZE	LIST PRICE
35186	15/16"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

TEE CONNECTION

2000



PART #	PIPE SIZE	LIST PRICE
34001	1/4" Inverted flare x 1/4" MPT	---

41-1-390-0014 2000

TAILPIECE WITH FLATS

2001A

1/4 NPT



PART #	DESCRIPTION	LIST PRICE
34011	2.34 w/ wrench Flats	---

1001AUL 21605 M-2001-A 2002A 2001AHN

STANDARD NUT

7/8" Hex

2001B



PART #	PIPE SIZE	LIST PRICE
34016	.880-14 LH	---

2001B

TAILPIECE & NUT ASSEMBLY

2002AB



PART #	PIPE SIZE	LIST PRICE
34022	1/4	---

2002AB

POL CAP

2004



PART #	PIPE SIZE	LIST PRICE
34031	.880-14LH	---

ME1699 POL2004 1004A M-2004

POL PLUG WITH CHAIN

2014



PART #	DESCRIPTION	LIST PRICE
34141	POL PLUG WITH CHAIN	---

ME1691-1

SINGLE PIECE POL ADAPTER

2008



PART #	DESCRIPTION	LIST PRICE
34130	MALE POL X 1/4 FPT	---
34131	MALE POL X 1/2 FPT	---

ME351 ME357

ADAPTERS

35792
35810



PART #	PIPE SIZE	LIST PRICE
34041	3/8 Flare x .880-14LH	---
34046	1/2 Flare x .880-14LH	---
34051	5/8 Flare x .880-14LH	---

ME3510 2906E 2007

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

POL FITTINGS
BRASS FITTINGS

TAILPIECE ASSEMBLY W/HEX HEAD NUT & STEM



PART #	LENGTH	LIST PRICE
34080	1/4 NPT X POL 2 LONG HARD NOSE 2 OAL	---
34082	MALE POL X 3/8 NPT	---

2906D ME352



PART #	LENGTH	LIST PRICE
34088	MPOL HARD NOSE 9/16-18 FE LH THREAD	---

ME1650



PART #	LENGTH	LIST PRICE
34084	MPOL X 1/4 HOSE BARB 7/8 HEX	---

ME5930 970JR

SOFT NOSE TAILPIECE ASSEMBLY



PART #	LENGTH	LIST PRICE
34060	1/4 NPT X POL 2.1 LONG #60 ORIFICE	---
34061	1/4 MPT X POL SOFT NOSE 2-1/2	---
34062	1/4 NPT POL SOFT NOSE #60 ORIFICE 2.3 LONG	---
34063	POL X 9/16-18 LH TAIL-PIECE SOFT NOSE	---
34064	1/4 NPT X POL SOFT NOSE 2 3/8 LONG	---

ME1638 2003-T-GH-60 2002 2018-L 2003-T 970S

HAND WHEEL POL ADAPTERS



PART #	LENGTH	LIST PRICE
34065	MPOL SOFT NOSE X 1/4 HOSE BARB BR.WHEEL	---

ME1656AR



PART #	LENGTH	LIST PRICE
34072	1/4 MPT POL SOFT NOSE W/PLASTIC WHEEL	---

ME1654



PART #	LENGTH	LIST PRICE
34073	1/4 MPT POL SOFT NOSE WITH BRASS WHEEL	---

ME1654AR



PART #	LENGTH	LIST PRICE
34074	MPOL SOFT NOSE X 1/4 HB W/PLASTIC WHEEL	---

ME1656

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PROPANE MOTOR FUEL FILL ADAPTER



- Allows a standard POL fitting to be adapted to fill an engine fuel tank.

PART #	LENGTH	LIST PRICE
34079	FE POL X 1 3/4 ACME FUEL FILL ADPT	---

ME458 2017

FEMALE POL X MIP ADAPTER



PART #	LENGTH	LIST PRICE
34111	1/4 MPT X FE POL ADAPTER	---
34112	3/8 MPT X FE POL ADAPTER	---
34113	1/2 MPT X FE POL ADAPTER	---
34114	3/4 MPT X FE POL ADAPTER	---

2011-B ME285 2011-D 2011-E

FEMALE FPT X FEMALE POL ADAPTER



PART #	LENGTH	LIST PRICE
34120	1/4 FPT X FE POL	---
34121	3/8 FPT X FE POL	---
34122	1/2 FPT X FE POL	---
34123	3/4 FPT X FE POL	---

2016-B ME302 2016-D ME304

POL O-RING ONLY



PART #	LENGTH	LIST PRICE
34143	POL O-RING ONLY	---

C5-OR-POL 568-110-01

POL PLASTIC DUST PLUG



PART #	LENGTH	LIST PRICE
34160	POL PLASTIC DUST PLUG	---

ME970P


APPLIANCE TEE



- Tap & Add

PART #	LENGTH	LIST PRICE
34170	M.POLXF.POL W/1-20M CYL AND 1/4 INV FLAR	---

2090



- Add an appliance

PART #	LENGTH	LIST PRICE
34172	M.POLXF. POL W/1-20 MALE CYLINDER THREAD	----

2012



- With QCC1 connection

PART #	LENGTH	LIST PRICE
34174	QCC1 X F. POL W/1-20 MALE CYLINDER THD	---

2013

DUAL APPLIANCE TEE



PART #	LENGTH	LIST PRICE
34176	M.POL X (2) OF 1-20 MALE CYLINDER THREAD	---

2099

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

JIC 37° FLARE STRAIGHTS

BRASS FITTINGS

STRAIGHT TUBE UNION



PART #	TUBE OD	TUBE THREAD	L	HEX	WORKING PRESSURE	LIST PRICE
28966	1/4	7/16-20	1.35	0.49	3250 psi	---
28969	3/8	9/16-18	1.41	0.63	3250 psi	---
28970	1/2	3/4-16	1.62	0.81	3250 psi	---
28971	3/4	1-1/16-12	2.14	1.13	3250 psi	---
28972	1"	1-5/16-12	2.25	1.38	2600 psi	---

SBC 132403 HTXB

FEMALE STRAIGHT ADAPTER



PART #	TUBE OD	PIPE	TUBE THREAD	L	HEX	WORKING PRESSURE	LIST PRICE
28957	1/4	1/8-27	7/16-20	1.19	0.56	3250 psi	---
28958	1/4	1/4-18	7/16-20	1.40	0.75	3250 psi	---
28959	3/8	1/4-18	9/16-18	1.40	0.75	3250 psi	---
28960	3/8	3/8-18	9/16-18	1.40	0.88	3250 psi	---
28961	1/2	3/8-18	3/4-16	1.56	0.88	3250 psi	---
28962	1/2	1/2-14	3/4-16	1.79	1.13	3250 psi	---
28963	5/8	1/2-14	7/8-14	1.87	1.13	3250 psi	---
28964	3/4	3/4-1/4	1-1/16-12	2.06	1.38	2600 psi	---

STRAIGHT



PART #	TUBE OD	A NPTF	TUBE THREAD	L	HEX	WORKING PRESSURE	LIST PRICE
28701	1/4	1/8-27	7/16-20	1.22	0.45	3250 psi	---
28702	1/4	1/4-18	7/16-20	1.37	0.56	3250 psi	---
28703	1/4	3/8-18	7/16-20	1.42	0.75	3250 psi	---
28704	5/16	1/8-27	1/2-20	1.41	0.56	3250 psi	---
28705	5/16	1/4-18	1/2-20	1.42	0.56	3250 psi	---
28706	3/8	1/8-27	9/16-18	1.24	0.63	3250 psi	---
28707	3/8	1/4-18	9/16-18	1.43	0.63	3250 psi	---
28708	3/8	3/8-18	9/16-18	1.38	0.75	3250 psi	---
28709	3/8	1/2-14	9/16-18	1.69	0.88	3250 psi	---
28710	1/2	1/4-18	3/4-16	1.53	0.81	3250 psi	---
28711	1/2	3/8-18	3/4-16	1.53	0.81	3250 psi	---
28712	1/2	1/2-14	3/4-16	1.79	0.88	3250 psi	---
28713	1/2	3/4-14	3/4-16	1.85	1.13	2600 psi	---
28714	5/8	3/8	7/8-14	1.84	0.94	3250 psi	---
28715	5/8	1/2-14	7/8-14	1.89	0.94	3250 psi	---
28716	5/8	3/4-14	7/8-14	1.95	1.13	2600 psi	---
28748	3/4	1/2-14	1 1/16-12	2.06	1.13	2925 psi	---
28717	3/4	3/4-14	1 1/16-12	2.06	1.13	2600 psi	---
28749	3/4	1-11 1/2	1 1/16-12	2.25	1.38	1950 psi	---
28719	1	3/4-14	1 5/16-12	2.06	1.13	2275 psi	---
28718	1	1-11 1/2	1 5/16-12	2.3	1.38	1950 psi	---

B2404 SB FTXB

STRAIGHT SWIVEL ADAPTER




PART #	TUBE OD	A NPTF	TUBE THREAD	L	HEX	WORKING PRESSURE	LIST PRICE
28752	1/4	1/4-18	7/16-20	1.389	.563	3250 psi	---
28753	3/8	1/4-18	9/16-18	1.6	.563	3250 psi	---
28754	3/8	3/8-18	9/16-18	1.574	.690	2925 psi	---
28756	1/2	1/2-14	3/4-16	1.706	.875	2600 psi	---

B6505 SJS

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

JIC 37° SHAPES
BRASS FITTINGS

90°FORGED ELBOW




▪ Swivel available

PART #	TUBE OD	TUBE THREAD	A NPTF	M	N	Y	WORKING PRESSURE	LIST PRICE
28760F	1/4	7/16-20	1/8-27	0.89	0.78	0.5	2160 psi	---
28762F	1/4	7/16-20	1/4-18	1.05	1.03	0.53	1846 psi	---
28766F	5/16	1/2-20	1/4-18	1.10	1.10	0.55	3905 psi	---
28768F	3/8	9/16-18	1/8-27	1.06	1.00	0.56	3128 psi	---
28770F	3/8	9/16-18	1/4-18	1.06	1.09	0.54	1564 psi	---
28772F	3/8	9/16-18	3/8-18	1.15	1.22	0.74	1464 psi	---
28773F	3/8	9/16-18	1/2-14	1.22	1.47	0.90	1265 psi	---
28774F	1/2	3/4-16	3/8-18	1.25	1.22	0.81	1467 psi	---
28777F	1/2	3/4-16	1/2-14	1.31	1.47	0.90	1265 psi	---
28778F	1/2	3/4-16	3/4-14	1.4	1.59	0.89	2061 psi	---
28780F	5/8	7/8-14	1/2-14	1.45	1.47	0.88	1265 psi	---
28781F	3/4	1 1/16-12	1/2-14	1.66	1.56	1.08	1265 psi	---
28783F	3/4	1 1/16-12	3/4-14	1.66	1.59	1.06	1084 psi	---
28784F	1	1 5/16-12	3/4-14	1.88	1.77	1.32	1802 psi	---
28786F	1	1 5/16-12	1-11 1/2	1.81	1.97	1.3	2361 psi	---

DL3B2 3F69CL GGL6A1 F23L2 EE48D3 EE46B2 FF45A2 F48C3 FF22C3 D49B1 D25B1 3F47C1


FEMALE ELBOW FORGED BODY



PART #	TUBE OD	TUBE THREAD	A NPTF	M	N	WORKING PRESSURE	LIST PRICE
28973	1/4	7/16-20	1/8-27	1.08	0.66	2797 psi	---
28974	1/4	7/16-20	1/4-18	1.25	0.55	3066 psi	---
28975	3/8	9/16-18	1/4-18	1.23	0.88	2842 psi	---

B2502 EBF DTXB

45° FORGED ELBOW



▪ Swivel available

PART #	TUBE OD	TUBE THREAD	A NPTF	M	N	Y	WORKING PRESSURE	LIST PRICE
28722F	1/4	7/16-20	1/8-27	0.72	0.64	0.5	4367 psi	---
28724F	1/4	7/16-20	1/4-18	0.81	0.84	0.53	3750 psi	---
28728F	5/16	1/2-2	1/4-18	0.88	0.86	0.54		
28729F	3/8	9/16-18	1/8-27	0.83	0.65	0.63	3128 psi	---
28731F	3/8	9/16-18	1/4-18	0.83	0.86	0.63	3128 psi	---
28733F	3/8	9/16-18	3/8-18	0.91	0.95	0.81	3100 psi	---
28734F	3/8	9/16-18	1/2-14	1.03	1.17	0.94	2826 psi	---
28736F	1/2	3/4-16	3/8-18	0.98	0.95	0.75	2938 psi	---
28738F	1/2	3/4-16	1/2-14	1.13	1.17	0.86	2826 psi	---
28740F	5/8	7/8-14	1/2-14	1.13	1.08	0.88		
28742F	3/4	1 1/16-12	3/4-14	1.28	1.2	1.13	2442 psi	---

B2503 FBC-F VTXB

THREAD CHART

SIZE	JIC THREAD
1/8	5/16-24
3/16	3/8-24
1/4	7/16-20
5/16	1/2-20
3/8	9/16-18
1/2	3/4-16
5/8	7/8-14
3/4	1-1/16-12
1	1-5/16-12

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

INVERTED FLARE FITTINGS



Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1
Thread O.D. threads per inch	5/16-28	3/8-24	7/16-24	1/2-20	5/8-18	11/16-18	3/4-18	7/8-18	1-1/16-16	1-3/16-16	1-5/16-16

▪Typical Application
Hydraulic brake, power steering, fuel lines and transmission cooler lines, LP and natural gas.

▪Working Pressure Ranges
Temperature and type of tubing used are important factors. However, the following table is a good guide for proper selection. Temperature 73°F with copper tubing:

PSI	Tube O.D. (in.)	Tube Wall (in.)
2800	1/8	.030
1900	3/16	.030
1400	1/4	.030
1200	5/16	.032
1000	3/8	.032
750	1/2	.032
650	5/8	.035
550	3/4	.035

▪Vibration
Excellent resistance.

▪Temperature Range
-65°F to +250°F (-53°C to +121°C) range at maximum operating pressures.

▪Used With
Copper, brass, aluminum and steel hydraulic tubing that can be flared.

▪Advantages
Very low cost and reusable. Seats and threads are internal and protected. Compact, excellent vibration life. Short nut affords very close tube bends. Steel or brass tube nut.

▪ Tolerance
+/- .03 on all dimensions.

▪Conformance
Meets specifications and standards of ASA, ASME, SAE and MS (Military Standards).


▪Assembly Instructions
1-Cut tubing to desired length. Make sure all burrs are removed and the ends are cut square.
2- Slide nut on tube. Threaded end "A" of nut must face out.
3- Flare end of tube with a 45° flaring tool.
a- Measure flare diameter.
b- Examine flare for excessive thin out.
c- On thin wall, welded or brazed tubing, use double flare to prevent pinch-off and cracked flares.
4- Lubricate threads and assemble to fitting body. Nut should be turned hand tight.

STANDARD METRIC THREADS

Description Tube Size	Thread O.D.	Crest (Pitch)	Thread Description
Japanese 3/16"	10mm	1.0mm	M10 x 1.0
European 3/16"	10mm	1.0mm	M10 x 1.0
GM 6mm	12mm	1.0mm	M12 x 1.0
Fuel 5/16"	14mm	1.5mm	M14 x 1.5
Fuel 3/8?	16mm	1.5mm	M16 x 1.5

Measuring Metric Threads: Measure the O.D. of the threads and the crest to crest distance (pitch) in millimeters between threads.

Actual O.D. of male inverted flare threads



WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

INVERTED FLARE
BRASS FITTINGS

ZINC CHROMATE STEEL NUT

SAE# 040110




411FS
411NS

PART #	SIZE	THREAD	A	HEX	APPROX. WT. LBS.	LIST PRICE
12001	1/8″	5/16-28	0.52	0.31	0.01	---
12002	3/16″	3/8-24	0.56	0.37	0.02	---
12018	3/16"	7/16-24	0.56	0.43	0.02	---
12003	1/4″	7/16-24	0.56	0.43	0.02	---
12004	5/16″	1/2-20	0.62	0.50	0.02	---
12005	3/8″	5/8-18	0.66	0.62	0.03	---
12000	7/16″	11/16-18	0.68	0.68	0.04	---
12011	3/8"	11/16-18	0.66	0.68	0.05	---
12006	1/2″	3/4-18	0.74	0.75	0.08	---
12007	5/8″	7/8-18	0.80	0.87	0.10	---
12008	3/4″	1-1/16-16	0.88	1.06	0.10	---
12083	7/8"	1-3/16-16	1.07	1.19	0.14	---
12084	1"	1-5/16-16	1.18	1.375	0.21	---

121XXX 2105 411FS 105 41W

LONG STEEL NUT

FOR DOMESTIC LINES




411NL

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
12009	3/16″	0.84	0.37	0.02	---
12010	1/4″	0.81	0.43	0.02	---

7896

INVERTED FLARE BRASS NUT

SAE# 040110



411FB
41INB

• More sizes available

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
12012	1/8″	0.52	0.31	0.01	---
12013	3/16″	0.56	0.37	0.01	---
12014	1/4″	0.56	0.43	0.02	---
12015	5/16″	0.62	0.50	0.03	---
12016	3/8″	0.66	0.62	0.04	---
12017	1/2″	0.74	0.75	0.05	---

2100 41IF 100 41IB



PART #	TUBESIZE	THREAD	REF#	LIST PRICE
12260	3/16 British	3/8-24 Bubble	---	---
12261	3/16 European	M10 x 1.0 Bubble	276110	---
12262	3/16 Japanese	M10 x 1.0 Inv.	121050	---
12263	3/16 Domestic	1/2 x 20 Inv.	---	---
12264	3/16 Domestic	9/16 - 18 Inv.	121039	---
12265	3/16 Imported	M11 x 1.5 Bubble	276011	---
12266	3/16 Imported	M12 x 1.0 Bubble	276012	---
12267	3/16 Imported	M13 x 1.5 Bubble	276013	---
12268	1/4 Domestic	9/16 x 18 Inv.	121049	---
12269	1/4 Domestic	1/2 x 20 Inv.	121045	---
12270	6mm Imported	M12 x 1.0 Bubble		---
12271	6mm GM	M12 x 1.0 Bubble		---
12272	6mm GM	M12 x 1.5 Bubble		---
12273	6mm GM	M14 x 1.5 Bubble		---
12274	5/16 Domestic	M14 x 1.5 Surface Seal	121069	---
12275	3/8 Domestic	M16 x 1.5 Surface Seal	121070	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

INVERTED FLARE
BRASS FITTINGS

UNION INTERNAL

SAE# 040101




421F
421N

PART #	INV. FLARE X INV. FLARE	A	HEX	APPROX. WT. LBS.	LIST PRICE
12022	1/8″	0.59	0.40	0.02	---
12023	3/16″	0.62	0.43	0.02	---
12024	1/4″	0.62	0.50	0.03	---
12025	5/16″	0.70	0.56	0.04	---
12026	3/8″	0.80	0.75	0.08	---
12027	1/2″	0.91	0.90	0.10	---
12028	5/8"	1.31	1.06	0.22	---

302 2300 42IFHD

FEMALE ADAPTER

SAE# 040103




46IN
46IN

PART #	INV. FLARE X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
12029	1/8" x 1/8"	0.716	0.50	0.03	---
12032	3/16″ x 1/8″	0.75	0.50	0.02	---
12033	1/4″ x 1/8″	0.75	0.53	0.02	---
12030	1/4" x 1/4"	1.01	0.751	0.11	---
12034	5/16″ x 1/8″	0.78	0.59	0.04	---
12035	3/8″ x 1/4″	1.03	0.75	0.08	---
12031	7/16" x 1/4"	1.06	0.81	0.11	---
12037	1/2" x 1/4"	1.09	0.90	0.12	---
12036	1/2″ x 3/8″	1.10	0.90	0.12	---
12039	5/8" x 1/2"	1.32	1.065	0.19	---
12099	3/4" x 3/4"	1.50	1.25	0.36	---

46IFHD 252 46W

MALE ADAPTER

SAE# 040102



481N
481F

PART #	INV. FLARE X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
12041	1/8″ x 1/8″	0.63	0.40	0.02	---
12042	3/16″ x 1/8″	0.70	0.43	0.02	---
12053	3/16" x 1/4"	0.72	0.56	0.04	---
12043	1/4″ x 1/8″	0.74	0.50	0.03	---
12044	1/4″ x 1/4″	0.89	0.56	0.04	---
12045	5/16″ x 1/8″	0.79	0.56	0.03	---
12046	5/16″ x 1/4″	0.98	0.56	0.05	---
12055	5/16" x 3/8"	1.01	0.75	0.07	---
12047	3/8″ x 1/8″	0.88	0.72	0.05	---
12048	3/8″ x 1/4″	1.02	0.75	0.06	---
12049	3/8″ x 3/8″	1.02	0.75	0.08	---
12104	7/16" x 1/4"	1.05	0.81	0.06	---
12038	1/2″ x 1/4″	0.97	0.87	0.10	---
12050	1/2″ x 3/8″	1.06	0.87	0.08	---
12051	1/2″ x 1/2″	1.06	0.87	0.11	---
12052	5/8″ x 1/2″	1.32	1.06	0.15	---
12105	3/4" x 1/2"	1.38	1.25	0.18	---
12040	3/4″ x 3/4″	1.39	1.25	0.24	---
12107	7/8" x 3/4"	1.375	1.375	0.21	---
12108	1" x 1"	1.62	1.50	0.37	---


2200 48IFHD 202 48W 200

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

Dimension data can change without notice. Please check when dimensions are critical.

ELBOW

SAE# 040202



491N
491F


PART #	INV. FLARE X MALE NPTF	A	B	APPROX. WT. LBS.	LIST PRICE
12057	1/8″ x 1/8″	0.26	0.59	0.03	---
12058	3/16″ x 1/8″	0.26	0.61	0.03	---
12059	1/4″ x 1/8″	0.33	0.65	0.04	---
12054*	1/4″ x 1/8″	0.33	0.65	0.04	---
12060	1/4″ x 1/4″	0.28	0.82	0.06	---
12061	5/16″ x 1/8″	0.47	0.68	0.05	---
12062	5/16″ x 1/4″	0.45	0.85	0.08	---
12082	5/16" x 3/8"	0.47	0.86	0.12	---
12063	3/8″ x 1/8″	0.54	0.76	0.14	---
12064	3/8″ x 1/4″	0.53	0.92	0.14	---
12065	3/8″ x 3/8″	0.50	0.94	0.12	---
12114	1/2" x 1/4"	0.72	1.08	0.14	---
12066	1/2″ x 3/8″	0.59	1.03	0.16	---
12067	1/2″ x 1/2″	0.66	1.22	0.25	---
12056	5/8″ x 3/8″	0.67	1.09	0.20	---
12068	5/8″ x 1/2″	0.67	1.29	0.18	---
12069	3/4″ x 1/2″	0.80	1.39	0.42	---
12080	7/8″ x 3/4″	0.94	1.43	0.48	---
12081	1″ x 1″	1.02	1.69	0.60	---

400 2400 249IFHD 402 249IF 49W

*** Restricted pipe end .062**

45° ELBOW

SAE# 040302




591F
941N

PART #	INV. FLARE X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
12070	1/8" x 1/8"	0.22	0.48	0.50	0.03	---
12072	3/16″ x 1/8″	0.25	0.55	0.53	0.02	---
12073	1/4″ x 1/8″	0.27	0.58	0.56	0.04	---
12074	5/16″ x 1/8″	0.36	0.56	0.62	0.06	---
12075	5/16″ x 1/4″	0.23	0.83	0.62	0.06	---
12115	3/8" x 1/8"	0.34	0.87	0.87	0.09	---
12076	3/8″ x 1/4″	0.51	0.84	0.78	0.09	---
12077	1/2″ x 3/8″	0.38	0.91	0.84	0.11	---
12079	5/8″ x 1/2″	0.44	1.00	1.06	0.21	---

154 2352 259IFHD 352 94W

UNION TEE

SAE# 040401



441F
441N

PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
12085	1/8″	0.33	0.47	0.04	---
12086	3/16″	0.39	0.55	0.04	---
12087	1/4″	0.42	0.56	0.08	---
12088	5/16″	0.45	0.63	0.09	---
12089	3/8″	0.56	0.74	0.17	---
12090	1/2″	0.67	0.88	0.24	---


244IFHD 702 441

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

INVERTED FLARE
BRASS FITTINGS

STEEL PLUG

SAE# 040109 ▪ cored



391N
391F




PART # STEEL	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
12091	3/16″	0.53	0.37	0.01	---
12092	1/4″	0.54	0.43	0.02	---
12093	5/16″	0.59	0.50	0.03	---
12094	3/8″	0.66	0.62	0.04	---
Brass					
12095	3/8"	0.66	0.63	0.04	---
12096	1/2"	0.82	0.75	0.07	---
12097	5/8"	0.90	0.87	0.10	---
12098	3/4"	0.95	1.07	0.17	---

106 41IP 131 2131

MALE BRANCH TEE

SAE# 040425




451F
451N

PART #	INV. FLARE X MALE NPTF (1&2)X3	A	B	APPROX. WT. LBS.	LIST PRICE
12100	3/16″ x 1/8″	0.41	0.60	0.04	---
12101	1/4″ x 1/8″	0.42	0.64	0.06	---
12102	5/16″ x 1/8″	0.47	0.68	0.07	---
12103	3/8″ x 1/4″	0.58	0.93	0.15	---

145 245IFHD 602 2600 600

FEMALE ELBOW

SAE# 040203




501F
501N

PART #	INV. FLARE X FEMALE NPTF	A	APPROX. WT. LBS.	LIST PRICE
12110	1/4″ x 1/8″	0.55	0.07	---
12111	5/16″ x 1/8″	0.51	0.08	---
12112	3/8″ x 1/4″	0.68	0.10	---

450

MALE RUN TEE

SAE# 040424



51IF
511N


PART #	INV. FLARE X MALE NPTF (1&3)X2	A	B	C	APPROX. WT. LBS.	LIST PRICE
12118	3/16″ x 1/8″	0.53	0.72	0.39	0.06	---
12119	1/4″ x 1/8″	0.56	0.75	0.42	0.08	---
12120	5/16″ x 1/8″	0.62	0.85	0.45	0.10	---
12121	3/8″ x 1/4″	0.75	1.08	0.56	0.14	---

251IFHD 752 550 151

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FEMALE BRANCH TEE

SAE# 040427




521F
521N

PART #	INV. FLARE X FEMALE NPTF (1&2)X3	A	B	APPROX. WT. LBS.	LIST PRICE
12127	3/16″ x 1/8″	0.39	0.55	0.06	---
12129	5/16″ x 1/8″	0.45	0.63	0.12	---
12130	3/8″ x 1/4″	0.56	0.74	0.17	---

252IFHD 652 136

TOWED TRAILER BRAKE TEE




127BT

PART #	A	B	C	REFERENCE #	APPROX. WT. LBS.	LIST PRICE
12147	3/16″ 0.57	3/16″ 0.76	3/16″ 0.42	7900	0.08	---
12145	3/16″ (1/2-20) 0.68	3/16″ (3/8-24) 0.94	3/16″ (1/2-20) 0.47	7906	0.17	---
12148	3/16″ (9/16-18)	3/16″ (3/8-24)	3/16″ (9/16/18)	7933	0.10	---
12144	3/16″ (9/16-20) 0.82	3/16″ (3/8-24) 0.94	3/16″ (9/16-20) 0.47	7905	0.18	---
12146	3/16″ (7/16-24) 0.54	3/16″ (3/8-24) 0.78	1/4″ (7/16-24) 0.42	7914	0.08	---
12150	1/4″ 0.56	3/16″ 0.77	1/4″ 0.43	7901	0.10	---
12149	1/4″ (9/16-18) 0.81	3/16″ (3/8-24) 0.93	1/4″ (9/16-18) 0.50	7904	0.10	---
12151	1/4″ 0.56	1/4″ 0.77	1/4″ 0.43	7898	0.12	---

INVERTED FLARE AUTO FITTINGS

DUAL MASTER CYLINDER ADAPTER




PART #	MALE FLARE X FEMALE INV.	A	HEX	REFERENCE #	APPROX. WT. LBS.	LIST PRICE
12200	3/16″ x 3/16″	1.00	0.50	1441	0.03	---
12202	5/16″ x 3/16″	0.96	0.68	7897	0.07	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

INVERTED FLARE
BRASS FITTINGS

DUAL MASTER CYLINDER ADAPTER



*** Seals on hex face**




48STA
6641N
6011N

PART #	MALE INVERTED THREAD	FEMALE INVERTED THREAD	REF#	LIST PRICE
12206	3/16(9/16-18)	3/16	7911	---
12209	3/16(9/16-18)	3/16(1/2-20)	7913	---
12207	3/16(9/16-20)	3/16	7910	---
12210	3/16	1/4	7828	---
12212	1/4	3/16	7818	---
12214*	7/16-20	1/4	7732	---
12211	1/4(9/16-18)	1/4	7908	---
12215	1/4	5/16	7917	---
12213*	5/16	3/16	7817	---
12216	5/16	3/16	7909	---
12208	5/16	3/16(9/16-18)	7912	---
12218*	5/16	1/4	7727	---
12220	5/16	1/4	7829	---
12222*	5/16	5/16	1074	---
12221	5/16	3/8	7915	---
12224	3/8" NPTF	5/16	7771	---
12217	3/8	5/16	7916	---

47W


CARBURETOR TO FUEL LINE ADAPTER - FORD



PART #	FEMALE TUBE OD X MALE NPTF	A	HEX	REF #	APPROX. WT. LBS.	LIST PRICE
12230	1/4"(1/2-20) x 1/8"	1.06	0.56	1513	0.04	---

1513

RESTRICTION PIPE ADAPTER
(.0625 ORIFICE)



PART #	SIZE FIP X MIP	A	HEX	REF #	APPROX. WT. LBS.	LIST PRICE
12310	1/8"	0.75	0.50	1512	0.02	---


1510

Dimension data can change without notice. Please check when dimensions are critical.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

INVERTED FLARE
BRASS FITTINGS

SAE FLARE X INVERTED FLARE




PART #	SAE FLARE X INV. FLARE	A	HEX	REF #	APPROX. WT. LBS.	LIST PRICE
12250	1/4" x 3/16"	1.03	0.43	1518	0.02	---
12252	1/4" x 1/4"	1.03	0.43	1522	0.03	---
12254	3/8" x 5/16"	1.34	0.63	1553	0.08	---
12256	3/8" x 3/8"	1.37	0.63	1563	0.09	---
12257	3/8" x 7/16"	1.40	0.68	1554	0.10	---

4205


METRIC HYDRAULIC BRAKE FITTINGS

METRIC ADAPTER



PART #	BUBBLE MALE THREAD	TUBE O.D./ FEMALE THREAD	A	HEX	REF #	APPROX. WT. LBS.	LIST PRICE
12335	M10x1.0	3/16"(3/8-24)	1.02	0.50	1442	0.02	---
12326	M11x1.5	3/16"(M10x1.0)	1.06	0.50	7935	0.02	---
12327	M12x1.0	3/16"(M10x1.0)	1.02	0.53	7936	0.04	---
12328	M16x1.5	3/16"(M10x1.0)	1.02	0.56	7937	0.06	---

ADAPTER STANDARD TO METRIC BUBBLE



PART #	FEMALE INV. FLARE SEAT	MALE METRIC BUBBLE FLARE	A	HEX	REF #	APPROX. WT. LBS.	LIST PRICE
12336	3/16" (3/8-24)	11x1.5			7973		---
12337	3/16" (3/8-24)	(3/16") (10x1.25)	1.00	0.50	7970	0.02	---
12339	3/16" (3/8-24)	13x1.5	1.03	0.56	7972	0.04	---
12341	3/16" (3/8-24)	12x1.0	1.02	0.53	7974	0.04	---

FEMALE X MALE ADAPTERS



PART #	FEMALE STANDARD FLARE SEAT	MALE BUBBLE FLARE	MATERIAL	LIST PRICE
12330	3/8-24 (3/16)	7/16-20	Steel	---




PART #	TUBE OD/ FEMALE THREAD	INVERTED MALE THREAD	REF #	LIST PRICE
12205	3/16 (3/8-24)	M10 x 1.0	1443	---



PART #	FEMALE STANDARD FLARE	INVERTED MALE THREAD	MATERIAL	LIST PRICE
12329	3/8-24 (3/16)	M9 x 1.0	Steel	---

METRIC UNION



PART #	SIZE	A	HEX	REF #	APPROX. WT. LBS.	LIST PRICE
12342	British Brake Lines 3/16 (3/8-24 Bubble)	0.87	0.50	1594	0.03	---
12343	European Brake Lines 3/16"(10.0MM)	1.04	0.56	7975	0.04	---
12344	Japanese Brake Lines 3/16 (M10 x 1.0) Inverted	1.00	0.50	7934A	0.04	---
12345	GM Brake Lines 6mm M12 x 1.0 Bubble	1.11	0.63		0.06	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPRESSION FITTINGS



These are NOT Lead Free
See Lead Free Section for Lead Free products

Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8
Thread Size-B	5/16-24	3/8-24	7/16-24	1/2-24	9/16-24	5/8-24	11/16-20	13/16-18	1-18	1-1/8-18
Working Pressure	400	400	300	300	200	200	200	150	100	75

▪ Typical Application
Use with copper, aluminum and thermoplastic tubing. Not recommended for steel tubing. Manufactured for low and medium pressure tubing connection work where excessive vibration or tube movement is not involved. Not recommended for application using gaseous media.

▪Pressure
See table above for working pressures at 73°F.

▪Vibration
Fair resistance - use long nut when greater vibration resistance is needed.

▪Temperature Range
-65°F to +250°F (-53°C to +121°C) range at maximum operating pressures. (Refer to tubing temperature range.)

▪Used With
Aluminum, copper, brass and plastic tubing. Plastic tubing requires insert. Not recommended for steel tubing.

▪ Tolerance
+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

▪ Conformance
Meets specifications and standards of ASA, ASME and SAE.

▪Assembly Instructions
1- Cut tubing to desired length.
2- Slide nut and then sleeve on tube. Threaded end "A" of nut must face toward fitting.
3- Insert tubing into fitting body. Be sure tubing is bottomed on fitting shoulder.
4- Lubricate threads and assemble nut to fitting body.
5- Tighten nut hand tight. From that point, tighten with a wrench the number of turns indicated in the chart below.

Tube Size	Additional Turns from Hand Tight
1/8" thru 1/4"	1-1/4"
5/16"	1-3/4"
3/8" thru 1"	2-1/4"

▪ "L" at the end of a Part# means Light Pattern
-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

Actual Profile of Compression Threads



COMPRESSION
BRASS FITTINGS

BRASS SLEEVE
• FERRULES




60

SAE# 060115

PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
18001	1/8″	0.19	0.19	0.01	---
18002	3/16″	0.22	0.27	0.01	---
18003	1/4″	0.25	0.34	0.01	---
18004	5/16″	0.25	0.41	0.01	---
18005	3/8″	0.25	0.47	0.02	---
18006	7/16″	0.31	0.53	0.02	---
18007	1/2″	0.38	0.59	0.02	---
18008	5/8″	0.38	0.71	0.03	---
18009	3/4″	0.44	0.87	0.03	---
18010	7/8″	0.41	0.99	0.03	---
18011	1"	0.55	1.16	0.03	---

BRASS NUT




61

SAE# 060110

PART #	SIZE	THREAD	A	HEX	APPROX. WT. LBS.	LIST PRICE
18033	1/8″	5/16-24	0.38	0.37	0.01	---
18034	3/16″	3/8-24	0.41	0.43	0.01	---
18035L	1/4″	7/16-24	0.44	0.50	0.02	---
18035	1/4″	7/16-24	0.44	0.50	0.02	---
18036	5/16″	1/2-24	0.44	0.56	0.02	---
18037L	3/8″	9/16-24	0.47	0.62	0.04	---
18037	3/8″	9/16-24	0.47	0.62	0.04	---
18038	7/16″	5/8-24	0.50	0.68	0.04	---
18039L	1/2″	11/16-20	0.56	0.75	0.04	---
18039	1/2″	11/16-20	0.62	0.81	0.04	---
18040L	5/8″	13/16-18	0.56	0.87	0.06	---
18040	5/8″	13/16-18	0.62	0.94	0.06	---
18041	3/4″	1-18	0.68	1.12	0.08	---
18042	7/8″	1-1/8 - 18	0.62	1.25	0.10	---
18043	1"		0.94	1.38	0.15	---

UNION



62
262


SAE# 060101BA

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
18062	1/8″	0.64	0.31	0.03	---
18063	3/16″	0.75	0.37	0.04	---
18064L	1/4″	0.79	0.43	0.06	---
18064	1/4″	0.81	0.43	0.06	---
18065	5/16″	0.88	0.50	0.06	---
18066L	3/8″	0.96	0.56	0.09	---
18066	3/8″	0.98	0.56	0.10	---
18067	7/16″	1.02	0.62	0.12	---
18068L	1/2″	1.06	0.68	0.16	---
18068	1/2″	1.25	0.68	0.16	---
18069L	5/8″	1.43	0.81	0.24	---
18069	5/8″	1.25	0.81	0.26	---
18070	3/4″	1.41	1.00	0.35	---
18071L	7/8″	1.03	1.12	0.34	---
18071	7/8″	1.00	1.12	0.36	---
18072	1"	1.78	1.38	0.58	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPRESSION
BRASS FITTINGS

REDUCING UNION




62R

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
18076	1/4" x 1/8"	0.73	0.44	0.04	---
18077	1/4" x 3/16"	0.78	0.44	0.06	---
18078	5/16" x 1/4"	0.81	0.50	0.06	---
18079	3/8" x 1/4"	0.90	0.56	0.10	---
18080	3/8" x 5/16"	0.94	0.56	0.10	---
18081	1/2" x 3/8"	1.03	0.68	0.12	---
18082	5/8" x 3/8"	1.03	0.81	0.15	---
18083	5/8" x 1/2"	1.16	0.81	0.18	---
18085	7/8" x 3/8"	1.18	1.18	0.26	---
18086	7/8" x 1/2"	1.21	1.18	0.24	---
18084	7/8" x 5/8"	1.23	1.18	0.20	---


62-R

TEE

SAE# 060401



Forged



Barstock


64

PART #	SIZE	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18101	1/8"	0.61	0.37	0.04	---
18101B*	1/8"	0.62	0.33	0.04	---
18102	3/16"	0.59	0.36	0.08	---
18102B*	3/16"	0.60	0.38	0.08	---
18103	1/4"	0.63	0.36	0.10	---
18103B*	1/4"	0.62	0.49	0.10	---
18104	5/16"	0.72	0.50	0.13	---
18104B*	5/16"	0.60	0.50	0.14	---
18105	3/8"	0.75	0.50	0.16	---
18105B*	3/8"	0.73	0.59	0.16	---
18106	1/2"	0.94	0.59	0.22	---
18106B*	1/2"	0.94	0.69	0.24	---
18107	5/8"	1.06	0.69	0.28	---
18108	3/4"	1.22	0.88	0.32	---
18109	7/8"	1.25	0.94	0.34	---

* Barstock

64 **264C**

FORGED REDUCING TEE



64R


PART #	SIZE 1 X 2 X 3	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18114	1/4" x 1/4" x 1/8"	0.62	0.59	0.38	0.09	---
18110	1/4" x 1/4" x 3/8"	0.69	0.75	0.50	0.14	---
18111	3/8" x 1/4" x 1/4"	0.75	0.69	0.50	0.12	---
18115	3/8" x 3/8" x 1/4"	0.75	0.69	0.50	0.14	---
18116	1/2" x 1/2" x 1/4"	0.94	0.81	0.59	0.16	---
18117	1/2" x 1/2" x 3/8"	0.94	0.81	0.59	0.24	---
18118	5/8" x 5/8" x 3/8"	1.06	0.94	0.69	0.28	---
18119	5/8" x 5/8" x 1/2"	1.06	1.06	0.69	0.30	---

64-R

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPRESSION
BRASS FITTINGS

UNION ELBOW SAE# 060201




65

Forged Barstock

PART #	SIZE	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18122B*	1/8″	0.62	0.35	0.04	---
18123	3/16″	0.61	0.37	0.06	---
18124	1/4″	0.66	0.38	0.08	---
18125	5/16″	0.69	0.47	0.09	---
18126	3/8″	0.72	0.43	0.12	---
18127	1/2″	0.94	0.59	0.19	---
18128	5/8″	1.06	0.72	0.26	---
18129	3/4″	1.19	0.94	0.48	---
18130	7/8″	1.25	0.94	0.44	---

65 **BSE2** 165C **265C**

REDUCING ELBOW - FORGED




65R

PART #	SIZE	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18135	3/8″ x 1/4″	0.69	0.75	0.47	0.12	---
18136	1/2″ x 3/8″	0.88	0.94	0.59	0.15	---
18137	5/8″ x 3/8″	0.88	0.97	0.56	0.18	---

65-R

FEMALE ADAPTER
SAE# 060103



66

PART #	COMP. X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
18142	1/8″ x 1/8″	0.75	0.56	0.02	---
18143	3/16″ x 1/8″	0.78	0.56	0.04	---
18144	3/16″ x 1/4″	0.96	0.68	0.04	---
18145L	1/4″ x 1/8″	0.84	0.50	0.05	---
18145	1/4″ x 1/8″	0.78	0.56	0.05	---
18146L	1/4″ x 1/4″	0.88	0.62	0.09	---
18146	1/4″ x 1/4″	1.03	0.68	0.09	---
18148	1/4″ x 1/2″	1.02	0.87	0.12	---
18149	5/16″ x 1/8″	0.81	0.56	0.05	---
18150	5/16″ x 1/4″	0.91	0.62	0.06	---
18152	3/8″ x 1/8″	0.88	0.56	0.06	---
18153L	3/8″ x 1/4″	0.97	0.62	0.08	---
18153	3/8″ x 1/4″	1.06	0.68	0.08	---
18154L	3/8″ x 3/8″	1.03	0.75	0.08	---
18154	3/8″ x 3/8″	1.06	0.81	0.10	---
18155	3/8″ x 1/2″	1.12	1.00	0.08	---
18156	3/8″ x 3/4″	1.19	1.16	0.14	---
18157	1/2″ x 1/4″	1.09	0.68	0.10	---
18158L	1/2″ x 3/8″	0.94	0.81	0.12	---
18158	1/2″ x 3/8″	1.12	0.81	0.12	---
18159L	1/2″ x 1/2″	1.19	1.00	0.12	---
18159	1/2″ x 1/2″	1.31	1.00	0.12	---
18160	1/2″ x 3/4″	1.25	1.16	0.18	---
18162L	5/8″ x 1/2″	1.20	0.94	0.18	---
18162	5/8″ x 1/2″	1.38	1.00	0.18	---
18163	5/8″ x 3/4″	1.20	1.12	0.22	---
18164	3/4″ x 1/2″	1.25	1.06	0.26	---
18165	3/4″ x 3/4″	1.28	1.19	0.28	---
18167	7/8″ x 1/2″	1.28	1.19	0.32	---
18166	7/8″ x 3/4″	1.31	1.12	0.34	---


▪ More sizes available

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPRESSION
BRASS FITTINGS

MALE ADAPTER

SAE# 060102



68


PART #	COMP. X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
18175	1/8" x 1/16"	0.78	0.37	0.02	---
18176	1/8" x 1/8"	0.78	0.43	0.04	---
18177	3/16" x 1/8"	0.84	0.43	0.04	---
18178	3/16" x 1/4"	0.94	0.56	0.06	---
18179L	1/4" x 1/8"	0.88	0.56	0.04	---
18179	1/4" x 1/8"	0.88	0.43	0.04	---
18180L	1/4" x 1/4"	0.94	0.56	0.05	---
18180	1/4" x 1/4"	1.06	0.56	0.06	---
18181	1/4" x 3/8"	1.03	0.68	0.08	---
18182	1/4" x 1/2"	1.09	0.81	0.10	---
18183	5/16" x 1/8"	0.91	0.50	0.05	---
18184L	5/16" x 1/4"	1.01	0.56	0.06	---
18184	5/16" x 1/4"	1.09	0.56	0.06	---
18185	5/16" x 3/8"	1.06	0.68	0.07	---
18186	5/16" x 1/2"	1.14	0.87	0.10	---
18187L	3/8" x 1/8"	0.94	0.56	0.06	---
18187	3/8" x 1/8"	0.97	0.56	0.06	---
18188L	3/8" x 1/4"	1.03	0.56	0.06	---
18188	3/8" x 1/4"	1.16	0.56	0.07	---
18189L	3/8" x 3/8"	1.09	0.68	0.08	---
18189	3/8" x 3/8"	1.14	0.69	0.08	---
18190L	3/8" x 1/2"	1.19	0.88	0.12	---
18190	3/8" x 1/2"	1.34	0.87	0.13	---
18191	3/8" x 3/4"	1.29	1.06	0.16	---
18192	7/16" x 1/4"	1.06	0.62	0.10	---
18204	7/16" x 3/8"	1.10	0.68	0.12	---
18193L	1/2" x 1/4"	1.09	0.69	0.11	---
18193	1/2" x 1/4"	1.22	0.68	0.11	---
18194L	1/2" x 3/8"	1.16	0.68	0.12	---
18194	1/2" x 3/8"	1.16	0.69	0.12	---
18195L	1/2" x 1/2"	1.09	0.81	0.12	---
18195	1/2" x 1/2"	1.41	0.87	0.19	---
18196	1/2" x 3/4"	1.38	1.06	0.22	---
18216	5/8" x 1/4"	1.21	0.87	0.22	---
18197	5/8" x 3/8"	1.22	0.87	0.24	---
18198	5/8" x 1/2"	1.12	0.81	0.24	---
18199	5/8" x 3/4"	1.31	1.06	0.26	---
18200	3/4" x 1/2"	1.44	1.00	0.26	---
18201	3/4" x 3/4"	1.50	1.06	0.26	---
18202	7/8" x 1/2"	1.18	1.12	0.26	---
18203	7/8" x 3/4"	1.22	1.12	0.28	---
18205	7/8" x 1"	1.67	1.37	0.32	---
18206	1" x 3/4"	1.95	1.37	0.44	---
18207	1" x 1"	2.00	1.38	0.48	---

68


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MALE ELBOW

SAE# 060202



Forged



Barstock

69

PART #	COMP. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18219	1/8" x 1/16"	0.59	0.73	0.34	0.02	---
18220	1/8" x 1/8"	0.59	0.75	0.34	0.02	---
18220B*	1/8" x 1/8"	0.60	0.67	0.43	0.04	---
18221	3/16" x 1/8"	0.63	0.72	0.34	0.04	---
18221B*	3/16" x 1/8"	0.62	0.69	0.43	0.06	---
18223	3/16" x 1/4"	0.60	0.81	0.39	0.05	---
18223B*	3/16" x 1/4"	0.65	0.85	0.41	0.08	---
18224	1/4" x 1/8"	0.60	0.75	0.37	0.06	---
18224B*	1/4" x 1/8"	0.62	0.75	0.43	0.06	---
18225	1/4" x 1/4"	0.65	0.94	0.36	0.08	---
18225B*	1/4" x 1/4"	0.61	0.81	0.56	0.08	---
18226	1/4" x 3/8"	0.75	0.91	0.47	0.08	---
18227	1/4" x 1/2"	0.81	1.13	0.56	0.12	---
18228	5/16" x 1/8"	0.66	0.75	0.47	0.06	---
18228B*	5/16" x 1/8"	0.62	0.75	0.42	0.06	---
18229	5/16" x 1/4"	0.66	0.81	0.47	0.07	---
18229B*	5/16" x 1/4"	0.69	0.84	0.57	0.08	---
18230	5/16" x 3/8"	0.75	0.91	0.47	0.10	---
18231	5/16" x 1/2"	0.84	1.12	0.56	0.12	---
18232	3/8" x 1/8"	0.72	0.66	0.39	0.06	---
18232B*	3/8" x 1/8"	0.69	0.69	0.57	0.06	---
18233	3/8" x 1/4"	0.75	0.82	0.46	0.08	---
18233B*	3/8" x 1/4"	0.75	0.94	0.57	0.08	---
18234	3/8" x 3/8"	0.81	0.94	0.46	0.10	---
18234B*	3/8" x 3/8"	0.71	0.83	0.69	0.10	---
18235	3/8" x 1/2"	0.87	1.12	0.56	0.14	---
18235B*	3/8" x 1/2"	0.88	1.16	0.94	0.14	---
18248	3/8" x 3/4"	1.03	1.19	0.81	0.18	---
18248B*	3/8" x 3/4"	1.03	1.20	0.86	0.16	---
18247	7/16" x 1/4"	0.84	1.00	0.56	0.14	---
18236	1/2" x 1/4"	0.88	0.97	0.56	0.14	---
18236B*	1/2" x 1/4"	0.85	0.94	0.07	0.17	---
18237	1/2" x 3/8"	0.88	1.03	0.56	0.19	---
18237B*	1/2" x 3/8"	0.94	1.12	0.70	0.19	---
18238	1/2" x 1/2"	0.94	1.13	0.59	0.17	---
18238B*	1/2" x 1/2"	0.94	1.31	0.86	0.17	---
18239	1/2" x 3/4"	1.16	1.25	0.81	0.18	---
18240	5/8" x 3/8"	1.06	1.12	0.68	0.18	---
18241	5/8" x 1/2"	1.06	1.16	0.68	0.20	---
18241B*	5/8" x 1/2"	1.06	1.31	0.86	0.20	---
18242	5/8" x 3/4"	1.16	1.31	0.81	0.24	---
18243	3/4" x 1/2"	1.19	1.31	0.94	0.26	---
18245	3/4" x 3/4"	1.19	1.38	0.94	0.30	---
18246	7/8" x 3/4"	1.25	1.38	0.94	0.35	---

* Barstock

69 **269C** BSE1 **169C**


Dimension data can change without notice. Please check when dimensions are critical.


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPRESSION
BRASS FITTINGS

FEMALE ELBOW

SAE# 060203






70

PART #	COMP. X FEMALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18251	1/8″ x 1/8″	0.69	0.56	0.56	0.04	---
18251B*	1/8" x 1/8"	0.69	0.60	0.57	0.06	---
18252	3/16″ x 1/8″	0.69	0.47	0.56	0.04	---
18252B*	3/16″ x 1/8″	0.60	0.60	0.58	0.07	---
18253	1/4″ x 1/8″	0.69	0.47	0.56	0.06	---
18253B*	1/4″ x 1/8″	0.69	0.56	0.56	0.06	---
18254	1/4″ x 1/4″	0.75	0.50	0.72	0.08	---
18254B*	1/4″ x 1/4″	0.72	0.85	0.68	0.13	---
18267	1/4″ x 3/8″	0.81	0.58	0.81	0.08	---
18268	1/4″ x 1/2″	0.89	0.66	1.00	0.10	---
18255	5/16″ x 1/8″	0.72	0.84	0.47	0.08	---
18256	5/16″ x 1/4″	0.78	0.50	0.72	0.09	---
18257	3/8″ x 1/8″	0.75	0.84	0.47	0.10	---
18258	3/8″ x 1/4″	0.84	0.59	0.75	0.10	---
18259	3/8″ x 3/8″	0.88	0.58	0.81	0.12	---
18260	3/8″ x 1/2″	0.97	0.66	1.00	0.14	---
18250	3/8″ x 3/4″	1.09	0.72	1.25	0.18	---
18261	1/2″ x 1/4″	1.06	0.70	0.88	0.18	---
18262	1/2″ x 3/8″	1.00	0.70	0.88	0.16	---
18263	1/2″ x 1/2″	1.03	0.72	1.00	0.20	---
18270	1/2″ x 3/4″	1.16	0.72	1.25	0.23	---
18269	5/8″ x 3/8″	1.09	0.77	1.00	0.20	---
18264	5/8″ x 1/2″	1.09	0.77	1.00	0.22	---
18265	5/8″ x 3/4″	1.22	0.77	1.25	0.24	---
18266	3/4″ x 1/2″	1.25	1.25	0.94	0.28	---

* Barstock

70 **270C** BSE3 **170C**

FORGED MALE RUN TEE



71

PART #	COMP. X MALE NPTF (1&3) X 2	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18272	1/8″ x 1/8″	0.63	0.69	0.36	0.06	---
18273	3/16″ x 1/8″	0.63	0.69	0.36	0.07	---
18273B*	3/16" x 1/8"	0.63	0.69	0.36	0.06	---
18274B*	1/4" x 1/8"	0.63	0.75	0.36	0.07	---
18274	1/4″ x 1/8″	0.63	0.75	0.36	0.08	---
18275	1/4″ x 1/4″	0.69	0.88	0.44	0.10	---
18276	5/16″ x 1/8″	0.72	0.75	0.50	0.10	---
18277	5/16″ x 1/4″	0.75	0.88	0.44	0.10	---
18278	3/8″ x 1/8″	0.75	0.75	0.50	0.14	---
18279	3/8″ x 1/4″	0.79	0.87	0.44	0.18	---
18280	3/8″ x 3/8″	0.88	1.00	0.47	0.20	---
18281	1/2″ x 3/8″	0.94	1.09	0.59	0.24	---
18282	1/2″ x 1/2″	0.97	1.19	0.69	0.26	---
18283	5/8″ x 1/2″	1.06	1.31	0.69	0.28	---
18284	3/4″ x 1/2″	1.22	1.34	0.88	0.30	---


* Barstock

71 **171C** BST3


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MALE BRANCH TEE

SAE# 060425



Forged



Barstock


72

PART #	COMP. X MALE NPTF (1&2) X 3	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18290	3/16" x 1/8"	0.63	0.69	0.36	0.08	---
18291	1/4" x 1/8"	0.62	0.75	0.36	0.10	---
18291B*	1/4" x 1/8"	0.64	0.73	0.45	0.10	---
18292	1/4" x 1/4"	0.69	0.86	0.44	0.10	---
18293	5/16" x 1/8"	0.72	0.75	0.50	0.11	---
18294	5/16" x 1/4"	0.75	0.88	0.44	0.12	---
18295	3/8" x 1/8"	0.75	0.75	0.50	0.14	---
18296	3/8" x 1/4"	0.78	0.88	0.44	0.16	---
18297	3/8" x 3/8"	0.78	0.97	0.47	0.18	---
18298	3/8" x 1/2"	0.88	1.22	0.69	0.20	---
18304	1/2" x 1/4"	0.94	0.97	0.59	0.22	---
18299B*	1/2" x 3/8"	0.96	1.09	0.70	0.24	---
18299	1/2" x 3/8"	0.94	1.12	0.59	0.24	---
18300	1/2" x 1/2"	0.97	1.19	0.69	0.30	---
18301	5/8" x 1/2"	1.06	1.31	0.69	0.32	---
18302	3/4" x 1/2"	1.22	1.34	0.88	0.50	---
18303	3/4" x 3/4"	1.25	1.50	0.88	0.54	---

* Barstock

72 **BST1** 172C

FORGED TEE




75

PART #	COMP. X FEMALE NPTF X MALE NPTF 1X(2&3)	A	B	C	APPROX. WT. LBS.	LIST PRICE
18307	1/4" x 1/8"	0.72	0.53	0.72	0.20	---

BST3

ADAPTER TEE



76


PART #	MALE NPTF X FEMALE NPTF X COMP. (1&2)X3	A	B	C	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18314	1/8" x 1/4"	0.72	0.53	0.72	0.47	0.08	---
18316	1/4" x 3/8"	0.84	0.97	0.81	0.47	0.10	---

76 **176C**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPRESSION
BRASS FITTINGS

FEMALE BRANCH FORGED TEE




78

PART #	COMP. X FEMALE NPTF (1&2)X3	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18321	1/4" x 1/8"	0.78	0.75	0.45	0.10	---
18328	1/4" x 1/4"	0.78	0.75	0.44	0.12	---
18325	3/8" x 1/8"	0.75	0.63	0.50	0.12	---
18322	3/8" x 1/4"	0.81	0.97	0.47	0.14	---
18323	3/8" x 3/8"	0.97	0.69	1.05	0.16	---
18326	1/2" x 1/8"	0.94	0.75	0.59	0.20	---
18324	1/2" x 3/8"	1.00	0.72	0.88	0.22	---
18327	5/8" x 1/8"	1.06	0.81	0.69	0.26	---

78 **BST4** 77 **177C** 2908

45° ELBOW

SAE# 060302




6945

PART #	COMP. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
18329	3/16" x 1/8"	0.40	0.63	0.41	0.04	---
18330	1/4" x 1/8"	0.40	0.61	0.41	0.04	---
18336	1/4" x 1/4"	0.59	0.84	0.53	0.06	---
18331	5/16" x 1/8"	0.59	0.65	0.53	0.06	---
18332	5/16" x 1/4"	0.59	0.83	0.53	0.08	---
18333	3/8" x 1/4"	0.62	0.83	0.53	0.08	---
18338	3/8" x 3/8"	0.75	0.95	0.59	0.10	---
18334	1/2" x 3/8"	0.75	0.88	0.59	0.14	---
18339	1/2" x 1/2"	0.94	1.14	0.75	0.14	---
18335	5/8" x 1/2"	0.78	1.14	0.78	0.14	---

6945 **45BSE1** 74 **179C** 273 **77**

COMPRESSION PLUG




60CP
60CSP

PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
18028	1/4"	0.30	0.34	0.01	---
18029	3/8"	0.31	0.47	0.04	---
18032	5/16"	0.40	0.40	0.01	---
18030	1/2"	0.34	0.59	0.06	---
18031	5/8"	0.45	0.72	0.04	---

CSP

CAP



61CC
61CX


PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
18047	1/4"	0.44	0.50	0.02	---
18048	3/8"	0.40	0.62	0.04	---
18049	1/2"	0.48	0.75	0.06	---
18050	5/8"	0.56	0.94	0.10	---

61-CC **N5CT**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BULKHEAD UNIONS

SAE# 060101





62BH

PART #	SIZE	A	HEX 1	HEX 2	APPROX. WT. LBS.	LIST PRICE
18088	1/4″	1.58	0.56	0.56	0.10	---
18090	3/8″	1.76	0.68	0.68	0.14	---
18093	5/8"	2.01	1.000	0.94	0.32	---

62BH **75** 274

BALL CHECK VALVE - MIN. WORKING PRESSURE 3 PSI.






63

PART #	TUBE OD X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
18092	1/8″ x 1/8″	0.78	0.44	0.04	---
18094	1/4″ x 1/8″	0.88	0.44	0.04	---
18096	3/8″ x 1/4″	1.16	0.56	0.08	---

63 **263** 63A

TANK ADAPTER DRILLED THRU (NO STOP)



68T

PART #	COMP. X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
18208	1/4″ x 1/8″	0.88	0.43	0.04	---
18209	1/4″ x 1/4″	0.99	0.56	0.05	---
18210	3/8″ x 1/4″	1.16	0.56	0.05	---
18211	3/8″ x 3/8″	1.09	0.68	0.08	---
18212	3/8″ x 1/2″	1.19	0.87	0.10	---
18213	1/2″ x 3/8″	1.22	0.68	0.12	---
18214	1/2″ x 1/2″	1.09	0.81	0.14	---
18215	5/8″ x 1/2″	1.12	0.81	0.18	---

68-T **682C** 80F

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


DOUBLE COMPRESSION
BRASS FITTINGS

DOUBLE COMPRESSION THREADED SLEEVE FITTINGS

- Use with aluminum and copper tubing or plastic tubing with internal tube support. Not recommended for steel tubing.
- Easy to assemble, no flaring, two piece construction.
- For use on oil, air, water and grease lubrication systems.
- When design makes a dimension critical, contact us for information.

Tube OD	1/8	3/16	1/4	5/16	3/8
Thread	5/16-24	3/8-24	7/16-24	1/2-20	9/16-20
Working Pressure	500	500	500	250	250

NUT




181

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
16001	1/8″	0.50	0.37	0.02	---
16002	3/16″	0.53	0.43	0.02	---
16003	1/4″	0.56	0.50	0.04	---
16004	5/16″	0.61	0.56	0.04	---
16005	3/8″	0.61	0.62	0.04	---
16006	1/2"	0.90	0.69	0.05	---
16007	5/8"	1.07	0.88	0.06	---

181 **6100** 11

MALE ADAPTER




188
26200

PART #	THRD SLEEVE X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
16117	1/8″ x *	0.62	0.43	0.02	---
16118	1/8″ x 1/8″	0.62	0.43	0.02	---
16119	3/16″ x 1/8″	0.69	0.43	0.02	---
16121	1/4″ x 1/8″	0.75	0.50	0.04	---
16120	1/4" x 1/4"	1.06	0.56	0.05	---
16122	5/16″ x 1/8″	0.89	0.56	0.04	---
16125	5/16" x 1/4"	1.09	0.56	0.05	---
16123	3/8″ x 1/4″	0.84	0.62	0.06	---

* 1/4 - 28 Male Thread Tapered.

188 **6200** 12

90° ELBOW



189
26400


PART #	THRD SLEEVE X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
16127	1/8″ x *	0.50	0.52	0.41	0.02	---
16128	1/8″ x 1/8″	0.50	0.66	0.43	0.02	---
16129	3/16″ x 1/8″	0.56	0.62	0.44	0.02	---
16130	1/4″ x 1/8″	0.52	0.62	0.50	0.04	---
16131	5/16" x 1/8"	0.75	0.81	0.56	0.09	---
16133	3/8" x 1/4"	0.88	1.00	0.56	0.13	---

* 1/4 - 28 Male Thread Tapered

189 **6400** 15

BREAK-AWAY NUT

- 1-Piece Fiting



181SP
21604

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
16009	1/8"	0.66	0.31	0.02	---
16090	3/16″	0.57	0.37	0.02	---
16010	1/4″	0.62	0.43	0.02	---
16011	5/16"	0.77	0.50	0.04	---
16012	3/8"	0.84	0.56	0.04	---

181-BA **21604** 99LB **81LB**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SPLIT SLEEVE FITTINGS
BRASS FITTINGS

BRASS SPLIT SLEEVE D.O.T. FITTINGS (5/32 O.D.)

TRANSMISSION BRASS FITTINGS

APPLICATIONS: Used with SAE J844 Type A nylon tube in pressure protected air transmission applications.
TECHNICAL DATA: Maximum working pressure up to 150 PSI. Fittings will withstand variations from -40°F to +220°F (-40°C to + 104°C)

Ideally suited for use in passive protected air transmission applications. A specially designed slotted sleeve helps eliminate notch stress related to over torque. **25 prefix parts do not have a stake, use 38 part # with white sealant only**.

COLLET



PART #	TUBE O.D.	LIST PRICE
38711	5/32"	---
25001	1/8"	---
25002	3/16"	---
25003	1/4"	---

1460 **90791** 280 **90946**

NUT



PART #	TUBE O.D.	LIST PRICE
38732	5/32"	---
25033	1/8"	---

1461 **90790** 281 **90885**

DOUBLE END UNION



PART #	TUBE O.D.	LIST PRICE
38761	5/32"	---
25062	1/8"	---
25064	1/4"	----

1462 **90792** 283 **90891**

CONNECTOR WITH NUT AND SLEEVE



PART #	TUBE O.D.	PIPE THREAD	LIST PRICE
38769	5/32"	1/16"	---
38770	5/32"	1/8"	---
25175	1/8"	1/16"	---
25176	1/8"	1/8"	---
25177	3/16"	1/8"	----
25179	1/4"	1/8"	----

▪ Shipped with nut and split sleeve, picture shows insert 1468 **90794** 282 **90985**

ELBOW



PART #	TUBE O.D.	PIPE THREAD	LIST PRICE
38715	5/32"	1/16"	---
38718	5/32"	1/8"	---
25220	1/8"	1/8"	---
25219	1/8"	1/16"	---
25221	3/16"	1/8"	---
25224	1/4"	1/8"	---

284


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SPECIAL COMPRESSION ASSEMBLIES
BRASS FITTINGS

To purchase special compression assemblies, delete the 18 prefix on part# and add the prefix of the type of special assembly you desire. Pricing and availability upon request.

22 - Plastic sleeve (inserts should be ordered seperately)
24 - Long nut compression
26 - Captive sleeve (parts listed on following pages)
27 - Self align sleeve

DELRIN SLEEVE




60P

PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
18015	1/4″	0.19	0.37	0.01	---
18016	5/16″	0.19	0.43	0.01	---
18017	3/8″	0.19	0.50	0.02	---
18018	1/2″	0.25	0.63	0.02	---
18019	5/8″	0.22	0.74	0.02	---

60-P

BRASS INSERT

• SLEEVE




61P
63P

PART #	SIZE	A	B	APPROX. WT. LBS.	WALL	LIST PRICE
22008	1/8″	0.46	0.080	0.01	.016	---
22008A	1/8"	0.465	0.073	0.01	.023	---
22009	3/16″	0.45	0.135	0.01	.025	---
22009A	3/16″	0.52	0.095	0.01	.040	---
22010	1/4″	0.50	0.163	0.02	.04	---
22010A	1/4″	0.59	0.125	0.02	.04	---
22010B	1/4″	0.53	0.172	0.02	.03	---
22011A	5/16″	0.50	0.232	0.02	.04	---
22011	5/16″	0.53	0.187	0.02	.062	---
22012	3/8″	0.56	0.250	0.03	.062	---
22013	1/2″	0.72	0.370	0.03	.062	---
22014	5/8″	0.72	0.483	0.03	.062	---
22015	3/4″	1.03	0.563	0.03	.03	---

63-BI **60AE** 2030 **63PT**

LONG NUT COMPRESSION - CAN BE ASSEMBLED ON ANY COMPRESSION FITTING



161

PART #	SIZE	A	HEX	APPROX. WT. LBS.	LIST PRICE
10013	1/8"	0.50	0.37	0.01	---
24002	3/16"	0.62	0.43	0.01	---
24003	1/4″	0.75	0.50	0.02	---
24004	5/16″	0.84	0.56	0.02	---
24005	3/8″	0.97	0.62	0.04	---
24006	1/2″	1.06	0.81	0.06	---
24007	5/8"	1.19	0.94	0.11	---

161

SELF-ALIGN SLEEVES



PART #	SIZE	LIST PRICE
27001	1/8"	---
27002	3/16"	---
27003	1/4"	---

860 **601**

▪ More sizes available



PART #	SIZE	LIST PRICE
27005	3/8"	---
27006	1/2"	---

860

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

CAPTIVE SLEEVE COMPRESSION
BRASS FITTINGS

CAPTIVE SLEEVE NUT

61SA
61CS



PART #	SIZE	LIST PRICE
26001	1/8″	---
26002	3/16″	---
26003	1/4″	---
26004	5/16″	---
26005	3/8″	---
26007	1/2″	---

CS61 **61CA**

UNION

62SA



PART #	SIZE	LIST PRICE
26062	1/8″	---
26063	3/16″	---
26064	1/4″	---
26065	5/16″	---
26066	3/8″	---
26079	3/8″ x 1/4″	---
26068	1/2"	---

CS62 **62CA**

TEE

64SA



PART #	SIZE	LIST PRICE
26102	3/16″	---
26103	1/4″	---

CS64 **164CA**

FEMALE ADAPTER

66SA



PART #	COMP. X FEMALE NPTF	LIST PRICE
26142	1/8" x 1/8"	---
26145	1/4″ x 1/8″	---
26146	1/4" x 1/4"	---
26153	3/8″ x 1/4″	---

CS66 **66CA**

MALE ADAPTER

68SA



PART #	COMP. X MALE NPTF	LIST PRICE
26175	1/8" x 1/16"	---
26176	1/8″ x 1/8″	---
26177	3/16″ x 1/8″	---
26178	3/16" x 1/4"	
26179	1/4″ x 1/8″	---
26180	1/4″ x 1/4″	---
26180L	1/4" x 1/4"	---
26181	1/4″ x 3/8″	---
26182	1/4" x 1/2"	---
26183	5/16″ x 1/8″	---
26184	5/16″ x 1/4″	---
26188	3/8″ x 1/4″	---
26189	3/8″ x 3/8″	---
26190	3/8″ x 1/2″	---
26193	1/2" x 1/4"	
26194	1/2" x 3/8"	---
26195	1/2″ x 1/2″	---
26198	5/8" x 1/2"	

CS68 **68CA**

MALE ELBOW

69SA



PART #	COMP. X MALE NPTF	LIST PRICE
26220	1/8″ x 1/8″	---
26220B	1/8″ x 1/8″	---
26221B	3/16" x 1/8"	---
26221	3/16″ x 1/8″	---
26224B	1/4" x 1/8"	---
26224	1/4″ x 1/8″	---
26223	3/16" x 1/4"	
26225	1/4″ x 1/4″	---
26225B	1/4″ x 1/4″	---
26226	1/4" x 3/8"	
26228	5/16″ x 1/8″	---
26229	5/16″ x 1/4″	---
26232	3/8" x 1/8"	---
26233	3/8″ x 1/4″	---
26233B	3/8" x 1/4"	---
26234	3/8" x 3/8"	---
26235	3/8" x 1/2"	----
26237	1/2″ x 3/8″	---
26238	1/2″ x 1/2″	---

CS69 **169CA**

MALE BRANCH TEE


72SA



PART #	COMP. X MALE NPTF (1&2) X 3	LIST PRICE
26291	1/4″ x 1/8″	---
26292	1/4″ x 1/4″	---
26293	5/16″ x 1/8″	---
26296	3/8″ x 1/4″	---

CS72 **172CA**


CAPTIVE SLEEVE X MALE PIPE ANGLE NEEDLE VALVE





PART #	COMP X MALE PIPE	LIST PRICE
26011	1/4″ x 1/8″	---
26014	5/16″ x 1/4″	---

CAPTIVE SLEEVE X CAPTIVE SLEEVE NEEDLE VALVE



PART #	COMP X COMP	LIST PRICE
26021	1/4″	---
26023	3/8″	---

Interchangeable with compress-align fittings.

These are NOT Lead Free
Lead Free products available upon request

- More sizes available
- Lead Free - add LF to part #

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

Flareless FITTINGS

Flareless Brass Tube Fittings are Interchangeable with Poly-Flo®, Poly-Tite® and Poly-Line® and Poly-Fit®



Built-in SS
Tube Support

Tube O.D.	1/8	3/16	1/4	5/16	3/8	1/2
Thread Size-B	5/16-24	3/8-24	3/8-24	7/16-24	1/2-24	11/16-20

▪Typical Application
Pneumatic instrumentation circuits, lubricant and cooling lines.

▪Working Pressure and Temperature Ranges
Up to 150 PSI from 0°F to + 150°F with thermoplastic tubing. Up to 300 PSI from 0°F to + 175°F with soft metal tubing.

▪Maximum allowable metal tube wall thickness for use with Poly-Tite fittings:
1/8", 3/16" O.D. --no limitation,
1/4" O.D.--.035 5/16", 3/8",1/2" O.D.--.049

▪Vibration
Excellent Resistance.

▪Temperature Range
Depends on tubing used. -65°F to +250°F (-53°C to +121°C) with brass sleeve, -40°F to +150°F (-40°C to +66°C) with plastic sleeve. (Refer to tubing temperature range.)

▪Used With
Aluminum & copper tubing. Hard plastic tubing requires brass sleeve. Not recommended for steel tubing.

▪ Tolerance
+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

▪Advantages
No flaring of tubing required. Easy installation, captive sleeve, pre-assembled for installation and can be reassembled. Nuts rotate around the sleeve during tightening, preventing twisting of tubing.

▪Assembly Instructions
1- Cut tubing to desired length.
2- Slide nut/sleeve assembly on tube. Threaded end "A" of nut must face toward fitting.
3- Bottom tubing into fitting.
4- Plastic sleeve - Tighten nut hand tight.
Brass Sleeve - Tighten nut hand tight, then an additional 3/4 turn.

* Note: 1/8 and 3/16 sizes have brass sleeves

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NUT AND PLASTIC SLEEVE ASSEMBLY




MP61P
261PF

PART #	TUBE O.D.	THREAD	A	HEX (DIA.)	APPROX. WT. LBS.	LIST PRICE
20211	1/4″	3/8-24	0.34	0.43	0.02	---
20212	5/16″	7/16-24	0.45	0.50	0.02	---
20213	3/8″	1/2-24	0.38	0.56	0.04	---
20214	1/2″	11/16-20	0.42	0.81	0.04	---

261PF **1261** 61PN

UNION




MP62
262PF

PART #	TUBE O.D.	A	HEX	APPROX. WT. LBS.	LIST PRICE
20240	1/8″	0.66	0.31	0.02	---
20241	3/16″	0.75	0.37	0.04	---
20242	1/4″	0.69	0.37	0.04	---
20243	5/16″	0.69	0.44	0.04	---
20244	3/8″	0.72	0.50	0.10	---
20200	3/8″ x 1/4″	0.72	0.50	0.08	---
20245	1/2″	0.84	0.69	0.14	---

262PF **1262** 62P **262P**

BULKHEAD UNION




MP82
282PF

PART #	TUBE O.D.	A	HEX	APPROX. WT. LBS.	LIST PRICE
20337	1/4″	1.25	0.56	0.06	---
20338	5/16″	1.25	0.62	0.08	---
20339	3/8″	1.31	0.69	0.10	---

62PBH **329P** 282P

UNION TUBE #M62C - FLARELESS X STANDARD COMPRESSION




MP62C
262PFC

PART #	TUBE O.D.	A	HEX 1	HEX 2	APPROX. WT. LBS.	LIST PRICE
20235	1/4″	0.75	0.44	0.50	0.04	---
20237	3/8″	0.84	0.62	0.62	0.08	---

262S **62PCA** 262PC

BULKHEAD UNION - FLARELESS X COMPRESSION



MP827
282PFC


PART #	TUBE O.D.	A	HEX	APPROX. WT. LBS.	LIST PRICE
20333	1/4″	1.31	0.56	0.07	---
20334	3/8″	1.44	0.69	0.12	---

1274

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FLARELESS
BRASS FITTINGS

UNION TEE




MP6A
264PF

PART #	TUBE O.D.	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20248	1/8″	0.62	0.31	0.02	---
20249	3/16″	0.62	0.31	0.04	---
20250	1/4″	0.73	0.44	0.06	---
20251	5/16″	0.62	0.37	0.08	---
20252	3/8″	0.86	0.56	0.08	---
20330*	3/8″ x 1/4″	0.72	0.44	0.08	---
20253	1/2″	0.81	0.62	0.24	---

* Reducing Branch

1264 **164P** 264P

FEMALE CONNECTOR




MP66
266PF

PART #	TUBE O.D. X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
20256	1/8″ x 1/8″	0.75	0.56	0.03	---
20257	3/16″ x 1/8″	0.78	0.56	0.05	---
20259	1/4″ x 1/8″	0.76	0.50	0.04	---
20260	1/4″ x 1/4″	1.08	0.62	0.05	---
20261	5/16″ x 1/8″	0.75	0.50	0.03	---
20265	3/8″ x 1/8″	0.77	0.56	0.05	---
20262	3/8″ x 1/4″	0.94	0.62	0.05	---
20263	1/2″ x 3/8″	1.00	0.81	0.12	---

1266 **66P** 266P

MALE CONNECTOR




MP68
268PF

PART #	TUBE O.D. X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
20268	1/8″ x 1/8″	0.80	0.34	0.04	---
20269	3/16″ x 1/8″	0.86	0.44	0.04	---
20270	1/4" x 10/32"				
20271	1/4″ x 1/8″	0.82	0.44	0.03	---
20272	1/4″ x 1/4″	1.00	0.56	0.05	---
20273	1/4″ x 3/8″	1.03	0.69	0.08	---
20274	5/16″ x 1/8″	0.81	0.44	0.04	---
20275	5/16″ x 1/4"	1.00	0.56	0.05	---
20276	3/8″ x 1/8″	1.00	0.56	0.06	---
20277	3/8″ x 1/4″	1.03	0.56	0.08	---
20278	3/8″ x 3/8″	1.03	0.69	0.10	---
20279	1/2″ x 3/8″	1.09	0.69	0.16	---
20282	1/2″ x 1/2″	1.33	0.88	0.18	---

1268 **68P** 268P

MALE ELBOW



MP69
269PF


PART #	TUBE O.D. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20287	1/8″ x 1/8″	0.62	0.69	0.31	0.02	---
20288	3/16″ x 1/8″	0.62	0.69	0.37	0.04	---
20289*	1/4″ x 1/8″	0.53	0.73	0.50	0.04	---
20290	1/4″ x 1/4″	0.66	0.94	0.37	0.06	---
20291	1/4″ x 3/8″	0.75	1.03	0.50	0.10	---
20292	5/16″ x 1/8″	0.62	0.75	0.41	0.04	---
20293	3/8″ x 1/8″	0.79	0.73	0.37	0.08	---
20294	3/8″ x 1/4″	0.72	0.94	0.44	0.10	---
20295	3/8″ x 3/8″	0.78	1.03	0.50	0.14	---
20296	1/2″ x 3/8″	1.09	1.10	0.73	0.16	---

* Barstock

1269 **169P** 269P

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FEMALE ELBOW




MP70
270PF

PART #	TUBE O.D. X FEMALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20300	1/8" x 1/8"	0.69	0.55	0.56	0.02	---
20301	3/16" x 1/8"	0.72	0.55	0.56	0.02	---
20302	1/4" x 1/8"	0.62	0.75	0.37	0.08	---
20303	1/4" x 1/4"	0.72	0.88	0.50	0.10	---
20304	3/8" x 1/4"	0.72	0.88	0.50	0.12	---
20305	1/2" x 3/8"	0.91	0.94	0.63	0.16	---

1270 **170P**

MALE RUN TEE




MP71
271PF

PART #	TUBE O.D. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20308	1/8" x 1/8"	0.62	0.69	0.31	0.04	---
20309	3/16" x 1/8"	0.62	0.69	0.31	0.04	---
20310	1/4" x 1/8"	0.62	0.75	0.37	0.08	---
20311	1/4" x 1/4"	0.66	0.94	0.37	0.10	---
20312	5/16" x 1/8"	0.62	0.75	0.37	0.08	---
20313	3/8" x 1/4"	0.66	0.94	0.44	0.10	---
20314	1/2" x 3/8"	0.81	1.06	0.63	0.16	---

1271 **171P**

MALE BRANCH TEE




MP72
272PF

PART #	TUBE O.D. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20317	1/8" x 1/8"	0.63	0.69	0.31	0.04	---
20318	3/16" x 1/8"	0.63	0.69	0.31	0.04	---
20319	1/4" x 1/8"	0.63	0.75	0.37	0.07	---
20320	1/4" x 1/4"	0.66	0.94	0.37	0.09	---
20321	5/16" x 1/8"	0.63	0.75	0.37	0.10	---
20322	3/8" x 1/8"	0.63	0.75	0.44	0.08	---
20323	3/8" x 1/4"	0.66	0.94	0.44	0.11	---
20324	1/2" x 3/8"	0.81	1.06	0.63	0.21	---

1272 **172P** 272P

FEMALE BRANCH TEE



MP77
277PF

PART #	TUBE O.D. X FEMALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20327	1/4" x 1/8"	0.66	0.94	0.37	0.12	---
20328	1/4" x 1/4"	0.84	1.16	0.56	0.16	---

1277 **177P** 277P

Dimension data can change without notice. Please check when dimensions are critical.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FLARELESS
BRASS FITTINGS

UNIVERSAL NUT AND BRASS SLEEVE ASSEMBLY



MP61B
261PFB

PART #	TUBE O.D.	THREAD	A	HEX	APPROX. WT. LBS.	LIST PRICE
20227	1/8″	5/16-24	0.37	0.37	0.02	---
20228	3/16″	3/8-24	0.41	0.44	0.02	---
20229	1/4″	3/8-24	0.34	0.43	0.02	---
20230	5/16″	7/16-24	0.34	0.50	0.02	---
20231	3/8″	1/2-24	0.37	0.56	0.04	---
20232	1/2″	11/16-20	0.42	0.81	0.04	---

261PFB **1261B** 61PB **261UB**

NUT




MP61
261PFN

PART #	TUBE O.D.	THREAD	A	HEX (DIA.)	APPROX. WT. LBS.	LIST PRICE
20218	1/8″	5/16-24	0.37	0.37	0.01	---
20219	3/16″	3/8-24	0.41	0.44	0.01	---
20220	1/4″	3/8-24	0.34	0.44	0.02	---
20221	5/16″	7/16-24	0.34	0.50	0.02	---
20222	3/8″	1/2-24	0.38	0.56	0.04	---
20223	1/2″	11/16-20	0.42	0.81	0.06	---

61PN **1261** 261FPN

PLASTIC SLEEVE




MP60
260PF

PART #	TUBE O.D.	A	B	APPROX. WT. LBS.	LIST PRICE
20205	1/4″	0.34	0.26	0.01	---
20206	5/16″	0.39	0.32	0.01	---
20207	3/8″	0.41	0.38	0.01	---
20208	1/2″	0.44	0.51	0.01	---

260FF **1260** 60P **260P**

PLASTIC CAP



MP59
269PF

PART #	TUBE O.D.	A	APPROX. WT. LBS.	LIST PRICE
20201	1/4″	0.50	0.01	---
20203	3/8″	0.56	0.01	---
20204	1/2″	0.59	0.01	---

1229 **59P** 259P

Dimension data can change without notice. Please check when dimensions are critical.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PUSH-IN/ PUSH-TO-CONNECT FITTINGS

BRASS PUSH-IN



NICKEL PLATED BRASS PUSH-IN



BALL VALVES FOR N/P PUSH-IN



METRIC N/P BRASS PUSH-IN



COMPOSITE BODY PUSH-IN



COMPOSITE BODY METRIC PUSH-IN



FDA PLASTIC PUSH-IN



DOT BRASS PUSH-IN



DOT COMPOSITE PUSH-IN




WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS PUSH-IN FITTINGS



ENGINEERING AND DESIGN

- **QUICK CONNECT**, simply push tubing in, no tools. Saves up to 75% of assembly time of standard compression fittings.
- **QUICK DISCONNECT**, hold two fingers on insert and pull tubing out, no tools required.
- **REUSEABLE**, connect and disconnect numerous times.
- **FULL FLOW DESIGN**, provides up to 60% more flow area than conventional fittings with internal tube supports.
- **POSITIVE SEAL**, no leaks. After tubing is inserted, seal is made.
- **VERSATILE**, BunaN "O" rings standard. Other materials of "O" rings available.
- **SECURE TUBE RETENTION**, pulling on tubing only serves to tighten the connection.
- **SELF CONTAINED ASSEMBLY**, no loose parts, brass body and insert.
- **BRASS CONSTRUCTION**, elbows and tees are forged brass.
- **CHOICE** of convenient swivel of economical stationary elbows and tees.
- **STRAIGHT CONNECTORS** have interior hex for Allen key tightening where space is limited...no need to use a wrench.
- **PRE-APPLIED TEFLON ®** based pipe sealant on all male pipe threads, saving customer additional labor.
- **METRIC SIZES AVAILABLE**: Metric tube sizes from 2mm through 12mm in both standard NPT and metric pipe sizes are available on a special order basis.
- **WORKING TEMPERATURE**:
-10^{0}F to 200^{0}F (other ranges available on request).
- **PIPE THREAD**: NPTF with Teflon ® based sealant pre-applied.




When tubing (1) is inserted into the fitting, it first passes through the gripping teeth (2). Just beyond the gripping teeth is the o-ring (3) which provides the leak proof seal against the OD of the tube. The gripping teeth grab the tube, which expands the insert. Pulling back on the tube only tightens the grip as the insert moves onto the camming surface (4). Pressure through the tube also serves to tighten the grip. The tube bottoms against a positive tube stop (5) in a cavity providing tube support to prevent leakage.

- **Tolerance**
  +/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS PUSH-IN FITTINGS
BRASS FITTINGS

UNION CONNECTOR




AQ62P
MQ62

PART #	TUBE O.D.	A	B	APPROX. WT. LBS.	LIST PRICE
20017	1/8″	1.07	0.38	0.03	---
20018	5/32″	1.07	0.38	0.03	---
20019	1/4″	1.50	0.44	0.05	---
20022	3/8″ x 1/4″	1.46	0.56	0.05	---
20020	3/8″	1.44	0.56	0.06	---
20021	1/2″	1.63	0.81	0.18	---

AQ62 **6580** 3106 **62PL** KQH **12-020** 50-562 **262-OF** 1162 **262PP**

UNION TEE




AQ64P
MQ64

PART #	TUBE O.D.	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20025	1/8″	0.65	0.31	0.04	---
20026	5/32″	0.67	0.31	0.04	---
20027	3/16″	0.75	0.37	0.06	---
20028	1/4″	0.92	0.37	0.09	---
20031*	5/16″	0.89	0.49	0.10	---
20029	3/8″	0.98	0.50	0.13	---
20030	1/2″	1.16	0.62	0.24	---

* Nickel Plated

KQT **12-060** 50-564 **264OF** 264PP **1164** AQ64 **6540** 3140

UNION ELBOW




AQ65P
MQ65

PART #	TUBE O.D.	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20150	1/8″	0.65	0.31	0.02	---
20151	5/32″	0.67	0.31	0.04	---
20152	1/4″	0.87	0.37	0.06	---
20155	5/16″	0.91	0.47	0.08	---
20153	3/8″	0.97	0.50	0.09	---
20154	1/2″	1.15	0.62	0.18	---

AQ65 **6550** 3102 **165PL** KQL **12-040** 50-565 **265-OF**

FEMALE CONNECTOR



AQ66P


PART #	TUBE O.D. X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
20032	1/8″ x 1/8″	0.96	0.56	0.04	---
20038	1/8″ x 1/4″	1.04	0.67	0.04	---
20012	5/32" x 1/8"	1.09	0.56	0.05	---
20034	1/4″ x 1/8″	1.23	0.56	0.06	---
20035	1/4″ x 1/4″	1.42	0.75	0.09	---
20036	3/8″ x 1/4″	1.32	0.75	0.09	---
20037	3/8″ x 3/8″	1.31	0.87	0.12	---

266PP **AQ66** 6463 **3114** 66PL **12-426** 50-566 **266-OF** 1166

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS PUSH-IN FITTINGS
BRASS FITTINGS

MALE CONNECTOR




AQ68P
MQ68

PART #	TUBE O.D. X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
20047*	1/8" x 10-32"*	0.69	0.37	0.02	---
20045	1/8" x 1/16"	0.68	0.37	0.02	---
20048	1/8" x 1/8"	0.61	0.43	0.02	---
20023	1/8" x 1/4"	0.98	0.56	0.04	---
20049*	5/32" x 10-32"*	0.67	0.37	0.02	---
20050	5/32" x 1/8"	0.67	0.43	0.03	---
20046	5/32" x 1/4"	0.85	0.56	0.05	---
20051*	3/16" x 10-32"*	0.80	0.37	0.02	---
20052	3/16" x 1/8"	0.93	0.43	0.03	---
20053*	1/4" x 10-32"*	0.70	0.43	0.03	---
20039	1/4" x 1/16"	0.92	0.43	0.06	---
20054	1/4" x 1/8"	0.93	0.43	0.06	---
20055	1/4" x 1/4"	0.93	0.56	0.10	---
20056	1/4" x 3/8"	0.94	0.68	0.08	---
20530	5/16" x 1/8"	1.07	0.56	0.05	---
20531	5/16" x 1/4"	0.98	0.56	0.10	---
20532	5/16" x 3/8"	1.06	0.75	0.08	---
20057	3/8" x 1/8"	1.10	0.56	0.06	---
20058	3/8" x 1/4"	1.11	0.56	0.05	---
20059	3/8" x 3/8"	1.02	0.68	0.08	---
20062	3/8"x 1/2"	1.02	0.87	0.08	---
20060	1/2" x 1/4"	1.36	0.81	0.11	---
20061	1/2" x 3/8"	1.30	0.81	0.12	---
20063	1/2" x 1/2"	1.23	0.87	0.14	---

* Furnished with gaskets

268PP **AQ68** 6510 **3115** 68PL **KQH** 12-425 **50-568** 268-OF **1168**

SWIVEL MALE ELBOW



AQ69PS
MQ69S

PART #	TUBE O.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
20079	1/8" x 1/8"	0.69	0.98	0.43	0.07	---
20535*	1/8" x 1/4"	0.76	0.87	0.56	0.06	---
20076**	5/32" x 10-32"	0.67	0.71	0.37	0.04	---
20080	5/32" x 1/8"	0.68	0.89	0.43	0.05	---
20077	5/32" x 1/4"	0.68	1.08	0.56	0.07	---
20078**	1/4" x 10-32"	0.86	0.79	0.31	0.05	---
20081	1/4" x 1/8"	0.90	0.93	0.37	0.08	---
20082	1/4" x 1/4"	0.90	0.99	0.56	0.10	---
20086	1/4" x 3/8"	0.98	1.14	0.68	0.09	---
20538*	5/16" x 1/4"	0.91	0.85	0.56	0.07	---
20539*	5/16" x 3/8"	0.91	0.87	0.75	0.08	---
20087	3/8" x 1/8"	1.00	1.06	0.43	0.09	---
20083	3/8" x 1/4"	0.99	1.15	0.56	0.10	---
20084	3/8" x 3/8"	1.00	1.24	0.68	0.20	---
20088	3/8" x 1/2"	1.00	1.54	0.87	0.19	---
20085	1/2" x 3/8"	1.16	1.34	0.68	0.18	---
20092	1/2" x 1/2"	1.16	1.51	0.87	0.24	---

* Nickel Plated
** Furnished with gaskets


aq69-ps **56520** 3109 **169pl** kql **12-447** 50-579 **269-OFS** 11695

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS PUSH-IN FITTINGS

BRASS FITTINGS

FIXED MALE ELBOW




AQ69P
MQ69

PART #	TUBE O.D. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20065	1/8″ x 1/8″	0.69	0.69	0.31	0.03	---
20066	5/32″ x 1/8″	0.68	0.68	0.31	0.03	---
20067	3/16″ x 1/8″	0.75	0.71	0.37	0.04	---
20068	1/4″ x 1/8″	0.89	0.75	0.37	0.06	---
20069	1/4″ x 1/4″	0.95	0.96	0.37	0.08	---
20070	1/4″ x 3/8″	1.00	0.98	0.50	0.10	---
20071	3/8″ x 1/8″	0.99	0.80	0.50	0.06	---
20072	3/8″ x 1/4″	0.98	0.98	0.50	0.09	---
20073	3/8″ x 3/8″	0.97	0.98	0.50	0.12	---
20074	1/2″ x 1/4″	1.15	1.05	0.62	0.15	---
20075	1/2″ x 3/8″	1.18	1.05	0.62	0.22	---
20064	1/2″ x 1/2″	1.16	1.66	0.62	0.20	---

269PP **AQ69-P** 6500 **169PLNS** 12-445 **1169**

Dimension data can change without notice. Please check when dimensions are critical.


FEMALE SWIVEL ELBOW



AQ70PS
MQ70S

PART #	TUBE O.D. X FEMALE NPTF	A	B	HEX	LIST PRICE
20094S	5/32" x 1/8"	0.76	1.06	0.56	---
20089S	1/4" x 1/8"	0.98	1.08	0.56	---
20090S	1/4" x 1/4"	0.98	1.26	0.75	---
20091S	3/8" x 1/4"	1.07	1.48	0.75	---

FEMALE ELBOW



AQ70P
MQ70


PART #	TUBE O.D. X FEMALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20192	1/8" x 1/8"	0.78	0.82	0.31	0.02	---
20094	5/32" x 1/8"	0.68	0.82	0.37	0.02	---
20089	1/4" x 1/8"	0.91	0.75	0.37	0.06	---
20090	1/4" x 1/4"	1.03	1.03	0.50	0.11	---
20091	3/8" x 1/4"	0.98	0.95	0.50	0.16	---

AQ70-P **3009**

WARNING: This product can expose you to chemicals, including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit www.P65Warnings.ca.gov

BRASS PUSH-IN FITTINGS
BRASS FITTINGS

SWIVEL MALE RUN TEE




AQ71PS
MQ71S

PART #	TUBE O.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
20160	1/8" x 1/8"	0.65	0.86	0.43	0.08	---
20161	5/32" x 1/8"	0.67	1.04	0.43	0.09	---
20162	1/4" x 1/8"	0.92	1.04	0.44	0.09	---
20163	1/4" x 1/4"	0.92	1.13	0.56	0.11	---
20164	3/8" x 1/4"	0.94	1.19	0.56	0.11	---
20165	3/8" x 3/8"	0.96	1.24	0.50	0.12	---
20174	1/2" x 1/4"	1.12	1.18	0.51	0.16	---
20166	1/2" x 3/8"	1.14	1.31	0.68	0.14	---
20167	1/2" x 1/2"	1.14	1.61	0.87	0.16	---

AQ71-PS **56440** 3103 **171PL** KQY **12-468** 50-571 **271-OFS** 11715

FIXED MALE RUN TEE




AQ71P
MQ71

PART #	TUBE O.D. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20095	1/8" x 1/8"	0.65	0.72	0.31	0.04	---
20097	3/16" x 1/8"	0.75	0.73	0.37	0.06	----
20098	1/4" x 1/8"	0.92	0.74	0.37	0.08	---
20093	1/4" x 1/4"	0.92	0.92	0.43	0.10	---
20099	3/8" x 1/8"	0.94	0.82	0.50	0.14	---
20100	3/8" x 1/4"	0.98	0.98	0.50	0.12	---
20101	3/8" x 3/8"	1.05	1.05	0.62	0.10	---
20102	1/2" x 3/8"	1.14	1.05	0.62	0.18	---

AQ71-P

SWIVEL MALE BRANCH TEE




AQ72PS
MQ72S

PART #	TUBE O.D. X MALE NPTF	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
20103	1/8" x 1/8"	0.65	0.81	0.31	0.04	---
20104*	5/32" x 10-32"*	0.65	0.71	0.31	0.04	---
20109	5/32" x 1/8"	0.67	0.94	0.37	0.06	---
20105	1/4" x 1/8"	0.92	0.97	0.43	0.08	---
20106	1/4" x 1/4"	0.92	1.09	0.55	0.10	---
20107	3/8" x 1/4"	0.96	1.14	0.56	0.18	---
20108	3/8" x 3/8"	0.96	1.23	0.69	0.16	---
20110	1/2" x 3/8"	1.16	1.34	0.69	0.24	---
20111	1/2" x 1/2"	1.16	1.64	0.87	0.28	---

* Furnished with gaskets

FIXED MALE BRANCH TEE



AQ72P
MQ72

PART #	TUBE O.D. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20112	1/8" x 1/8"	0.69	0.72	0.31	0.04	---
20113	5/32" x 1/8"	0.69	0.65	0.31	0.04	---
20115	1/4" x 1/8"	0.92	0.74	0.37	0.12	---
20116	1/4" x 1/4"	0.91	0.91	0.43	0.10	---
20117	3/8" x 1/8"	0.98	0.80	0.50	0.08	---
20118	3/8" x 1/4"	0.98	0.97	0.50	0.12	---
20119	3/8" x 3/8"	0.98	0.97	0.50	0.14	---
20120	1/2" x 3/8"	1.16	1.05	0.62	0.18	---


AQ72-P

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS PUSH-IN FITTINGS

BRASS FITTINGS


UNION "Y"



AQ89P

PART #	TUBE O.D. 1 X 2	A	B	APPROX. WT. LBS.	LIST PRICE
20551	5/32" x 5/32"	1.36	0.81	0.11	---
20552	1/4" x 1/8"	1.61	1.06	0.12	---
20553	1/4" x 1/4"	1.81	1.16	0.14	---

BULKHEAD UNION




AQ82P
MQ82

PART #	TUBE O.D. A	B	C	HEX	APPROX. WT. LBS.	LIST PRICE
20124	1/8"	1.12	7/16-20	0.62	0.03	---
20125	5/32"	1.12	7/16-20	0.62	0.03	---
20126	3/16"	1.27	1/2-20	0.68	0.04	---
20127	1/4"	1.69	1/2-20	0.68	0.06	---
20128	3/8"	1.69	3/4-16	0.81	0.13	---
20129	1/2"	1.85	15/16-20	1.12	0.16	---

AQ82-P **6590** 62PLBH **KQE** 12-029 **50-582** 282-OF **1174**

FEMALE BULKHEAD UNION




AQ86P
MQ86

PART #	TUBE O.D. X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
20170	1/4" x 1/8"	1.19	0.68	0.08	---
20171	1/4" x 1/4"	1.36	0.75	0.10	---
20172	3/8" x 1/4"	1.71	0.75	0.14	---

AQ86-P **1166BH**


Dimension data can change without notice. Please call us when dimensions are critical.

CROSS



SIZE	SIZE	A	B	BODY SIZE	LIST PRICE
20142	1/4"	1.03	2.06	0.37	---
20143	3/8"	1.06	2.12	0.50	---

REDUCER - NICKEL PLATED - TUBE OD X STUD




MQ97

PART #	TUBE O.D. 1 X 2	A	B	APPROX. WT. LBS.	LIST PRICE
20510	1/8" x 1/4"	1.38	0.39	0.02	---
20511	5/32" x 1/4"	1.33	0.35	0.02	---
20512	1/4" x 3/8"	1.50	0.51	0.04	---

67PPL **286PP**

PLASTIC PLUG



AQ59P
MQ59

▪ Cored

PART #	TUBE O.D.	A	APPROX. WT. LBS.	LIST PRICE
20009	5/32"	1.16	0.01	---
20010	1/4"	1.40	0.01	---
20011	3/8"	1.40	0.02	---
20013	1/2"	1.50	0.02	---

284PP **AQ59** 209-OF **1129** 6900 **639PL** 12-004 **50-526**

WARNING: This product can expose you to chemicals, including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit www.P65Warnings.ca.gov

NICKEL PLATED PUSH-IN FITTINGS
WITH GLOBAL THREAD

• NPTF • BSPP • BSPT • ISO 7 • ISO 228 • G THREAD • J THREAD



- Saves time and money
- No stripped threads
- No stripped parts
- Reduce inventory
- Completely reusable
- Quick installation
- No pitch identification

Component Parts and Materials	
Body	Brass - Nickel Plated
Thrust Ring	Acetalic Resin/ Glass filled Nylon
Sleeve	Brass - Nickel Plated
Gripper Collet	Stainless Steel
Safety Ring	PA66
Lip Seal (1/8 O-Ring Seal)	NBR 70
Thread Seal	NBR 70

Max Operating Pressure: Vacuum to 290PSI.
Min Temperature: -4°F
Max Temperature: 176°F
Tubing: Nylon, Polyethylene, Polyurethane.
- For best results use 95 Durometer
Media: Compressed air, water, vacuum

- **Tolerance**
  +/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

GLOBAL THREAD

WORKS WITH INCH OR METRIC THREADS

GLOBAL THREAD
NPT • BSPT • RC • NPTF • BSPP • G


"Global Thread" fittings can be assembled with female threads produced to the following standards:

Tapered NPTF
Parrallel (BSPP, BSP, ISO 7)
Tapered (BSPT, PT, ISO 7, ISO 228)

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED PUSH-IN FITTINGS

UNION CONNECTOR




PART #	TUBE O.D.	A	B	APPROX. WT. LBS.	LIST PRICE
20017N	1/8″	1.06	0.34	0.03	---
20018N*	5/32″	1.20	0.41	0.03	---
20016N	5/32" x 1/4"	1.20	0.40	0.04	---
20019N*	1/4″	1.38	0.49	0.05	---
20015N*	5/16"	1.46	0.57	0.06	---
20020N*	3/8″	1.69	0.69	0.06	---
20022N	3/8" x 1/4"	1.69	0.68	0.06	---
20021N*	1/2″	1.93	0.81	0.18	---
20024N	1/2" x 3/8"	1.84	0.80	0.17	---

62PL **88040**

* Available in SS

UNION TEE




PART #	TUBE O.D.	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20025N	1/8″	0.67	0.35	0.04	---
20026N*	5/32″	0.67	0.35	0.04	---
20028N*	1/4″	0.83	0.43	0.09	---
20031N*	5/16″	0.87	0.51	0.10	---
20029N*	3/8″	1.04	0.63	0.13	---
20030N*	1/2″	1.20	0.74	0.24	---

164PL **88230**

* Available in SS

UNION ELBOW




PART #	TUBE O.D.	A	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20150N	1/8″	0.67	0.35	0.02	---
20151N*	5/32″	0.67	0.35	0.04	---
20152N*	1/4″	0.83	0.43	0.06	---
20155N*	5/16″	0.87	0.51	0.08	---
20153N*	3/8″	1.04	0.63	0.09	---
20154N*	1/2″	1.20	0.75	0.18	---

165PL **88130**

* Available in SS

FEMALE CONNECTOR



PART #	TUBE O.D. X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
20032N	1/8″ x 1/8″	0.93	0.51	0.04	---
20038N	1/8″ x 1/4″	1.14	0.63	0.04	---
20034N	1/4″ x 1/8″	1.06	0.51	0.06	---
20035N	1/4″ x 1/4″	1.26	0.63	0.09	---
20036N	3/8″ x 1/4″	1.38	0.71	0.09	---
20037N	3/8″ x 3/8″	1.38	0.79	0.12	---


66PL **88030**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED PUSH-IN FITTINGS

BRASS FITTINGS

MALE CONNECTOR




GLOBAL THREAD
NPT • BSPT • RC • NPTF • BSPP • G

- Can be purchased with NPTF threads upon request

* Available in stainless steel

PART #	TUBE O.D. X MALE GLOBAL THREAD	A	HEX	APPROX. WT. LBS.	LIST PRICE
20047N	1/8" x 10-32"	0.75	0.31	0.02	---
20048N	1/8" x 1/8"	0.77	0.43	0.02	---
20023N	1/8" x 1/4"	0.97	0.55	0.04	---
20049N*	5/32" x 10-32"	0.83	0.39	0.02	---
20050N*	5/32" x 1/8"	0.83	0.43	0.03	---
20046N*	5/32" x 1/4"	0.98	0.55	0.05	---
20053N*	1/4" x 10-32"	0.97	0.51	0.03	---
20054N*	1/4" x 1/8"	0.98	0.51	0.06	---
20055N*	1/4" x 1/4"	0.98	0.55	0.10	---
20056N	1/4" x 3/8"	0.98	0.71	0.08	---
20530N*	5/16" x 1/8"	0.98	0.55	0.05	---
20531N*	5/16" x 1/4"	1.08	0.55	0.10	---
20532N	5/16" x 3/8"	1.08	0.71	0.08	---
20057N	3/8" x 1/8"	1.38	0.67	0.06	---
20058N*	3/8" x 1/4"	1.32	0.67	0.05	---
20059N*	3/8" x 3/8"	1.32	0.71	0.08	---
20062N	3/8" x 1/2"	1.32	0.87	0.08	---
20841N	1/2" x1/8"	1.03	0.79	0.12	---
20060N	1/2" x 1/4"	1.54	0.79	0.11	---
20061N*	1/2" x 3/8"	1.42	0.79	0.12	---
20063N*	1/2" x 1/2"	1.58	0.87	0.14	---


MALE CONNECTOR WITH INTERNAL HEX



PART #	TUBE O.D. X MALE GLOBAL THREAD	A	HEX	APPROX. WT. LBS.	LIST PRICE
20842N	1/8" x 10-32" UNF	0.71	0.10	0.02	---
20847N	5/32" x 10-32 UNF	0.79	0.10	0.02	---
20846N	5/32" x 1/8"	0.71	0.12	0.03	---
20845N	1/4" x 10-32" UNF	0.93	0.10	0.03	---
20843N	1/4" x 1/8"	0.93	0.16	0.06	---
20844N	1/4" x 1/4"	0.85	0.16	0.10	---

68PL **87000**

FIXED MALE ELBOW



PART #	TUBE O.D. X MALE NPTF	A	B	BODY SIZE	APPROX. WT. LBS.	LIST PRICE
20068N	1/4" x 1/8"	0.83	0.73	0.43	0.06	---
20069N	1/4" x 1/4"	0.83	0.91	0.43	0.08	---
20072N	3/8" x 1/4"	1.04	1.04	0.63	0.09	---
20073N	3/8" x 3/8"	1.04	1.00	0.63	0.12	---


W169PLNS **8100**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED PUSH-IN FITTINGS

BRASS FITTINGS

SWIVEL MALE ELBOW






▪ Can be purchased with NPTF threads upon request

* Available in stainless steel

PART #	TUBE O.D. X MALE GLOBAL THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
20079N	1/8″ x 1/8″	0.67	0.78	0.51	0.07	---
20535N	1/8″ x 1/4″	0.67	0.95	0.59	0.06	---
20076N*	5/32″ x 10-32″	0.67	0.95	0.59	0.04	---
20080N*	5/32″ x 1/8″	0.67	0.79	0.51	0.05	---
20848N*	5/32" x 1/4"	0.67	1.00	0.59	0.05	---
20081N*	1/4″ x 1/8″	0.83	0.87	0.51	0.08	---
20082N*	1/4″ x 1/4″	0.83	0.98	0.59	0.10	---
20086N	1/4″ x 3/8″	0.83	1.10	0.67	0.09	---
20537N*	5/16" x 1/8"	0.91	0.98	0.51	0.06	---
20538N*	5/16″ x 1/4″	0.89	1.02	0.59	0.07	---
20539N	5/16″ x 3/8″	0.87	1.10	0.67	0.08	---
20087N	3/8″ x 1/8″	1.04	1.02	0.51	0.09	---
20083N*	3/8″ x 1/4″	1.04	1.10	0.59	0.10	---
20084N*	3/8″ x 3/8″	1.04	1.18	0.67	0.20	---
20088N*	3/8″ x 1/2″	1.04	1.30	0.83	0.19	---
20184N	1/2" x 1/4"	1.24	1.30	0.59	0.17	---
20085N*	1/2″ x 3/8″	1.20	1.24	0.59	0.18	---
20092N*	1/2″ x 1/2″	1.20	1.42	0.83	0.24	---


W169PL **87110**

FEMALE SWIVEL ELBOW



PART #	TUBE O.D. X FEMALE NPTF	A	B	HEX	LIST PRICE
20094N	5/32" x 1/8"	0.669	0.994	0.354	---
20089N	1/4" x 1/8"	0.826	1.023	0.433	---
20090N	1/4" x 1/4"	0.826	1.200	0.433	---
20762N	3/8" x 1/8"	0.885	1.082	0.511	---
20091N	3/8" x 1/4"	0.885	1.240	0.511	---

SWIVEL MALE RUN TEE





▪ Can be purchased with NPTF threads upon request


PART #	TUBE O.D. X MALE GLOBAL THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
20095N	1/8" x 1/8"	0.67	0.81	0.51	0.05	---
20851N	1/8" x 1/4"	0.67	0.95	0.59	0.06	---
20852N	5/32" x 1/8"	0.67	0.79	0.51	0.07	---
20853N	5/32" x 1/4"	0.67	0.95	0.59	0.07	---
20162N	1/4″ x 1/8″	0.83	0.87	0.51	0.09	---
20163N	1/4″ x 1/4″	0.83	0.98	0.59	0.11	---
20164N	1/4" x 3/8"	0.83	1.10	0.59	0.11	---
20159N	3/8" x 1/8"	1.04	1.07	0.59	0.12	---
20168N	3/8" x 1/4"	1.04	1.10	0.59	0.12	---
20165N	3/8″ x 3/8″	1.04	1.18	0.67	0.12	---
20181N	3/8" x 1/2"	1.20	1.24	0.59	0.15	---
20174N	1/2″ x 1/4″	1.20	1.24	0.59	0.16	---
20166N	1/2″ x 3/8″	1.20	1.30	0.67	0.14	---
20167N	1/2" x 1/2"	1.20	1.42	0.83	0.17	---

W171PL **87222**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED PUSH-IN FITTINGS
BRASS FITTINGS

SWIVEL MALE BRANCH TEE



GLOBAL THREAD
NPT • BSPT • RC • NPTF • BSPP • G


PART #	TUBE O.D. X MALE GLOBAL THREAD	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
20103N	1/8″ x 1/8″	0.67	0.78	0.51	0.04	---
20104N	5/32″ x 10-32″	0.67	0.79	0.31	0.04	---
20109N	5/32" x 1/8"	0.70	0.79	0.51	0.06	---
20850N	5/32" x 1/4"	0.67	1.00	0.59	0.06	---
20105N	1/4″ x 1/8″	0.83	0.87	0.51	0.08	---
20106N	1/4″ x 1/4″	0.83	0.98	0.59	0.10	---
20156N	1/4" x 3/8"	1.043	1.10	0.59	0.18	---
20157N	3/8" x 1/8"	1.04	1.08	0.59	0.18	---
20107N	3/8″ x 1/4″	1.04	1.10	0.59	0.18	---
20108N	3/8″ x 3/8″	1.04	1.18	0.67	0.16	---
20158N	3/8" x 1/2"	1.04	1.30	0.82	0.18	---
20112N	1/2" x 1/4"	1.20	1.24	0.59	0.23	---
20110N	1/2″ x 3/8″	1.20	1.30	0.67	0.24	---
20111N	1/2″ x 1/2″	1.20	1.42	0.82	0.28	---

▪ Can be purchased with NPTF threads upon request

* Available in stainless steel

W172PL **87210**

BULKHEAD UNION




PART #	TUBE O.D.	A	HEX	APPROX. WT. LBS.	LIST PRICE
20124N	1/8"	1.03	0.55	0.04	---
20125N*	5/32"	1.22	0.67	0.05	---
20127N*	1/4″	1.38	0.67	0.06	---
20123N*	5/16″	1.45	0.74	0.08	---
20128N*	3/8″	1.69	0.94	0.13	---
20129N*	1/2"	1.93	1.02	0.15	---

* Available in stainless steel

62PLBH **88050**

UNION "Y"



PART #	TUBE O.D.	A	B	APPROX. WT. LBS.	LIST PRICE
20553N	1/4″ x 1/4″	1.44	0.53	0.14	---

662PL **88310**

REDUCER



PART #	TUBE O.D. 2	TUBE O.D. 1	A	LIST PRICE
20510N	1/4"	1/8"	1.142	---
20511N	1/4"	5/32"	1.181	---
20512N	3/8"	1/4"	1.496	---
20513N	1/2"	1/4"	1.693	---
20514N	1/2"	3/8"	1.693	---

67PPL **88700**

Also available:
- Nylon plug
- Single banjo
- Double banjo
- Push fit cartridges and tools

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

CHROME PLATED BRASS MINI BALL VALVES

- Compact Design
- Max Working Pressure 250 psi
- Optional colors of handle plate for identification



PUSH-IN X PUSH-IN

PART #	SIZE	BOX/CASE	WGT.	LIST PRICE
28400	1/8	30/300	.07	---
28401	1/4	30/300	.10	---
28402	3/8	20/200	.21	---



PUSH-IN X MALE PIPE

PART #	SIZE TUBE X MIP	BOX/ CASE	WGT.	LIST PRICE
28403	5/32 x 1/8	30/300	.08	---
28407	1/4 x 1/8	30/300	.08	---
28404	1/4 x 1/4	30/300	.10	---
28405	3/8 x 3/8	20/200	.17	---



FIP X FIP

PART #	SIZE	BOX/CASE	WGT.	LIST PRICE
46650	1/8	30/300	.11	---
46651	1/4	30/300	.10	---
46652	3/8	20/200	.14	---
46653	1/2	15/150	.25	---



MIP X FIP

PART #	SIZE	BOX/CASE	WGT.	LIST PRICE
46660	1/8	30/300	.11	---
46661	1/4	30/300	.10	---
46662	3/8	20/200	.14	---
46663	1/2	15/150	.25	---

PANEL MOUNT DESIGN



FIP X FIP ANGLE

PART #	SIZE	BOX/CASE	WGT.	LIST PRICE
46670	1/8	20/200	.19	---
46671	1/4	20/200	.20	---
46672	3/8	25/250	.11	---



3-WAY FIP - OPEN CENTER

PART #	SIZE	BOX/CASE	WGT.	LIST PRICE
466900	1/8	25/250	.13	---
466901	1/4	20/200	.21	---
466902	3/8	20/200	.21	---



3-WAY FIP - CLOSED CENTER


PART #	SIZE	BOX/CASE	WGT.	LIST PRICE
46680	1/8	25/250	.13	---
46681	1/4	20/200	.21	---
46682	3/8	20/200	.21	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED METRIC PUSH-IN FITTINGS

BRASS FITTINGS


UNION



* Available in SS

PART #	TUBE O.D. (MM)	TUBE O.D. (MM)	A	B	LIST PRICE
20723N	3		1.014	0.332	---
20600N*	4		1.190	0.410	---
20724N	5		1.287	0.449	---
20725N	6	4	1.248	0.488	---
20601N*	6		1.326	0.488	---
20726N	8	6	1.365	0.566	---
20727N*	8		1.404	0.566	---
20728N	10	8	1.638	0.683	---
20603N*	10		1.638	0.683	---
20729N	12	10	1.833	0.800	---
20604N*	12		1.833	0.800	---
20730N	14		1.911	0.839	---

UNION TEE



* Available in SS

PART #	TUBE O.D. (MM)	A	B	BODY SIZE	LIST PRICE
20741N	3	1.326	0.663	0.351	---
20610N*	4	1.326	0.663	0.351	---
20742N	5	1.560	0.780	0.429	---
20611N*	6	1.638	0.819	0.429	---
20612N*	8	1.755	0.878	0.507	---
20613N*	10	2.067	1.034	0.624	---
20614N*	12	2.379	1.190	0.741	---
20743N	14	2.379	2.535	0.741	---


UNION ELBOW



* Available in SS


PART #	TUBE O.D. (MM)	A	BODY SIZE	LIST PRICE
20738N	3	0.663	0.51	---
20206N*	4	0.663	0.351	---
20739N	5	0.780	0.429	---
20660N*	6	0.780	0.429	---
20661N*	8	0.878	0.507	---
20807N*	10	1.034	0.624	---
20808N*	12	1.190	0.741	---
20740N	14	1.268	0.741	---

UNION Y



PART #	TUBE O.D. (MM)	B	A	LIST PRICE
20744N	3	0.390	1.131	---
20813N	4	0.429	1.248	---
20745N	5	0.527	1.365	---
20814N	6	0.527	1.424	---
20815N	8	0.605	1.599	---
20746N	10	0.728	1.890	---

PLUG




PART #	TUBE O.D. (MM)	A	LIST PRICE
20748N	4	0.917	---
20749N	5	0.956	---
20750N	6	0.956	---
20751N	8	1.014	---
20752N	10	1.112	---
20753N	12	1.190	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED METRIC PUSH-IN FITTINGS

METRIC TUBE STRAIGHT MALE




GLOBAL THREAD
NPT • BSPT • RC • NPTF • BSPP • G

- Can be purchased with BSPP or BSPT Threads

* Available in SS


PART #	TUBE O.D. (MM)	GLOBAL THREAD	A	HEX	LIST PRICE
20630N*	4	1/8"	0.702	0.429	---
20631N*	4	1/4"	0.760	0.546	---
20700N	5	1/8"	0.78	0.429	---
20701N	5	1/4"	0.78	0.546	---
20632N*	6	1/8"	0.78	0.546	---
20633N*	6	1/4"	0.819	0.546	---
20628N	6	3/8"	0.90	0.546	---
20629N	6	1/2"	0.92	0.546	---
20702N*	8	1/8"	0.955	0.546	---
20634N*	8	1/4"	0.858	0.546	---
20635N	8	3/8"	0.897	0.663	---
20703N	8	1/2"	0.897	0.663	---
20636N*	10	1/4"	1.092	0.663	---
20637N*	10	3/8"	1.092	0.663	---
20704N*	10	1/2"	1.014	0.663	---
20801N	12	1/4"	1.267	0.78	---
20638N*	12	3/8"	1.267	0.78	---
20705N*	12	1/2"	1.209	0.78	---
20706N	14	3/8"	1.287	0.858	---
20707N	14	1/2"	1.248	0.858	---

METRIC TUBE INTERNAL HEX



PART #	TUBE O.D. (MM)	GLOBAL THREAD	A	HEX	LIST PRICE
20619N	3	M5	0.31	0.31	---
20620N	4	1/8"	0.71	0.43	---
20621N*	4	M5	0.39	0.38	---
20622N	4	M7 x 1"	0.83	0.38	---
20623N	6	1/4"	0.83	0.55	---
20624N	6	1/8"	0.85	0.47	---
20625N*	6	M5	0.47	0.47	---
20626N	8	1/4"	0.88	0.55	---
20627N	8	1/8"	0.98	0.55	---

METRIC TUBE SWIVEL MALE ELBOW



GLOBAL THREAD
NPT • BSPT • RC • NPTF • BSPP • G

- Can be purchased with BSPP or BSPT Threads


* Available in SS w BSPP or BSPT Threads

PART #	TUBE O.D. (MM)	GLOBAL THREAD	A	B	HEX	LIST PRICE
20708N*	4	1/8"	0.663	0.780	0.507	---
20709N*	4	1/4"	0.663	0.936	0.585	---
20710N	5	1/8"	0.780	0.858	0.507	---
20642N*	6	1/8"	0.819	0.858	0.507	---
20803N*	6	1/4"	0.819	0.975	0.585	---
20711N*	8	1/8"	0.878	0.917	0.507	---
20805N*	8	1/4"	0.878	1.014	0.585	---
20655N	8	3/8"	0.878	1.092	0.663	---
20712N	8	1/2"	0.878	1.404	0.819	---
20656N*	10	1/4"	1.034	1.092	0.585	---
20657N*	10	3/8"	1.034	1.170	0.663	---
20713N*	10	1/2"	1.034	1.287	0.819	---
20658N*	12	3/8"	1.190	1.287	0.663	---
20659N*	12	1/2"	1.190	1.404	0.819	---
20714N	14	3/8"	1.268	1.404	0.663	---
20715N	14	1/2"	1.268	1.443	0.819	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED METRIC PUSH-IN FITTINGS
BRASS FITTINGS

METRIC TUBE SWIVEL MALE BRANCH TEE




GLOBAL THREAD
NPT • BSPT • RC • NPTF • BSPP • G

PART #	TUBE O.D. (MM)	GLOBAL THREAD	A	B	HEX	LIST PRICE
20680N*	4	1/8"	0.663	0.780	0.507	---
20716N*	4	1/4"	0.663	0.936	0.585	---
20717N	5	1/8"	0.78	0.858	0.507	---
20682N*	6	1/8"	0.819	0.858	0.507	---
20683N*	6	1/4"	0.819	0.975	0.585	---
20809N*	8	1/8"	0.877	0.917	0.507	---
20684N*	8	1/4"	0.877	1.014	0.585	---
20690N	8	3/8"	0.886	1.024	0.585	---
20691N	8	1/2"	0.886	1.122	0.585	---
20686N*	10	1/4"	1.033	1.092	0.585	---
20687N*	10	3/8"	1.033	1.170	0.663	---
20810N*	10	1/2"	1.033	1.287	0.819	---
20688N*	12	3/8"	1.189	1.287	0.663	---
20689N*	12	1/2"	1.189	1.404	0.819	---
20718N	14	3/8"	1.267	1.404	0.663	---
20719N	14	1/2"	1.267	1.443	0.819	---

- Can be purchased with BSPP or BSPT threads

* Available in SS w/BSPP or BSPT threads

METRIC TUBE SWIVEL MALE RUN TEE




GLOBAL THREAD
NPT • BSPT • RC • NPTF • BSPP • G

PART #	TUBE O.D. (MM)	GLOBAL THREAD	A	B	HEX	LIST PRICE
20670N	4	1/8"	0.663	0.780	0.507	---
20720N	4	1/4"	0.663	0.936	0.585	---
20721N	5	1/8"	0.780	0.858	0.507	---
20672N	6	1/8"	0.819	0.858	0.507	---
20673N	6	1/4"	0.819	0.975	0.585	---
20811N	8	1/8"	0.819	0.917	0.507	---
20674N	8	1/4"	0.878	1.014	0.585	---
20668N	8	3/8"	0.885	1.063	0.585	---
20669N	8	1/2"	0.885	1.063	0.585	---
20676N	10	1/4"	0.878	1.092	0.585	---
20677N	10	3/8"	1.034	1.170	0.663	---
20722N	10	1/2"	1.034	1.287	0.819	---
20678N	12	3/8"	1.190	1.287	0.663	---
20679N	12	1/2"	1.190	1.404	0.819	---

- Can be purchased with BSPP threads

BULKHEAD



PART #	TUBE O.D. (MM)	M	A	HEX	LIST PRICE
20731N	3	M10x1	1.014	0.546	---
20732N*	4	MI2x1	1.229	0.663	---
20733N	5	M14x1	1.287	0.663	---
20734N*	6	M14x1	1.365	0.663	---
20735N*	8	M16x1	1.443	0.741	---
20736N*	10	M20x1	1.677	0.936	---
20737N*	12	M22x1	1.872	1.014	---

* Available in SS

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED WITH NICKEL COLLET

BRASS FITTINGS

UNION W/ NICKEL COLLET



CHAMPION	LIST	PTC	MAF #	MAF PRICE
262PPNIC-2		1/8	MQ62-2	----
262PPNIC-2.5		5/32	MQ62-532	
262PPNIC-4		1/4	MQ62-4	----
262PPNIC-5		5/16		
262PPNIC-6		3/8	MQ62-6	----
262PPNIC-8		1/2	MQ62-8	----

UNION TEE W/ NICKEL COLLET



CHAMPION	LIST	PTC X FPT	MAF #	MAF PRICE
264PPNIC-2		1/8	MQ64-2	----
264PPNIC-2.5		5/32	MQ64-532	
264PPNIC-4		1/4	MQ64-4	----
264PPNIC-5		5/16		
264PPNIC-6		3/8	MQ64-6	----
264PPNIC-8		1/2	MQ64-8	----

90° UNION ELBOW W/ NICKEL COLLET



CHAMPION	LIST	PTC	MAF #	MAF PRICE
265PPNIC-2		1/8	MQ65-2	----
265PPNIC-2.5		5/32	MQ65-532	
265PPNIC-4		1/4	MQ65-4	----
265PPNIC-5		5/16	MQ65-5	
265PPNIC-6		3/8	MQ65-6	----
265PPNIC-8		1/2	MQ65-8	----

FEMALE ADAPTER W/ NICKEL COLLET



CHAMPION	LIST	PTC X FPT	MAF #	MAF PRICE
266PPNIC-2X1032		1/8 x 10-32		
266PPNIC-2A		1/8 x 1/8	MQ66-22	----
266PPNIC-2.5X1032		5/32 x 10-32		
266PPNIC-2.5A		5/32 x 1/8	MQ65-5322	
266PPNIC-4A		1/4 x 1/8	MQ65-42	
266PPNIC-4B		1/4 x 1/4	MQ65-44	
266PPNIC-4C		1/4 x 3/8		
266PPNIC-5B		5/16 x 1/4		
266PPNIC-5C		5/16 x 3/8		
266PPNIC-6B		3/8 x 1/4	MQ65-64	
266PPNIC-6C		3/8 x 3/8	MQ65-66	
266PPNIC-6D		3/8 x 1/2		
266PPNIC-8C		1/2 x 3/8		
266PPNIC-8D		1/2 x 1/2		

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED WITH NICKEL COLLET

BRASS FITTINGS

MALE ADAPTER W/ NICKEL COLLET



CHAMPION	LIST	PTC X MPT	MAF #	MAF PRICE
268PPNIC-2X1032		1/8 x 10-32	MQ68-20	
268PPNIC-2A		1/8 x 1/8	MQ6-22	
268PPNIC-2B		1/8 x 1/4	MQ6-24	
268PPNIC-2.5X1032		5/32 x 10-32	MQ6-5320	
268PPNIC-2.5A		5/32 x 1/8	MQ6-5322	
268PPNIC-2.5B		5/32 x 1/4	MQ6-5324	
268PPNIC-4X1032		1/4 x 10-32	MQ6-40	
268PPNIC-4A		1/4 x 1/8	MQ6-42	
268PPNIC-4B		1/4 x 1/4	MQ6-44	
268PPNIC-4C		1/4 x 3/8	MQ6-46	
268PPNIC-5A		5/16 x 1/8	MQ6-52	
268PPNIC-5B		5/16 x 1/4	MQ6-54	
268PPNIC-5C		5/16 x 3/8	MQ6-56	
268PPNIC-6A		3/8 x 1/8	MQ6-62	
268PPNIC-6B		3/8 x 1/4	MQ6-64	
268PPNIC-6C		3/8 x 3/8	MQ6-66	
268PPNIC-6D		3/8 x 1/2	MQ6-68	
268PPNIC-8B		1/2 x 1/4	MQ6-84	
268PPNIC-8C		1/2 x 3/8	MQ6-86	
268PPNIC-8D		1/2 x 1/2	MQ6-88	

90° MALE ELBOW SWIVEL W/ NICKEL COLLET



CHAMPION	LIST	PTC X MPT	MAF #	MAF PRICE
269PPSNIC-2X1032		1/8 x 10-32		
269PPSNIC-2A		1/8 x 1/8	MQ69S-22	----
269PPSNIC-2B		1/8 x 1/4	MQ69S-24	
269PPSNIC-2.5X1032		5/32 x 10-32	MQ69S-5320	----
269PPSNIC-2.5A		5/32 x 1/8	MQ69S-5322	
269PPSNIC-4A		1/4 x 1/8	MQ69S-42	----
269PPSNIC-4B		1/4 x 1/4	MQ69S-44	----
269PPSNIC-4C		1/4 x 3/8	MQ69S-46	----
269PPSNIC-5B		5/16 x 1/4	MQ69S-54	
269PPSNIC-5C		5/16 x 3/8	MQ69S-56	
269PPSNIC-6A		3/8 x 1/8	MQ69S-62	----
269PPSNIC-6B		3/8 x 1/4	MQ69S-64	----
269PPSNIC-6C		3/8 x 3/8	MQ69S-66	----
269PPSNIC-6D		3/8 x 1/2	MQ69S-68	----
269PPSNIC-8B		1/2 x 1/4	MQ69S-84	
269PPSNIC-8C		1/2 x 3/8	MQ69S-86	----
269PPSNIC-8D		1/2 x 1/2	MQ69S-88	----

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED WITH NICKEL COLLET

BRASS FITTINGS

MALE RUN TEE SWIVEL W/ NICKEL COLLET



CHAMPION	LIST	PTC X MPT	MAF #	MAF PRICE
271PPSNIC-2X1032		1/8 x 10-32		
271PPSNIC-2A		1/8 x 1/8		
271PPSNIC-4A		1/4 x 1/8		
271PPSNIC-4B		1/4 x 1/4		
271PPSNIC-4C		1/4 x 3/8		
271PPSNIC-6B		3/8 x 1/4		
271PPSNIC-6C		3/8 x 3/8		
271PPSNIC-6D		3/8 x 1/2		
271PPSNIC-8C		1/2 x 3/8		
271PPSNIC-8D		1/2 x 1/2		

MALE BRANCH TEE SWIVEL W/ NICKEL COLLET



CHAMPION	LIST	PTC X MPT	MAF #	MAF PRICE
272PPSNIC-2X1032		1/8 x 10-32	MQ72-20	
272PPSNIC-2A		1/8 x 1/8	MQ72-22	----
272PPSNIC-4A		1/4 x 1/8	MQ72-42	----
272PPSNIC-4B		1/4 x 1/4	MQ72-44	----
272PPSNIC-4C		1/4 x 3/8		
272PPSNIC-5A		5/16 x 1/8		
272PPSNIC-5B		5/16 x 1/4		
272PPSNIC-5C		5/16 x 3/8		
272PPSNIC-6B		3/8 x 1/4	MQ72-64	----
272PPSNIC-6C		3/8 x 3/8	MQ72-66	----
272PPSNIC-6D		3/8 x 1/2	MQ72-68	
272PPSNIC-8B		1/2 x 1/4	MQ72-84	
272PPSNIC-8C		1/2 x 3/8	MQ72-86	----
272PPSNIC-8D		1/2 x 1/2	MQ72-88	

BULKHEAD UNION W/ NICKEL COLLET



CHAMPION	LIST	PTC	MAF #	MAF PRICE
283PPNIC-2.5		5/32	MQ82-532	
283PPNIC-4		1/4	MQ82-4	----
283PPNIC-5		5/16	MQ82-5	
283PPNIC-6		3/8	MQ82-6	----
283PPNIC-8		1/2	MQ82-8	----

METRIC UNION W/ NICKEL COLLET



CHAMPION	LIST	PTC	MAF #	MAF PRICE
262PPNIC-4MM		4MM		
262PPNIC-6MM		6MM		
262PPNIC-8MM		8MM		
262PPNIC-10MM		10MM		
262PPNIC-12MM		12MM		

METRIC UNION TEE W/ NICKEL COLLET



CHAMPION	LIST	PTC	MAF #	MAF PRICE
264PPNIC-4MM		4MM		
264PPNIC-6MM		6MM		
264PPNIC-8MM		8MM		
264PPNIC-10MM		10MM		
264PPNIC-12MM		12MM		

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED WITH NICKEL COLLET

BRASS FITTINGS

METRIC 90° UNION ELBOW W/ NICKEL COLLET



CHAMPION	LIST	PTC	MAF #	MAF PRICE
265PPNIC-4MM		4MM		
265PPNIC-6MM		6MM		
265PPNIC-8MM		8MM		

METRIC FEMALE ADAPTER W/ NICKEL COLLET



CHAMPION	LIST	PTC X FEMALE BSPP	MAF #	MAF PRICE
266PPNIC-4MMX1/8		4MM x 1/8		
266PPNIC-6MMX1/8		6MM x 1/8		
266PPNIC-6MMX1/4		6MM x 1/4		
266PPNIC-8MMX1/8		8MM x 1/8		
266PPNIC-8MMX1/4		8MM x 1/4		
266PPNIC-10MMX1/4		10MM x 1/4		
266PPNIC-10MMX3/8		10MM x 3/8		

METRIC MALE CONNECTOR W/ NICKEL COLLET



CHAMPION	LIST	PTC X MALE BSPT	MAF #	MAF PRICE
268PPNIC-4MMX1/8		4MM x 1/8		
268PPNIC-4MMX1/4		4MM x 1/4		
268PPNIC-6MMX1/8		6MM x 1/8		
268PPNIC-6MMX1/4		6MM x 1/4		
268PPNIC-8MMX1/8		8MM x 1/8		
268PPNIC-8MMX1/4		8MM x 1/4		
268PPNIC-8MMX3/8		8MM x 3/8		
268PPNIC-10MMX1/4		10MM x 1/4		
268PPNIC-10MMX3/8		10MM x 3/8		
268PPNIC-12MMX1/4		12MM x 1/4		

METRIC 90° MALE ELBOW SWIVEL W/ NICKEL COLLET



CHAMPION	LIST	PTC X MALE BSPT	MAF #	MAF PRICE
269PPSNIC-4MMX1/8		4MM x 1/8		
269PPSNIC-4MMX1/4		4MM x 1/4		
269PPSNIC-6MMXM5		6MM x M5		
269PPSNIC-6MMX1/8		6MM x 1/8		
269PPSNIC-6MMX1/4		6MM x 1/4		
269PPSNIC-8MMX1/8		8MM x 1/8		
269PPSNIC-8MMX1/4		8MM x 1/4		
269PPSNIC-8MMX3/8		8MM x 3/8		
269PPSNIC-10MMX1/4		10MM x 1/4		
269PPSNIC-10MMX3/8		10MM x 3/8		

METRIC BULKHEAD UNION W/ NICKEL COLLET



CHAMPION	LIST	PTC	MAF #	MAF PRICE
283PPNIC-4MM		4MM		
283PPNIC-8MM		8MM		

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL PUSH IN FITTINGS

BRASS FITTINGS

UNION STAINLESS STEEL



CHAMPION	PTC	LIST
262PP-SS-2.5	5/32	
262PP-SS-3	3/16	
262PP-SS-4	1/4	
262PP-SS-5	5/16	
262PP-SS-6	3/8	
262PP-SS-8	1/2	

UNION TEE STAINLESS STEEL



CHAMPION	PTC	LIST
264PP-SS-2.5	5/32	
264PP-SS-4	1/4	
264PP-SS-5	5/16	
264PP-SS-6	3/8	
264PP-SS-8	1/2	

90° UNION ELBOW STAINLESS STEEL



CHAMPION	PTC	LIST
265PP-SS-2.5	5/32	
265PP-SS-4	1/4	
265PP-SS-5	5/16	
265PP-SS-6	3/8	
265PP-SS-8	1/2	

FEMALE ADAPTER STAINLESS STEEL



CHAMPION	PTC X FPT	LIST
266PP-SS-2.5X1032	5/32 x 10-32	
266PP-SS-2.5A	5/32 x 1/8	
266PP-SS-2.5B	5/32 x 1/4	
266PP-SS-4X1032	1/4 x 10-32	
266PP-SS-4A	1/4 x 1/8	
266PP-SS-4B	1/4 x 1/4	
266PP-SS-4C	1/4 x 3/8	
266PP-SS-4D	1/4 x 1/2	
266PP-SS-5A	5/16 x 1/8	
266PP-SS-5B	5/16 x 1/4	
266PP-SS-5C	5/16 x 3/8	
266PP-SS-5D	5/16 x 1/2	
266PP-SS-6B	3/8 x 1/4	
266PP-SS-6C	3/8 x 3/8	
266PP-SS-6D	3/8 x 1/2	
266PP-SS-8B	1/2 x 1/4	
266PP-SS-8C	1/2 x 3/8	
266PP-SS-8D	1/2 x 1/2	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL PUSH IN FITTINGS

BRASS FITTINGS

MALE CONNECTOR STAINLESS STEEL



CHAMPION	PTC X MPT	LIST
268PP-SS-2X1032	1/8 x 10-32	
268PP-SS-2.5X1032	5/32 x 10-32	
268PP-SS-2.5A	5/32 x 1/8	
268PP-SS-2.5B	5/32 x 1/4	
268PP-SS-4X1032	1/4 x 10-32	
268PP-SS-4A	1/4 x 1/8	
268PP-SS-4B	1/4 x 1/4	
268PP-SS-4C	1/4 x 3/8	
268PP-SS-4D	1/4 x 1/2	
268PP-SS-5A	5/16 x 1/8	
268PP-SS-5B	5/16 x 1/4	
268PP-SS-5C	5/16 x 3/8	
268PP-SS-5D	5/16 x 1/2	
268PP-SS-6B	3/8 x 1/4	
268PP-SS-6C	3/8 x 3/8	
268PP-SS-6D	3/8 x 1/2	
268PP-SS-8B	1/2 x 1/4	
268PP-SS-8C	1/2 x 3/8	
268PP-SS-8D	1/2 x 1/2	

90° MALE ELBOW SWIVEL STAINLESS STEEL



CHAMPION	PTC X MPT	LIST
269PPS-SS-2.5X1032	5/32 x 10-32	
269PPS-SS-2.5A	5/32 x 1/8	
269PPS-SS-2.5B	5/32 x 1/4	
269PPS-SS-4X1032	1/4 x 10-32	
269PPS-SS-4A	1/4 x 1/8	
269PPS-SS-4B	1/4 x 1/4	
269PPS-SS-4C	1/4 x 3/8	
269PPS-SS-4D	1/4 x 1/2	
269PPS-SS-5A	5/16 x 1/8	
269PPS-SS-5B	5/16 x 1/4	
269PPS-SS-5C	5/16 x 3/8	
269PPS-SS-5D	5/16 x 1/2	
269PPS-SS-6A	3/8 x 1/8	
269PPS-SS-6B	3/8 x 1/4	
269PPS-SS-6C	3/8 x 3/8	
269PPS-SS-6D	3/8 x 1/2	
269PPS-SS-8B	1/2 x 1/4	
269PPS-SS-8C	1/2 x 3/8	
269PPS-SS-8D	1/2 x 1/2	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL PUSH IN FITTINGS

BRASS FITTINGS

MALE RUN TEE SWIVEL STAINLESS STEEL



CHAMPION	PTC X MPT	LIST
271PPS-SS-2.5X1032	5/32 x 10-32	
271PPS-SS-2.5A	5/32 x 1/8	
271PPS-SS-2.5B	5/32 x 1/4	
271PPS-SS-4X1032	1/4 x 10-32	
271PPS-SS-4A	1/4 x 1/8	
271PPS-SS-4B	1/4 x 1/4	
271PPS-SS-4C	1/4 x 3/8	
271PPS-SS-4D	1/4 x 1/2	
271PPS-SS-5A	5/16 x 1/8	
271PPS-SS-5B	5/16 x 1/4	
271PPS-SS-5C	5/16 x 3/8	
271PPS-SS-5D	5/16 x 1/2	
271PPS-SS-6B	3/8 x 1/4	
271PPS-SS-6C	3/8 x 3/8	
271PPS-SS-6D	3/8 x 1/2	
271PPS-SS-8B	1/2 x 1/4	
271PPS-SS-8C	1/2 x 3/8	
271PPS-SS-8D	1/2 x 1/2	

MALE BRANCH TEE SWIVEL STAINLESS STEEL



CHAMPION	PTC X MPT	LIST
272PPS-SS-2.5X1032	5/32 x 10-32	
272PPS-SS-2.5A	5/32 x 1/8	
272PPS-SS-2.5B	5/32 x 1/4	
272PPS-SS-4X1032	1/4 x 10-32	
272PPS-SS-4A	1/4 x 1/8	
272PPS-SS-4B	1/4 x 1/4	
272PPS-SS-4C	1/4 x 3/8	
272PPS-SS-4D	1/4 x 1/2	
272PPS-SS-5A	5/16 x 1/8	
272PPS-SS-5B	5/16 x 1/4	
272PPS-SS-5C	5/16 x 3/8	
272PPS-SS-5D	5/16 x 1/2	
272PPS-SS-6A	3/8 x 1/8	
272PPS-SS-6B	3/8 x 1/4	
272PPS-SS-6C	3/8 x 3/8	
272PPS-SS-6D	3/8 x 1/2	
272PPS-SS-8B	1/2 x 1/4	
272PPS-SS-8C	1/2 x 3/8	
272PPS-SS-8D	1/2 x 1/2	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL PUSH IN FITTINGS

BRASS FITTINGS

FEMALE BULKHEAD ADAPTER STAINLESS STEEL



CHAMPION	PTC X FPT	LIST
287PP-SS-2.5X1032	5/32 x 10.32	
287PP-SS-2.5A	5/32 x 1/8	
287PP-SS-2.5B	5/32 x 1/4	
287PP-SS-4X1032	1/4 x 10.32	
287PP-SS-4A	1/4 x 1/8	
287PP-SS-4B	1/4 x 1/4	
287PP-SS-4C	1/4 x 3/8	
287PP-SS-4D	1/4 x 1/2	
287PP-SS-5A	5/16 x 1/8	
287PP-SS-5B	5/16 x 1/4	
287PP-SS-5C	5/16 x 3/8	
287PP-SS-5D	5/16 x 1/2	
287PP-SS-6B	3/8 x 1/4	
287PP-SS-6C	3/8 x 3/8	
287PP-SS-6D	3/8 x 1/2	
287PP-SS-8B	1/2 x 1/4	
287PP-SS-8C	1/2 x 3/8	
287PP-SS-8D	1/2 x 1/2	

BULKHEAD UNION STAINLESS STEEL

CHAMPION	PTC	LIST
262BHPP-SS-6	3/8	

BULKHEAD UNION STAINLESS STEEL



CHAMPION	PTC	LIST
283PP-SS-2.5	5/32	
283PP-SS-4	1/4	
283PP-SS-5	5/16	
283PP-SS-6	3/8	
283PP-SS-8	1/2	

Y-CONNECTOR UNION STAINLESS STEEL



CHAMPION	PTC	LIST
289PP-SS-2.5	5/32	
289PP-SS-4	1/4	
289PP-SS-5	5/16	
289PP-SS-6	3/8	
289PP-SS-8	1/2	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

Composite Body Push-In Fittings



Specifications

Fluid admitted	Air
Working pressure range	0-150 PSI (10BAR)
Min. Burst pressure	340PSI (23BAR)
Working Temperature range	0°F ~160°F

Materials of Construction:

1	Body	Composite Polyacetal (hemopolymer,copolymer)
2	Body	Brass
3	Tube Release	Acetal Resin
4	Retainer	Brass
5	Gripper Ring	Stainless Steel
6	Spacer	Brass
7	O-Ring	NBR 70
8	Threads	Brass w/ white sealant

The latest generation of composite material is used in the body construction in addition to brass on threaded components and stainless steel on the tube gripper.

- **Tolerance**

  +/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY PUSH-IN FITTINGS

BRASS FITTINGS

UNION



PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
20017C	1/8"	0.01	---
20018C	5/32"	0.01	---
20001C	3/16"	0.01	---
20019C	1/4″	0.01	---
20015C	5/16"	0.01	---
20020C	3/8″	0.02	---
20021C	1/2"	0.03	---
20016C	1/4" x 5/32"	0.01	---
20515C	5/16" x 1/4"	0.01	---
20022C	3/8" x 1/4"	0.01	---
20516C	3/8" x 5/16"	0.02	---
20024C	1/2" x 3/8"	0.03	---

PQ62P

UNION TEE



PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
20025C	1/8"	0.01	---
20026C	5/32"	0.01	---
20027C	3/16"	0.02	---
20028C	1/4″	0.02	---
20031C	5/16"	0.02	---
20029C	3/8″	0.02	---
20030C	1/2"	0.08	---

PQ64P

90° UNION ELBOW



PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
20150C	1/8"	0.01	---
20151C	5/32"	0.01	---
20149C	3/16"	0.01	---
20152C	1/4″	0.02	---
20155C	5/16"	0.02	---
20153C	3/8″	0.02	---
20154C	1/2"	0.02	---

PQ65P

UNION "Y" CONNECTOR



PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
20551C	5/32"	0.01	---
20553C	1/4″	0.02	---
20182C	5/16"	0.02	---
20555C	3/8″	0.02	---
20185C	1/2	0.07	---

PQ89P

FEMALE CONNECTOR

- Brass



PART #	TUBE O.D. X FEMALE NPT	APPROX. WT. LBS.	LIST PRICE
20034C	1/4″ x 1/8″	0.02	---
20035C	1/4″ x 1/4″	0.04	---
20036C	3/8″ x 1/4″	0.04	---
20037C	3/8″ x 3/8″	0.06	---

PQ66P

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY PUSH-IN FITTINGS

BRASS FITTINGS

MALE CONNECTOR

- Nickel Plated



- See broader range of sizes on page 104 N/P push-in fittings

PART #	TUBE O.D. X MALE NPT	APPROX. WT. LBS.	LIST PRICE
20050C	5/32" x 1/8"	0.02	---
20053C	1/4" x 10-32"	0.02	---
20054C	1/4" x 1/8"	0.02	---
20055C	1/4" x 1/4"	0.02	---
20056C	1/4" x 3/8"	0.04	---
20530C	5/16" x 1/8"	0.05	---
20531C	5/16" x 1/4"	0.05	---
20057C	3/8" x 1/8"	0.05	---
20058C	3/8" x 1/4"	0.06	---
20059C	3/8" x 3/8"	0.06	---
20062C	3/8" x 1/2"	0.08	---
20060C	1/2" x 1/4"	0.06	---
20061C	1/2" x 3/8"	0.08	---
20063C	1/2" x 1/2"	0.10	---

PQ68P

SWIVEL MALE ELBOW

- Swivels for installation only.
- Not a live swivel



* Global Thread

PART #	TUBE O.D. X MALE NPT	APPROX. WT. LBS.	LIST PRICE
20079C	1/8" x 1/8"	0.01	---
20535C*	1/8" x 1/4"	0.01	---
20517C*	3/16" x 1/4"	0.01	---
20080C*	5/32" x 1/8"	0.01	---
20077C*	5/32" x 1/4"	0.01	---
20049C*	5/32" x 10/32"	0.01	---
20078C	1/4" x 10-32	0.01	---
20081C	1/4" x 1/8"	0.02	---
20082C	1/4" x 1/4"	0.04	---
20086C	1/4" x 3/8"	0.06	---
20518C*	1/4" x 1/2"	0.07	---
20537C	5/16" x 1/8"	0.04	---
20538C	5/16" x 1/4"	0.04	---
20539C*	5/16" x 3/8"	0.06	---
20087C	3/8" x 1/8'	0.04	---
20083C	3/8" x 1/4"	0.08	---
20084C	3/8" x 3/8"	0.10	---
20088C	3/8" x 1/2"	0.12	---
20184C	1/2" x 1/4"	0.14	---
20085C	1/2" x 3/8"	0.16	---
20092C*	1/2" x 1/2"	0.18	---

PQ69PS

LONG PATTERN MALE ELBOWS



PART #	TUBE O.D. X THREAD	APPROX. WT. LBS.	LIST PRICE
20572C	1/4 X 1/8	0.03	---
20573C	1/4 X 1/4	0.05	---
20574C	1/4 X 3/8	0.06	---
20579C	3/8 X 1/4	0.09	---
20580C	3/8 X 3/8	0.12	---
20581C	3/8 X 1/2	0.14	---
20582C	1/2 X 1/4	0.16	---
20583C	1/2 X 3/8	0.18	---
20584C	1/2 X 1/2	0.20	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY PUSH-IN FITTINGS

BRASS FITTINGS

FEMALE SWIVEL ELBOWS



PART #	TUBE O.D. X FEMALE NPT	APPROX. WT. LBS.	LIST PRICE
20089C	1/4 X 1/8	0.05	---
20090C	1/4 X 1/4	0.06	---
20591C	1/4 X 3/8	0.07	---
20091C	3/8 X 1/4	0.10	---
20595C	3/8 X 3/8	0.14	---
20596C	3/8 X 1/2	0.15	---
20597C	1/2 X 3/8	0.20	---
20598C	1/2 X 1/2	0.23	---

45° SWIVELS



PART #	TUBE O.D. X MALE NPT	APPROX. WT. LBS.	LIST PRICE
20139C	1/4 X 1/8	0.04	---
20140C	1/4 X 1/4	0.05	---

SWIVEL MALE RUN TEE

- Swivels for installation only.



* Global Thread

PART #	TUBE O.D. X MALE NPT	APPROX. WT. LBS.	LIST PRICE
20160C*	1/8" x 1/8"	0.03	---
20833C*	1/8" x 1/4"	0.03	---
20835C*	5/32" x 10-32	0.03	---
20162C	1/4" x 1/8"	0.04	---
20163C	1/4" x 1/4"	0.04	---
20834C*	1/4" x 10-32	0.04	---
20099C	3/8" x 1/8"	0.06	---
20100C	3/8" x 1/4"	0.08	---
20165C	3/8" x 3/8"	0.10	---
20181C	3/8 x 1/2	0.12	---
20174C	1/2 x 1/4	0.12	---
20166C	1/2 x 3/8	0.14	---
20167C	1/2 x 1/2	0.16	---

PQ71PS

SWIVEL MALE BRANCH TEE

- Swivels for installation only.
- Not a live swivel



* Global Thread

PART #	TUBE O.D. X MALE NPT	APPROX. WT. LBS.	LIST PRICE
20103C*	1/8" x 1/8"	0.02	---
20519C*	1/8" x 1/4"	0.03	---
20109C*	5/32" x 1/8"	0.02	---
20135C*	5/32" x 1/4"	0.03	---
20104C*	5/32" x 10/32"	0.03	---
20830C*	3/16" x 1/8"	0.03	---
20105C	1/4" x 1/8"	0.04	---
20106C	1/4" x 1/4"	0.06	---
20831C*	1/4" x 10/32"	0.06	---
20121C	1/4" x 3/8"	0.08	---
20136C*	5/16" x 1/8"	0.04	---
20137C*	5/16" x 1/4"	0.05	---
20832C*	5/16" x 3/8"	0.06	---
20107C	3/8" x 1/4"	0.10	---
20108C	3/8" x 3/8"	0.12	---
20158C*	3/8 X 1/2	0.14	---
20138C*	1/2 X 1/4	0.14	---
20110C	1/2 X 3/8	0.16	---
20111C	1/2 X 1/2	0.21	---

PQ72PS

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY PUSH-IN FITTINGS

BRASS FITTINGS

BULKHEAD UNION



PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
20127C	1/4″	0.04	---
20128C	3/8″	0.06	---
20129C	1/2"	0.10	---

PQ82P

BULKHEAD FEMALES



PART #	TUBE O.D. X THREAD	APPROX. WT. LBS.	LIST PRICE
20170C	1/4 X 1/8	0.04	---
20171C	1/4 X 1/4	0.04	---
20172C	3/8 X 1/4	0.06	---
20173C	3/8 X 3/8	0.07	---
20175C	1/2 X 1/4	0.07	---
20176C	1/2 X 3/8	0.09	---
20179C	1/2 X 1/2	0.10	---

SWIVEL "Y" CONNECTOR

▪ Swivels for installation only. ▪ Not a live swivel



PART #	TUBE O.D. X MALE NPT	APPROX. WT. LBS.	LIST PRICE
20187C	1/4 X 1/8	0.02	---
20557C	1/4″ x 1/4″	0.02	---
20188C	3/8 X 1/4	0.04	---
20189C	3/8 X 3/8	0.04	---
20193C	3/8 X 1/2	0.07	---
20194C	1/2 X 3/8	0.06	---
20195C	1/2 X 1/2	0.09	---

PQ88PS

IN-LINE NEEDLE VALVE




PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
20487C	1/4″	0.04	---
20488C	5/16″	0.05	---
20489C	3/8″	0.06	---

PQ310C

RIGHT ANGLE FLOW CONTROL METER IN

▪ Free flow out




PART #	TUBE O.D. X MALE NPT	APPROX. WT. LBS.	LIST PRICE
20727C	1/4 X 1/8	0.04	---
20728C	1/4″ x 1/4″	0.04	---
20780C	3/8 X 1/4	0.06	---
20781C	3/8 X 3/8	0.06	---
20782C	1/2 X 1/2	0.10	---

JPQ

RIGHT ANGLE FLOW CONTROL METER OUT

▪ Free flow in




PART #	TUBE O.D. X MALE NPT	APPROX. WT. LBS.	LIST PRICE
20785C	1/4 x 1/8	0.04	---
20786C	1/4 x 1/4	0.04	---
20787C	3/8 x 1/4	0.06	---
20788C	3/8 x 3/8	0.06	---
20789C	1/2 x 1/2	0.10	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

METRIC COMPOSITE BODY PUSH-IN FITTINGS

BRASS FITTINGS

Technical Characteristics



PART 1	BODY	COMPOSITE
PART 2	BODY	NICKEL PLATED BRASS
PART 3	TUBE RELEASE	ACETAL RESIN
PART 4	RETAINER	NICKEL PLATED BRASS
PART 5	GRIPPER RING	STAINLESS STEEL
PART 6	SPACER	COMPOSITE
PART 7	THREAD PACKING	NBR 70
PART 8	O-RING	NBR 70
PART 9	THREAD SEAL	NBR70

Operating Range

Pressure: 0 to 220 PSI (15 bar)

Vacuum: 0 to 29hg (-.99 bar)

Temperature

-5^0 F to + 175^0 F (-20^0 C to + 80^0 C)

Media

Compressed air.

Non-toxic fluids (water)

Materials

The latest generation of composite material is used in the body construction in addition to nickel-plated brass on threaded components and stainless steel on the tube gripper.

UNION



PART #	TUBE O.D. (MM)	LIST PRICE
20600	4	---
20601	6	---
20602	8	---
20603	10	---
20604	12	---

UNION TEE



PART #	TUBE O.D. (MM)	LIST PRICE
20610	4	---
20862	5	---
20611	6	---
20612	8	---
20613	10	---
20614	12	---
20861	14	---

3104

UNION ELBOW



PART #	TUBE O.D. (MM)	LIST PRICE
20806	4	---
20660	6	---
20661	8	---
20807	10	---
20808	12	---
20740	14	---

3102

MALE ADAPTER



PART #	TUBE OD (MM)	BSPT THREAD	LIST PRICE
20630	4	1/8"	---
20631	4	1/4"	---
20632	6	1/8"	---
20633	6	1/4"	---
20634	8	1/4"	---
20635	8	3/8"	---
20636	10	1/4"	---
20637	10	3/8"	---
20801	12	1/4"	---
20638	12	3/8"	---

3175

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

METRIC COMPOSITE BODY PUSH-IN FITTINGS

BRASS FITTINGS

SWIVEL ELBOW



PART #	TUBE OD (MM)	BSPT THREAD	LIST PRICE
20690*	4	M5	---
20856*	4	1/8"	---
20855*	4	1/4"	---
20692*	5	M5	---
20857*	5	1/8"	---
20859*	6	M5	---
20642	6	1/8″	---
20803	6	1/4″	---
20698*	6	3/8"	---
20699*	6	1/2"	---
20711*	8	1/8"	---
20805	8	1/4″	---
20655	8	3/8"	---
20712*	8	1/2"	---
20656	10	1/4"	---
20657	10	3/8"	---
20713*	10	1/2"	---
20790	12	1/4"	---
20658	12	3/8"	---
20659	12	1/2"	---
20714*	14	3/8"	---
20854*	14	1/2"	---

* Global Thread
- BSPP Available

SWIVEL BRANCH TEE



PART #	TUBE OD (MM)	BSPT THREAD	LIST PRICE
20680*	4	1/8″	---
20860*	4	1/4"	---
20717*	5	1/8"	---
20682	6	1/8″	---
20683	6	1/4″	---
20809	8	1/8"	---
20684	8	1/4"	---
20685	8	3/8"	---
20686	10	1/4"	---
20687	10	3/8"	---
20810	10	1/2"	---
20688	12	3/8"	---
20689	12	1/2"	---
20718*	14	3/8"	---
20719*	14	1/2"	---

* Global Thread
- BSPP Available

SWIVEL RUN TEE



PART #	TUBE OD (MM)	BSPT THREAD	LIST PRICE
20670	4	1/8″	---
20720*	4	1/4"	---
20721*	5	1/8"	---
20672	6	1/8″	---
20673	6	1/4″	---
20811	8	1/8"	---
20674	8	1/4"	---
20675	8	3/8"	---
20676	10	1/4"	---
20677	10	3/8"	---
20678	12	3/8"	---
20679	12	1/2"	---

* Global Thread
- BSPP Available

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

METRIC COMPOSITE BODY PUSH-IN FITTINGS

BRASS FITTINGS

UNION WYE



PART #	TUBE OD (MM)	LIST PRICE
20813	4	---
20814	6	---
20815	8	---
20746	10	---
20802	12	---

SWIVEL MALE WYE




PART #	TUBE OD (MM)	GLOBAL THREAD	LIST PRICE
20816	4	1/8"	---
20821*	4	1/4"	---
20817*	6	1/8"	---
20818	6	1/4"	---
20819*	8	1/8"	---
20820*	8	1/4"	---
20822*	8	3/8"	---
20823*	10	1/4"	---
20824*	10	3/8"	---
20825*	10	1/2"	---
20826*	12	3/8"	---
20827*	12	1/2"	---

* Global Thread
▪ BSPP Available

Also available:
- 45° elbow swivel
- 4 position Y
- Manifolds
- Extended swivel elbows
- Bulkhead union
- Plug-in elbows and tees

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. PUSH-IN TUBE FITTINGS



Meets D.O.T. FMVSS 571.106 SAE J1131 Air Brake System Require-

Benefits for Cost Savings & Engineering Project

- **Fast assembly:** No tools required. Simply push tubing in. Saves up to 75% of assembly time compared to standard air compression fittings. No loose parts to handle.
- **Fast disconnect:** Hold the collet collar with two fingers and pull out tube. No tools required.
- **Reusable:** Can be connected and disconnected several times.
- **Reliable sealing:** Using recommended tubing, full sealing is guaranteed.
- **Versatility:** Buna N O'ring standard. Viton and others available per request. Secure tube retention. Pulling on tubing only serves to tighten the connection.
- **Pre-Applied Teflon®** based pipe sealant on all male pipe threads, saving customer additional labor.
- **Full Flow Design,** provides more flow area than con-

DOT Fittings are constructed with an all brass captive eyelet which allows for maximum flow. The brass captive eyelet with extended length is floating and has a machined top end radius for easy installation of tubing. All male threads have a pre-applied Teflon® based pipe sealant to provide for easy assembly and leak proof seal.

- **Materials:**

Brass
"O" Ring: Buna - Nitrile (90 Durometer)
EP (Ethylene Propylene)

- **Working Pressures & Temperature Ranges**

Vacuum to 150 PSI
-40°F to 200° F (-40°C to +93°C)

Dimension data can change without notice. Please check when dimensions are critical.

WARNING: This product can expose you to chemicals, including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit www.P65Warnings.ca.gov

D.O.T. PUSH-IN
BRASS FITTINGS

PLUG



AQ59DOT

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
595320	5/32″	0.01	---
590400	1/4″	0.02	---
590600	3/8″	0.02	---
590800	1/2″	0.04	---

1829 **DQ59DOT** 639PMT

UNION




AQ62DOT
DQ62

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
620532	5/32″	0.06	---
620400	1/4″	0.06	---
620600	3/8″	0.13	---
620604	3/8" x 1/4"	0.15	---
620800	1/2″	0.19	---
621000	5/8″	0.30	---
621200	3/4″	0.44	---

AQ62DOT **62PMT** 1862 **DQ62DOT**

UNION TEE



AQ64DOT
DQ64

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
640400	1/4″	0.09	---
640600	3/8″	0.16	---
640800	1/2″	0.25	---
641000	5/8"	0.32	---
641200	3/4"	0.36	---

AQ64DOT **164 PMT** 1864 **DQ64DOT**

UNION ELBOW



AQ65DOT
DQ65

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
655320	5/32″	0.03	---
650400	1/4″	0.06	---
650600	3/8″	0.12	---
650800	1/2″	0.18	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FEMALE CONNECTOR



AQ66DOT
DQ66

PART #	TUBE O.D. X FEMALE NPTF	APPROX. WT. LBS.	LIST PRICE
660402	1/4″ x 1/8″	0.06	---
660404	1/4″ x 1/4″	0.10	---
660602	3/8″ x 1/8″	0.11	---
660604	3/8″ x 1/4″	0.11	---
660606	3/8″ x 3/8″	0.17	---
660804	1/2″ x 1/4″	0.14	---
660806	1/2″ x 3/8″	0.16	---
660808	1/2″ x 1/2″	0.25	---

AQ66DOT **66PMT** 1866 **DQ66DOT**

MALE CONNECTOR



AQ68DOT
DQ68

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
685320	5/32″ x 10/32″	0.02	---
685321	5/32″ x 1/16″	0.02	---
685322	5/32″ x 1/8″	0.02	---
680302	3/16″ x 1/8″	0.02	---
680421	1/4" x 1/16"	0.02	---
680402	1/4″ x 1/8″	0.03	---
680404	1/4″ x 1/4″	0.04	---
680406	1/4″ x 3/8″	0.07	---
680602	3/8″ x 1/8″	0.06	---
680604	3/8″ x 1/4″	0.07	---
680606	3/8″ x 3/8″	0.06	---
680608	3/8″ x 1/2″	0.13	---
680804	1/2″ x 1/4″	0.11	---
680806	1/2″ x 3/8″	0.12	---
680808	1/2″ x 1/2″	0.14	---
681006	5/8″ x 3/8″	0.18	---
681008	5/8″ x 1/2″	0.18	---
681208	3/4″ x 1/2″	0.20	---
681212	3/4″ x 3/4″	0.20	---

AQ68DOT **68PM** 1868 **DQ68DOT** 68PMT

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. PUSH-IN
BRASS FITTINGS

MALE ELBOW



Forged

AQ69DOT
DQ69

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
695302	5/32" x 1/16"	0.03	---
695322	5/32" x 1/8"	0.03	---
690302	3/16" x 1/8"	0.03	---
690402	1/4" x 1/8"	0.08	---
690404	1/4" x 1/4"	0.06	---
690406	1/4" x 3/8"	0.11	---
690602	3/8" x 1/8"	0.08	---
690604	3/8" x 1/4"	0.09	---
690606	3/8" x 3/8"	0.11	---
690608	3/8" x 1/2"	0.20	---
690804	1/2" x 1/4"	0.22	---
690806	1/2" x 3/8"	0.22	---
690808	1/2" x 1/2"	0.24	---
691006	5/8" x 3/8"	0.30	---
691008	5/8" x 1/2"	0.32	---
691208	3/4" x 1/2"	0.32	---
691212	3/4" x 3/4"	0.34	---

AQ69DOT **169 PMTNS** 1869 **DQ69DOT**

MALE SWIVEL ELBOW



AQ62DOTS
DQ69S

Forged

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
695322S	5/32" x 1/8"	0.07	---
690402S	1/4" x 1/8"	0.06	---
690404S	1/4" x 1/4"	0.10	---
690406S	1/4" x 3/8"	0.10	---
690602S	3/8" x 1/8"	0.10	---
690604S	3/8" x 1/4"	0.11	---
690606S	3/8" x 3/8"	0.12	---
690608S	3/8" x 1/2"	0.20	---
690804S	1/2" x 1/4"	0.16	---
690806S	1/2" x 3/8"	0.18	---
690808S	1/2" x 1/2"	0.26	---
691006S	5/8" x 3/8"	0.28	---
691008S	5/8" x 1/2"	0.30	---
691208S	3/4" x 1/2"	0.50	---
691212S	3/4" x 3/4"	0.56	---

AQ69DOTS **169PMT** 1869 **DQ69DOTS**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FEMALE ELBOW



Forged

AQ70DOTS
DQ70

PART #	TUBE O.D. X FEMALE NPTF	APPROX. WT. LBS.	LIST PRICE
700402	1/4″ x 1/8″	0.06	---
700404	1/4″ x 1/4″	0.10	---
700406	1/4″ x 3/8″	0.16	---
700602	3/8″ x 1/8″	0.15	----
700604	3/8″ x 1/4″	0.12	---
700606	3/8″ x 3/8″	0.17	---
700806	1/2″ x 3/8″	0.26	---
700808	1/2″ x 1/2″	0.30	---

AQ70DOTS **1870** DQ70DOTS **170PMTNS**


FEMALE SWIVEL ELBOW



AQ70DOTS

PART #	TUBE O.D. X FEMALE NPTF	LIST PRICE
700404S	1/4″ x 1/4"	---

MALE RUN TEE



Forged

AQ71DOT
DQ71


PART #	TUBE O.D. X MALE NPTF (1 X 3) X 2	APPROX. WT. LBS.	LIST PRICE
710402	1/4″ x 1/8″	0.06	---
71040604	(1/4" x 3/8") x 1/4"	0.20	----
710404	1/4″ x 1/4″	0.08	---
710604	3/8″ x 1/4″	0.20	---
71060404	(3/8" x 1/4") x 1/4"	0.20	---
710606	3/8″ x 3/8″	0.17	---
71060406	(3/8" x 1/4") x 3/8"	0.20	----
710608	3/8″ x 1/2″	0.14	---
710806	1/2″ x 3/8″	0.28	---

AQ71DOT **171PMTNS** 1871 **DQ71DOT**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. PUSH-IN
BRASS FITTINGS

MALE SWIVEL RUN TEE



Forged

AQ71DOTS
DQ71S

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
710402S	1/4" x 1/8"	0.09	---
710404S	1/4" x 1/4"	0.11	---
710604S	3/8" x 1/4"	0.15	---
710606S	3/8" x 3/8"	0.14	---
710804S	1/2" x 1/4"	0.24	---
710806S	1/2" x 3/8"	0.24	---
710808S	1/2" x 1/2"	0.30	---

AQ71DOTS **171PMT** 1871 **DQ71DOTS**

MALE 45° ELBOW



AQ54DOT
DQ54

Forged

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
540402	1/4" x 1/8"	0.06	---
540404	1/4" x 1/4"	0.06	---
540602	3/8" x 1/8"	0.08	---
540604	3/8" x 1/4"	0.09	---
540606	3/8" x 3/8"	0.11	---
540608	3/8" x 1/2"	0.15	---
540804	1/2" x 1/4"	0.13	---
540806	1/2" x 3/8"	0.16	---
540808	1/2" x 1/2"	0.18	---
541006	5/8" x 3/8"	0.22	---
541008	5/8" x 1/2"	0.21	---
541208	3/4" x 1/2"	0.28	---
541212	3/4" x 3/4"	0.32	---

AQ54DOT **179MTNS** 1880 **DQ54DOT**

MALE 45° SWIVEL ELBOW



AQ54DOTS
DQ54S

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
540402S	1/4" x 1/8"	0.06	---
540404S	1/4" x 1/4"	0.09	---
540602S	3/8" x 1/8"	0.10	---
540604S	3/8" x 1/4"	0.11	---
540606S	3/8" x 3/8"	0.13	---
540804S	1/2" x 1/4"	0.14	---
540806S	1/2" x 3/8"	0.16	---
540808S	1/2" x 1/2"	0.18	---
541008S	5/8" x 1/2"	0.24	---

AQ54DOTS **179PMT** 1880 **DQ54DOTS**

MALE BRANCH TEE



Forged


AQ72DOT
DQ72

PART #	TUBE O.D. X MALE NPTF (1 X 2) X 3	APPROX. WT. LBS.	LIST PRICE
720302	3/16" x 1/8"	0.07	---
720402	1/4" x 1/8"	0.10	---
720404	1/4" x 1/4"	0.10	---
720604	3/8" x 1/4"	0.14	---
72060404	(3/8" x 1/4") x 1/4"	0.20	---
720606	3/8" x 3/8"	0.15	---
720804	1/2" x 1/4"	0.20	---
720806	1/2" x 3/8"	0.24	---
720808	1/2" x 1/2"	0.32	---
72100808	(5/8" x 1/2") x 1/2"	0.20	----

AQ72DOT **172PMTNS** 1872 **DQ72DOT**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MALE SWIVEL BRANCH TEE



AQ72DOTS
DQ72S

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
720402S	1/4" x 1/8"	0.12	---
720404S	1/4" x 1/4"	0.14	---
720602S	3/8" x 1/8"	0.19	---
720604S	3/8" x 1/4"	0.15	---
720606S	3/8" x 3/8"	0.17	---
720804S	1/2" x 1/4"	0.30	---
720806S	1/2" x 3/8"	0.34	---
720808S	1/2" x 1/2"	0.22	---

AQ72DOTS **172PMT** 1872 **DQ72DOTS**

FEMALE BRANCH TEE



AQ77DOT
DQ77

(RUN) BRANCH

PART #	(1 & 2) X 3	LIST PRICE
770402	1/4" x 1/8"	---
770404	1/4" x 1/4"	---
770604	3/8" x 1/4"	---


GLADHAND BULKHEAD CONNECTOR



TUBE OD X MALE NPTF

PART #	SIZE	LIST PRICE
830808	1/2" x 1/2"	---

BULKHEAD UNION



AQ82DOT
DQ82

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
820400	1/4"	0.16	---
820600	3/8"	0.21	---
820800	1/2"	0.14	---
821000	5/8"	0.30	---

AQ82DOT **62PMTBH** 1874 **DQ82DOT**

FEMALE BULKHEAD UNION



AQ86DOT
DQ86

PART #	TUBE O.D. X FEMALE NPTF	APPROX. WT. LBS.	LIST PRICE
860402	1/4" x 1/8"	0.08	---
860404	1/4" x 1/4"	0.10	---
860604	3/8" x 1/4"	0.14	---
860606	3/8" x 3/8"	0.31	---
860808	1/2" x 1/2"	0.32	---

AQ86DOT **1873** DQ86DOT **66PMTBH**

- Jam nuts not available separately

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY DOT AIRBRAKE FITTINGS

WARNING

- Composite DOT push-to-connect fittings are designed only for use in applications where air is utilized as an operating fluid.
- Fittings must be used in accordance with manufacturer and industry specifications.
- They are not intended for use in environments exceeding 145psi or 140 degrees F.
- The Department of Transportation FMVSS 49CFR571-106 prohibits use of this type of fitting for connections between towed and towing vehicles or between a driveshaft and chassis.
- Using Composite DOT fittings in a manner inconsistent with manufacturer specifications may result in serious injury or property damage.
- Under no circumstances shall the supplier be liable to buyer for any consequential or incidental damages of any nature whatsoever arising from nonconformity of goods, defective goods, or delay in shipment or any other breach by seller.


Please feel free to email warning@compdotfitting.com with any questions or concerns.



- One touch connection reduces installation time and cost.
- Rugged ultraviolet and vibration resistant composite body.
- Various shapes and configurations to meet vehicle applications and make installations easier.

SPECIFICATIONS FOR FMVSS (D.O.T.) AND SAE COMPLIANT FITTINGS

Operating Fluid	Air						
Max. Operating Pressure	145psi (1.0MPa)						
Proof Pressure	Size	5/32"	1/4"	3/8"	1/2"	5/8"	3/4"
	At 75°F (24°C)	1200psi	1200psi	1400psi	950psi	900psi	800psi
	At 200 °F (93°C)	450psi (3.1MPa)					
Recommended Fluid and Ambient Temperature*	-40°F to 140°F (-40°C to 60°C)						
Leak Rate at -40°F (-40°C)	7 Ncm^3/min. or less						
Thread	Thread Portion	ANSI/ASME B1.20.1, 1983 R1992					
	Nut	JIS B 0208 (Unified fine thread) ISO 263					
Thread Sealant	Fluorine/ Acrylic						
Applicable Standards	D.O.T. FMVSS 49 CFR 571.106, SAE J2494-3						
Applicable Tubing	Tubing conforming to both SAE J844 and D.O.T. FMVSS 49 CFR 571.106. Material: Nylon12						
Tube O.D.	5/32", 1/4", 3/8", 1/2", 5/8", 3/4"						



1. Chuck	Stainless steel or Brass
2. Body	Polybutylene Terephthalate (PBT), Brass
3/4. Tube seal, O-Ring	Buna-N, Nitrile Rubber
5. Stud	Brass
6. Sealant	Flourine/ Acrylic
7. Guide	Stainless Steel or Polyacetal (Acetal)
8. Stabilization Ring	Stainless Steel
9. Release Button	Polyacetal, POM (Acetal)
10. Tube support	Stainless Steel/ Brass

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY D.O.T. PUSH-IN
BRASS FITTINGS

STRAIGHT UNION



PART #	TUBE OD (INCH)	APPROX. WT. LBS.	LIST PRICE
620532C	5/32	0.01	---
620400C	1/4	0.01	---
620600C	3/8	0.03	---
620800C	1/2	0.05	---
621000C	5/8	0.08	---

UNION TEE



PART #	TUBE OD (INCH)	APPROX. WT. LBS.	LIST PRICE
645320C	5/32	0.02	---
640400C	1/4	0.02	---
640600C	3/8	0.05	---
640800C	1/2	0.07	---
641000C	5/8	0.13	---

UNION 90° ELBOW



PART #	TUBE OD (INCH)	APPROX. WT. LBS.	LIST PRICE
655320C	5/32	0.01	---
650400C	1/4	0.02	---
650600C	3/8	0.04	---
650800C	1/2	0.05	---

FEMALE CONNECTOR



PART #	TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
665302C	5/32	1/8-27	0.04	---
665304C	5/32	1/4-18	0.06	---
660402C	1/4	1/8-27	0.04	---
660404C	1/4	1/4-18	0.06	---
660406C	1/4	3/8-18	0.10	---
660602C	3/8	1/8-27	0.07	---
660604C	3/8	1/4-18	0.07	---
660606C	3/8	3/8-18	0.11	---
660608C	3/8	1/2-14	0.12	---
660802C	1/2	1/8-27	0.11	---
660804C	1/2	1/4-18	0.13	---
660806C	1/2	3/8-18	0.12	---
660808C	1/2	1/2-14	0.13	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY D.O.T. PUSH-IN

BRASS FITTINGS

STRAIGHT MALE CONNECTOR



PART #	APP. TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
685301C	5/32	1/16-28	0.02	---
685302C	5/32	1/8-27	0.02	---
685304C	5/32	1/4-27	0.03	---
680402C	1/4	1/8-27	0.02	---
680404C	1/4	1/4-18	0.03	---
680406C	1/4	3/8-18	0.05	---
680602C	3/8	1/8-27	0.05	---
680604C	3/8	1/4-18	0.06	---
680606C	3/8	3/8-18	0.06	---
680608C	3/8	1/2-14	0.09	---
680804C	1/2	1/4-18	0.09	---
680806C	1/2	3/8-18	0.09	---
680808C	1/2	1/2-14	0.09	---
681006C	5/8	3/8-18	0.15	---
681008C	5/8	1/2-14	0.13	---
681208C	3/4	1/2-14	0.38	---

90° MALE ELBOW

- Fixed



PART #	TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
695322SC	5/32	1/8-27	0.03	---
690402SC	1/4	1/8-27	0.03	---
690404SC	1/4	1/4-18	0.04	---
690406SC	1/4	3/8-18	0.07	---
690602SC	3/8	1/8-27	0.07	---
690604SC	3/8	1/4-18	0.06	---
690606SC	3/8	3/8-18	0.08	---
690608SC	3/8	1/2-14	0.14	---
690804SC	1/2	1/4-18	0.07	---
690806SC	1/2	3/8-18	0.09	---
690808SC	1/2	1/2-14	0.14	---
691006SC	5/8	3/8-18	0.14	---
691008SC	5/8	1/2-14	0.18	---
691208SC	3/4	1/2-14	0.26	---

90° FEMALE ELBOW



PART #	TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
705302C	5/32	1/8-27	0.03	---
705304C	5/32	1/4-18	0.05	---
700402SC	1/4	1/8-27	0.03	---
700404SC	1/4	1/4-18	0.05	---
700406SC	1/4	3/8-18	0.08	---
700602C	3/8	1/8-27	0.05	---
700604SC	3/8	1/4-18	0.07	---
700606SC	3/8	3/8-18	0.09	---
700608SC	3/8	1/2-14	0.10	---
700804C	1/2	1/4-18	0.08	---
700806SC	1/2	3/8-18	0.10	---
700808SC	1/2	1/2-14	0.11	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY D.O.T. PUSH-IN

BRASS FITTINGS

MALE RUN TEE

- Fixed



PART #	TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
715301C	5/32	1/16	0.05	---
715302C	5/32	1/8	0.03	---
715304C	5/32	1/4	0.04	---
710402SC	1/4	1/8-27	0.04	---
710404SC	1/4	1/4-18	0.05	---
710604SC	3/8	1/4-18	0.08	---
710606SC	3/8	3/8-18	0.10	---
710608SC	3/8	1/2-14	0.15	---
710804C	1/2	1/4-8	0.09	---
710806SC	1/2	3/8-18	0.11	---
710808C	1/2	1/2-14	0.17	---

MALE BRANCH TEE

- Fixed



PART #	TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
725301C	5/32	1/16	0.03	---
725302C	5/32	1/8	0.03	---
725304C	5/32	1/4	0.05	---
720402SC	1/4	1/8-27	0.04	---
720404SC	1/4	1/4-18	0.05	---
720406SC	1/4	3/8-18	0.08	---
720604SC	3/8	1/4-18	0.08	---
720606SC	3/8	3/8-18	0.10	---
720608C	3/8	1/2-14	0.15	---
720804C	1/2	1/4-18	0.09	---
720806SC	1/2	3/8-18	0.11	---
720808SC	1/2	1/2-14	0.17	---
721006C	5/8	3/8	0.18	---
721008C	5/8	1/2	0.21	---

FEMALE BRANCH TEE



PART #	TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
770402C	1/4	1/8-27	0.06	---
770404C	1/4	1/4-18	0.08	---
770604C	3/8	1/4-18	0.08	---
770806C	1/2	3/8	0.13	---
771004C	5/8	1/4	0.21	---

45° MALE ELBOW

- Fixed



PART #	TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
545302C	5/32	1/8-27	0.03	---
540402SC	1/4	1/8-27	0.03	---
540404SC	1/4	1/4-18	0.04	---
540602SC	3/8	1/8-27	0.06	---
540604SC	3/8	1/4-18	0.06	---
540606SC	3/8	3/8-18	0.08	---
540608SC	3/8	1/2-14	0.13	---
540802C	1/2	1/8-27	0.08	---
540804SC	1/2	1/4-18	0.08	---
540806SC	1/2	3/8-18	0.10	---
540808SC	1/2	1/2-14	0.15	---
541006SC	5/8	3/8-18	0.14	---
541008SC	5/8	1/2-14	0.17	---
541208SC	3/4	1/2-14	0.26	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPOSITE BODY D.O.T. PUSH-IN
BRASS FITTINGS

UNION "Y"



PART #	A&B TUBE OD (INCH)	C TUBE OD (INCH)	APPROX. WT. LBS.	LIST PRICE
620553C	1/4	1/4	0.03	---
620409C	1/4	3/8	0.03	---
620555C	3/8	3/8	0.05	---
620559C	3/8	1/4	0.07	---
620557C	1/2	1/2	0.08	---

MALE BRANCH "Y"



PART #	TUBE OD (INCH)	THREAD NPT	APPROX. WT. LBS.	LIST PRICE
880402C	1/4	1/8	0.05	---
880404C	1/4	1/4	0.06	
880406C	1/4	3/8	0.09	---
620604C	3/8	1/4-18	0.09	---
620606C	3/8	3/8-18	0.12	---
620806C	1/2	3/8-18	0.13	---
620808C	1/2	1/2-14	0.15	---

BULKHEAD UNION



PART #	TUBE OD (INCH)	THREAD (UNF)	APPROX. WT. LBS.	LIST PRICE
825320C	5/32	1/2-20	0.07	---
820400C	1/4	9/16-18	0.07	---
820600C	3/8	7/8-14	0.19	---
820800C	1/2	1-12	0.26	---
821000C	5/8	1 1/8-12	0.42	---

FEMALE BULKHEAD CONNECTOR



PART #	APP. TUBE OD (INCH)	THREAD NPT	T (UNF)	APPROX. WT. LBS.	LIST PRICE
865304C	5/32	1/4-18	1/2-20	0.08	---
860402C	1/4	1/8-27	9/16-18	0.01	---
860404C	1/4	1/4-18	9/16-18	0.08	---
860604C	3/8	1/4-18	7/8-14	0.20	---
860606C	3/8	3/8-18	7/8-14	0.20	---
860806C	1/2	3/8-18	1-12	0.26	---
860808C	1/2	1/2-14	1-12	0.27	---










WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE – NYLON TUBING



Tube O.D	1/4	3/8	1/2	5/8	3/4
Thread Size-B	7/16-24	17/32-24	11/16-20	13/16-18	1-18

▪Typical Application
Air brake systems except where temperatures exceed +200^{0}F or where battery acid can drip on tubing.

▪Pressure
Maximum operating pressure of 150 PSI.

▪Vibration
Fair resistance.

▪Temperature Range
-40^{0}F to +200^{0}F (-40^{0}C to +93^{0}C).

▪Material
Brass

▪Used With
NT Nylon Tubing - SAE J844 Type A and B.

▪ Tolerance
+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical

▪Advantages
Easy to assemble (no tube preparation or flaring required.) Built in tube support. Fittings utilize a ribbed sleeve for compression and positive grip. May be used with copper tubing by replacing nut, sleeve and insert with long nut and spherical sleeve. Insert should be removed for copper tubing use.

▪Conformance
Meets specifications and standards of SAE and DOT FMVSS 571,106.

▪Assembly Instructions
1- Cut tubing to desired length.
2-Slide nut and then sleeve on tubing. Threaded end of nut "A" must face toward fitting body.
3-Insert tubing into the preassembled fitting. Be sure tubing is bottomed in fitting.
4- Tighten nut to required torque as indicated on chart.

Disassembling: Remove nut and pull tubing out of fitting body. Insert will remain in tubing.
Reassembly: Push tubing and insert into fitting body until it bottoms. Thread nut onto fitting body

Tube Size	Additional Number of Turns from Hand-Tight
1/4	3
3/8, 1/2	4
5/8, 3/4	3-1/2

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE - NYLON TUBING

BRASS FITTINGS

SLEEVE

SAE# 100115



60NA
NT60

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
38000	3/16"		---
38001	1/4"	0.01	---
38002	3/8"	0.01	---
38003	1/2"	0.01	---
38004	5/8"	0.01	---
38005	3/4"	0.01	---

60NAB **60NTA** 1460

NUT

SAE# 100110



62NA
NT61

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
38009	3/16"		---
38010	1/4"	0.02	---
38011	3/8"	0.03	---
38012	1/2"	0.05	---
38013	5/8"	0.06	---
38014	3/4"	0.09	---

61NAB **61NTA** 1461

UNION

SAE# 100101BA



62NA
NT62

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
38018	3/16"		---
38019	1/4"	0.07	---
38020	3/8"	0.11	---
38021	1/2"	0.20	---
38022	5/8"	0.25	---
38023	3/4"	0.40	---

62NAB **62NTA** 1462

BULKHEAD UNION



62NABH
NT62BH

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
38028	1/4"	0.11	---
38029	3/8"	0.16	---
38030	1/2"	0.26	---

62NBH **1474** 475

STAINLESS STEEL INSERT

• 300 SERIES STAINLESS

▪ For SAE# J844 TUBING



PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
38035	1/4"	0.01	---
38036	3/8"	0.01	---
38037	1/2"	0.01	---
38038	5/8"	0.01	---
38039	3/4"	0.01	---

59A **63NTA**

BRASS INSERT



PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
38040	1/4"	0.01	---
38041	3/8"	0.01	---
38042	1/2"	0.01	---
38043	5/8"	0.01	---
38048	3/4"	0.02	---

1484 **463**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE - NYLON TUBING
BRASS FITTINGS

TEE

SAE# 100401BA




64NA
NT64

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
38044	1/4″	0.12	---
38045	3/8″	0.19	---
38046	1/2″	0.36	---
38047	5/8″	0.48	---

64NAB **264NTA** 1464

REDUCING BRANCH TEE



PART #	TUBE O.D. (1&2) X 3	APPROX. WT. LBS.	LIST PRICE
38049	3/8″ x 1/4″	0.24	---
38057	1/2″ x 3/8″	0.30	---

ELBOW

SAE# 100201BA



65NA
NT65

PART #	TUBE O.D.	APPROX. WT. LBS.	LIST PRICE
38052	1/4″	0.09	---
38053	3/8″	0.13	---
38054	1/2″	0.15	---
38055	5/8″	0.36	---

65NAB **265NTA** 1465

FEMALE ADAPTER

SAE# 100103BA



66NA
NT66

PART #	TUBE O.D. X FEMALE NPT	APPROX. WT. LBS.	LIST PRICE
38060	1/4″ x 1/8″	0.06	---
38061	1/4″ x 1/4″	0.08	---
38062	3/8″ x 1/8″	0.07	---
38063	3/8″ x 1/4″	0.10	---
38064	3/8″ x 3/8″	0.14	---
38065	1/2″ x 3/8″	0.16	---
38066	1/2″ x 1/2″	0.20	---
38067	5/8″ x 3/8″	0.28	---
38068	5/8″ x 1/2″	0.28	---
38059	3/4" x 1/2"	0.31	

66NAB **66NTA** 1466 **66NBH**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

Dimension data can change without notice. Please check when dimensions are critical.

D.O.T. AIR BRAKE - NYLON TUBING

BRASS FITTINGS

MALE ADAPTER

SAE# 100102BA



68NA
NT68VS

- More sizes available

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
38072	1/4" x 1/16"	0.05	---
38073	1/4" x 1/8"	0.05	---
38074	1/4" x 1/4"	0.06	---
38075	1/4" x 3/8"	0.08	---
38076	3/8" x 1/8"	0.07	---
38077	3/8" x 1/4"	0.08	---
38078	3/8" x 3/8"	0.10	---
38079	3/8" x 1/2"	0.14	---
38080	1/2" x 1/4"	0.13	---
38081	1/2" x 3/8"	0.14	---
38082	1/2" x 1/2"	0.18	---
38087	1/2" x 3/4"	0.23	---
38083	5/8" x 3/8"	0.17	---
38084	5/8" x 1/2"	0.21	---
38088	5/8" x 3/4"	0.25	---
38085	3/4" x 1/2"	0.28	---
38086	3/4" x 3/4"	0.30	---

68NAB **68NTA** 1468

SWIVEL MALE ADAPTER



PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
38078S	3/8" x 3/8"	0.18	---
38081S	1/2" x 3/8"	0.22	---

MALE ELBOW

SAE# 100202BA



69NA
NT69VS

- More sizes available

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
38091	1/4" x 1/8"	0.06	---
38092	1/4" x 1/4"	0.08	---
38093	1/4" x 3/8"	0.13	---
38094	3/8" x 1/8"	0.09	---
38095	3/8" x 1/4"	0.11	---
38090	3/8" x 1/4" LONG	0.14	---
38101	3/8" x 3/8"	0.14	---
38102	3/8" x 1/2"	0.20	---
38103	1/2" x 1/4"	0.16	---
38104	1/2" x 3/8"	0.20	---
38109	1/2" x 3/8" LONG	0.26	---
38105	1/2" x 1/2"	0.29	---
38106	5/8" x 3/8"	0.26	---
38107	5/8" x 1/2"	0.32	---
38110	5/8" x 3/4"	0.40	---
38108	3/4" x 1/2"	0.43	---
38111	3/4" x 3/4"	0.51	

269NTA **1469**

SWIVEL MALE ELBOW



PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
38101S	3/8" x 3/8"	0.28	---
38104S	1/2" x 3/8"	0.32	---

FEMALE ELBOW

SAE# 100203BA



70NA
NT70

PART #	TUBE O.D. X FEMALE NPTF	APPROX. WT. LBS.	LIST PRICE
38113	1/4" x 1/8"	0.08	---
38114	1/4" x 1/4"	0.12	---
38115	3/8" x 1/8"	0.14	---
38116	3/8" x 1/4"	0.10	---
38117	3/8" x 3/8"	0.12	---
38118	1/2" x 3/8"	0.23	---
38119	1/2" x 1/2"	0.36	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE - NYLON TUBING
BRASS FITTINGS

MALE RUN TEE

SAE# 100424BA




71NA
NT71VS

PART #	TUBE O.D. X MALE NPTF X TUBE O.D. 1X2X3	APPROX. WT. LBS.	LIST PRICE
38125	1/4" x 1/8" x 1/4"	0.10	---
38126	1/4" x 1/4" x 1/4"	0.13	---
38124	3/8" x 1/4" x 1/4"	0.14	---
38127	3/8" x 1/4" x 3/8"	0.17	---
38128	3/8" x 3/8" x 3/8"	0.20	---
38129	1/2" x 3/8" x 1/2"	0.30	---

71NAB **271NTA** 1471

MALE BRANCH TEE

SAE# 100425BA




72NA
NT72VS

PART #	TUBE O.D. X TUBE O.D. X MALE NPTF 1X2X3	APPROX. WT. LBS.	LIST PRICE
38136	1/4" x 1/4" x 1/8"	0.10	---
38137	1/4" x 1/4" x 1/4"	0.13	---
38138	3/8" x 3/8" x 1/8"	0.14	---
38132	3/8" x 1/4" x 1/4"	0.15	---
38139	3/8" x 3/8" x 1/4"	0.17	---
38133	1/2" x 1/2" x 1/4"	0.26	---
38140	3/8" x 3/8" x 3/8"	0.21	---
38134	1/2" x 3/8" x 3/8"	0.26	---
38141	1/2" x 1/2" x 3/8"	0.30	---
38142	1/2" x 1/2" x 1/2"	0.37	---
38143	5/8" x 5/8" x 1/2"	0.44	---

72NAB **272NTA** 1472

FEMALE BRANCH TEE



PART #	TUBE O.D. X TUBE O.D. X FEMALE NPTF 1X2X3	APPROX. WT. LBS.	LIST PRICE
38144	3/8" x 3/8" x 1/4"	0.21	---
38146	5/8" x 5/8" x 1/4"	0.48	---

45° ELBOW

SAE# 100302BA




6945NA
NT6945VS

PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
38148	1/4" x 1/8"	0.06	---
38149	1/4" x 1/4"	0.08	---
38150	3/8" x 1/8"	0.09	---
38151	3/8" x 1/4"	0.11	---
38152	3/8" x 3/8"	0.14	---
38153	3/8" x 1/2"	0.24	---
38157	1/2" x 1/4"	0.18	---
38154	1/2" x 3/8"	0.19	---
38155	1/2" x 1/2"	0.25	---
38156	5/8" x 1/2"	0.30	---
38158	3/4" x 1/2"	0.38	---

6945NAB **279NTA** 1480

SWIVEL 45° ELBOW



PART #	TUBE O.D. X MALE NPTF	APPROX. WT. LBS.	LIST PRICE
38152S	3/8" x 3/8"	0.20	---
38154S	1/2" x 3/8"	0.24	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE - COPPER TUBING

BRASS FITTINGS

SLEEVE

SAE# 120115BA




60AB
AB60

PART #	TUBE O.D.	A	APPROX. WT. LBS.	LIST PRICE
38161	1/4"	0.25	0.01	---
38162	3/8"	0.31	0.02	---
38163	1/2"	0.38	0.02	---
38164	5/8"	0.44	0.02	---
38165	3/4"	0.50	0.04	---

60AB **1360**

NUT

SAE# 120111BA




61AB
AB61

PART #	TUBE O.D.	A	HEX	APPROX. WT. LBS.	LIST PRICE
38170	1/4"	0.75	0.56	0.02	---
38171	3/8"	1.13	0.62	0.04	---
38172	1/2"	1.25	0.81	0.08	---
38173	5/8"	1.38	0.94	0.12	---
38174	3/4"	1.56	1.12	0.18	---

20961 **61AB** 1361

UNION

SAE# 120101BA




62AB
AB62

PART #	TUBE O.D.	A	HEX	APPROX. WT. LBS.	LIST PRICE
38179	1/4"	0.81	0.44	0.08	---
38180	3/8"	1.10	0.56	0.14	---
38181	1/2"	1.07	0.69	0.24	---
38182	5/8"	1.41	0.81	0.34	---
38183	3/4"				---

62AB **1362**

TEE

SAE# 120401BA




64AB
AB64

PART #	TUBE O.D.	A	APPROX. WT. LBS.	LIST PRICE
38188	1/4"	0.62	0.16	---
38189	3/8"	0.82	0.24	---
38190	1/2"	0.94	0.48	---
38191	5/8"			

264AB **1364**

ELBOW

SAE# 120201BA



65AB
A65

PART #	TUBE O.D.	A	APPROX. WT. LBS.	LIST PRICE
38196	1/4"	0.62	0.10	---


265AB **1365**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE - COPPER TUBING
BRASS FITTINGS

FEMALE ADAPTER

SAE# 120103BA




66AB
AB66

PART #	TUBE O.D. X FEMALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
38204	1/4" x 1/8"	0.84	0.56	0.08	---
38205	1/4" x 1/4"	1.07	0.68	0.10	---
38206	3/8" x 1/8"	1.00	0.56	0.10	---
38207	3/8" x 1/4"	1.19	0.68	0.12	---
38208	3/8" x 3/8"	1.18	0.87	0.16	---
38209	1/2" x 3/8"	1.27	0.87	0.18	---
38210	1/2' x 1/2"	1.44	1.06	0.20	---
38211	5/8" x 3/8"	1.31	0.87	0.24	---
38212	5/8" x 1/2"	0.50	1.06	0.26	---
38213	3/4" x 1/2"				---

66AB **1366**

MALE ADAPTER

SAE# 120102BA




68AB
AB68

PART #	TUBE O.D. X MALE NPTF	A	HEX	APPROX. WT. LBS.	LIST PRICE
38217	1/4" x 1/8"	0.88	0.43	0.06	---
38218	1/4" x 1/4"	0.97	0.56	0.08	---
38221	3/8" x 1/4"	1.09	0.56	0.10	---
38222	3/8" x 3/8"	1.19	0.69	0.12	---
38223	3/8" x 1/2"	1.45	0.87	0.18	---
38224	1/2" x 1/4"	1.32	0.69	0.16	---
38225	1/2" x 3/8"	1.35	0.69	0.18	---
38226	1/2" x 1/2"	1.51	0.87	0.24	---
38227	5/8" x 3/8"	1.39	0.81	0.22	---
38228	5/8" x 1/2"	1.57	0.87	0.24	---
38229	3/4" x 1/2"	1.67	1.00	0.34	---

68AB **368**

90° MALE ELBOW

SAE# 120202BA




69AB
AB69

PART #	TUBE O.D. X MALE NPTF	A	B	APPROX. WT. LBS.	LIST PRICE
38235	1/4" x 1/8"	0.64	0.76	0.08	---
38236	1/4" x 1/4"	0.69	0.88	0.10	---
38237	1/4" x 3/8"	0.73	0.86	0.14	---
38239	3/8" x 1/4"	0.80	0.93	0.12	---
38240	3/8" x 3/8"	0.83	0.90	0.16	---
38241	3/8" x 1/2"				---
38243	1/2" x 3/8"	0.92	0.98	0.22	---
38244	1/2" x 1/2"	1.04	1.19	0.30	---
38246	5/8" x 1/2"	1.10	1.25	0.36	---

269AB **1369**

MALE BRANCH TEE

SAE# 120425BA



72AB
AB72

PART #	TUBE O.D. X MALE NPTF (1&2)X3	A	B	APPROX. WT. LBS.	LIST PRICE
38278	3/8" x 1/4"	0.78	0.91	0.18	---
38279	3/8" x 3/8"	0.85	0.92	0.24	---

272AB **1372**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE REUSABLE HOSE/ FITTINGS



▪Typical Application
Air Brake hose connections.
Meets SAE & DOT specifications
(FMVCS 10 GAL)

▪Pressure
Determined by maximum working pressure for hose size. Up to 125 psi

Temperature: -40^{0}F to + 120^0 F (-40°C to +48°C)

▪Advantages
Can be used for nearly any brake line. Easy to assemble with a good selection of hose end configurations. Brass material offers excellent resistance against corrosion.

▪ Tolerance
+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

▪Assembly Instructions
1- Slide nut and sleeve onto hose. Make sure bevel edge of sleeve faces out toward fitting.
2- Push hose into fitting until it bottoms.
3- Screw nut until contact is made with body hex.

NOTE: When reassembling fitting, body and nut should be inspected. Only reuse if in proper condition. Sleeves should never be reused.

SLEEVE

FERRULE

60HE
HE60



PART #	HOSE I.D. SIZE	APPROX. WT. LBS.	LIST PRICE
38300	3/8″	0.02	---
38301	1/2″	0.02	---

#60HC 3380-A 0903610 367 60RB

NUT

61HE
HE61



PART #	HOSE I.D. SIZE	APPROX. WT. LBS.	LIST PRICE
38306	3/8″	0.04	---
38307	1/2″	0.06	---

61RB **#61HC** 369 **3380-B** 0903624

NUT FOR USE WITH SPRING

61HES
HE61N




PART #	HOSE I.D. SIZE	THREAD	APPROX. WT. LBS.	LIST PRICE
38312	3/8″	31/32-20	0.04	---
38313	1/2″	1-3/32-20	0.06	---

#61HCS **0903613** 3380-D **61RBSG**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE - HOSE/ ENDS
BRASS FITTINGS

SPRING




61HSG
HE61G

PART #	HOSE I.D.	APPROX. WT. LBS.	LIST PRICE
38351	3/8″	0.20	---
38352	1/2″	0.22	---

#60SG **0901045** 3380-C **377**

NUT AND SPRING ASSEMBLY



HE61NG

PART #	HOSE I.D. SIZE	APPROX. WT. LBS.	LIST PRICE
38015	3/8″	0.18	---
38016	1/2″	0.24	---

379 **67RBSG** 0999999

UNION



62HE
HE62

PART #	HOSE I.D.	THREAD	APPROX. WT. LBS.	LIST PRICE
38318	3/8″	31/32-20	0.32	---
38319	1/2″	1-1/8-20	0.48	---

#62HC **3380B-Y0** 362



BODY ONLY

PART #	HOSE I.D.	THREAD	APPROX. WT. LBS.	LIST PRICE
39318	3/8″	31/32-20	0.32	---
39319	1/2″	1-1/8-20	0.48	---

FEMALE CONNECTOR HOSE



66HEA

PART #	HOSE I.D. X FEMALE ABS	APPROX. WT. LBS.	LIST PRICE
38357	3/8″ x 3/4-20	0.24	---
38358	1/2″ x 7/8-20	0.39	---

#66ABS **66RBSV** 3380B-Y7 **386**



BODY ONLY

PART #	HOSE I.D. X FEMALE ABS	APPROX. WT. LBS.	LIST PRICE
39357	3/8″ x 3/4-20	0.24	---
39358	1/2″ x 7/8-20	0.38	---

MALE CONNECTOR



68HEA
HE68S

PART #	HOSE I.D. X MALE PIPE	APPROX. WT. LBS.	LIST PRICE
38363	3/8″ x 1/4″	0.38	---
38364	1/2″ x 3/8″	0.46	---

#68ABS **09155** 3380B-Y8 **387**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

D.O.T. AIR BRAKE - HOSE/ENDS

BRASS FITTINGS

ADAPTER FOR SWIVEL TYPE REUSABLE AND CRIMPED



68HEAB
1390

PART #	MALE ABS X MALE PIPE	ABS THREAD	APPROX. WT. LBS.	LIST PRICE
38369	3/8" x 1/4"	3/4-20	0.05	---
38368	3/8" x 3/8"	3/4-20	0.08	---
38372	3/8" x 1/2"	3/4-20	0.12	---
38370	1/2" x 3/8"	7/8-20	0.10	---
38371	1/2" x 1/2"	7/8-20	0.12	---

#68ABS **1390** 76RB **388**

MALE ADAPTER



68HE
HE68

PART #	HOSE I.D. X MALE PIPE	APPROX. WT. LBS.	LIST PRICE
38333	3/8" x 1/4"	0.22	---
38334	3/8" x 3/8"	0.24	---
38335	3/8" x 1/2"	0.26	---
38336	1/2" x 3/8"	0.33	---
38337	1/2" x 1/2"	0.36	---

#68HC **368** 3380B-Y2 **68RB**

ADAPTER BODY



68HEB
HE68B

PART #	HOSE I.D. X MALE PIPE	APPROX. WT. LBS.	LIST PRICE
38324	3/8" x 1/4"	0.12	---
38325	3/8" x 3/8"	0.14	---
38326	3/8" x 1/2"	0.20	---
38327	1/2" x 3/8"	0.18	---
38328	1/2" x 1/2"	0.20	---

#68B **W1391Z**

MALE ADAPTER



68HES
HE68G

PART #	HOSE I.D. X MALE PIPE	APPROX. WT. LBS.	LIST PRICE
38342	3/8" x 1/4"	0.32	---
38343	3/8" x 3/8"	0.34	---
38344	3/8" x 1/2"	0.38	---
38345	1/2" x 3/8"	0.48	---
38346	1/2" x 1/2"	0.52	---

#68HCS **3380B-Y3** 68RBSG **378**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STEEL GREASE FITTINGS

BRASS FITTINGS


- 8000 PSI MAX. PRESSURE
- EXCEEDS 12HR SALT

Meets SAE #J-534C

Many types available on special order.

- ASSORTMENTS ALSO


PIPE THREAD — BALL CHECK - 1/8-27 NPTF



PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36110	1/8" -27 NPTF	0.66	0.28	0.437	0.01	---
36110SS	303 SS	0.68	0.29	0.437	0.01	---
36111	Thread Forming	0.62	0.23	0.437	0.01	---

#610 **1610** 2800 **1720** 5000


PIPE THREAD — BALL CHECK



PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36112	1/8" -27 NPTF	1.25	0.22	0.437	0.02	---
36113	1/8" -27 NPTF	1.75	1.26	0.437	0.02	---

#607 **1607** 2800 **1669** 5003


PIPE THREAD — 30° ANGLE BALL CHECK



PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36114	1/8" -27 NPTF	0.90	0.30	0.437	0.01	---

#611 **1611** 2830 **5100**


PIPE THREAD — 45° ANGLE BALL CHECK



PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36116	1/8" -27 NPTF	0.88	0.22	0.437	0.01	---
36116SS	303 SS	0.95	0.29	0.437	0.01	---

#688 **1688** 2845 **5200**

PIPE THREAD — 65° ANGLE BALL CHECK




PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36118	1/8" -27 NPTF	0.86	0.30	0.437	0.01	---

#612 **1612** 2865 **5300**

PIPE THREAD — 90° ANGLE BALL CHECK






PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36120	1/8" -27 NPTF	0.84	0.30	0.437	0.01	---
36120SS	303 SS	0.84	0.29	0.437	0.01	---
36121	1/8" -27 NPTF	1.81	1.25	0.437	0.01	---

#613 **1613** 2890 **5400** 5407

PIPE THREAD — BALL CHECK - 1/4-18 NPTF




PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36130	1/4" -18 NPTF	0.84	0.30	0.437	0.02	---
36130SS	303 SS	0.87	0.42	0.437	0.02	---

#627 **1627** 2900K **5050**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STEEL GREASE FITTINGS
BRASS FITTINGS

PIPE THREAD




65° ANGLE BALL CHECK

PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36132	1/4"-18 NPTF	0.97	0.34	0.56	0.02	---

#629 **1629** 2965 **5350**

1/4-28 TAPER THREAD




SHORT BALL CHECK - 1/4-28 NPTF

PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36140	1/4"-28 NPTF	0.54	0.18	0.31	0.01	---
36140SS	303 SS	0.54	0.18	0.31	0.01	---
36141	Thread Forming	0.55	0.10	0.31	0.01	---

#641 **1641** 2400 **3038** 5010

1/4-28 TAPER THREAD




LONG BALL CHECK

PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36142	1/4"-28 Taper Thread	0.69	0.34	0.312	0.01	---

#652 **1652** 2400 **5013**

1/4-28 TAPER THREAD




EXTRA LONG BALL CHECK

PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36144	1/4"-28 Taper Thread	0.92	0.60	0.312	0.02	---

#680 **1680** 2400 **5014**

1/4-28 TAPER THREAD




SHORT 45° BALL CHECK

PART #	SIZE	ANGLE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36146	1/4"-28 Taper Thread	45°	0.82	0.20	0.375	0.02	---
36146SS	303 SS	45°	0.81	0.20	0.375	0.02	---

#637 **1637** 2445 **1665** 2465 **3010** 5210

1/4-28 TAPER THREAD




LONG 45° BALL CHECK

PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36148	1/4"-28 Taper Thread	0.94	0.30	0.375	0.02	---

#636 **1630** 2445

1/4-28 TAPER THREAD



90° ANGLE BALL CHECK SAE# A515002


PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36150	1/4"-28 Taper Thread	0.75	0.10	0.375	0.02	---
36150SS	303 SS	0.75	0.20	0.375	0.02	---
36152	Thread Forming	0.75	0.16	0.375	0.02	---

#911 **1911** 2490 **3054** 5410

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STEEL GREASE FITTINGS
BRASS FITTINGS


DRIVE TYPE — BALL CHECK Drive Type



PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
36160	5/16"	0.55	0.25	0.01	---

#608 **1608** 5021


DRIVE TYPE — BALL CHECK



PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
36164	3/16"	0.52	0.25	0.01	---
36164SS	303 SS	0.51	0.25	0.01	---

#728 **1728** 2316 **5033**


DRIVE TYPE — BALL CHECK



PART #	SIZE	A	B	APPROX. WT. LBS.	LIST PRICE
36166	1/4"	0.55	0.23	0.01	---
36166SS	303 SS	0.55	0.23	0.01	---

#743 **1743** 214 **5029**

METRIC




PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36168	6MM x 1	16	3.7	7	0.01	---

(Diameter x Pitch)

#711 **6000** 2106 **2M6** 5175


METRIC — 45° ANGLE



PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36170	6MM x 1	21	3.7	9	0.02	---

#712 **6045** 2107 **5176**


METRIC — 90° ANGLE



PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36172	6MM x 1	18	3.7	9	0.02	---

#713 **6090** 2108 **ZM906** 5177


METRIC



PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36174	8MM x 1	16	3.7	9	0.02	---

#811 **8000** 2103 **ZM58** 5178


METRIC — 45° ANGLE



PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36176	8MM x 1	21	3.7	9	0.02	---

#812 **8045** 2104 **ZM458** 5179

METRIC — 90° ANGLE



PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36178	8MM x 1	18	3.7	9	0.02	---


#813 **8090** 2105 **ZM908** 5180

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STEEL GREASE FITTINGS

BRASS FITTINGS

METRIC




PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36180	10MM x 1	16	3.7	11	0.02	---

• DIAMETER X PITCH (EXTRA FINE)

#911 **9000** 2109 **ZM510** 5181

METRIC




45° ANGLE

PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36182	10MM x 1	21	3.7	11	0.02	---

#912 **9045** 2110 **ZM4510**


METRIC



90° ANGLE


PART #	SIZE	A (MM)	B (MM)	HEX (MM)	APPROX. WT. LBS.	LIST PRICE
36184	10MM x 1	18	3.7	11	0.02	---

#913 **9090** 2111 **ZM9010** 5183



PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36186	5/16"-24	0.65	0.12	0.375	0.02	---


#711-B **1711** 2500



PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36188	3/8"-24	0.65	0.14	0.437	0.01	---

#710-B **1710** 2600

BUTTON HEAD



PART #	SIZE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
36200	1/8"-27 PTF	0.75	0.34	0.625	0.03	---
36205	1/4"-18 NPT	0.83	0.44	0.625	0.03	---

1184 **1186**

WHIP HOSE - EXCEEDS SAE 100R1-AT - USE WITH HAND GREASE GUNS ONLY

10,000 PSI BURST PRESSURE RUBBER



1/8" NPT SOLID


3/16" ID

3,000 PSI WORKING PRESSURE

PART #	LENGTH	LIST PRICE
36210	12" RUBBER	---
36212	18" RUBBER	---
36214	24" RUBBER	---
36216	36" RUBBER	---

4 JAW GREASE GUN COUPLER

PROVIDES QUICK, POSITIVE, LEAKPROOF CONNECTION W/ GREASE



1/8" NPTF

PART #	A	HEX	APPROX. WT. LBS.	LIST PRICE
36220	1.50	0.56	0.05	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

Adapters for Grease Fittings

ADAPTERS

• CARBON STEEL, ZINC COATED



PART #	FEMALE	MALE	L	H	WEIGHT	LIST PRICE
36300	1/8"-27 NPTF	1/4-28" SAE-LT	.75	1/2	0.02	---
36301	1/8"-27 NPTF	1/4-28" SAE-LT	.87	1/2	0.02	---



PART #	FEMALE ENGLISH TO MALE ENGLISH		L	H	WEIGHT	LIST PRICE
36304	1/4"-28 UNF	M6 x 1.0	.43	9mm	0.01	---
36305	1/4"-28 UNF	M8 x 1.0	.45	3/8	0.01	---
36306	1/4"-28 UNF	M10 x 1.0	.32	7/16	0.01	---

EXTENSIONS



PART #	FEMALE ENGLISH TO MALE ENGLISH		L	H	WEIGHT	LIST PRICE
36307	1/4"-28 UNF	1/4"-28 SAE-LT	1.34	-	0.01	---
36308	1/8"-27 NPTF	1/8"-27 NPTF	.75	1/2	0.02	---
36309*	1/8"-27 NPTF	1/8"-27 NPTF	.82	1/2	0.02	---
36310	1/8"-27 NPTF	1/8"-27 NPTF	.94	9/16	0.04	---
36311	1/8"-27 NPTF	1/8"-27 NPTF	1.25	1/2	0.04	---

*BRASS PLATED

45° ANGLE ELBOWS



PART #	FEMALE	MALE	L	H	WEIGHT	LIST PRICE
36360	1/8"-27 NPTF	1/4"-28 SAE-LT	.81	1/2	0.02	---
36362	1/8"-27 NPTF	1/8"-27 PTF SAE Short	1.00	1/2	0.03	---

90° ANGLE ELBOWS




PART #	FEMALE	MALE	L	H		LIST PRICE
36370	1/8"-27 NPTF	1/4"-28 SAE-LT	.81	1/2	0.03	---
36371	1/8"-27 NPTF	1/4"-28 SAE-LT	1.04	1/2	0.03	---
36372	1/8"-27 NPTF	1/4"-18 PTF SAE Short	1.19	9/16	0.06	---
36374	1/8"-27 NPTF	1/8"-27 PTF SAE Short	1.00	1/2	0.03	---
36375	1/8"-27 NPTF	1/8"-27 NPTF	1.13	1/2	0.03	---
36377	1/4"-18 NPTF	1/4"-18 NPTF	1.34	11/16	0.08	---
36376	1/8"-27 NPTF	1/8"-27 NPTF	1.50	5/8	0.07	---

COUPLING



PART #	FEMALE	FEMALE	L	H	WEIGHT	LIST PRICE
36340	1/4"-28 UNF	1/8"-27 NPTF	.65	1/2	0.02	---

BULKHEAD CONNECTOR



PART #	FEMALE	MALE (FEMALE)	L	H	WEIGHT	LIST PRICE
36350	1/8"-27 NPTF	1/8"-27 NPSM (1/4"-28 UNF)	.88	1/2	0.03	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SPECIALTY VALVES AND COCKS






DRAIN COCKS



AIR VALVES



3, 4 AND 6 WAY



NEEDLE

MARINE & ANTI-SIPHON



PANEL MOUNT BALL VALVES





TRUCK



MINI BALL

SOLID BOTTOM SHUT-OFF





CHECK

SPRING BOTTOM SHUT-OFF



See our valve section for much, much more!


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

DRAIN COCKS

- For use with low pressure air, water and fluids.
- Designed for a working pressure of 150 psi @ 250°.
- Hand-tightening provides a metal-to-metal seal.
- Not intended for natural gas, LPG, nuclear or aircraft applications.

Install on your tank for easy draining


GASOLINE SHUT OFF W/ SCREEN FILTER



PART #	BARB X MALE PIPE	A	B	C	APPROX. WT. LBS.	LIST PRICE
46064	1/4" x 1/8"	0.55	1.34	0.66	0.06	---

827


DRAIN COCK 150 PSI - TRUNK AIR TANK



PART #	MALE PIPE	A	B	APPROX. WT. LBS.	LIST PRICE
46066	1/4"	1.73	1.41	0.22	---


DCR601-4

TRUCK DRAIN - 125 P.S.I.G



PART #	MALE PIPE	INDUS-TRY NUMBER	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
46067	1/8"		1.53	1.95	0.62	0.14	---


SHUT OFF - 150 P.S.I MAX.



PART #	MALE PIPE X FEMALE PIPE	INDUSTRY NUMBER	A	B	HEX 1	HEX 2	APPROX. WT. LBS.	LIST
46069	1/4"	W20332	1.96	1.96	0.75	0.62	0.20	---

#60HC **3380-A** 0903610 **367**

LEVER HANDLE



PART #	MALE PIPE	INDUS-TRY NUMBER	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
46070	1/8"	M-41-P	1.99	1.80	0.62	0.04	---
46071	1/4"	M-42-P	2.06	1.81	0.62	0.06	---
46072	3/8"	M-43-P	2.30	2.29	0.81	0.08	---
46073	1/2"	M-44-P	3.00	2.50	0.87	0.16	---

- 30 psi

*Valve is closed when handle is in the position of the picture

840 **41D** DC601

AIR TANK DRAIN PULL VALVE




PART #	SIZE	DESCRIPTION	LIST PRICE
39595	1/4" male	5ft nylon coated pull cable	---
39596	1/4" male	4ft nylon coated pull cable	---
39597	1/4" male	3ft nylon coated pull cable	---
39600	1/4" male	Air valve only	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

DRAIN COCKS
BRASS FITTINGS


INTERNAL SEAT



PART #	MALE PIPE	INDUSTRY NUMBER	A	HEX	APPROX. WT. LBS.	LIST PRICE
46079	1/8"	6783	1.45	0.55	0.02	---

DC602 **808** 400A **1800A**


INTERNAL SEAT - WING NUT HANDLE



PART #	MALE PIPE	INDUSTRY NUMBER	A	HEX	APPROX. WT. LBS.	LIST PRICE
46074	1/8"	130	0.92	0.40	0.04	---
46075	1/4"	140	0.94	0.56	0.06	---
46077	3/8"	230	1.27	0.68	0.08	---

HB - 5/16 **803** 305A


LONG INTERNAL SEAT



PART #	SIZE	IND #	A	HEX	APPROX. WT. LBS.	LIST PRICE
46078	1/8 MIP	1.85				---
46076	3/8" Hose I.D.		1.65	0.43	0.02	---

809


PIN HANDLE - INTERNAL SEAT



PART #	MALE PIPE	INDUSTRY NUMBER	A	HEX	APPROX. WT. LBS.	LIST PRICE
46080	1/8"	M-200-P	1.22	0.50	0.04	---
46081	1/4"	M-201-P	1.31	0.56	0.06	---
46082	3/8"	M-202-P	1.53	0.68	0.12	---

DC603 **802**

EXTERNAL SEAT W/ SPOUT



PART #	MALE PIPE	INDUSTRY NUMBER	A	HEX	APPROX. WT. LBS.	LIST PRICE
46084*	1/4"	6788	1.56	0.56	0.02	---

* Replaces GM # 511771 & Chrysler #836015

200A **239** DC606 **807**

BIBB VALVE



PART #	MALE PIPE	INDUSTRY NUMBER	A	B*	C	APPROX. WT. LBS.	LIST PRICE
46088	1/8"	150	0.82	1.60	0.55	0.04	---
46089	1/4"	120	0.89	1.59	0.54	0.06	---
46089A	1/4"	6660	0.55	1.34	0.66	0.06	---

* With valve closed

804 **DC607** 2019 **201DH**

RADIATOR TYPE - EXTERNAL SEAT



PART #	MALE PIPE	INDUSTRY NUMBER	IND #	A	HEX	APPROX. WT. LBS.	LIST PRICE
46085	1/8"	M-320-P	135	0.90	0.43	0.02	---
46086	1/4"	M-321-P	145	1.00	0.56	0.04	---
46087	3/8"	M-322-P	270	1.25	0.68	0.08	---
46083	1/2"	108	108	1.48	0.87	0.12	---


320D **240** DC604 **801**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SHUT-OFF COCKS
BRASS FITTINGS

- Designed for working pressure of 30 PSI.
- Forged brass bodies and brass handles.
- Instantaneous off-on operation with 360° rotation.
- Not good for gasoline.

COMPRESSION X MALE PIPE




PART #	COMP X MALE PIPE	IND. #	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
46130	1/4″ x 1/8″	27-C	1.87	1.81	0.51	0.14	---
46131	1/4″ x 1/4″	227-C	2.05	1.86	0.62	0.15	---
46132	5/16″ x 1/8″	29-C	2.05	1.90	0.50	0.16	---
46134	3/8″ x 1/4″	57-C	2.05	1.83	0.62	0.15	---

868 **V304C** 2068 **133C** VC206

COMPRESSION X COMPRESSION


* See pg. 73-74 to order nut and sleeve separately.



PART #	COMP X COMP	IND. #	A	B	APPROX. WT. LBS.	LIST PRICE
46140	1/4″	28-C	1.82	1.84	0.12	---
46141	5/16″	30-C	1.84	1.88	0.14	---
46142	3/8″	58-C	1.87	1.80	0.14	---
46143	1/2″	68-C	2.21	2.32	0.22	---

V3030F **2062** 134C

FEMALE X FEMALE PIPE




PART #	FEMALE PIPE X FEMALE PIPE	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
46151	1/8″	1.77	1.79	0.56	0.12	---
46152	1/4″	2.28	1.82	0.69	0.20	---
46152T*	1/4″	2.28	2.00	0.68	0.20	---
46153	3/8″	2.44	2.28	0.81	0.30	---

* 150 PSI

V403P **132C** 875

MALE PIPE X FEMALE




PART #	MALE PIPE X FEMALE PIPE	IND. #	A	B	HEX 1	HEX 2	APPROX. WT. LBS.	LIST PRICE
46160	1/8″	48-P	2.03	1.84	0.50	0.56	0.14	---
46161	1/4″	49-P	2.26	1.79	0.69	0.69	0.18	---
46161T*	1/4″		2.26	1.98	0.69	0.69	0.20	---
46162	3/8″	50-P	2.33	2.28	0.82	0.82	0.28	---

* 150 PSI

880 **V402P** 130C

MALE PIPE X MALE PIPE



PART #	MALE PIPE X MALE PIPE	IND. #	A	B	HEX	APPROX. WT. LBS.	LIST PRICE
46165	1/8″	76-P	2.15	1.80	0.69	0.12	---
46166	1/4″	77-P	2.22	1.84	0.70	0.17	---
46166T*	1/4″		2.23	2.00	0.68	0.18	---
46167	3/8″	78-P	2.43	2.24	0.82	0.22	---

* 150 PSI

1V401P **890**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NEEDLE VALVES
BRASS FITTINGS


NEEDLE VALVES

THESE ARE NOT LEAD FREE SEE LEAD FREE SECTION FOR LEAD FREE PRODUCTS

Made with either pin handle or pressed on handle. Please specify if you have a preference.

- Used on instrumentation, hydraulic, and pneumatic systems.
- Designed for a maximum working pressure of 150 PSI. or
- Provided with steel handles and metal-to-metal seats with fine-thread screwdown.
- Not designed for natural gas, LPG, nuclear or aircraft applications.
- Always install with pressure against the seat.


COMP X MALE PIPE



PART #	COMP X MALE PIPE	IND. #	A	B	APPROX. WT. LBS.	LIST PRICE
46002	1/4" x 1/8"	M-101-C	1.29	1.12	0.07	---
46003	1/4" x 1/4"	M-101-C	1.27	1.14	0.10	---

NV106C **2205** 820 **3068**


COMP X MALE PIPE-ANGLE



PART #	COMP X MALE PIPE	HAN-DLE	IND. #	A	B	C	APPROX. WT. LBS.	LIST PRICE
46011	1/4" x 1/8"	A	M-103-C	0.56	1.48	0.93	0.08	---
46011X	Heavy Pat-tern	B	M-103-C	0.53	1.53	0.83	0.08	---
46012	1/4" x 1/4"	B	M-104-C	0.62	1.67	0.90	0.13	---
46013	5/16" x 1/8"	B	M-104-C	0.63	1.63	0.95	0.10	---

NV104C **2203** 821 **3069**


COMP X COMP



PART #	COMP X COMP	HAN-DLE	IND. #	A	B	APPROX. WT. LBS.	LIST PRICE
46020	3/16"	B	M-105-C	1.06	0.88	0.08	---
46021	1/4"	A	M-106-C	1.17	1.12	0.10	---
46022	5/16"	A	M-107-C	1.22	1.08	0.12	---
46023	3/8"	B	M-113-C	1.31	1.15	0.13	---

NV105C **3062** 2201 **822**

FLARE X MALE PIPE




PART #	MALE FLARE X MALE PIPE	HAN-DLE	IND. #	A	B	AP-PROX. WT. LBS.	LIST PRICE
46028	1/4" x 1/8"	A	M-104-SAE	1.35	1.12	0.07	---
46029	1/4" x 1/4"	B	M-1040-SAE	1.38	0.88	0.09	---
46031	3/8" x 1/4"	B	M-108-SAE	1.73	1.22	0.18	---

NV103F **2405** 823 **3048**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NEEDLE VALVES
BRASS FITTINGS


FLARE X MALE PIPE



PART #	MALE FLARE X MALE PIPE	IND. #	A	B	C	APPROX. WT. LBS.	LIST PRICE
46036	1/4" x 1/8"	M-103-SAE	0.68	1.54	0.86	0.08	---
46038	5/16" x 1/8"	M-203-SAE	0.88	1.59	0.94	0.11	---
46039	5/16" x 1/4"	M-204-SAE	0.90	1.94	1.00	0.14	---
46040	3/8" x 1/4"	M-303-SAE	0.95	1.86	0.90	0.17	---

NV101F **2403** 824 **3049**


FLARE X FLARE



PART #	MALE FLARE X MALE FLARE	IND. #	A	B	APPROX. WT. LBS.	LIST PRICE
46045	1/4"	M-110-SAE	1.48	1.20	0.18	---
46046	3/8"	M-115-SAE	1.79	1.19	0.20	---

NV102F **3042** 825 **2401**


MULTI-PURPOSE AIR VENT



PART #	MALE PIPE	A	HEX	APPROX. WT. LBS.	LIST PRICE
46048	1/8"	0.78	0.43	0.02	---

705


MALE PIPE TO MALE PIPE



PART #	MALE PIPE X MALE PIPE	HANDLE	IND. #	A	B	APPROX. WT. LBS.	LIST PRICE
46050	1/8"	A	M-108-P	1.25	1.09	0.08	---
46051	1/4"	B	M-110-P	1.69	1.00	0.16	---

NV107P **2301** 826 **3122**

FEMALE PIPE X FEMALE PIPE




PART #	FEMALE PIPE X FEMALE PIPE	IND. #	A	B	APPROX. WT. LBS.	LIST PRICE
46055*	1/8"	M-304-P	1.18	0.84	0.18	---
46056	1/4"	M-3044-P	1.60	1.24	0.21	---
46056P*	1/4" Heavy	M-3044-P	1.62	2.53	0.20	---

* Pressed on handle

6800 **NV109P** 2304 **817** 3103

MALE X FEMALE PIPE



NBR seals -30°C to 120°C

PART #	MALE PIPE X FEMALE PIPE	HAN-DLE	IND. #	A	B	APPROX. WT. LBS.	LIST PRICE
46060	1/8"	A	M-305-P	1.18	1.09	0.10	---
46061	1/4'	A	M-3055-P	1.60	1.14	0.18	---
46061L	1/4" Light Pattern	B	M-3055-P	1.88	1.09	0.21	---

NV108P **2305** 818 **3120**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SPECIALTY VALVES
BRASS FITTINGS

BRASS TRUCK VALVES

- Used in heavy duty truck, trailer and mobile markets.
- Used on water, oil and coolant lines.
- Forged brass construction with steel handle.
- Temperature range -40° - 250°
- Max pressure 250 psi
- Metal to metal seats for high heat/ fluid compatibility
- Fine thread screw down to afford flow control ability and a positive seal.
- Not intended for natural gas, LPG, Nuclear or aircraft applications

200 PSI

TV44



BARB TO MALE PIPE

PART #	SIZE	LIST PRICE
46450	3/8 x 3/8	---
46451	5/8 x 3/8	---
46455	5/8 x 1/2	---
46457	3/4 x 3/8	---

404V

TV45



FEMALE TO MALE PIPE

PART #	SIZE	LIST PRICE
46465	3/8 x 3/8	---
46466	3/8 x 1/2	---

405V

TV49



1

2

FLARE TO MALE PIPE

PART #	SIZE	LIST PRICE
46475	1/2 x 1/2	---

409V

TV412



MIP X FLARE

PART #	SIZE	LIST PRICE
46485	1/2 x 5/8	---

SOLID BOTTOM VALVES

- Designed for instantaneous on-off operation.
- 360⁰ rotation standard.
- 30 PSI
- Packed with grease.



8875

O-RING SEALED MIP X FIP

PART #	SIZE	LIST PRICE
46400	1/8	---
46401	1/4	---

1035D **M-70-SBV**

- Good for Propane



#M-72-SBV
FIP X FIP

PART #	SIZE	LIST PRICE
46411	1/4	---

SOLID BOTTOM FUEL VALVES

- Approved for use on Motorcraft fuel lines.
- Pointer lever.
- 90⁰ turn stop mechanism to assure positive location of the on and off positions.
- Corrosion proofed internal construction assures maximum salt atmosphere protection.
- Port hole is 1/4 (.250) diameter.
- UL listed for use in fuel oils no. 1 & no. 2, LP gas and utility gas.



PIPE MALE X FEMALE

PART #	SIZE	LIST PRICE
46400M	1/8 x 1/8	---
46401M	1/4 x 1/4	---

8980



PIPE
MALE X MALE

PART #	SIZE	LIST PRICE
46406M	1/4 x 1/4	---

- Good for Propane



PIPE FEMALE X FEMALE

8975



MALE PIPE X FLARE

PART #	SIZE	LIST PRICE
46429M	1/4 x 3/8	---
46430M	3/8 x 3/8	---


8948


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GROUND PLUG SHUT-OFF COCKS

NON-LUBRICATED PLUG VALVES are designed to operate in systems where INSTANTANEOUS PORT SELECTION is desired. Since LUBRICANTS ARE NOT USED, relubrication is not required. There is no lubricant to freeze and lock the valve or to contaminate fine fluids. The O-RING SEALED CAP and STEM eliminate leakage to atmosphere. The mating BRASS BODY and CELCON PLUG produce a fine seal that WILL NOT SEIZE OR GALL.

Designed for PANEL or BRACKET MOUNTING. They are generally recommended for operation in GASOLINE, OIL, AIR, WATER and DETERGENT systems from minus 40⁰ to 180⁰F, at a maximum operating pressure of 30 p.s.i.g. The fluid port size is 9/32 (.281) diameter for 1/8 and 1/4 sizes, 5/16 (.312) diameter for the 3/8 size. **(Consult factory for applications**






PANEL MOUNTING AVAILABLE

Type 1 (Standard)
A pronounced "click" may be felt at each position.

THREE-WAY VALVES (Side Outlet)





- 1-3/8" Stem
- Side Outlet
- Bracket Mounting
- O-Ring Sealed
- 4-way celcon roter standard

LESS CLICK


PART #	A-B-C FEMALE PIPE THREAD	LENGTH OF STEM	
46247	1/4	1-3/8"	---
46248	3/8	1-3/8"	---

M-108-MID WITH CLICK 360⁰

PART #	A-B-C FEMALE PIPE THREAD	LENGTH OF STEM	
46250	1/8	1-3/8"	---
46251	1/4	1-3/8"	---
46252	3/8	1-3/8"	---

V406P 6749

THREE-WAY VALVES (Bottom Outlet)





- 1-3/8" Stem
- Side Outlet
- Bracket Mounting
- O-Ring Sealed
- 4-way celcon roter standard

LESS CLICK


PART #	A-B-C FEMALE PIPE THREAD	LENGTH OF STEM	LIST
46241	1/4	1-3/8"	---

WITH CLICK 360⁰

PART #	A-B-C FEMALE PIPE THREAD	LENGTH OF STEM	LIST
46243	1/8	1-3/8"	---
46244	1/4	1-3/8"	---

Openings:
Handle *Pointer* over A.....Valve Open A-C
Handle *Pointer* over B.....Valve Open B-C
Handle *Pointer* over Bracket.....Valve "OFF"

FOUR-WAY VALVES



- Side Outlet
- Bracket Mounting
- O-Ring Sealed
- 4-way celcon roter standard

LESS CLICK

PART #	A-B-C-D FEMALE PIPE THREAD	LENGTH OF STEM	LIST
46257	1/4	1-3/8"	---

M-114-MID WITH CLICK (360⁰)

PART #	A-B-C-D FEMALE PIPE THREAD	LENGTH OF STEM	
46255	1/4	1-3/8"	---
46256	3/8	1-3/8"	---

WITH 2-3/8" LONG STEM M-115-MID

Part #	A-B-C-D Female Pipe Thread	Length of Stem	List Price
46260	1/4	2-3/8"	---

Openings:
Handle *Pointer* over A.....Valve Open A-D
Handle *Pointer* over C.....Valve Open C-D
Handle *Pointer* over B.....Valve Open B-D
Handle *Pointer* over Bracket.....Valve "OFF"

Openings:
Handle Pointer over A.....Valve Open A-C
Handle Pointer over C.....Valve Open B-C
Handle Pointer over B.....Valve "OFF"
Handle Pointer over Bracket.....Valve "OFF"

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MARINE FITTINGS
BRASS FITTINGS

- Calibrated to support 30" column of gasoline.



BRASS ANTI-SIPHON VALVES

PART #	SIZE	LIST PRICE
46520	1/4 x 1/4	---
46521	3/8 x 3/8	---



ALUMINUM

PART #	SIZE	LIST PRICE
46520A	1/4 x 1/4	---

- Flo direction <-



BRASS ANTI-SIPHON VALVES
BARB X NPT

PART #	SIZE	LIST PRICE
46529	1/4 x 1/4	---
46530	5/16 x 1/4	---
46531	3/8 x 1/4	---
46532	3/8 x 3/8	---



ALUMINUM

PART #	SIZE	LIST PRICE
46530A	5/16 x 1/4	---
46531A	3/8 x 1/4	---
46532A	3/8 x 3/8	---



MINI BALL VALVE - BRASS W/ SS HANDLE AND NUT

PART #	BARB X MIP	LIST PRICE
46986	5/6 x 1/4	---
46987	3/8 x 1/4	---
46988	3/8 x 3/8	---
46989	1/2 x 1/2	---

- NBR O-Ring
- Working temp 180°F
- 3,000 PSI
- Brass or Aluminum
- #316 Ball & Spring



MALE MIP X FEMALE FIP BRASS

PART #	SIZE	LIST PRICE
46523	1/4	---




ALUMINUM

PART #	SIZE	LIST PRICE
46523A	1/4	---



FLARE X MIP - BRASS

SIX PORT VALVES



Six port fuel valves are used where 2 tanks supply a single engine, and a return to each supply tank is required.

ABYC H33.9.2 states that fuel system valves must have an independent means of support, so in-line valves are not



PART #	IND. #	FEMALE PIPE THREAD OF 1-2-3 4-5-6	STEM	LENGTH TYPE	LIST PRICE
46237	SK-1036	1/2 x 3/8	13/16	1	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MINIATURE BALL VALVES
BRASS FITTINGS

BRASS MINIATURE BALL VALVES

- Working Pressure up to 1000 P.S.I.G.
- ASTM B-16 Corrosion Resistant Brass Body.
- Non-Adjusting Viton O-Ring Stem Seal Design Never Needs Tightening.
- Highly Inert Teflon Seats.
- Long Life Nickel Plated Brass Ball.
- Blow-Out Proof Stem for Safety.
- Temperature: -40°F to 300°F
- 1/4 Turn Instantaneous On-Off Operation.
- Quarter Turn Handle Design.
- Water, Oil, and Air Pressure Systems.
- Ideal for tight, confined areas, or when routing aesthetics are desired. Applications



MALE X FEMALE

PART #	SIZE	LIST PRICE
46900	1/8 x 1/8	---
46903	1/4 x 1/4	---



MALE X MALE

PART #	SIZE	LIST PRICE
46910	1/8 x 1/8	---
46912	1/4 x 1/4	---



MALE PIPE X HOSE BARB

PART #	SIZE	LIST PRICE
47042	1/8 x 1/4	---
46980	1/4 x 1/4	---
46981	1/4 x 3/8	---

FEMALE X FEMALE



PART #	SIZE	LIST PRICE
46920	1/8 x 1/8	---
46921	1/8 x 1/4	---



PART #	SIZE	LIST PRICE
46922A	1/4 x 1/4	---
46923	3/8 x 3/8	---



PART #	SIZE	LIST PRICE
46924	1/2 x 1/2	---
46925	3/4 x 3/4	---

U.L. TWO WAY VALVES

- Buna-N Seal, Teflon Seat Plated metal handle, plated brass ball.



U.L. TWO WAY VALVES

PART #	SIZE	LIST PRICE
46440	1/4 x 1/4	---



U.L. TWO WAY VALVES

PART #	SIZE	LIST PRICE
46443	1/4 x 1/4	---

PANEL MOUNT BRASS BALL VALVES

- Working pressure: 1500 psi wog for 1/8" to 1/4", 1000 psi wog for 3/8" to 1/2"
- Vacuum rating: 29.92" Hg
- Working temp: -40°F to +300°F
- Panel mount hole is 9/16" Dia.
- Brass body cap, PTFE ball seats, Viton stem sealing, Brass chrome

FEMALE X FEMALE



PART #	SIZE	LIST PRICE
46830	1/8 x 1/8	---
46832	1/4 x 1/4	---
46833	3/8 x 3/8	---
46834	1/2 x 1/2	---

FEMALE X FEMALE



PART #	SIZE	LIST PRICE
46875	1/8 x 1/8	---
46878	1/4 x 1/4	---



PART #	SIZE	LIST PRICE
46951	1/8 FPT	---
46956	1/4 FPT	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

CHECK VALVES
BRASS FITTINGS

BRASS CHECK VALVES

- 500 PSI ▪1 PSI Cracking Pressure
- Buna-N Seal for water, air & inert gas
- **Viton Seal for oil, gas & diesel fuel**



- 180° temp rating

FIP X FIP BUNA-N

PART #	SIZE	LIST PRICE
46560	1/8"	---
46561	1/4"	---
46562	3/8"	---
46563	1/2"	---
46564	3/4"	---

FIP X FIP VITON

PART #	SIZE	LIST PRICE
46560V	1/8"	---
46561V	1/4"	---
46562V	3/8"	---
46563V	1/2"	---
46564V	3/4"	---



FEMALE X MALE BUNA-N

PART #	SIZE	LIST PRICE
46565	1/8"	---
46566	1/4"	---
46567	3/8"	---
46568	1/2"	---
46569	3/4"	---



MALE X MALE

PART #	SIZE	LIST PRICE
46570	1/8"	---
46571	1/4"	---
46572	3/8"	---
46573	1/2"	---



MALE X FEMALE

PART #	SIZE	LIST PRICE
46575	1/8"	---
46576	1/4"	---
46577	3/8"	---
46578	1/2"	---

HIGH PRESSURE CHECK VALVES

MAX. 2500 PSI
Cracking Pressure 1 PSI

- Opening diameter .187
- 180⁰ max operating temp.
- •SS ball and spring

CV = 0.4



MNPT X MNPT

PART #	SIZE	OPENING DIA.	LIST PRICE
46500	1/4 x 1/4	0.187	---

MAX. 2500 PSI

- Flo direction ->
- Opening diameter .187
- 180⁰ max operating temp.
- Buna Seal
- •SS ball and spring



MNPT X FNPT

PART #	SIZE	OPENING DIA.	LIST PRICE
46505	1/4 x 1/4	0.187	---

MAX. 1200 PSI

- O-Ring poppet seal Bubble tight operation
- 180°F max operating temp.



FNPT X FNPT

PART #	SIZE	OPENING DIA.	LIST PRICE
46510	1/4 x 1/4	0.25	---
46511	3/8 x 3/8	0.375	---
46512	1/2 x 1/2	0.437	---

PNEUMATIC CHECK VALVES

- Max Operating Pressure: 220 psi
- Working Pressure: 14.5-145 psi
- Cracking Pressure: 2.8 psi
- Maximum Temperatures: 140° F

Body	Chrome plated Brass
Spring	Steel
O-Ring	NBR Rubber



NPT- Inlet NPSM - Outlet

PART #	SIZE	DIMENSIONS (IN.) A	DIMENSIONS (IN.) B	LIST PRICE
46-200	1/4	1.97	0.67	
46-201	3/8	1.97	0.83	
46-202	1/2	2.48	0.98	

HIGH PRESSURE CHECK VALVES

- Operates in any position, and is available in mixed or matched end combinations.
- Standard cracking pressure 1 p.s.i with a maximum operating pressure of 3000 p.s.i. and a maximum operating temperature of 180°F using Buna-N seals.
- Buna-N seals standard, other seals available.
- Guided 316 stainless steel ball + spring.
- Fixed ringed seat prevents extrusion of seal.
- Opening diameter .28
- Approximate CV 1.2
- Water G.P.M. @ 10 p.s.i. is 4.0
- Good for air



FEMALE X FEMALE

PART #	SIZE	LIST PRICE
46513	1/4	---



FEMALE X MALE

PART #	SIZE	LIST PRICE
46514	1/4	---



MALE X FEMALE

PART #	SIZE	LIST PRICE
46516	1/4	---




MALE X MALE

PART #	SIZE	LIST PRICE
46515	1/4	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LEAD FREE




What is the new lead-free requirement?

In 2011, the Reduction of Lead in Drinking Water Act was signed into law. The Act has reduced the lead content allowed in drinking water system and plumbing materials by changing the definition of "lead-free" in Section 1417of the Safe Drinking Water Act.

*The term "lead-free" has been updated from notmore that 8% lead content to mean "**not more than a weighted average of 0.25% lead when used with respect to the wetted surfaces of pipes, pipe fittings, plumbing fittings and fixtures.**"*

How do I know which products must meet the new lead-free requirement?

The prohibitions on use and introduction into commerce apply to all pipe, pipe fittings, plumbing fittings, and fixtures (henceforth reffered to as "products"), including stocked inventories that have not been installed. This includes coated or uncoated brass or bronze materials. By using the flowchart below as a guide, you can determine if a product must meet the new lead-free requirement:



Lead-Free Requirement Exemptions

(A) The new requirement does not apply to pipes, pipe fittings, plumbing fittings, or fixtures, including backflow preventers, that are used exclusively for nonpotable service such as manufacturing, industrial processing, irrigation, outdoor watering or any other uses where the water is not anticipated to be used for human consumption.


(B) The new requirement does not apply to toilets, bidets, urinals, fill valves, flushometer valves, tub fillers, shower valves, service saddles or water distribution main gate valves 2 inches in diameter or larger.

LEAD FREE PIPE
LEAD FREE BRASS FITTINGS

LEAD FREE

BRASS PIPE FITTINGS LEAD FREE

- One piece construction, available in barstock or forgings
- Used with brass or steel pipe
- All pipe threads are "American Standard Taper Pipe Threads"
- Fair vibration resistance
- Used in low to medium pressure applications
- Teflon tape or pipe sealant is recommended
- Pipe threads should be tightened 2 1/2 turns past finger tight



Nominal Pipe Size	1/8	1/4	3/8	1/2	3/4	1
Thread size	1/8-27	1/4-18	3/8-18	1/2-14	3/4-14	1-11 1/2
Approx. Diameter in inches	3/8"	1/2"	5/8"	3/4"	1"	1-3/8"

BRASS PIPE FITTINGS

ELBOW 90° BARSTOCK



LF100

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706100-02	28001LF	---	1/8"	LF100-2	
706100-04	28002LF	---	1/4"	LF100-4	
706100-06	28003LF	---	3/8"	LF100-6	
706100-08	28004LF	---	1/2"	LF100-8	
706100-12	28005LF	---	3/4"	LF100-12	

ELBOW 90° FORGED



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706200-02	28009LF	---	1/8"		
706200-04	28010LF	---	1/4"		
706200-06	28011LF	---	3/8"		
706200-08	28012LF	---	1/2"		
706200-12	28013LF	---	3/4"		

REDUCING ELBOW FORGED



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706205-0604	28015LF	---	3/8" x 1/4"	LF100R-64	

ELBOW 45°



LF10045

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706107-02	28018LF	---	1/8"		
706107-04	28019LF	---	1/4"		

LEAD FREE PIPE

LEAD FREE BRASS FITTINGS

TEE BARSTOCK



LF101

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706101-02	28024LF	---	1/8"	LF101-2	
706101-04	28025LF	---	1/4"	LF101-4	
706101-06	28026LF	---	3/8"	LF101-6	
706101-08	28027LF	---	1/2"	LF101-8	
706101-12	28028LF	---	3/4"	LF101-12	

TEE FORGED



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706201-02	28032LF	---	1/8"		
706201-04	28033LF	---	1/4"		
706201-06	28034LF	---	3/8"		
706201-08	28035LF	---	1/2"		
706201-12	28036LF	---	3/4"		

REDUCING TEE FORGED



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706206-060604	28039LF	---	3/8"x3/8"x1/4"		

CROSS BARSTOCK



LF102

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706102-02	28041LF	---	1/8"	LF102-2	
706102-04	28042LF	---	1/4"	LF102-4	
706102-06	28043LF	---	3/8"	LF102-6	
706102-08	28044LF	---	1/2"	LF102-8	
706102-12	28045LF	---	3/4"	LF102-12	

COUPLING



LF103

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706103-02	28058LF	---	1/8"	LF103-2	
706103-04	28059LF	---	1/4"	LF103-4	
706103-06	28060LF	---	3/8"	LF103-6	
706103-08	28061LF	---	1/2"	LF103-8	
706103-12	28062LF	---	3/4"	LF103-12	

X-HEAVY COUPLING



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
			1/8"	LF23300X2	
706303-04	28059EHLF	---	1/4"	LF23300X4	
			3/8"	LF23300X6	
			1/2"	LF23300X8	

LEAD FREE PIPE

LEAD FREE BRASS FITTINGS

UNION



LF104

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706104-02	28067LF	---	1/8"	LF104-2	
706104-04	28068LF	---	1/4"	LF104-4	
706104-06	28069LF	---	3/8"	LF104-6	
706104-08	28070LF	---	1/2"	LF104-8	
706104-12	28071LF	---	3/4"	LF104-12	

CAP



LF108

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706108-02	28075LF	---	1/8"	LF108-2	
706108-04	28076LF	---	1/4"	LF108-4	
706108-06	28077LF	---	3/8"	LF108-6	
706108-08	28078LF	---	1/2"	LF108-8	
706108-12	28079LF	---	3/4"	LF108-12	

PLUG CORED SQUARE HEAD



LF

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706109-02	28084LF	---	1/8"	LF109-2	
706109-04	28085LF	---	1/4"	LF109-4	
706109-06	28086LF	---	3/8"	LF109-6	
706109-08	28087LF	---	1/2"	LF109-8	
706109-12	28088LF	---	3/4"	LF109-12	
			1"	LF109-16	

PLUG SOLID SQUARE HEAD



LF109SD

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706114-02	28084SLF	---	1/8"	LF109SD-2	
706114-04	28085SLF	---	1/4"	LF109SD-4	
706114-06	28086SLF	---	3/8"	LF109SD-6	
706114-08	28087SLF	---	1/2"	LF109SD-8	
706114-12	28088SLF	---	3/4"	LF109SD-12	
			1"	LF109SD-16	
			1 ¼"	LF109SD-20	
			1 ½"	LF109SD-24	
			2"	LF109SD-32	

COUNTERSUNK PLUG HEX



LF109AL

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706115-02	28093LF	---	1/8"	LF109AL-2	
706115-04	28094LF	---	1/4"	LF109AL-4	
706115-06	28095LF	---	3/8"	LF109AL-6	
706115-08	28096LF	---	1/2"	LF109AL-8	
706115-12	28097LF	---	3/4"	LF109AL-12	

LEAD FREE PIPE

LEAD FREE BRASS FITTINGS

FACE BUSHING



LF110F

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706140-0402	28121LF	---	1/4" x 1/8"	LF110F-42	
			3/8" x 1/8"	LF110F-62	
706140-0604	28116LF	---	3/8" x 1/4"	LF110F-64	
			1/2" x 1/4"	LF110F-84	
706140-0806	28117LF	---	1/2" x 3/8"	LF110F-86	
			3/4" x 1/4"	LF110F-124	
			3/4" x 3/8"	LF110F-126	
706140-1208	28118LF	---	3/4" x 1/2"	LF110F-128	
			1" x 3/4"	LF110F-1612	

PLUG CORED HEX HEAD



LF121

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706121-02	28201LF	---	1/8"	LF121-2	
706121-04	28202LF	---	1/4"	LF121-4	
706121-06	28203LF	---	3/8"	LF121-6	
706121-08	28204LF	---	1/2"	LF121-8	
706121-12	28205LF	---	3/4"	LF121-12	
			1"	LF121-16	

PLUG SOLID HEX HEAD



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706125-02	28201SLF	---	1/8"	LF121S-2	
706125-04	28202SLF	---	1/4"	LF121S-4	
706125-06	28203SLF	---	3/8"	LF121S-6	
706125-08	28204SLF	---	1/2"	LF121S-8	
			3/4"	LF121S-12	
			1"	LF121S-16	

HEX BUSHING



LF110

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706110-0402	28102LF	---	1/4" x 1/8"	LF110-42	
706110-0602	28103LF	---	3/8" x 1/8"	LF110-62	
706110-0604	28104LF	---	3/8" x 1/4"	LF110-64	
706110-0802	28105LF	------	1/2" x 1/8"	LF110-82	
706110-0804	28106LF	---	1/2" x 1/4"	LF110-84	
706110-0806	28107LF	---	1/2" x 3/8"	LF110-86	
706110-1202	28108LF	---	3/4" x 1/8"	LF110-122	
706110-1204	28109LF	---	3/4" x 1/4"	LF110-124	
706110-1206	28110LF	---	3/4" x 3/8"	LF110-126	
706110-1208	28111LF	---	3/4" x 1/2"	LF110-128	
			1" x 1/8"	LF110-162	
706110-1604	28112LF	---	1" x 1/4"	LF110-164	
706110-1606	28113LF	---	1" x 3/8"	LF110-166	
706110-1608	28114LF	---	1" x 1/2"	LF110-168	
706110-1612	28115LF	---	1" x 3/4"	LF110-1612	

LEAD FREE PIPE

LEAD FREE BRASS FITTINGS

LEAD FREE

CLOSE NIPPLE



LF112

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706112-02	28131LF	---	1/8"	LF112-2	
706112-04	28132LF	---	1/4"	LF112-4	
706112-06	28133LF	---	3/8"	LF112-6	
706112-08	28134LF	---	1/2"	LF112-8	
706112-12	28135LF	---	3/4"	LF-112-12	

LONG NIPPLE



LF113

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706113-0224	28140LF	---	1/8" x 1-1/2"	LF113-224	
706113-0232	28141LF	---	1/8" x 2"	LF113-232	
706113-0240	28142LF	---	1/8" x 2-1/2"	LF113-240	
706113-0248	28143LF	---	1/8" x 3"	LF113-248	
706113-0424	28144LF	---	1/4" x 1-1/2"	LF113-424	
706113-0432	28145LF	---	1/4" x 2"	LF113-432	
706113-0440	28146LF	---	1/4" x 2-1/2"	LF113-440	
706113-0448	28147LF	---	1/4" x 3"	LF113-448	
706113-0624	28148LF	---	3/8" x 1-1/2"	LF113-624	
706113-0632	28149LF	---	3/8" x 2"	LF113-632	
	28150LF	---	3/8" x 2-1/2"	LF113-640	
			3/8" x 3"	LF113-648	
			1/2" x 1-1/2"	LF113-824	
			1/2" x 2"	LF113-832	
			1/2" x 2-1/2"	LF113-840	
			1/2" x 3"	LF113-848	

HEX NIPPLE



LF23325X
LF122

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706122-02	28211LF	---	1/8"	LF122-2	
706122-04	28212LF	---	1/4"	LF122-4	
706122-06	28213LF	---	3/8"	LF122-6	
706122-08	28214LF	---	1/2"	LF122-8	
706122-12	28215LF	---	3/4"	LF122-12	
706122-16	28216LF	---	1"	LF122-16	
			1-1/4"	LF122-20	
			1-1/2"	LF122-24	
			2"	LF122-32	

LONG HEX NIPPLE



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
			1/8"	LF23325X2	
28212EHLF			1/4"	LF23325X4	
			3/8"	LF23325X6	
			1/2"	LF23325X8	

LEAD FREE PIPE
LEAD FREE BRASS FITTINGS

REDUCING HEX NIPPLE


LF123

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706123-0402	28220LF	---	1/4" x 1/8"	LF123-42	
706123-0602	28221LF	---	3/8" x 1/8"	LF123-62	
706123-0604	28222LF	---	3/8" x 1/4"	LF123-64	
706123-0804	28223LF	---	1/2" x 1/4"	LF123-84	
706123-0806	28224LF	------	1/2" x 3/8"	LF123-86	
706123-1208	28225LF	---	3/4" x 1/2"	LF123-128	

REDUCING COUPLING


LF119

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706119-0402	28181LF	------	1/4" x 1/8"	LF119-42	
706119-0602	28182LF	---	3/8" x 1/8"	LF119-62	
706119-0604	28183LF	---	3/8" x 1/4"	LF119-64	
706119-0802	28180LF	---	1/2" x 1/8"	LF119-82	
706119-0804	28184LF	---	1/2" x 1/4"	LF119-84	
706119-0806	28185LF	---	1/2" x 3/8"	LF119-86	
			3/4" x 3/8"	LF119-126	
706119-1208	28189LF	---	3/4" x 1/2"	LF119-128	

ADAPTER


LF120

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706120-0202	28190LF	---	1/8" x 1/8"	LF120-22	
706120-0402	28191LF	---	1/4" x 1/8"	LF120-42	
706120-0404	28192LF	---	1/4" x 1/4"	LF120-44	
706120-0602	28198LF	---	3/8" x 1/8"	LF120-62	
706120-0604	28193LF	---	3/8" x 1/4"	LF120-64	
706120-0606	28194LF	---	3/8" x 3/8"	LF120-66	
			1/2" x 1/8"	LF120-82	
706120-0804	28199LF	---	1/2" x 1/4"	LF120-84	
706120-0806	28195LF	---	1/2" x 3/8"	LF120-86	
706120-0808	28196LF	---	1/2" x 1/2"	LF120-88	
			3/4" x 3/8"	LF120-126	
706120-1208	28208LF	---	3/4" x 1/2"	LF120-128	
706120-1212	28209LF	---	3/4" x 3/4"	LF120-1212	
			1" x 3/4"	LF120-1612	

SHORT BARSTOCK* STREET ELBOW 90°



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706116-02	28156SLF	---	1/8"		
706116-04	28157SLF	---	1/4"		
706116-06	28158SLF	---	3/8"		
706116-08	28159SLF	---	1/2"		
706116-12	28160SLF	---	3/4"		

LEAD FREE PIPE

LEAD FREE BRASS FITTINGS

LEAD FREE

BARSTOCK* ST ELBOW



LF116

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706118-02	28156LF	---	1/8"	LF116-2	
706118-04	28157LF	---	1/4"	LF116-4	
706118-06	28158LF	---	3/8"	LF116-6	
	28159LF	---	1/2"	LF116-8	
	28160LF	---	3/4"		

FORGED* STREET ELBOW 90°



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706216-02	28165LF	---	1/8"		
706216-04	28166LF	---	1/4"		
706216-06	28167LF	---	3/8"		
706216-08	28168LF	---	1/2"	LF116F-8	
706216-12	28169LF	---	3/4"	LF116F-12	

FORGED* REDUCING STREET ELBOW



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706228-0402	28261LF	---	1/4" x 1/8"	LF128-42	
706228-0406	28262LF	---	1/4" x 3/8"		
706228-0608	28264LF	---	3/8" x 1/2"	LF128-68	
706228-0806	28265LF	---	1/2" x 3/8"	LF128-86	

* Forged and Barstock shapes may be substituted for one another in Lead Free.

STREET ELBOW 45°



LF124

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706124-02	28230LF	---	1/8"	LF124-2	
706124-04	28231LF	---	1/4"	LF124-4	
706124-06	28232LF	---	3/8"	LF124-6	
706124-08	28233LF	---	1/2"	LF124-8	
706124-12	28234LF	---	3/4"		

STREET TEE BARSTOCK



LF127

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706127-02	28245LF	---	1/8"	LF127-2	
706127-04	28246LF	---	1/4"	LF127-4	
706127-06	28247LF	---	3/8"	LF127-6	
706127-08	28248LF	---	1/2"	LF127-8	
706127-12	28249LF		3/4"	LF127-12	

STREET TEE FORGED



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706227-02	28253LF	---	1/8"		
706227-04	28254LF	---	1/4"		
706227-06	28255LF	---	3/8"		

LEAD FREE PIPE/LEAD FREE PUSH-ON

LEAD FREE BRASS FITTINGS

ELBOW BARSTOCK



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706130-02	28266BLF	---	1/8"	LF23455X2	
706130-04	28267BLF	---	1/4"	LF23455X4	
706230-06	28268LF	---	3/8"		

ELBOW FORGED



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706230-02	28266LF	---	1/8"		
706230-04	28267LF	---	1/4"		
706230-06	28268LF	---	3/8"		
706230-08	28269LF	---	1/2"		

REDUCING ELBOW



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706235-0402	28273LF	---	1/4" x 1/8"		
706235-0602	28272LF	---	3/8" x 1/8"		
706235-0604	28275LF	---	3/8" x 1/4"		
706235-0806	28276LF	---	1/2" x 3/8"		

TEE BARSTOCK



LF131

AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706131-02	28281LF	---	1/8"	LF131-2	
706131-04	28282LF	---	1/4"	LF131-4	
706131-06	28283LF	---	3/8"	LF131-6	
706131-08	28284LF	---	1/2"	LF131-8	

TEE FORGED



AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
706232-02	28290LF	---	1/8"		
706232-04	28291LF	---	1/4"		
706232-06	28292LF	---	3/8"		

PUSH-ON

MALE ADAPTER



AMC	MIDLAND	LIST	HOSE I.D. X MALE NPTF	MAF #	MAF PRICE
707201-0402	30200LF	---	1/4″ x 1/8″		
707201-0404	30201LF		1/4″ x 1/4″		
707201-0604	30203LF	------	3/8″ x 1/4″		
707201-0606	30204LF	---	3/8″ x 3/8″		
707201-0608	30206LF	---	1/2″ x 3/8″		
707201-0808	30207LF	---	1/2″ x 1/2″		

SAE/JIC DUAL 45°/37° FEMALE SWIVEL



AMC	MIDLAND	LIST	HOSE I.D. X FEMALE 45°/37°	MAF #	MAF PRICE
707210-0404	30230LF		1/4" x 1/4"		

LEAD FREE PIPE HOSE BARBS

LEAD FREE BRASS FITTINGS

LEAD FREE

BRASS HOSE BARBS LEAD FREE

- One piece, except swivels (nut and stem)
- Used with plastic tubing or rubber hose
- -40° to 200° F. temperature range
- Intended for use with hose clamp or crimp type ferrule
- Barbed edges provide positive connection
- Excellent vibration resistance
- Barb size is hose I.D.

RIGID MALE ADAPTER



LF29

AMC	MIDLAND	LIST	HOSE I.D. X MALE NPTF	MAF	MAF PRICE
707001-0202	32001LF	---	1/8" x 1/8"	LF29-22	
707001-0204	32027LF	---	1/8" x 1/4"	LF29-24	
707001-0302	32002LF	---	3/16″ x 1/8″	LF29-32	
707001-0304	32003LF	---	3/16" x 1/4"	LF29-34	
707001-0402	32004LF	---	1/4″ x 1/8″	LF29-42	
707001-0404	32005LF	---	1/4″ x 1/4″	LF29-44	
707001-0406	32006LF	---	1/4" x 3/8"	LF29-46	
707001-0408	32007LF	---	1/4" x 1/2"	LF29-48	
	32954LF	---	1/4" x 3/4"	LF29-42	
707001-0502	32008LF	---	5/16″ x 1/8″	LF29-52	
707001-0504	32009LF	---	5/16″ x 1/4″	LF29-54	
707001-0506	32010LF	---	5/16" x 3/8"	LF29-56	
707001-0602	32011LF	---	3/8″ x 1/8″	LF29-62	
707001-0604	32012LF	---	3/8″ x 1/4″	LF29-64	
707001-0606	32013LF	---	3/8″ x 3/8″	LF29-66	
707001-0608	32014LF	---	3/8″ x 1/2″	LF29-68	
707001-0612	32026LF	---	3/8" x 3/4"	LF29-612	
707001-0804	32015LF	---	1/2″ x 1/4″	LF29-84	
707001-0806	32016LF	---	1/2″ x 3/8″	LF29-86	
707001-0808	32017LF	---	1/2″ x 1/2″	LF29-88	
707001-0812	32018LF	---	1/2" x 3/4"	LF29-812	
707001-1006	32019LF	---	5/8" x 3/8"	LF29-106	
707001-1008	32020LF	---	5/8″ x 1/2″	LF29-108	
707001-1012	32021LF	---	5/8" x 3/4"	LF29-1012	
707001-1206	32306LF	---	3/4" x 3/8"	LF29-126	
707001-1208	32022LF	---	3/4″ x 1/2″	LF29-128	
707001-1212	32023LF	---	3/4″ x 3/4″	LF29-1212	
707001-1612	32024LF	---	1" x 3/4"	LF29-1612	
707001-1616	32025LF	---	1" x 1"	LF29-1616	

LEAD FREE HOSE BARBS

LEAD FREE BRASS FITTINGS

RIGID FEMALE ADAPTER



LF29F

AMC	MIDLAND	LIST	HOSE I.D. X FEMALE NPTF	MAF	MAF PRICE
707002-0202	32050LF	---	1/8" x 1/8"	LF29F-22	
707002-0204	32317LF	---	1/8" x 1/4"	LF29F-24	
707002-0302	32051LF	---	3/16" x 1/8"	LF29F-32	
707002-0304	32062LF	---	3/16" x 1/4"	LF29F-34	
707002-0402	32052LF	---	1/4" x 1/8"	LF29F-42	
707002-0404	32053LF	---	1/4″ x 1/4″	LF29F-44	
707002-0406	32054LF	---	1/4" x 3/8"	LF29F-46	
	32441LF	---	1/4" x 1/2"	LF29F-48	
707002-0502	32055LF	---	5/16" x 1/8"	LF29F-52	
707002-0504	32056LF	---	5/16" x 1/4"	LF29F-54	
707002-0506	32318LF	---	5/16" x 3/8"	LF29F-56	
	32057LF	---	3/8" x 1/8"	LF29F-62	
707002-0604	32058LF	---	3/8″ x 1/4″	LF29F-64	
707002-0606	32059LF	---	3/8″ x 3/8″	LF29F-66	
707002-0608	32063LF	---	3/8″ x 1/2″	LF29F-68	
707002-0804	32064LF	---	1/2" x 1/4"	LF29F-84	
707002-0806	32060LF	---	1/2" x 3/8"	LF29F-86	
707002-0808	32061LF	---	1/2″ x 1/2″	LF29F-88	
			5/8" x 3/8"	LF29F-106	
			5/8" x 1/2"	LF29F-108	
707002-1212	32065LF	---	3/4" x 3/4"	LF29F-1212	

LEAD FREE HOSE BARBS

LEAD FREE BRASS FITTINGS

FORGED HOSE BARB 90° ELBOW



LF29EBS

AMC	MIDLAND	LIST	HOSE I.D. X MALE NPTF	MAF	MAF PRICE
707020-0402	32038LF	---	1/4" x 1/8"		
707020-0404	32039LF	---	1/4" x 1/4"	LF29E-44BS	
	32309LF	---	1/4" x 3/8"		
707020-0502	32036LF	---	5/16" x 1/8"		
707020-0504	32040LF	---	5/16" x 1/4"		
707020-0602	32046LF	---	3/8" x 1/8"		
707020-0604	32041LF	---	3/8" x 1/4"	LF29E-64BS	
707020-0606	32042LF	---	3/8" x 3/8"	LF29E-66BS	
707020-0608	32047LF	---	3/8" x 1/2"		
707020-0804	32048LF	---	1/2" x 1/4"		
707020-0806	32043LF	---	1/2" x 3/8"		
707020-0808	32311LF	---	1/2" x 1/2"		
	32313LF	----	3/4" x 1/2"		

HOSE BARB TEES



AMC	MIDLAND	LIST	HOSE BARB SIZE	MAF	MAF PRICE
707024-04	32365LF	---	1/4"		
707024-05	32366LF	---	5/16"		
707024-06	32126LF	---	3/8"		

MENDER/ SPLICER



AMC	MIDLAND	LIST	HOSE I.D. X HOSE I.D.	MAF	MAF PRICE
	32091LF	---	1/8"	LF29S-2	
707014-03	32092LF	---	3/16"	LF29S-3	
707014-04	32093LF	---	1/4"	LF29S-4	
707014-05	32094LF	---	5/16"	LF29S-5	
707014-06	32095LF	---	3/8"	LF29S-6	
707014-08	32096LF	---	1/2"	LF29S-8	
707014-10	32097LF	---	5/8"	LF29S-10	
707014-12	32098LF	---	3/4"	LF29S-12	

FEMALE 45° FLARE SWIVEL



AMC	MIDLAND	LIST		MAF	MAF PRICE
707010-0606	32105LF	----	3/8" x 3/8"		
707010-0808	32100LF	---	1/2" x 1/2"		

LEAD FREE GARDEN HOSE
LEAD FREE BRASS FITTINGS


LEAD FREE MINI BALL VALVES BARB X BARB



AMC	MIDLAND	LIST	H.B. X H.B.	MAF	MAF PRICE
	944142LF	---	1/4″		
	944134LF	---	3/8″		

BARSTOCK BRASS GARDEN HOSE COUPLINGS

FEMALE SWIVEL ONLY




LF29FGH

▪ WASHER INCLUDED

AMC	MIDLAND	LIST	HOSE BARB X FGH	MAF	MAF PRICE
			1/4" x 3/4"	LF29FGH-412	
707046-0612	30031LF	---	3/8″ x 3/4"	LF29FGH-612	
707046-0812	30032LF	---	1/2″ x 3/4"	LF29FGH-812	
707046-1012	30033LF	---	5/8″ x 3/4"	LF29FGH-1012	
707046-1212	30034LF	---	3/4″ x 3/4"	LF29FGH-1212	

MALE END ONLY



LF29MGH

AMC	MIDLAND	LIST	HOSE BARB X MGH	MAF	MAF PRICE
			1/4" x 3/4"	LF29MGH-412H	
707048-0612	30039LF	---	3/8″ x 3/4"	LF29MGH-612H	
707048-0812	30040LF	---	1/2″ x 3/4"	LF29MGH-812H	
707048-1012	30041LF	---	5/8″ x 3/4"	LF29MGH-1012H	
707048-1212	30042LF	---	3/4″ x 3/4"	LF29MGH-1212H	

GARDEN HOSE COUPLING



▪ WASHER INCLUDED

AMC	MIDLAND	LIST	HOSE BARB	MAF	MAF PRICE
			1/4"	LF29GHS-4H	
707042-06	30025LF	---	3/8″	LF29GHS-6H	
707042-08	30027LF	---	1/2″	LF29GHS-8H	
707042-10	30028LF	---	5/8″	LF29GHS-10H	
707042-12	30029LF	---	3/4″	LF29GHS-12H	

SWIVEL - FGH X FGH



LFS3

▪ WASHER INCLUDED

AMC	MIDLAND	LIST	FGH X FGH	MAF	MAF PRICE
707403-12	30011LF	---	3/4″ x 3/4″	LF53	
707402-12	30012LF	---	no swivel	LF13GH	

LEAD FREE GARDEN HOSE

LEAD FREE BRASS FITTINGS

SWIVEL - FGH X FEMALE PIPE



LFS1
LFS2

▪ WASHER INCLUDED

AMC	MIDLAND	LIST	FGH X FEMALE NPTF	MAF	MAF PRICE
707401-1208	30001LF	---	3/4" x 1/2"	LFS1	
707401-1212	30006LF	---	3/4" x 3/4"	LFS2	

RIGID - FGH X FEMALE PIPE



▪ WASHER INCLUDED

AMC	MIDLAND	LIST	FGH X FEMALE NPTF	MAF	MAF PRICE
707411-1202	30016LF	---	3/4" x 1/8"	LF73GH	
707482-1208	30078LF	---	3/4" x 1/2"	LF82GH	
707482-1212	30083LF	---	3/4" x 3/4"	LF83GH	

SWIVEL - FGH X MALE PIPE



▪ WASHER INCLUDED

AMC	MIDLAND	LIST	FGH X MALE NPTF	MAF	MAF PRICE
707420-1204	30047LF	---	3/4" x 1/4"	LF102GH	
707420-1206	30048LF	---	3/4" x 3/8"	LF103GH	
707420-1208	30049LF	---	3/4" x 1/2"	LF104GH	
			3/4" x 3/4"	LF105GH	

RIGID - FGH X MALE PIPE



▪ WASHER INCLUDED

AMC	MIDLAND	LIST	FGH X FEMALE NPTF	MAF	MAF PRICE
	30088LF	---	3/4" x 1/2"(1/2"SWT)	LF84GHS	
707484-121208	30094LF		3/4" x 3/4"(1/2" FIP)	LF85GHT	

RIGID - MGH X MGH



LF85GHT

AMC	MIDLAND	LIST	MGH X MGH	MAF	MAF PRICE
707486-121208	30098LF	---	3/4" x 3/4" (1/2" FIP)	LF86GHT	
707486-1212	30099LF		3/4" x 3/4"		

RIGID - MGH X FEMALE PIPE



LF110GH-124

AMC	MIDLAND	LIST	MGH X FE-MALE NPTF	MAF	MAF PRICE
707480-1204	30066LF	---	3/4" x 1/4"	LF74GH	
			3/4" x 1/4"	LF110GH-124	
707480-1206	30067LF	---	3/4" x 3/8"	LF80GH-126	
707480-1208	30068LF	---	3/4" x 1/2"	LF80GH	
707480-1212	30073LF	---	3/4" x 3/4"	LF81GH	

LEAD FREE GARDEN HOSE

LEAD FREE BRASS FITTINGS


RIGID - MGH X MALE PIPE



LF68GH1216

AMC	MIDLAND	LIST	MGH X MALE NPTF	MAF	MAF PRICE
		----	3/4" x 1/4"	LF76GH	
707478-1206	30053LF	---	3/4" x 3/8"	LF77GH	
707478-1208	30058LF	---	3/4" x 1/2"	LF78GH	
707478-120808	30058SLF	---	3/4" x 1/2" (1/2" SWT)	LF78GHS	
707478-121208	30063LF	---	3/4" x 3/4" x 1/2"	LF79GHT	
			3/4" x 3/4"	LF79GH	
			3/4" x 1"	LF68GH-1216	

CAST BRASS HOSE - "Y" CONNECTOR



LFHY12

AMC	MIDLAND	LIST	SIZE FGH X MGH(2)	MAF	MAF PRICE
707461-12	30140LF	---	3/4"		

GARDEN HOSE CAP



LFHC-12W

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
707404-12	30103LF	---	3/4" Die Cast	LFHC-12W	

GARDEN HOSE NUT



30-021LF



30-022LF

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
707407-12	30021LF	---	Knurled	LFGHNK	
707406-12	30022LF	---	Hex Nut	LFGHNH	

EVAPORATING COOLER ADAPTERS



LFECF12H

* Pipe Threads
** Garden Hose Threads


AMC	MIDLAND	LIST	SIZE	MAF #	MAF PRICE
	30019LF		3/4" x 3/4"	LFECF12*	22.99
	30020LF		3/4" x 3/4"	LFECF12H**	19.63
	30013LF		1/2" x 1/2"	LFECF8*	15.70

LEAD FREE FLARE
LEAD FREE BRASS FITTINGS

LEAD FREE

SAE 45° brass flare fittings

- Two pieces construction – nut and body
- Use with copper, brass, aluminum, or steel tubing
- -40° to +250° F. temperature range
- Resists mechanical pullout
- Easy to disassemble and can be reassembled many times, with no effect on the seal
- Primary uses: fuel equipment, plumbing, gases, refrigeration, and vacuum lines
- Meet functional requirements for SAE, ASME and ASA codes for pressure piping



TO ASSEMBLE:
1 Cut smooth, square end on tubing
2 Slide nut onto tube - threads facing end
3 Flare end of tube
4 Thread nut to body until snug, then

Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1
Thread Size	5/16-24	3/8-24	7/16-20	1/2-20	5/8-18	11/16-16	3/4-16	7/8-14	11/16-14	1-1/4-12	1 3/8-12

SHORT ROD NUT



LF41S
LF41XS

AMC	MIDLAND	LIST	THREAD SIZE UNF	MAF	MAF PRICE
704014-02	10013LF	---	1/8"	LF41S-2	
704014-03	10014LF	---	3/16"	LF41S-3	
704014-04	10015LF	---	1/4"	LF41S-4	
704014-05	10016LF	---	5/16"	LF41S-5	
704014-06	10017LF	---	3/8"	LF41S-6	
	10018LF	---	7/16"	LF41S-7	
704014-08	10019LF	---	1/2"	LF41S-8	
704014-10	10020LF	---	5/8"	LF41S-10	
704014-12	10021LF	---	3/4"	LF41S-12	

SHORT FORGED NUT



AMC	MIDLAND	LIST	THREAD SIZE UNF	MAF	MAF PRICE
704018-04	10039LF	---	1/4"	LF41XS-4	
704018-06	10041LF	---	3/8"	LF41XS-6	
704020-0604	10052LF	---	3/8" x 1/4"	LF41XSR-64	
704018-08	10042LF	---	1/2"	LF41XS-8	
704020-0806	10054LF	---	1/2" x 3/8"	LF41XSR-86	
704018-10	10043LF	---	5/8"	LF641S-10	
704020-1008	10056LF	---	5/8" x 1/2"		
704018-12	10044LF	---	3/4"		

LEAD FREE FLARE

LEAD FREE BRASS FITTINGS

UNION



LF242

AMC	MIDLAND	LIST	THREAD SIZE UNF	MAF	MAF PRICE
704042-02	10104LF	---	1/8"	LF242X2	
704042-03	10105LF	---	3/16"	LF242X3	
704042-04	10106LF	---	1/4"	LF242X4	
704042-05	10107LF	---	5/16"	LF262X5	
704042-06	10108LF	---	3/8"	LF242X6	
704056-0604	10118LF	---	3/8" x 1/4"	LF242X6x4	
704042-08	10109LF	---	1/2"	LF242X8	
704056-0804	10120LF	---	1/2" x 1/4"	LF242X8x4	
704056-0806	10121LF	---	1/2" x 3/8"	LF242X8X6	
704042-10	10110LF	---	5/8"	LF242X10	
704056-1006	10122LF	---	5/8" x 3/8"	LF242X10x6	
704056-1008	10123LF	---	5/8" x 1/2"	LF242X10X8	
704042-12	10111LF	---	3/4"	LF242X12	

CAP



LF40

AMC	MIDLAND	LIST	THREAD SIZE UNF	MAF	MAF PRICE
704040-04	10075LF	---	1/4"	LF40-4	
704040-05	10076LF	---	5/16"	LF40-5	
704040-06	10077LF	---	3/8"	LF40-6	
704040-08	10078LF	---	1/2"	LF40-8	
704040-10	10079LF	---	5/8"	LF40-10	
	10080LF	---	3/4"	LF40-12	

UNION TEE



AMC	MIDLAND	LIST	SIZE (1 X 2 X 3)	MAF	MAF PRICE
704044-02	10157LF	---	1/8"		
704044-03	10158LF	---	3/16"		
704044-04	10159LF	---	1/4"		
704044-05	10160LF	---	5/16"		
704044-06	10161LF	---	3/8"		
704044-08	10162LF	---	1/2"		
704044-10	10163LF	---	5/8"		

REDUCING UNION TEE

AMC	MIDLAND	LIST	SIZE (1 X 2 X 3)	MAF	MAF PRICE
704059-060604	10174LF	---	3/8" x 3/8" x 1/4"		
704059-060608	10175LF	---	3/8" x 3/8" x 1/2"		
704059-080806	10181LF	---	1/2" x 1/2" x 3/8"		
704059-080810	10182LF	---	1/2" x 1/2" x 5/8"		
704059-101008	10189LF	---	5/8" x 5/8" x 1/2"		

LEAD FREE FLARE
LEAD FREE BRASS FITTINGS

LEAD FREE

PLUG



LF39

AMC	MIDLAND	LIST	THREAD SIZE UNF	MAF	MAF PRICE
704039-04	10064LF	---	1/4"	LF39-4	
704039-06	10066LF	---	3/8"	LF39-6	
704039-08	10067LF	---	1/2"	LF39-8	
704039-10	10068LF	---	5/8"	LF39-10	

FEMALE ADAPTER



LF46

AMC	MIDLAND	LIST	MALE FLARE X FEMALE NPTF	MAF	MAF PRICE
704046-0302	10227LF	---	3/16" x 1/8"		
704046-0402	10228LF	---	1/4" x 1/8"	LF46-42	
704046-0404	10229LF	---	1/4" x 1/4"	LF46-44	
704046-0406	10230LF	---	1/4" x 3/8"	LF46-46	
704046-0408	10231LF	---	1/4" x 1/2"		
704046-0502	10232LF	---	5/16" x 1/8"		
704046-0504	10233LF	---	5/16" x 1/4"		
704046-0602	10234LF	---	3/8" x 1/8"		
704046-0604	10235LF	---	3/8" x 1/4"	LF46-64	
704046-0606	10236LF	---	3/8″ x 3/8″	LF46-66	
704046-0608	10237LF	---	3/8″ x 1/2″	LF46-68	
704046-0612	10238LF	---	3/8" x 3/4"	LF46-612	
704046-0804	10239LF	---	1/2" x 1/4"	LF46-84	
704046-0806	10240LF	---	1/2″ x 3/8″	LF46-86	
704046-0808	10241LF	---	1/2″ x 1/2″	LF46-88	
704046-0812	10242LF	---	1/2″ x 3/4″	LF46-812	
704046-1006	10243LF	---	5/8" x 3/8"		
704046-1008	10244LF	---	5/8" x 1/2"	LF46-108	
704046-1012	10245LF	---	5/8" x 3/4"	LF46-1012	
704046-1212	10247LF	---	3/4" x 3/4"	LF46-1212	

MALE BRANCH TEE



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
704045-0402	10204LF	---	1/4" x 1/8"		
704045-0404	10205LF	---	1/4" x 1/4"		
704045-0406	10206LF	---	1/4" x 3/8"		
704045-0604	10210LF	---	3/8" x 1/4"		
704045-0606	10211LF	---	3/8" x 3/8"		
704045-0608	10212LF	---	3/8" x 1/2"		
704045-0806	10214LF	---	1/2" x 3/8"		
704045-0808	10215LF	---	1/2" x 1/2"		
704045-1008	10218LF	---	5/8" x 1/2"		

LEAD FREE FLARE
LEAD FREE BRASS FITTINGS

FORGED SWIVEL



LF700

AMC	MIDLAND	LIST	FEMALE FLARE UNF	MAF	MAF PRICE
704070-04	10481LF	---	1/4"	LF700-4	
704070-05	10482LF	---	5/16"		
704070-06	10483LF	---	3/8″	LF700-6	
704070-08	10484LF	---	1/2″	LF700-8	
704070-10	10485LF	---	5/8″	LF700-10	
704075-0604	10487LF	---	3/8" x 1/4"	LF700R-64	
704075-0806	10488LF	---	1/2" x 3/8"	LF700R-86	

MALE ADAPTER



LF48
LF248

AMC	MIDLAND	LIST	MALE FLARE X MALE NPTF	MAF	MAF PRICE
704048-0202	10253LF	---	1/8" x 1/8"	LF48-22	
704048-0302	10254LF	---	3/16" x 1/8"	LF48-32	
704048-0304	10252LF	---	3/16" x 1/4"	LF48-34	
704048-0402	10255LF	---	1/4″ x 1/8″	LF48-42	
704048-0404	10256LF	---	1/4″ x 1/4″	LF48-44	
704448-0404	10256EHLF	---	1/4″ x 1/4″	LF48-248X4X4	
704048-0406	10257LF	---	1/4" x 3/8"	LF48-46	
704048-0408	10258LF	---	1/4″ x 1/2″	LF48-48	
704048-0502	10259LF	---	5/16" x 1/8"		
704048-0504	10260LF	---	5/16" x 1/4		
704048-0506	10261LF	---	5/16" x 3/8"		
704048-0508	10251LF	---	5/16" x 1/2"		
704048-0602	10262LF	---	3/8″ x 1/8″	LF48-62	
704048-0604	10263LF	---	3/8″ x 1/4″	LF48-64	
			3/8" x 1/4"	LF248X6	
704048-0606	10264LF	---	3/8″ x 3/8″	LF48-66	
704048-0608	10265LF	---	3/8″ x 1/2″	LF48-68	
704048-0612	10266LF	---	3/8" x 3/4"	LF48-612	
704048-0804	10267LF	---	1/2" x 1/4"	LF48-84	
704048-0806	10268LF	---	1/2″ x 3/8″	LF48-86	
704048-0808	10269LF	---	1/2″ x 1/2″	LF48-88	
704048-0812	10270LF	---	1/2″ x 3/4″	LF48-812	
704048-1006	10272LF	---	5/8" x 3/8	LF48-106	
704048-1008	10273LF	---	5/8" x 1/2"	LF48-108	
704048-1012	10274LF	---	5/8" x 3/4"	LF48-1012	
704048-1208	10275LF	---	3/4" x 1/2"	LF48-128	
704048-1212	10276LF	---	3/4″ x 3/4″	LF48-1212	
704048-1412	10278LF	---	7/8" x 3/4"	LF48-1412	

LEAD FREE FLARE
LEAD FREE BRASS FITTINGS

LEAD FREE

UNION ELBOW



BS
LF255B

AMC	MIDLAND	LIST	FLARE X FLARE	MAF	MAF PRICE
704055-04	10406LF	---	1/4"	LF255X4	
704055-05	10407LF	----	3/8"	LF55F-6	
704055-08	10409LF	---	1/2"		
704057-0806	10419LF	---	1/2" x 3/8"		
704055-10	10410LF		5/8"		

FLARE X FIP TEE



AMC	MIDLAND	LIST	FLARE X FLARE X FE PIPE	MAF	MAF PRICE
704058-080808	10434LF	---	1/2" x 1/2" x 1/2"		

90° MALE ELBOW



LF249B
BS

AMC	MIDLAND	LIST	FLARE X MALE PIPE	MAF	MAF PRICE
704049-0302	10284LF	---	3/16" x 1/8"		
704049-0402	10286LF	---	1/4" x 1/8"	LF249X4X2	
704049-0404	10287LF	---	1/4" x 1/4"	LF249X4X4	
704049-0406	10288LF	---	1/4" x 3/8"	LF249X4X6	
704049-0408	10289LF	---	1/4" x 1/2"		
704049-0502	10290LF	---	5/16" x 1/8"	LF249X5	
704049-0504	10291LF	---	5/16" x 1/4	LF249X5X4	
704049-0602	10293LF	---	3/8" x 1/8"	LF249X6X2	
704049-0604	10294LF	---	3/8" x 1/4"	LF249X6X4	
704049-0606	10295LF	---	3/8" x 3/8"	LF249X6X6	
704049-0608	10296LF	---	3/8" x 1/2"	LF249X6X8	
704049-0612	10297LF	---	3/8" x 3/4"	LF249X6X12	
704049-0804	10298LF	---	1/2" x 1/4"	LF249X8X4	
704049-0806	10299LF	---	1/2" x 3/8"	LF249X8X6	
704049-0808	10300LF	---	1/2" x 1/2"	LF249X8X8	
704049-0812	10301LF	---	1/2" x 3/4"	LF249X8X12	
704049-1006	10302LF	---	5/8" x 3/8"		
704049-1008	10303LF	---	5/8" x 1/2"	LF249X10	
704049-1012	10304LF	---	5/8" x 3/4"		
704049-1208	10305LF	---	3/4" x 1/2"	LF249X12	
704049-1212	10306LF	---	3/4" x 3/4"	LF249X12X12	

LEAD FREE FLARE

LEAD FREE BRASS FITTINGS

FEMALE ELBOW




AMC	MIDLAND	LIST	FLARE X FEMALE PIPE	MAF	MAF PRICE
704050-0402	10313LF	---	1/4″ x 1/8″		
704050-0404	10314LF	---	1/4″ x 1/4″		
704050-0604	10319LF	---	3/8″ x 1/4″		
704050-0606	10320LF	---	3/8″ x 3/8″		
704050-0608	10321LF	---	3/8″ x 1/2″		
704050-0612	10322LF	---	3/8" x 3/4"		
704050-0806	10324LF	---	1/2″ x 3/8″		
704050-0808	10325LF	---	1/2″ x 1/2″		
704050-0812	10326LF	---	1/2″ x 3/4″		
704050-1008	10328LF	---	5/8" x 1/2"		
704050-1012	10329LF	---	5/8" x 3/4"		
704050-1212	10331LF	---	3/4" x 3/4"		

LEAD FREE COMPRESSION
LEAD FREE BRASS FITTINGS

LEAD FREE

BRASS COMPRESSION FITTINGS - LEAD FREE

- Three piece construction- nut, sleeve (or ferrule) and body
- Use with copper, aluminum, or plastic tubing (plastic requires 60P sleeve and 61P insert)
- -40° to +250° F. temperature range
- Easy to disassemble, no flaring tool required
- Primary uses: water, gasoline, oil, and vacuum lines



TO ASSEMBLE:
1 Cut smooth, square end on tubing
2 Slide nut, then sleeve onto tube. Threads must face end
3 Insert tube into fitting
4 Thread nut onto fitting until snug, then as follows:

Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8
Thread Size	5/16-24	3/8-24	7/16-24	1/2-24	9/16-24	5/8-24	11/16-20	13/16-18	1-18	1-1/8-18

BRASS COMPRESSION FITTINGS

BRASS SLEEVE



LF260

- **FERRULES**

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700060-02	18001LF	---	1/8"	LF260X2	
700060-03	18002LF	---	3/16"	LF260X3	
700060-04	18003LF	---	1/4"	LF260X4	
700060-05	18004LF	---	5/16"	LF260X5	
700060-06	18005LF	---	3/8"	LF260X6	
700060-07	18006LF	---	7/16"	LF260X7	
700060-08	18007LF	---	1/2"	LF260X8	
700060-10	18008LF	---	5/8"	LF260X10	
700060-12	18009LF	---	3/4"	LF260X12	
700060-14	18010LF	---	7/8"	LF260X14	

DELRIN SLEEVE



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
00560-04	18015	---	1/4"	60P-4	
00560-05	18016	---	5/16"	60P-5	
00560-06	18017	---	3/8"	60P-6	
00560-08	18018	---	1/2"	60P-8	
00560-10	18019	---	5/8"	60P-10	

LEAD FREE COMPRESSION

LEAD FREE BRASS FITTINGS

BRASS NUT



LF261

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700061-02	18033LF	---	1/8"	LF261X2	
700061-03	18034LF	---	3/16"	LF261X3	
700061-04	18035LF	---	1/4"	LF261X4	
700061-05	18036LF	---	5/16"	LF261X5	
700061-06	18037LF	---	3/8"	LF261X6	
700061-07	18038LF	---	7/16"	LF261X7	
700061-08	18039LF	---	1/2"	LF261X8LP	
700061-10	18040LF	---	5/8"	LF261X10	
700061-12	18041LF	---	3/4"	LF261X12	
700061-14	18042LF	---	7/8"	LF261X14	

BRASS INSERT



▪ SLEEVE

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700561-02	22008LF	---	1/8"	63P-2	
700561-03	22009LF	---	3/16"	63P-3	
700561-04	22010LF	---	1/4″	63P-4	
700561-05	22011LF	---	5/16″	63P-5	
700561-06	22012LF	---	3/8″	63P-6	
700561-08	22013LF	---	1/2″	63P-8	
700561-10	22014LF		5/8″		

BRASS NUT W/ CAPTIVE SLEEVE



LF611X6

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700261-02	26001LF	---	1/8"		
700261-03	26002LF	---	3/16"		
700261-04	26003LF	---	1/4"	LF261CAX4	
700261-05	26004LF	---	5/16"		
700261-06	26005LF	---	3/8"	LF261CAX6	
700261-08	26007LF	---	1/2"	LF261CAX8	
700261-10	26008LF	---	5/8"		
700261-12	26015LF	---	3/4"		
700261-14	26016LF	---	7/8"		

CAP



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700081-04	18047LF	---	1/4″	LF61CC-4	
700081-05	18046LF	---	5/16	LF61CC-5	
700081-06	18048LF	---	3/8″	LF61CC-6	
700081-08	18049LF	---	1/2″	LF61CC-8	
700081-10	18050LF	---	5/8″	LF61CC-10	

LEAD FREE COMPRESSION

LEAD FREE BRASS FITTINGS

LEAD FREE

UNION



LF262

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700062-02	18062LF	---	1/8″	LF262X2	
700062-03	18063LF	---	3/16″	LF262X3	
700062-04	18064LF	---	1/4″	LF262X4	
700062-05	18065LF	---	5/16″	LF262X5	
700062-06	18066LF	---	3/8″	LF262X6	
700062-07	18067LF	---	7/16"		
700062-08	18068LF	---	1/2″	LF262X8	
700062-10	18069LF	---	5/8″	LF62-10	
700062-12	18070LF	---	3/4″	LF62-12	
700062-14	18071LF	---	7/8″	LF62-14	

M-62

REDUCING UNION



LF62R

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700082-0402	18076LF	---	1/4″ x 1/8″	LF62R-42	
700082-0403	18077LF	---	1/4″ x 3/16″	LF62R-43	
700082-0504	18078LF	---	5/16″ x 1/4″	LF62R-54	
700082-0604	18079LF	---	3/8″ x 1/4″	LF62R-64	
700082-0605	18080LF	---	3/8" x 5/16"	LF62R-65	
700082-0806	18081LF	---	1/2" x 3/8"	LF62R-86	
700082-1006	18082LF	---	5/8" x 3/8"	LF62R-106	
700082-1008	18083LF	---	5/8" x 1/2"	LF62R-108	

62-R

TANK UNION



LF62T

▪ DRILLED THROUGH

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700092-06	18066DLF	---	3/8"	LF62T-6	
700092-08	18068DLF	---	1/2"	LF62T-8	
700092-10	18069DLF	---	5/8"	LF62T-10	
700092-14	18071DLF	---	7/8"	LF62T-14	

TEE



LF264B

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700064-02	18101LF	---	1/8″		
700064-03	18102LF	---	3/16"	LF264X3	
700064-04	18103LF	---	1/4″	LF264X4	
700064-05	18104LF	---	5/16"	LF264X5	
700064-06	18105LF	---	3/8″	LF264X6	
700064-08	18106LF	---	1/2″	LF264X8	
700064-10	18107LF	---	5/8″	LF264X10	
700064-14	18109LF	---	7/8″	LF64-14	

LEAD FREE COMPRESSION

LEAD FREE BRASS FITTINGS

REDUCING TEE



LF264B

AMC	MIDLAND	LIST	SIZE (1 X 2 X 3)	MAF	MAF PRICE
700084-040402	18114LF	---	1/4" x 1/4" x 1/8"		
700084-040406	18110LF	---	1/4" x 1/4" x 3/8"		
700084-060604	18115LF		3/8″ x 3/8″ x 1/4″	LF264X6X6X4	
700084-080804	18116LF		1/2″ x 1/2″ x 1/4″		
700084-080806	18117LF		1/2″ x 1/2″ x 3/8″	LF264X8X8X6	
700084-101006	18118LF		5/8" x 5/8" x 3/8"	LF264X10X10X6	

64-R

ELBOW



LF265

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700065-02	18122LF	---	1/8"		
700065-03	18123LF	---	3/16"		
700065-04	18124LF	---	1/4″	LF265X4	
700065-05	18125LF	---	5/16″		
700065-06	18126LF	---	3/8″	LF265X6	
700065-08	18127LF	---	1/2″	LF265X8	
700065-10	18128LF	---	5/8″	LF265X10	
700065-12	18129LF	---	3/4″		
700065-14	18130LF	---	7/8″		
700085-0604	18135LF	---	3/8" x 1/4"		
700085-0806	18136LF	---	1/2" x 3/8"		
700085-1006	18137LF	---	5/8" x 3/8"		
700085-1008	18138LF		5/8" x 1/2"		

65 **BSE2** 165C **265C**

LEAD FREE COMPRESSION

LEAD FREE BRASS FITTINGS

LEAD FREE

FEMALE COUPLING



LF66
LF266

AMC	MIDLAND	LIST	COMP. X FEMALE NPT	MAF	MAF PRICE
700066-0202	18142LF	---	1/8″ x 1/8″	LF66-22	---
700066-0302	18143LF	---	3/16″ x 1/8″	LF66-32	---
700066-0304	18144LF	---	3/16" x 1/4"		---
700066-0402	18145LF	---	1/4″ x 1/8″	LF66-42	---
700066-0404	18146LF	---	1/4″ x 1/4″	LF66-44	---
700066-0406	18147LF	---	1/4″ x 3/8″	LF66-46	---
700066-0408	18148LF	---	1/4″ x 1/2″	LF66-48	---
700066-0502	18149LF	---	5/16" x 1/8"		---
700066-0504	18150LF	---	5/16″ x 1/4″		---
700066-0506	18151LF	---	5/16″ x 3/8″	LF66-56	---
700066-0602	18152LF	---	3/8″ x 1/8″	LF66-62	---
700066-0604	18153LF	---	3/8″ x 1/4″	LF66-64	---
700066-0606	18154LF	---	3/8″ x 3/8″	LF66-66	---
700066-0608	18155LF	---	3/8″ x 1/2″	LF66-68	---
700066-0612	18156LF	---	3/8″ x 3/4″	LF66-612	---
700066-0804	18157LF	---	1/2" x 1/4"		---
700066-0806	18158LF	---	1/2″ x 3/8″	LF66-86	---
700066-0808	18159LF	---	1/2″ x 1/2″	LF66-88	---
700066-0812	18160LF	---	1/2″ x 3/4″	LF66-812	---
700066-1006	18161LF	---	5/8" x 3/8"	LF66-106	---
700066-1008	18162LF	---	5/8″ x 1/2″	LF66-108	---
700066-1012	18163LF	---	5/8″ x 3/4″	LF66-1012	---
700066-1208	18164LF	---	3/4" x 1/2"	LF66-128	---
700066-1212	18165LF	---	3/4" x 3/4"	LF66-1212	---
700066-1408	18167LF	---	7/8" x 1/2"	LF66-148	---
700066-1412	18166LF	---	7/8″ x 3/4″	LF66-1412	----

66

COMP X SWEAT ADAPTER



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700086-0610	18171LF	---	3/8″ x 1/2″ nom.swt.		---

LEAD FREE COMPRESSION

LEAD FREE BRASS FITTINGS

MALE ADAPTER COMP X MIP



LF68

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700068-0202	18176LF	---	1/8″ x 1/8″	LF68-22	
700068-0302	18177LF	---	3/16″ x 1/8″	LF68-32	
700068-0304	18178LF	---	3/16″ x 1/4″	LF68-34	
700068-0402	18179LF	---	1/4″ x 1/8″	LF68-42	
700068-0404	18180LF	---	1/4″ x 1/4″	LF68-44	
700068-0406	18181LF	---	1/4″ x 3/8″	LF68-46	
700068-0408	18182LF	---	1/4″ x 1/2″	LF68-48	
700068-0502	18183LF	---	5/16″ x 1/8″	LF68-52	
700068-0504	18184LF	---	5/16″ x 1/4″	LF68-54	
700068-0506	18185LF	---	5/16" x 3/8"		
700068-0508	18186LF	---	5/16" x 1/2"		
700068-0602	18187LF	---	3/8″ x 1/8″	LF68-62	
700068-0604	18188LF	---	3/8″ x 1/4″	LF68-64	
700068-0606	18189LF	---	3/8″ x 3/8″	LF-68-66	
700068-0608	18190LF	---	3/8″ x 1/2″	LF68-68	
700068-0612	18191LF	---	3/8″ x 3/4″	LF68-612	
700068-0704	18192LF	---	7/16″ x 1/4″		
700068-0706	18204LF	---	7/16" x 3/8"		
700068-0804	18193LF	---	1/2″ x 1/4″	LF68-84	
700068-0806	18194LF	---	1/2″ x 3/8″	LF68-86	
700068-0808	18195LF	---	1/2″ x 1/2″	LF68-88	
700068-0812	18196LF	---	1/2″ x 3/4″	LF68-812	
700068-1006	18197LF	---	5/8″ x 3/8″	LF68-106	
700068-1008	18198LF	---	5/8″ x 1/2″	LF68-108	
700068-1012	18199LF	---	5/8″ x 3/4″	LF68-1012	
700068-1208	18200LF	---	3/4" x 1/2"	LF68-128	
700068-1212	18201LF	---	3/4″ x 3/4″	LF68-1212	
700068-1408	18202LF	---	7/8″ x 1/2″	LF68-148	
700068-1412	18203LF	---	7/8″ x 3/4″	LF68-1412	
700068-1416	18205LF	---	7/8" x 1"	LF68-1416	

LEAD FREE COMPRESSION
LEAD FREE BRASS FITTINGS

LEAD FREE

ELBOW COMP X MIP



LF269B
LF69F

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700069-0202	18220LF	---	1/8" x 1/8"		
700069-0302	18221LF	---	3/16" x 1/8"		
700069-0304	18223LF	---	3/16" x 1/4"		
700069-0402	18224LF	---	1/4" x 1/8"	LF269X4	
700069-0404	18225LF	---	1/4" x 1/4"	LF269X4X4	
700069-0406	18226LF	---	1/4" X 3/8"	LF269X4X6	
700069-0408	18227LF	---	1/4" x 1/2"		
700069-0502	18228LF	---	5/16" x 1/8"		
700069-0504	18229LF	---	5/16" x 1/4"		
700069-0506	18230LF	---	5/16" x 3/8"		
700069-0602	18232LF	---	3/8" x 1/8"	LF269X6X2	
700069-0604	18233LF	---	3/8" x 1/4"	LF269X6	
700069-0606	18234LF	---	3/8" x 3/8"	LF269X6X6	
700069-0608	18235LF	---	3/8" x 1/2"	LF269X6X8	
700069-0612	18248LF	---	3/8" x 3/4"		
700069-0704	18247LF	---	7/16" x 1/4"		
700069-0804	18236LF	---	1/2" x 1/4"		
700069-0806	18237LF	---	1/2" x 3/8"	LF69F-86	
700069-0808	18238LF	---	1/2" x 1/2"	LF69F-88	
700069-0812	18239LF	---	1/2" x 3/4"		
700069-1006	18240LF	---	5/8" x 3/8"	LF269X10X6	
700069-1008	18241LF	---	5/8" x 1/2"	LF69F-108	
700069-1012	18242LF	---	5/8" x 3/4"	LF269X10X12	
700069-1208	18243LF	---	3/4" x 1/2"		
700069-1212	18245LF	---	3/4" x 3/4"		
700069-1412	18246LF	----	7/8" x 3/4"	LF69F-1412	

TANK CONNECTOR COMP X MIP



LF68T

- DRILLED THROUGH

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700088-0302	18177TLF	---	3/16" x 1/8"	LF68T-32	
700088-0402	18208LF	---	1/4" x 1/8"	LF68T-42	
700088-0404	18209LF	---	1/4" x 1/4"	LF68T-44	
700088-0604	18210LF	---	3/8" x 1/4"	LF68T-64	
700088-0606	18211LF	---	3/8" x 3/8"	LF68T-66	
700088-0608	18212LF	---	3/8" x 1/2"	LF68T-68	
700088-0806	18213LF	---	1/2" x 3/8"	LF68T-86	
700088-0808	18214LF	---	1/2" x 1/2"	LF68T-88	
700088-1008	18215LF	----	5/8" x 1/2"		

69 269C BSE1 169C

LEAD FREE COMPRESSION
LEAD FREE BRASS FITTINGS

FEMALE ELBOW COMP X FIP



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700070-0202	18251LF	---	1/8" x 1/8"		
700070-0302	18252LF	---	3/16" x 1/8"		
700070-0402	18253LF	---	1/4" x 1/8"		
700070-0404	18254LF	---	1/4" x 1/4"		
700070-0406	18267LF	---	1/4" x 3/8"		
700070-0408	18268LF	---	1/4" x 1/2"		
700070-0502	18255LF	---	5/16" x 1/8"		
700070-0504	18256LF	---	5/16" x 1/4"		
700070-0602	18257LF	---	3/8" x 1/8"		
700070-0604	18258LF	---	3/8" x 1/4"	LF70F-64	
700070-0606	18259LF	---	3/8" x 3/8"	LF270X6X6	
700070-0608	18260LF	---	3/8" x 1/2"		
700070-0612	18250LF	---	3/8" x 3/4"		
700070-0806	18262LF	---	1/2" x 3/8"	LF270X8	
700070-0808	18263LF	---	1/2" x 1/2"	LF270X8X8	
700070-1006	18269LF	---	5/8" x 3/8"		
700070-1008	18264LF	---	5/8" x 1/2"	LF270X10	
700070-1012	18265LF	----	5/8" x 3/4"		

45° ELBOW COMP X MIP



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700095-0402	18330LF	---	1/4" x 1/8"		
700095-0404	18336LF	---	1/4" x 1/4"		
700095-0604	18333LF	---	3/8" x 1/4"		
700095-0606	18338LF	---	3/8" x 3/8"		
700095-0806	18334LF	---	1/2" x 3/8"		
700095-0808	18339LF	---	1/2" x 1/2"		
700095-1008	18335LF	---	5/8" x 1/2"		

MALE RUN TEE COMPRESSION X MIP



LF272

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700071-0302	18273LF	---	3/16" x 1/8"		
700071-0402	18274LF	---	1/4" x 1/8"		
700071-0404	18275LF	---	1/4" x 1/4"		
700071-0502	18276LF	---	5/16" x 1/8"		
700071-0504	18277LF	---	5/16" x 1/4"		
700071-0604	18279LF	---	3/8" x 1/4"		
700071-0606	18280LF	---	3/8" x 3/8"		
700071-0806	18281LF	---	1/2" x 3/8"		

LEAD FREE COMPRESSION
LEAD FREE BRASS FITTINGS

MALE BRANCH TEE COMP X MIP



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700072-0202	18289LF	---	1/8" x 1/8"		
700072-0302	18290LF	---	3/16" x 1/8"		
700072-0402	18291LF	---	1/4" x 1/8"	LF272X4	
700072-0404	18292LF	---	1/4" x 1/4"		
700072-0502	18293LF	---	5/16" x 1/8"		
700072-0504	18294LF	---	5/16" x 1/4"		
700072-0602	18295LF	---	3/8" x 1/8"		
700072-0604	18296LF	---	3/8" x 1/4"		
700072-0606	18297LF	---	3/8" x 3/8"		
700072-0806	18299LF	---	1/2" x 3/8"		
700072-0808	18300LF	---	1/2" x 1/2"		
700072-1008	18301LF	---	5/8" x 1/2"		
700072-1212	18303LF	----	3/4" x 3/4"		

TEE COMP X FIP X MIP



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700075-040202	18307LF	---	1/4" x 1/8 x 1/8"		---

TEE FIP X MIP X COMP



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700076-0404	18315LF	---	1/4" x 1/4" x 1/4"		

FEMALE BRANCH TEE COMP X FIP



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700078-0602	18325LF	---	3/8" x 1/8"		
700078-0604	18322LF	---	3/8" x 1/4"		
700078-0606	18323LF	---	3/8" x 3/8"		
700078-1002	18327LF	---	5/8" x 1/8"		

FEMALE ADAPTER COMPRESSION X FEMALE FLARE



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700093-0404	18502LF	---	1/4" x 1/4"		

MALE ADAPTER COMPRESSION X MALE FLARE



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700094-0404	18503LF	---	1/4" x 1/4"	LF6242CF-44	
			1/4" x 3/8"	LF6242CF-46	

LEAD FREE COMPRESSION
LEAD FREE BRASS FITTINGS

FEMALE ADAPTER (GASKET) FEMALE COMPRESSION X COMPRESSION



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
730097-0604	18500LF	---	3/8" x 1/4"		
700097-0806	18501LF	---	1/2" x 3/8"		

FEMALE ADAPTER (GASKET) FEMALE FLARE X COMPRESSION



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
734822-0606	18510LF	---	9/16-24 x 3/8		

FEMALE ADAPTER (GASKET) FE GARDEN HOSE X COMPRESSION



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
737422-1204	30050LF	---	3/4" x 1/4"		
737422-1206	30051LF	----	3/4" x 3/8"		

LF124GH
LF125GH

SWIVEL ELBOW COMP X FE GARDEN HOSE SWIVEL




AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
737469-0612	30055LF	---	3/8" x 3/4"		

LF69GHS-162

- NO NUT & SLEEVE

LEAD FREE ADD-A-TEE COMP X COMP X SWIVEL FE COMPRESSION



AMC	MIDLAND	LIST	MALE & FEM. COMPRESSION X MALE COMP	MAF	MAF PRICE
700073-060604	935044LF	---	3/8 x 1/4		
700073-060606	935045LF	---	3/8 x 3/8		

- For adding a water line
- Ice makers, Coffee makers and instant hot water systems

- NSF Approved

N/P COMPRESSION/ ICE MAKER KITS/ LEAD FREE BRASS FITTINGS

LEAD FREE BRASS FITTINGS

LEAD FREE

NICKEL PLATED COMPRESSION FITTINGS

NUT



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700661-04	18054LF	---	1/4"		---
700661-06	18055LF	---	3/8"		---
700661-08	18056LF	---	1/2"		---
700661-10	18057LF	---	5/8"		---

UNION



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700662-06	31066LF	---	3/8"		
700662-08	31068LF	---	1/2"		

REDUCING UNION



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700682-0604	31079LF	---	3/8" x 1/4"		
700682-0806	31081LF	---	1/2" x 3/8"		
700682-1006	31082LF	---	5/8" x 3/8"		
700682-1008	31083LF	---	5/8" x 1/2"		

TEE



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700664-06	31105LF	---	3/8"		
700664-08	31106LF	---	1/2"		

ELBOW



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700665-06	31126LF	---	3/8"		
700665-08	31127LF	---	1/2"		

REDUCING ELBOW

AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700685-1006	31137LF	---	5/8" x 3/8"		

FEMALE COUPLING



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700666-0606	31154LF	---	3/8" x 3/8"		
700666-0608	31155LF	---	3/8" x 1/2"		
700666-0806	31158LF	---	1/2" x 3/8"		
700666-0808	31159LF	---	1/2" x 1/2"		

N/P COMPRESSION/ ICE MAKER KITS/ LEAD FREE BRASS FITTINGS

LEAD FREE BRASS FITTINGS

COMP X SWEAT ADAPTER



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700686-0610	31171LF	---	3/8" x 5/8" O.D (1/2 Nom. Sweat)		

CONNECTOR



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700668-0604	31188LF	---	3/8" x 1/4"		
700668-0606	31189LF	---	3/8" x 3/8"		
700668-0608	31190LF	---	3/8" x 1/2"		
700668-0806	31194LF	---	1/2" x 3/8"		
700668-0808	31195LF	---	1/2" x 1/2"		
00668-1008	31198LF	---	5/8" x 1/2"		

ELBOW



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700669-0604	31233LF	---	3/8" x 1/4"		
700669-0606	31234LF	---	3/8" x 3/8"		
700669-0608	31235LF	---	3/8" x 1/2"		
700669-0806	31237LF	---	1/2" x 3/8"		
700669-0808	31238LF	---	1/2" x 1/2"		


ELBOW



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
700670-0608	31260LF	---	3/8" x 1/2"		---

ICE MAKER KITS


ICE MAKER WATER SUPPLY KIT WITH POLY TUBING



AMC	MIDLAND	LIST	DESCRIPTION	MAF	MAF PRICE
760001	43265LF	---	Kit		

- Lead free fittings
- Bag with Header Card
- 25' 1/4" O.D. Polyethylene
- Self Piercing Saddle Valve
- 1/4" O.D. Compression x 1/8" MIP Elbow & Adapter
- 1/4" O.D. Compression Union
- 1/4" Inserts & Sleeves

ICE-MAKER WATER SUPPLY KIT



AMC	MIDLAND	LIST	MAF	MAF PRICE
760008	43266LF	---		


- Economy
- 25' Polyethylene Tubing
- Self Piercing Saddle Valve
- 1/4" Compression Union
- 1/4" Inserts & Sleeves

LEAD FREE NEEDLE VALVES

LEAD FREE BRASS FITTINGS


LEAD FREE

COMP X COMP



AMC	MIDLAND	LIST	COMP X COMP	MAF	MAF PRICE
709106-04	46021LF	---	1/4″		
709106-05	46022LF	---	5/16"		
709106-06	46023LF	---	3/8″		

COMP X MALE PIPE



AMC	MIDLAND	LIST	COMP X MALE PIPE	MAF	MAF PRICE
709101-0402	46002LF	---	1/4" x 1/8"		
709101-0404	46003LF	---	1/4″ x 1/4″		
709101-0604	46005LF	---	3/8″ x 1/4″		

COMP X MALE PIPE-ANGLE




AMC	MIDLAND	LIST	COMP X MALE PIPE	MAF	MAF PRICE
709103-0402	46011LF	---	1/4″ x 1/8″		
709103-0404	46012LF	---	1/4″ x 1/4″		
709103-0502	46013LF	---	5/16" x 1/8"		
709103-0602	46015LF	---	3/8" x 1/8"		
709103-0604	46016LF	---	3/8" x 1/4"		

FLARE X FLARE



AMC	MIDLAND	LIST	FLARE X FLARE	MAF	MAF PRICE
709110-04	46045LF	---	1/4"		
709110-06	46046LF	---	3/8"		

FLARE X MALE PIPE



AMC	MIDLAND	LIST	MALE FLARE X MALE PIPE	MAF	MAF PRICE
709104-0404	46029LF	---	1/4″ x 1/4″		

FEMALE PIPE X FEMALE PIPE



AMC	MIDLAND	LIST	FEMALE X FEMALE	MAF	MAF PRICE
709134-02	46055LF	---	1/8" x 1/8"		
709134-04	46056LF	---	1/4″ x 1/4″		

MALE X FEMALE PIPE




AMC	MIDLAND	LIST	FEMALE X MALE	MAF	MAF PRICE
709135-02	46060LF	---	1/8" x 1/8"		
709135-04	46061LF	---	1/4″ x 1/4″		

LEAD FREE NEEDLE VALVES

LEAD FREE BRASS FITTINGS

MALE PIPE TO MALE PIPE



AMC	MIDLAND	LIST	MALE PIPE X MALE PIPE	MAF	MAF PRICE
709108-04	46051LF	---	1/4"		

VALVE WITH TEE



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
709178-0406	46175LF	---	1/4" x 3/8"		
709178-0410	46177LF	---	1/4" x 5/8"		
709178-0606	46174LF	---	3/8" x 3/8"		

VALVE WITH SADDLE FITS UP TO 3/4" PIPE




AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
709195-04	46091LF	---	1/4"		
709195-05		----	5/16"		
709195-06	46093LF	---	3/8"		

BRASS SADDLE



AMC	MIDLAND	LIST	SIZE	MAF	MAF PRICE
709190	46099LF	---	1/8"		

SELF PIERCING SADDLE VALVES



AMC	MIDLAND	LIST		MAF	MAF PRICE
709199-04	46090ALF	---	Solid Pin		
	46090HLF	---	Hollow Pin		

- 1/4 Tube O.D.

SELF PIERCING NEEDLE VALVE KIT #M-104-VSP

- INDIVIDUALLY BAGGED WITH NEEDLE VALVE
- SADDLE CLAMP
- 2 NUTS
- 2 BOLTS & WASHERS

Has brass sleeve for copper tube installation & delrin


sleeve & brass insert for plastic tube installation.

LEAD FREE

LEAD FREE VALVES & PLBG

LEAD FREE VALVES & PLUMBING ACCESSORIES!

LEAD FREE BALL VALVES



PRESS VALVES



PEX VALVES



PUSH FIT VALVES



SILCOCK



GATE VALVES




CHECK



BOILDER DRAIN



SUPPLY CONNECTORS



RUBBER COUPLINGS



VACUUM BREAKER



SUPPLY STOPS





WATER METER FLANGES



WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LEAD FREE BALL VALVE

LEAD FREE

C 5 PSIG US


IAMPO IGC 157 - 2004b


Lead Free Brass Ball Valve NPT,Female*Female
Lead Free and dezincification resistant (DZR) material
IAPMO listed to NSF/ANSI-61, NSF/ANSI-372 ,IGC-157
CSA listed to NSF/ANSI-61, NSF/ANSI-372 ,IGC-157
Vacuum Services 29.92 inches Hg
600 psi (WOG) 150 psi (WSP) Service
Thread conform ANSI B1.20.1
Temperature Range : -40° F to 365° F
Construction:Forging Brass Body
PTFE Ball Seats
Blow Out Proof Brass Stem
Stainless Steel Ball
Steel Handle w/Vinyl Grip
Made in China



FIP X FIP LEAD FREE BALL VALVE

PART #	SIZE	DN	A	B	C	E	F	G	H	WEIGHT	BOX/CASE	LIST PRICE
941151LF	1/4"	0.394	1.73	1.69	3.35	0.453	0.945	2.154	4.331	0.32	10/120	---
941152LF	3/8"	0.394	1.73	1.69	3.35	0.473	0.945	2.154	4.331	0.32	10/120	---
941153LF	1/2"	0.524	1.89	1.73	3.35	0.472	1.083	2.276	4.291	0.36	10/100	---
941154LF	3/4"	0.748	2.28	1.89	3.35	0.563	1.378	2.579	4.488	0.57	10/80	---
941155LF	1"	0.984	2.80	2.14	4.29	0.650	1.772	3.031	5.689	0.94	8/48	---
941156LF	1-1/4"	1.240	3.15	2.32	4.29	0.669	2.165	3.398	5.866	1.30	4/36	---
941157LF	1-1/2"	1.476	3.44	2.66	5.53	0.701	2.50	3.909	7.343	1.92	2/24	---
941158LF	2"	1.949	4.06	3.01	5.53	0.708	3.244	4.638	7.638	3.12	2/12	---
941159LF	2-1/2"	2.52	5.53	4.25	7.76					7.42	2/12	---
941160LF	3"	2.89	6.14	4.58	8.19					11.01	1/6	---
941161LF	4"	3.84	7.79	5.49	9.25					12.10	1/2	---





No	Item	Qty	Material
1	Body	1	Lead Free Brass
2	Seat	2	PTFE
3	Ball	1	Stainless Steel
4	Stem	1	Brass
5	Handle Nut	1	Plated Steel
6	Lock Washer	1	Plated Steel
7	Packing Nut	1	Brass
8	Packing	1	PTFE
9	Handle	1	Plated Steel
10	Cap	1	Lead Free Brass

SWT X SWT LEAD FREE BALL VALVE

PART #	SIZE	DN	A	B	C	E	G	H	WEIGHT	WTG	BOX/CASE	LIST PRICE
941163LF	1/2"	0.524	1.945	1.73	3.35	0.504	1.083	2.276	4.319	0.38	10/100	---
941164LF	3/4"	0.748	2.654	1.89	3.35	0.748	1.378	2.579	4.665	0.65	10/80	---
941165LF	1"	0.984	3.315	2.14	4.29	0.909	1.772	3.031	5.949	0.93	8/48	---
941166LF	1-1/4"	1.240	3.741	2.32	4.29	0.968	2.165	3.398	6.165	1.35	4/36	---
941167LF	1-1/2"	1.476	4.252	2.66	5.63	1.091	2.50	3.909	7.756	1.88	2/24	---
941168LF	2"	1.949	5.38	3.01	5.63	1.343	3.244	4.638	8.268	3.62	2/12	---
941169LF	2½"	2.52	5.53	4.25	7.76							
941170LF	3"	2.89	6.14	4.58	8.19							
941171LF	4"	3.84	7.79	5.49	9.25							

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LEAD FREE BALL VALVES

LF VALVES & PLBG FITTINGS

LEAD FREE

1/2" - 2" Sizes Gas Approved

LEAD FREE BALL VALVE

C US UL842, UL258, UL125,FM

• BRASS • 600PSI • FULL PORT W/APPROVALS

CSA, UL, FM(1/4"-2"), cUPC, NSF/ ANSI 61 & 372


FEATURES

- Leadfree Brass Ball valve NPT, Female * Female
- Lead free and dezincification resistant (DZR) material
- 1/4"-1" Lead Free Brass Ball
- Size 1-1/4" thru 4" with Stainless steel ball
- IAMPO listed to cUPC, NSF/ ANSI 61 & 372, IGC 157
- CSA - 1/4" thru 2": ANSI Z21.15/ CSA 9.1 for 1/2 psig valves ASME B16.44, CGA CR91-002 for 2 & 5 psig valves; CAN/ CGA-3.16, ASME B16.33 (1/2"-2") for 125 psig valves
- UL 125, UL 1477, UL 842 - for size 1/4" thru 4", 250 psig
- UL 258 - for size 1/4" thru 2", 175 psig
- FM - for size 1/4" thru 2"
- ISO 9002 Manufacture
- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated for 1/4"-2" at 600psi (42 bars) and 2-1/2"-4" at 400 psi WOG (non-shock) and 150 WSP (10.34 bars) saturated steam. Virgin PTFE stem packing seal, thrust washer and seats
- White vinyl insulator on heavy duty plated carbon steel handles
- Fast 1/4 turn open or close operation
- Low operating torque
- **Adjustable stem packing gland**
- Maximum operating temperature: 302^{0}F (150^0 C)
- Minimum operating temperature: -22^{0}F (-30^{0}C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem

POS	Components	Materials
1	Body	Lead Free Brass
2	End Cap	Lead Free Brass
3	Ball Seat	PTFE
4	Ball	1/4-1:Lead Free Brass 1 1/4-4:SS316 Hollowball
5	Stem	Brass
6	Stem Padding	PTFE
7	Padding Nut	Brass
8	Lever Handle	Nickel plating steel
9	Stem Nut	Brass plating steel
10	Seal	PTFE







PART#	SIZE	DIMENSIONS A	B	C	D	E	F	G	H	WEIGHT	BOX/ CASE	
940171LF	1/4"	1.756	1.732	3.543	0.394	0.457	1.012	2.238	4.421	0.34	70/140	---
940172LF	3/8"	1.756	1.732	3.543	0.394	0.457	1.012	2.238	4.421	0.34	70/140	---
940173LF	1/2"	2.047	2.040	3.543	0.583	0.520	1.240	2.559	4.567	0.45	50/100	---
940174LF	3/4"	2.362	2.260	3.780	0.748	0.563	1.492	2.854	4.961	0.69	30/60	---
940175LF	1"	2.756	2.579	4.528	0.945	0.630	1.791	3.476	5.906	1.11	20/40	---
940176LF	1-1/4"	3.307	3.050	4.528	1.260	0.709	2.343	4.134	6.181	1.85	12/24	---
940177LF	1-1/2"	3.661	3.366	5.420	1.575	0.717	2.835	4.783	7.343	2.60	9/18	---
940178LF	2"	4.181	3.701	5.42	1.969	0.748	3.425	5.413	7.602	3.62	6/12	---
940179LF	2-1/2"	4.181	4.650	8.870	2.520	1.024	4.331	6.969	11.350	7.93	3/6	---
940180LF	3"	6.039	4.970	8.870	2.913	1.102	4.921	7.579	11.681	10.40	1/4	---
940181LF	4"	7.386	6.130	10.85	3.898	1.220	6.430	9.055	13.299	20.99	1/2	---

SWT X SWT LEAD FREE BALL VALVE

FM, cUPC, NSF/ ANSI 61 & 372

PART #	SWT	A	B	C	D	E	F	WEIGHT	BOX/CASE	LIST PRICE
943612LF	1/2"	2.047	1.839	3.543	0.583	0.512	0.630	0.45	50/100	---
943613LF	3/4"	2.748	2.14	3.780	0.748	0.748	0.878	0.68	30/60	---
943614LF	1"	3.228	2.449	4.528	0.945	0.906	1.130	1.08	20/40	---
943615LF	1-1/4"	3.819	3.04	4.36	1.260	0.972	1.378	1.80	12/24	---
943616LF	1-1/2"	4.425	3.169	5.39	1.575	1.088	1.630	2.51	9/18	---
943617LF	2"	5.377	3.488	6.307	1.989	1.346	2.130	3.57	6/12	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

ITALIAN LEAD FREE BRASS BALL VALVE

5 PSIG
C US
CSA AGA 3.88 5 PSIG

UL FM
UL842, UL258, UL125,FM

IAMPO IGC 157 - 2004b

ISO 9002 Manufacturer
FEATURES

600 PSI non-shock cold water, gas, oil - 150 PSI saturated steam

- **SOLID CHROME PLATED BRASS BALL**
- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150 WSP (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Blue vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation
- Low operating torque
- Flow can go both directions
- Adjustable stem packing gland
- Maximum operating temerature: 248^{0}F (120^0 C) at 600 PSI
- Minimum operating temperature: -20^{0}F (-40^{0}C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections

MADE IN ITALY



FIP X FIP

ANSI/INSF 61-8
- Generic Handles




SWT X SWT

FIP X FIP LEAD FREE FORGED BRASS BALL VALVE


PART #	NPT	DN	A	B	C	D	CH	WEIGHT (LBS)	BOX/CASE	LIST PRICE
943233LF	1/2"	0.57	2.09	1.57	3.35	0.46	0.98	0.39	20/80	---
943234LF	3/4"	0.75	2.28	1.77	3.80	0.49	1.22	0.56	14/56	---
943235LF	1"	0.94	3.04	2.03	3.80	0.59	1.50	0.89	6/24	---
943236LF	1-1/4"	1.24	3.23	2.32	4.72	0.62	1.85	1.44	4/16	---
943237LF	1-1/2"	1.49	3.70	2.60	4.72	0.64	2.13	2.19	2/8	---

SWT X SWT LEAD FREE FORGED BRASS BALL VALVE

PART #	SWT	Ø	DN	A	B	C	D	CH	WEIGHT (LBS)	BOX/CASE	LIST PRICE
940212LF	1/2"	0.63	0.57	2.40	1.57	3.35	0.42	0.79	0.35	20/80	---
940213LF	3/4"	0.866	0.75	3.26	1.77	3.80	0.61	1.06	0.55	10/40	---
940214LF	1"	1.102	0.94	3.68	2.03	3.80	0.73	1.34	0.87	6/24	---
940215LF	1-1/4"	1.377	1.24	4.23	2.32	4.72	0.91	1.61	1.41	6/24	---
940216LF	1-1/2"	1.61	1.49	4.96	2.60	4.72	1.06	1.89	2.08	2/8	---



POS	Components	Materials
1	Body	CW510L
2	End Connection	CW510L
3	Ball Seal	PTFE
4	Seal	CW510L
5	Stem	CW614N
6	Lower Stem	PTFE
7	O-Ring	NBR70sh
8	Upper Seal	PTFE
9	Brass Ring	CW614N
10	Nut	Steel
11	Handle	Steel P10



WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PRESS BALL VALVE
LF VALVES & PLBG FITTINGS


LEAD FREE COPPER PRESS BALL VALVE

Midland Series "9404LF" 2-Piece, Full Port, Lead Free, Copper, Press Ball Valves are designed for use in flameless, copper press piping systems. Midland Copper Press Ball Valves feature a lead free brass body, adjustable packing gland and blowout proof stem with stem a single O-ring seal. Our press ball valves come with integral ASTM-B88 compliant press end connections that can be used with type K, L, M, hard copper tubing 1/2 in. – 4 in. Utilizing industry standard tools.


Midland Press Ball Valve Features

- Lead Free construction.
- Available Sizes: 1/2 in. – 4 in.
- Integral press end connections designed for hard and soft copper tubing
- ISO-9001
- 250 WOG - 250 CWP (2-1/2" - 4")
- Full Port Stainless Steel ball
- One O-Ring design
- Blow Out Proof Stem
- UPC & NSF-61 Compliant
- AB1953 & NSF-372 Compliant▪

Midland Copper Press Ball Valves are a heat-free method for joining copper tubes. Our press valve allows installers the confidence to know the joint is secure due to our leak-detection o-ring. During low pressure testing, if the joint is not pressed properly, the specialized o-ring will leak. This allows the installer to correct the press before the system is operational at higher pressures.



1/2"–2"



2 1/2"–4"



Part Name	Material
Body	Lead Free Brass
Seat	PTFE
Ball	Stainless Steel
Stem O-Ring	NBR
Packing Nut	Brass
Stem	Brass (1/2"-2")
	Stainless Steel(2-1/2"-4")
Lock Nut	Ferrum /Zinc Plated
Lock Washer	Ferrum /Zinc Plated
Packing	PTFE
Handle	Ferrum /Chrome Plated
Cap	Lead Free Brass
Body O-Ring	NBR
Press O-Ring	EPDM

PART	SIZE	D	L	H	W	CV	
940403LF	1/2"	0.591	3.46	1.81	3.15	18.55	---
940404LF	3/4"	0.748	4.29	2.09	3.60	29.76	---
940405LF	1"	0.984	4.29	2.25	3.92	51.55	---
940406LF	1-1/4"	1.259	5.63	2.52	4.41	84.42	---
940407LF	1 1/2"	1.574	5.63	2.74	5.35	131.93	---
940408LF	2 "	1.941	5.63	3.03	6.79	200.35	---
940409LF	2 1/2"	2.520	7.76	4.25	7.46	338.43	---
940410LF	3 "	2.874	8.19	4.58	8.17	445.44	---
940411LF	4"	3.839	9.25	5.49	9.88	783.88	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

C/E PEX & PEX BALL VALVES LEAD FREE

LEAD FREE

CUPC, AB 1953, NSF/ANSI 61, NSF/ ANSI 372 (ANNEX G) NSF-14

• 400 WOG • FORGED LEAD FREE BRASS BODY • SS BALL

UNION PEX VALVE

C/E PEX X C/E PEX



- Cold Expansion
- Conforms to ASTMF 1960

PART	SIZE	
945611LF	1/2"	---
945612LF	3/4"	---
945613LF	1"	---
945614LF	1-1/4"	---
945615LF	1 1/2"	---
945616LF	2 "	---

PEX VALVE WITH DROP EAR AND DRAIN

C/E PEX X C/E PEX

WITH DRAIN AND DROP EAR



- Cold Expansion
- Conforms to ASTMF 1960

PART	SIZE	
945621LF	1/2"	---
945622LF	3/4"	---
945623LF	1"	---

MALE ADADPTER PEX VALVE

MALE PIPE X C/E PEX




- Cold Expansion
- Conforms to ASTMF 1960
- Thread conforms to ANSI B1.20.1

PART	SIZE	
945631LF	1/2"	---
945632LF	3/4"	---
945633LF	1"	---

- Dezincification resistant (D2B) Lead Free Brass material
- Cold expansion pex ends conform to ASTM F1960
- Blow out proof stem design

PEX X PEX

PEX ENDS CONFORM TO ASTMF-1807




- CSA

PART	SIZE	
945601LF	1/2"	---
945602LF	3/4"	---
945603LF	1"	---
945604LF	1-1/4"	---
945605LF	1-1/2"	---
945606LF	2"	---

W/TEE HANDLE

PART	SIZE	
945640LF	3/4"	---

PEX DRAIN VALVE



- Conforms to ASTMF 1807

PART	SIZE	
945650LF	1/2"	---
945651LF	3/4"	---
945652LF	1"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LEAD FREE VALVES
LF VALVES & PLBG FITTINGS

LEAD FREE

LEAD FREE, FULL PORT BRASS BALL VALVES PUSH-FITTING END

FEATURES

- dezincification resistant (DZR) Lead Free Brass Material
- Push-fiting conform ASSE 1061
- Forged Brass Body
- BLow Out Proof Stem Design
- Packing Nut & Packing On the Steam Seal
- Stainless Steel Ball
- Handle with Vinyl Grip

PERFORMANCE RATING


- 200 psi (CWP) 150 psi (WSP) Service
- Temperature Range: -20° F to 300° F



PUSH FIT VALVES

PART NO.	SIZE	DN	L	L1	L2	H	CV	WT(LBS.)	LIST
943750LF	1/2"	0.524	3.15	0.91	3.46	1.73	14.56		
943751LF	3/4"	0.748	3.55	1.10	3.46	1.89	29.76		
943752LF	1"	0.984	4.14	1.32	4.29	2.14	51.55		

PART NAME	MATERIAL
Body	Lead Free Brass
Seat	PTFE
Ball	Stainless Steel
Packing Nut	Brass
Stem	Brass
Lock Nut	Ferrum/Zinc Plated
Lock Washer	Ferrum/Zinc Plated
Packing	PTFE
Handle	Ferrum/Chrome Plated
Cap	Lead Free Brass
O-Ring	EPDM
Seat Ring	POM
Gripper Ring	Stainless Steel
Push Ring	POM
Lock Ring	POM
Liner	PSF



WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS GATE VALVE IPS

- 200 WOG (Cold water, oil, gas)
- 125 WSP (Saturated Steam)

- Brass Forged body/bonList- stronger than sand castings.
- Superior quality and finish.
- Each valve individually tested.
- Threaded ends to ANSI B1.20.1, Solder ends to ANSI B16.18
- Non rising stem.
- Cast iron handle.
- NSF Approved



BRASS GATE VALVE IPS

PART#	SIZE	LIST PRICE
940130LF	1/4	---
940131LF	3/8	---
940132LF	1/2	---
940133LF	3/4	---
940134LF	1	---
940135LF	1-1/4	---
940136LF	1-1/2	---
940137LF	2	---

BRASS GATE VALVE C X C



PART#	SIZE	LIST PRICE
940142LF	1/2"	---
940143LF	3/4"	---
940144LF	1"	---
940145LF	1-1/4"	---
940146LF	1-1/2"	---
940147LF	2"	---

BRASS CHECK VALVE

NO	Part	Material
1	Cap	C37700
2	Gasket	NBR
3	Spring	Stainless Steel
4	Positioning Seat	BRASS
5	Screw	BRASS
6	Body	C37700

- NSF Approved
- ANSI 61-4



LEAD-FREE

PART #	SIZE	LIST PRICE
944430LF	1/2	---
944431LF	3/4	---
944432LF	1	---
944433LF	1-1/4	---
944434LF	1-1/2	---
944435LF	2	---
944436LF	2½	
944437LF	3	
944438LF	4	

CAST BRASS SWING CHECK VALVE IPS SCREWED ENDS

- Working pressure non-shock: 200 psi W.O.G. (cold water, oil, gas) 125 psi WSP (saturated steam)
- Swing type disc.
- Screwed Cap.
- Hard Seat.
- 90⁰ Straight Pattern.
- Used to prevent reverse flow in commercial and industrial applications.
- Threaded ends to ANSI B1.20.1. Solder ends ANSI 61-8
- Integral seat.
- NSF Approved



PART #	SIZE	LIST PRICE
940352LF	1/2"	---
940353LF	3/4"	---
940354LF	1"	---
940355LF	1-1/4"	---
940356LF	1-1/2"	---
940357LF	2"	---
940358LF	2½"	
940359LF	3"	
940360LF	4"	

C X C SWING CHECK VALVE



PART #	SIZE	LIST PRICE
940362LF	1/2	---
940363LF	3/4	---
940364LF	1	---
940365LF	1-1/4	---
940366LF	1-1/2	---
940367LF	2	---

CLASS 150 BRASS Y-PATTERN STRAINER



LEAD-FREE

PART#	SIZE	LIST PRICE
940523LF	1/2"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LOW PRESSURE LF BRASS VALVES

LF VALVES & PLBG FITTINGS

LEAD FREE

LF BRASS FROST FREE SILLCOCK VALVES/ ANTI SIPHON



PART#	SIZE 1/2"MIP & 1/2"SWEAT X 3/4"MHT X	D	H	L	
942150LF	6"	2.20	8.64	3.07	
942151LF	8"	2.20	12.66	3.07	
942152LF	12"	2.20	16.71	3.07	

NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Bolt	Forged Brass	1	N
2	Name Plate	Aluminium	1	N
3	Handle	Aluminium	1	N
4	Bonnet	Brass Rod	1	N
5	Washer	Stainless Steel	1	N
6	Packing	Rubber (NBR)	1	Y
7	Washer	Stainless Steel	1	Y
8	Pipe	Brass (Copper)	1	Y
9	Stem	Brass Rod	1	Y
10	Spring	Stainless Steel	1	Y
11	O-Ring	Rubber (NBR)	1	Y
12	Spring Seat	Brass Rod	1	Y
13	Flapper	Rubber (NBR)	1	Y
14	Seat	Forged Brass	1	Y
15	Seat Packing	Rubber (NBR)	1	Y
16	Screw	Forged Brass	1	Y
17	Body	Cast Brass	1	Y
18	Pipe	Brass (Copper)	1	Y
19	Nipple	Brass Rod	1	Y
20	Packing	Pom M90	1	N
21	Floating	Pom M90	1	Y
22	Floating Pk	Rubber (NBR)	1	Y
23	O-Ring	Rubber (NBR)	1	Y
24	Packing	Pom M90	1	Y
25	Cap	Brass Rod	1	Y

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS HOSE BIBB NO KINK VALVES HEAVY DUTY



NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Bolt	Hot Rolled	1	N
2	Handle	Zinc	1	N
3	Packing Nut	Brass Rod	1	N
4	Packing	Teflon Polyflon	1	Y
5	Bonnet	Brass Rod	1	Y
6	Packing	Nylon	1	Y
7	Stem	Brass Rod	1	Y
8	Seat Packing	Rubber (NBR)	1	Y
9	Screw	Forged Brass	1	Y
10	Body	Cast Brass	1	Y

PART#	NOMINAL SIZE	D	H	L	MIP	LIST
942110LF	1/2" MIP & 1/2" Sweat x 3/4" MHT	2.12	1.97	2.87	1/2"-14NPT	
942111LF	3/4" MIP x 3/4" MHT	2.12	1.97	2.97	3/4"-14NPT	

BRASS HOSE BIBB NO KINK VALVES HEAVY DUTY



NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Bolt	Hot Rolled	1	N
2	Handle	Zinc	1	N
3	Packing Nut	Brass Rod	1	N
4	Packing	Teflon Polyflon	1	Y
5	Bonnet	Brass Rod	1	Y
6	Packing	Nylon	1	Y
7	Stem	Brass Rod	1	Y
8	Seat Packing	Rubber (NBR)	1	Y
9	Screw	Forged Brass	1	Y
10	Body	Cast Brass	1	Y

PART#	NOMINAL SIZE	D	H	L	MIP	
942112LF	1/2" FIP x 3/4" MHT	2.12	1.97	2.87	1/2"-14NPT	
942113LF	3/4" FIP x 3/4" MHT	2.12	1.97	2.97	3/4"-14NPT	

BRASS HOSE BIBB NO KINK VALVES HEAVY DUTY



NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Bolt	Hot Rolled	1	N
2	Handle	Zinc	1	N
3	Packing Nut	Brass Rod	1	N
4	Packing	Teflon Polyflon	1	Y
5	Bonnet	Brass Rod	1	Y
6	Packing	Nylon	1	Y
7	Stem	Brass Rod	1	Y
8	Seat Packing	Rubber (NBR)	1	Y
9	Screw	Forged Brass	1	Y
10	Body	Cast Brass	1	Y

PART#	NOMINAL SIZE	D	H	L	
942123LF	3/4" FTG & 1/2" SWEAT x 3/4" MHT	2.12	1.97	2.87	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LOW PRESSURE LF BRASS VALVES

LF VALVES & PLBG FITTINGS

LEAD FREE

LF BRASS BOILER DRAIN - ANGLE



PART#	NOMINAL SIZE	D	H	L	FIP
942132LF	1/2" FIP x 3/4" MHT	2.08	3.35	1.46	1/2"-14NPT
942133LF	3/4" FIP x 3/4" MHT	2.08	3.35	1.46	3/4"-14NPT

NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Bolt	Hot Rolled	1	N
2	Name Plate	Aluminium	1	N
3	Handle	Zinc	1	N
4	Packing Nut	Brass Rod	1	N
5	Packing	Teflon Polyflon	1	Y
6	Bonnet	Brass Rod	1	Y
7	Packing	Nylon	1	Y
8	Stem	Brass Rod	1	Y
9	Seat Packing	Rubber (NBR)	1	Y
10	Screw	Forged Brass	1	Y
11	Body	Cast Brass	1	Y

LF BOILER DRAIN - ANGLE



PART#	NOMINAL SIZE	D	H	L	MIP
942134LF	1/2"MIP & 1/2" SWEAT X 3/4" MHT	2.08	3.50	1.46	1/2"-14NPT
942135LF	3/4" MIP x 3/4" MHT	2.08	3.58	1.46	3/4"-14NPT

NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Nut	Hot Rolled	1	N
2	Name Plate	Aluminium	1	N
3	Handle	Cast Iron	1	N
4	Packing Nut	Brass Rod	1	N
5	Packing	Rubber (NBR)	1	Y
6	Bonnet	Cast Brass	1	Y
7	Stem	Cast Brass	1	Y
8	Seat Packing	Rubber (NBR)	1	Y
9	Screw	Forged Brass	1	Y
10	Body	Cast Brass	1	Y

LF BRASS BOILER DRAIN SPOUT



PART#	NOMINAL SIZE	D	H	L	MIP
942162LF	1/2" MIP & 1/2" Sweat x 3/4" MHT	2.12	2.16	1.14	1/2"-14NPT
942163LF	3/4" MIP x 3/4" MHT	2.12	2.16	1.14	3/4"-14NPT

NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Nut	Hot Rolled	1	N
2	Name Plate	Aluminium	1	N
3	Handle	Cast Iron	1	N
4	Packing Nut	Brass Rod	1	N
5	Packing	Rubber (NBR)	1	Y
6	Bonnet	Cast Brass	1	Y
7	Stem	Cast Brass	1	Y
8	Seat Packing	Rubber (NBR)	1	Y
9	Screw	Forged Brass	1	Y
10	Body	Cast Brass	1	Y

LF BRASS BOILER DRAIN SPOUT



PART#	NOMINAL SIZE	D	H	L	FIP
942164LF	1/2" FIP X 3/4" MHT	2.12	2.16	1.14	1/2"-14NPT
942165LF	3/4" FIPT X 3/4" MHT	2.12	2.16	1.14	3/4"-14NPT

NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Bolt	Hot Rolled	1	N
2	Name Plate	Aluminium	1	N
3	Handle	Zinc	1	N
4	Packing Nut	Brass Rod	1	N
5	Packing	Teflon Polyflon	1	Y
6	Bonnet	Brass Rod	1	Y
7	Packing	Nylon	1	Y
8	Stem	Brass Rod	1	Y
9	Seat Packing	Rubber (NBR)	1	Y
10	Screw	Forged Brass	1	Y
11	Body	Cast Brass	1	Y

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LF SILLCOCK VALVE WITH PEX CONNECTIONS



NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Nut	Hot Rolled	1	N
2	Name Plate	Aluminium	1	N
3	Handle	Cast Iron	1	N
4	Packing Nut	Brass Rod	1	N
5	Packing	Rubber (NBR)	1	Y
6	Bonnet	Cast Brass	1	Y
7	Stem	Cast Brass	1	Y
8	Seat Packing	Rubber (NBR)	1	Y
9	Screw	Forged Brass	1	Y
10	Body	Cast Brass	1	Y

PART#	NOMINAL SIZE	B	C	D	H	L	
942142LF	1/2" PEX F1807 x 3/4" MHT	2.58	0.22	2.09	2.40	2.34	
942143LF	3/4" PEX F1807 x 3/4" MHT	2.58	0.22	2.09	2.40	2.40	

LF SILLCOCK VALVE WITH PEX CONNECTIONS (COLD EXPANSION)



NO	PARTS	MATERIALS	QTY	WATER CONTACT
1	Nut	Hot Rolled	1	N
2	Name Plate	Aluminium	1	N
3	Handle	Cast Iron	1	N
4	Packing Nut	Brass Rod	1	N
5	Packing	Rubber (NBR)	1	Y
6	Bonnet	Cast Brass	1	Y
7	Stem	Cast Brass	1	Y
8	Seat Packing	Rubber (NBR)	1	Y
9	Screw	Forged Brass	1	Y
10	Body	Cast Brass	1	Y

PART#	NOMINAL SIZE	B	C	D	H	L	
942144LF	1/2" PEX F1960 x 3/4" MHT	2.58	0.22	2.08	2.40	2.34	
942145LF	3/4" PEX F1960 x 3/4" MHT	2.58	0.22	2.08	2.40	2.40	

VACUUM BREAKER



- Male hose and female hose threads can be broken off for permanent attachment
- Set screw
- Vandal proof
- Rough brass construction
- Prevents back-siphonage on hoses to prevent potable water from getting contaminated
- Certified under ASSE Std. 1011
- UPC
- CSA

PART #	SIZE	LIST PRICE
947055	3/4" x 3/4"	---
947055LF	3/4" x 3/4"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SUPPLY STOPS/ SS SUPPLY CONNECTORS

LF VALVES & PLBG FITTINGS

SUPPLY STOPS - 1/4 TURN



- 100% Pressure Leak Tested
- High Performance Teflon Seats
- Individually Boxed
- Conventional Oval Handle Design
- Meets or Exceeds ASME A112.18.1

ANGLE STOPS



3/8" comp

5/8" comp

PART #	X 3/8 COMPRESSION	LIST PRICE
746456	5/8 Compression	---



PART #	X 3/8 COMPRESSION	LIST PRICE
746457	5/8 Compression Contractor Pack bagged less 3/8" Nut & Ferrule 10/Box	---



3/8" comp

3/8" or 1/2" FIP

PART #	X 3/8 COMPRESSION	LIST PRICE
746436	3/8 Female Iron Pipe	---
746446	1/2 Female Iron Pipe	---



3/8" comp

1/2" Sweat

PART #	X 3/8 COMPRESSION	LIST PRICE
746466	LF 1/2 Nominal Sweat	---



3/8" comp

1/2" cold expansion

PART #	X 3/8 COMPRESSION	LIST PRICE
746435	1/2 C/E Pex	---



3/8" comp

1/2" Pex

PART #	X 3/8 COMPRESSION	LIST PRICE
746438	1/2 Nominal Pex	---



1/4" comp

1/2" Pex

PART #	X 1/4 COMPRESSION	LIST PRICE
746437	1/2 Nominal Pex	---

PRESS FIT



3/8" comp

1/2" Press

PART #	X 3/8 COMPRESSION	LIST PRICE
746470	1/2 Press	

3 WAY STOPS



3/8"

1/4" or 3/8"

5/8"

PART #	DESCRIPTION	LIST PRICE
746439	LF 5/8 Compression x 3/8 Compression x 1/4 Compression	---
746440	LF 5/8 Compression x 3/8 Compression x 3/8 Compression	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STRAIGHT STOPS

3/8" comp or 5/8" comp



3/8" comp

PART #	X 3/8 COMPRESSION	LIST PRICE
746506	3/8 Compression	---
746556	5/8 Compression	---

3/8" comp



3/8" FIP or 1/2 FIP

PART #	X 3/8 COMPRESSION	LIST PRICE
746536	3/8 Female Iron Pipe	---
746546	1/2 Female Iron Pipe	---

3/8" comp



1/2" Sweat

PART #	X 3/8 COMPRESSION	LIST PRICE
746566	1/2 Nominal Sweat	---

3/8" comp



1/2" Cold Expansion Pex

PART #	X 3/8 COMPRESSION	LIST PRICE
746535	1/2 C/E Pex	---

3/8" comp



1/2" Pex

PART #	X 3/8 COMPRESSION	LIST PRICE
746538	1/2 Nominal Pex	---

1/4" comp



1/2" Pex

PART #	X 1/4 COMPRESSION	LIST PRICE
746537	1/2 Nominal Pex	---

3/8" comp



1/2" Socket CPVC

PART #	X 3/8 COMPRESSION	LIST PRICE
746567	1/2 Socket CPVC	---

PRESS FIT STOPS

1/2" Press



3/8" comp

PART #	X 3/8 COMPRESSION	LIST PRICE
746570	1/2" Press	


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SS SUPPLY CONNECTORS
LF VALVES & PLBG FITTINGS

LEAD FREE
AB1953/S.152
COMPLIANT
Meets S.3874/ Public Law No. 111-380
Reduction of Lead in Drinking Water Act


CONNECTORS
- Marine Grade Stainless Steel Braid
- Precision 12 Point Crimp
- Heavy duty Brass Inserts
- Chloramine/ Chlorine Resistant Inner Liner

LAVATORY




3/8 COMPRESSION X 3/8 COMPRESSION

PART #	LENGTH	LIST PRICE
922012	12"	---
922016	16"	---
922020	20"	---
922030	30"	---
922036	36"	---



3/8 COMPRESSION X 1/2 FEMALE IRON PIPE

922112	12"	---
922116	16"	---
922120	20"	---
922130	30"	---
922136	36"	---




1/2 FEMALE IRON PIPE X 1/2 FEMALE IRON PIPE

922412	12"	---
922416	16"	---
922420	20"	---
922430	30"	---
922436	36"	---

NEW WITH BRASS NUT

BALLCOCK




3/8 COMPRESSION X 7/8 BALLCOCK

923409	9"	---
923412	12"	---
923416	16"	---
923420	20"	---



3/8 COMPRESSION X 7/8 BALLCOCK

923209	9"	---
923212	12"	---
923216	16"	---
923220	20"	---



1/2 FEMALE IRON PIPE X 7/8 BALLCOCK

923509	9"	---
923512	16"	---
923520	20"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SS SUPPLY CONNECTORS

LF VALVES & PLBG FITTINGS


- Marine Grade Stainless Steel Braid
- Precision 12 Point Crimp
- Heavy duty Brass Inserts
- Chloramine/ Chlorine Resistant Inner Liner

LEAD FREE

AB1953/S.152
Compliant

Meets S.3874/ Public Law No. 111-380
Reduction of Lead in Drinking Water Act

ICE MAKER



1/4 COMPRESSION X 1/4 COMPRESSION

PART #	LENGTH	LIST PRICE
923112	12"	---
923124	24"	---
923136	36"	
923148	48"	
923161	60"	
923196	96"	---

DISHWASHER


3/8 COMPRESSION X 3/8 COMPRESSION

922009	9"	---
922012	12"	---
922024	24"	
922030	30"	---
922036	36"	---
922048	48"	---
922060	60"	---
922072	72"	---
922096	96"	---



3/8 COMPRESSION X 3/8 MALE IRON PIPE ELBOW


PART #	L	LIST PRICE
923648	48"	---
923660	60"	---
923672	72"	---
923684	84"	---



3/8 COMPRESSION X 3/4 FEMALE GARDEN HOSE ELBOW

924248	48"	---
924260	60"	---
924272	72"	---
924284	84"	---
924297	120"	---

WASHING MACHINE



3/4 FEMALE GARDEN HOSE X 3/4 FEMALE GARDEN HOSE


923936	36"	---
923948	48"	---
923960	60"	---
923972	72"	---

WATER HEATER



5/8 COMPRESSION X 3/4 FEMALE IRON PIPE

PART #	L	LIST PRICE
922712	12"	---
922718	18"	---
922724	24"	---




7/8 COMPRESSION X 3/4 FEMALE IRON PIPE

922812	12"	---
922818	18"	---
922824	24"	---

3/4 MALE IRON PIPE X 3/4 FEMALE IRON PIPE

922912	12"	---
922918	18"	---
922924	24"	---



3/4 FEMALE IRON PIPE X 3/4 FEMALE IRON PIPE

924115	12"	---
924118	18"	---
924124	24"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PEX ADAPTERS

LF VALVES & PLBG FITTINGS

PEX CLAMP



MIDLAND	SIZE	LIST PRICE
35210	1/2"	
35211	3/4"	
35212	1"	

STD PEX X MALE NPT ADAPTER



MIDLAND	SIZE	LIST PRICE
35276	1/2" STD Pex x 1/2" Male NPT	
35277	1/2" MPT x 1/2" Male NPT	
35278	1/2" STD Pex x 3/4" Male NPT	
35279	3/4" STD Pex x 1/2" Male NPT	
35280	3/4" STD Pex x 3/4" Male NPT	
35281	1" STD Pex x 1" Male NPT	

STD PEX X FEMALE NPT ADAPTER



MIDLAND	SIZE	LIST PRICE
35263	1/2" STD Pex x 1/2" Female NPT	
36264	3/4" STD Pex x 3/4" Female NPT	
36265	1" STD Pex x 1" Female NPT	

STD PEX X FEMALE NPSM ADAPTER



MIDLAND	SIZE	LIST PRICE
35268	3/8" STD Pex x 1/2" Female NPSM	
36269	1/2" STD Pex x 1/2" Female NPSM	
35270	1/2" STD Pex x 3/4" Female NPSM	
35271	3/4" STD Pex x 3/4" Female NPSM	
35272	3/4" STD Pex x 3/4" Female NPSM	
35273	1/2" STD Pex x 1/2" Female NPSM	

STD PEX TEE



MIDLAND	SIZE	LIST PRICE
35240	3/8"	
35241	1/2"	
35243	3/4"	
35244	1"	

PEX PLUG



MIDLAND	SIZE	LIST PRICE
35290	1/2"	
35291	3/4"	
35292	1"	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PEX TEE



MIDLAND	SIZE	LIST PRICE
35242	1/2" STD Pex x 1/2" STD Pex x 1/2" Male	
35246	1/2" STD Pex x 3/4" STD Pex	
35247	3/4" STD Pex x 1/2" Pex x 1/2" Pex	
35248	3/4" STD Pex x 1/2" Pex x 3/4" Pex	
35249	3/4" STD Pex x 3/4" Pex x 1/2" Pex	
35250	3/4" STD Pex x 3/4" Pex x 1" Pex	
35251	1" STD Pex x 3/4" Pex x 3/4" Pex	
35252	1" STD Pex x 1" Pex x 1/2" Pex	
35253	1" STD Pex x 1" Pex x 3/4" Pex	
35254	1" STD Pex x 3/4" Pex x 1" Pex	

PEX COUPLING



MIDLAND	SIZE	LIST PRICE
35231	1/2"	
35232	3/4"	
35233	1"	

PEX COUPLING



MIDLAND	SIZE	LIST PRICE
35235	1/2" STD Pex x 3/8" STD Pex	
35236	3/4" STD Pex x 1/2" STD Pex	
35237	1" STD Pex x 3/4" STD Pex	
35238	1" STD Pex x 1/2" STD Pex	

PEX ELBOW



MIDLAND	SIZE	LIST PRICE
35257	3/8"	
35258	1/2"	
35260	3/4"	
35261	1"	
35259	3/4"	

PEX MALE ELBOW



MIDLAND	SIZE	LIST PRICE
35284	1/2" STD Pex x 3/8" Male	
35285	1/2" STD Pex x 1/2" Male	
35286	3/4" STD Pex x 1/2" Male	
35287	3/4" STD Pex x 3/4" Male	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

TRANSITION FITTINGS

LF VALVES & PLBG FITTINGS

BRASS CPVC MALE ADAPTER



PART#	SIZE	LIST PRICE
35413LF	1/2"	---
35414LF	3/4"	---
35415LF	1"	---
35416LF	1-1/4"	---
35417LF	1-1/2"	---
35418LF	2	---

BRASS CPVC FEMALE ADAPTER



PART#	SIZE	LIST PRICE
35403LF	1/2"	---
35404LF	3/4"	---
35405LF	1"	---
35406LF	1-1/4"	---
35407LF	1-1/2"	---
35408LF	2	---

LEAD FREE CPVC DROP EAR ELBOW



PART#	SIZE	LIST PRICE
35420LF	1/2"	---

STAINLESS STEEL CPVC MALE ADAPTER



PART#	SIZE	LIST PRICE
35413SS	1/2"	---
35414SS	3/4"	---
35415SS	1"	---
35416SS	1-1/4"	---
35417SS	1-1/2"	---
35418SS	2	---

STAINLESS STEEL CPVC FEMALE ADAPTER



PART#	SIZE	LIST PRICE
35403SS	1/2"	---
35404SS	3/4"	---
35405SS	1"	---
35406SS	1-1/4"	---
35407SS	1-1/2"	---
35408SS	2	---

STAINLESS STEEL CPVC DROP EAR ELBOW



PART#	SIZE	LIST PRICE
35420SS	1/2"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LEAD FREE OVAL WATER METER FLANGE OVAL



PART#	SIZE	CASE	
970207	1-1/2"	32	---
970208	2"	48	---

LEAD FREE OVAL WATER METER KIT

W/ BOLT & NUT STAINLESS STEEL



NO	PART	MATERIALS	QTY	WATER CONTACT
1	BOLT	SS 304	4	N
2	FLANGE	BRASS LEAD FREE	2	Y
3	PACKING	RUBBER	2	Y
4	NUT	SS 304	4	N

PART#	SIZE	CASE	
970227	1-1/2"	32	---
970228	2"	48	---

LEAD FREE OVAL METER FLANGE KIT

W/ BOLT & NUT STAINLESS STEEL (NO LEAD)



NO	PART	MATERIALS	QTY	WATER CONTACT
1	BOLT	SS 304	2	N
2	FLANGE	BRASS LEAD FREE	1	Y
3	PACKING	RUBBER	1	Y
4	NUT	SS 304	2	N

PART#	SIZE	CASE	
970217	1-1/2"	12	---
970218	2"	10	---

LEAD FREE BRASS METER COUPLING



PART#	SIZE	CASE	
970253	1/2"	100	---
970254	3/4"	100	---
970255	1"	80	---
970257	1-1/2"	24	---
970258	2"	24	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FLEXIBLE RUBBER COUPLINGS
LF VALVES & PLBG FITTINGS

FLEXIBLE RUBBER COUPLINGS / REDUCED COUPLINGS

Midland's stainless steel banded flexible rubber couplings are the perfect fit for Schedule 40 pipe applications.

Tech Specs:
- Installation torque: 60 inch lbs.
- Maximum test pressure: 4.3 PSI
- Maximum operating temperature: 140° F non-consistent
- Minimum operating temperature: -30° F

- Corrosion-resistant & rustproof stainless steel bands
- Durable Rubber for all Sch. 40 Pipe Applications
- Positive seal against infiltration and exfiltration
- Conforms to ASTM C 1173 and CSA B602
- Sizes 1-1/4" - 6" regular & reducing
- UPC Approved

COUPLING



REDUCING COUPLING



PART #	SIZE	LIST
195456	1-1/4"	
195470	1-1/2" x 1-1/4"	
195457	1-1/2"	
195471	2" x 1/2"	
195458	2"	
195472	3" x 1-1/2"	
195473	3" x 2"	
195459	3"	
195474	4" x 1-1/2"	
195475	4" x 2"	
195476	4" x 3"	
195460	4"	
195461	5"	
195481	6" x 4"	
195462	6"	

TEST CAPS



PART #	SIZE	LIST
195502	1-1/2"	
195510	2"	
195511	3"	
195512	4"	


DRAIN & TRAP CONNECTORS



PART #	SIZE	LIST
195520	1-1/2" x 1-1/4"	
195521	2" x 1-1/4"	

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

VALVES



VALVES

Forged Brass
Full Port Ball
Locking Handle
Butterfly Handle
N/P Ball Valve
Italian Ball Valve
M X F Ball Valve
Spring Handle Ball Valve
Right Angle Ball valve
Wye, 3-Way Ball Valve
Safety Exhaust Ball Valve
Gas Valves
Mini Ball Valves
3-Way Valves
MISC
Gate Valves
Y Strainer
Check Valves

Stainless Steel Valves

Ball Valves
SS Mini Ball Valve
Check Valves
Y-strainer, Globe,Gate

Carbon Steel Valves
Ball Valves
Check Valves

PVC Valves

Ductile Iron

Butterfly
Check
Gate



BALL VALVE PRIVATE LABEL PROGRAM

Midland will put your company name and logo on our ball valve handle for FREE. Simply place a minimum blanket order of 10 cases per size and Midland will stock them under a special part # for your access only. Please allow 90-120 days for delivery on the first shipment only: Then have them delivered as you need them!

FORGED BRASS BALL VALVE

• BRASS • 600WOG • FULL PORT


UL842, UL258, UL125,FM

ISO 9002 Manufacturer
FEATURES


Made in China

1/4-2" 600 PSI non-shock cold water, gas, oil - 150 PSI saturated steam
2-1/2"- 4" 400 PSI non-shock cold water, gas, oil

- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated for 1/4"-2" at 600psi (42 bars) and 2-1/2"-4" at 400 psi WOG (non-shock) and 150 WSP (10.34 bars) saturated steam. Virgin PTFE stem packing seal, thrust washer and seats
- Yellow vinyl insulator on heavy duty plated carbon steel handles
- Fast 1/4 turn open or close operation
- Not Lead Free
- Good for gasoline and diesel
- Low operating torque
- Adjustable stem packing gland
- Maximum operating temperature: 302^{0}F (150^0 C)
- Minimum operating temperature: -22^{0}F (-30^{0}C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections




• Generic Handles



PART#	SIZE	DIMENSION INCHES						WEIGHT	BOX/CASE	LIST PRICE
	NPT	DN	A	B	C	E	CH			
940171	1/4"	0.39	1.75	1.92	3.54	0.46	0.78	0.34	70/140	---
940172	3/8"	0.41	1.75	1.92	3.54	0.46	0.78	0.30	70/140	---
940173	1/2"	0.58	2.05	2.08	3.54	0.52	0.98	0.44	50/100	---
940174	3/4"	0.75	2.36	2.30	3.78	0.56	1.20	0.67	30/60	---
940175	1"	0.94	2.75	2.68	4.52	0.66	1.50	1.05	20/40	---
940176	1-1/4"	1.26	3.30	3.14	4.52	0.70	1.82	1.50	12/24	---
940177	1-1/2"	1.57	3.66	3.61	5.51	0.72	2.09	2.30	9/18	---
940178	2"	1.97	4.18	3.68	5.51	0.74	2.62	3.38	6/12	---
940179*	2-1/2"	2.52	5.38	4.76	8.66	1.01	3.36	7.61	3/6	---
940180*	3"	2.95	6.04	5.08	8.66	1.11	3.86	11.10	2/4	---
940181*	4"	3.89	7.38	5.86	9.00	1.22	4.89	12.12	1/2	---

* 400 PSI

* Add 'H' to part # to order handles *



These are NOT Lead Free
See Lead Free SWT Valves


POS	Components	Materials	N
1	Body	Forged Brass	1
2	End Connection	Forged Brass	1
3	Ball	CP Brass	1
4	Ball Seat	P.T.F.E.	2
5	Stem	Brass	1
6	Gland	Brass	1
7	Nut	Steel	1
8	Spring Inseat	Steel	1
9	Stem Seal	P.T.F.E.	1
10	Handle	Steel	1

▪ Not Lead Free AB1953 Compliant

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LOCKING HANDLE BALL VALVE

▪ BRASS ▪ 600WOG ▪ FULL PORT



See specs on previous page

• Generic Handles

PART#	SIZE	DIMENSION INCHES						WEIGHT	BOX/CASE	LIST PRICE
	NPT	DN	A	B	C	E	CH			
940171L	1/4"	0.31	1.73	1.84	3.15	0.49	0.71	0.39	70/140	---
940172L	3/8"	0.39	1.81	1.88	3.86	0.49	0.79	0.35	70/140	---
940173L	1/2"	0.58	2.23	2.09	3.43	0.61	0.98	0.49	50/100	---
940174L	3/4"	0.75	2.48	2.24	3.62	0.62	1.20	0.78	30/60	---
940175L	1"	0.94	2.95	2.67	4.42	0.73	1.50	1.18	20/40	---
940176L	1-1/4"	1.26	3.42	3.05	4.73	0.77	1.81	1.76	12/24	---
940177L	1-1/2"	1.57	3.78	3.51	5.18	0.78	2.09	2.53	9/18	---
940178L	2"	1.97	4.18	3.84	5.24	0.75	2.60	3.53	6/12	---

BUTTERFLY HANDLE BALL VALVE

▪ BRASS ▪ 600WOG ▪ FULL PORT



See specs on previous page

PART#	SIZE						WEIGHT	BOX/CASE	LIST PRICE
	NPT	A	B	C	D	E			
940171T	1/4"	1.75	1.488	1.831	0.315	0.457	0.342	70/140	---
940172T	3/8"	1.756	1.488	1.831	0.394	0.457	0.31	70/140	---
940173T	1/2"	2.047	1.756	2.394	0.583	0.520	0.44	50/100	---
940174T	3/4"	2.362	1.921	2.394	0.748	0.563	0.68	30/60	---

▪ Not Lead Free AB1953 Compliant


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

NICKEL PLATED BALL VALVE

• BRASS • 600WOG • FULL PORT • NO APPROVALS

Vacuum service to 29 inches Hg
600 psi (WOG) 150 psi (WSP) Service
Thread conform ANSI B1.20.1
Temperature Range : -40° F to 365° F
Construction:Forging Brass Body, Nickel plated
PTFE Ball Seats
Blow Out Proof Brass Stem
Steel Handle w/Vinyl Grip
Made in China


▪ Not Lead Free



▪ Generic Handles

FIP X FIP NICKEL PLATED BALL VALVE

PART #	SIZE	OD	A	B	C	E	F	G	H	WEIGHT	BOX/CASE	LIST PRICE
941151NP	1/4"	0.394	1.73	1.69	3.35	0.453	0.945	2.154	4.331	0.32	10/120	---
941152NP	3/8"	0.394	1.73	1.69	3.35	0.473	0.945	2.154	4.331	0.32	10/120	---
941153NP	1/2"	0.524	1.89	1.73	3.35	0.472	1.083	2.276	4.291	0.36	10/100	---
941154NP	3/4"	0.748	2.28	1.89	3.35	0.563	1.378	2.579	4.488	0.57	10/80	---
941155NP	1"	0.984	2.80	2.14	4.29	0.650	1.772	3.031	5.689	0.65	8/48	---
941156NP	1-1/4"	1.240	3.15	2.32	4.29	0.669	2.165	3.398	5.866	1.75	4/36	---
941157NP	1-1/2"	1.476	3.44	2.66	5.63	0.701	2.50	3.909	7.343	2.10	2/24	---
941158NP	2"	1.949	4.06	3.01	5.63	0.708	3.244	4.638	7.638	3.35	2/12	---



No	Item	Qty	Material
1	Body	1	NP Brass
2	Seat	2	PTFE
3	Ball	1	Brass CP
4	Stem	1	Brass/ NP
5	Handle Nut	1	Plated Steel
6	Lock Washer	1	Plated Steel
7	Packing Nut	1	Brass/ NP
8	Packing	1	PTFE

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

Gas Approved

UL842, UL258, UL125,FM

CSA AGA 3.88 5 PSIG

N/P BALL VALVE W/SS TRIM

• NICKEL PLATED • SS BALL, HANDLE, NUT & STEM
• LOCKING HANDLE • W/APPROVALS

Features

- **Vacuum service to 29 inches Hg**
- Thread Conform ANSI B1.20.1
- Forged Brass Body
- Blow Out Proof Stem Design
- Packing Nut, O-RING & Packing On The Stem Seal
- Stainless Steel Ball, Handle, Nut&Stem
- Handle With Vinyl Grip


Performance rating

- 600 PSI (WOG) 150 PSI (WSP) Service
- Temperature range: -20° F to 300° F
- Made in China
- Not lead free
- No more rusty handles



• Generic Handles

PART#	SIZE	D	L	H	W	CV	WT.(LBS.)	BOX/CASE	LIST PRICE
941121NP	1/4	0.394	3.22	1.84	1.73	8.23	0.326	10/120	---
941122NP	3/8	0.394	3.22	1.84	1.73	8.23	0.320	10/120	---
941123NP	1/2	0.591	3.22	2.02	2.24	18.55	0.474	10/100	---
941124NP	3/4	0.748	4.04	2.40	2.52	29.76	0.785	10/80	---
941125NP	1	0.984	4.08	2.20	2.97	51.55	1.155	8/48	---
941126NP	1-1/4	1.259	5.20	3.05	3.44	84.42	1.797	4/36	---
941127NP	1 1/2	1.574	5.20	3.18	3.88	131.93	2.447	2/24	---
941128NP	2	1.941	5.20	3.48	4.33	200.35	3.477	2/12	---



Part Name	Material
Body	Brass/ Nickel Plated
Seat	PTFE
Ball	Stainless Steel
O-ring	Fluoroelastomer
Packing Nut	Brass/ Nickel Plated
Stem	Stainless Steel
Handle Nut	Stainless Steel
Lock Washer	Stainless Steel
Packing	PTFE
Handle	Stainless Steel
Cap	Brass/ Nickel Plated

WARNING: This product can expose you to chemicals, including chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

ITALIAN BALL VALVE

• BRASS • 600WOG • FULL PORT

5 PSIG
C US
CSA AGA 3.88 5 PSIG

UL FM
UL842, UL258, UL125,FM

IAMPO IGC 157 - 2004b


ISO 9002 Manufacturer

FEATURES


- **SOLID CHROME PLATED BRASS BALL**
- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150 WSP (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Yellow vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation
- Low operating torque
- Flow can go both directions
- Generic Handles

- **Adjustable stem packing gland**
- Maximum operating temerature: 248°F (120° C) at 600 PSI
- Minimum operating temperature: -20°F (-40°C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections
- REVERSIBLE HANDLES

MADE IN ITALY



Female x Female



PART#	SIZE	DIMENSION INCHES						WEIGHT	BOX/CASE	LIST PRICE
	NPT	DN	A	B	C	D	CH			
943200	1/4"	.39	1.96	1.53	3.31	.43	.75	0.36	24/96	---
943201	3/8"	.39	1.96	1.53	3.31	.43	.86	0.40	24/96	---
943202	1/2"	.57	2.09	1.57	3.25	.46	.98	0.44	20/80	---
943203	3/4"	.75	2.28	1.77	3.80	.49	1.22	0.57	14/56	---
943204	1"	.94	2.80	2.03	3.80	.59	1.50	0.89	6/24	---
943205	1-1/4"	1.24	3.50	2.32	4.72	0.72	1.85	1.64	4/16	---
943206	1-1/2"	1.49	3.90	3.02	6.38	0.85	2.13	2.78	2/8	---
943207	2"	1.96	4.07	3.27	6.38	.65	2.64	3.21	2/8	---
942208	2-1/2"	2.48	5.80	4.98	7.54	1.06	3.31	6.97	5	---
942209	3"	2.99	6.85	5.63	8.86	1.14	3.89	10.34	3	---
942210	4"	3.54	7.67	6.04	8.86	1.22	4.80	18.77	1	---


HANDLE OPTIONS

TEE HANDLES

PART #	VALVE SIZE	LIST PRICE
43200T	1/4" - 3/4"	---

LOCKING HANDLES

PART #	VALVE SIZE	LIST PRICE
43200L	1/4" - 3/4"	---
43204L	1"	---
43206L	1-1/4" - 1-1/2"	---



POS	Components	Materials	N
1	Body	Forged Brass	1
2	End Connection	Forged Brass	1
3	Ball	CP Brass	1
4	Ball Stems	P.T.F.E.	2
5	Stem Antif. Seat	P.T.F.E.	1
6	Stem Seat	P.T.F.E.	1
7	Brass Ring	Brass	1
8	Stem	Brass	1
9	O-Ring	NBR 80	1
10	Handle	Steel	1
11	Nut	Steel	1
12	Nut	Brass	1

- **Not Lead Free AB1953 Compliant**


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MALE X FEMALE BRASS BALL VALVE

• 600WOG • FULL PORT


UL842, UL258

- Solid chrome plated brass ball
- Suitable for full range of liquids and gases.
- Minimal pressure drop due to large full size ports.
- Bottom loaded, pressure retaining stem.
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150psi (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Yellow vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation.
- Flow both directions.
- Low operating torque.
- Adjustable stem packing gland.
- Generic Handles
- Maximum operating temperature: 248^{0}F (120^{0}C)
- Minimum operating temperature: -20^{0}F (-40^{0}C)
- Each valve individually tested.
- Forged Brass - for more strength.
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball



- Not Lead Free

PART#	SIZE	NPT	A	B	C	D	E	WEIGHT	BOX/CASE	LIST PRICE
948170	1/4"	1/4 - 18	2.016	1.689	2.756	0.315	0.457	0.29	70/140	---
948171	3/8"	3/8 - 18	2.094	1.89	3.543	0.394	0.457	0.33	70/140	---
948172	1/2"	1/2 - 14	2.343	2.05	3.543	0.583	0.520	0.47	50/100	---
948173	3/4"	3/4 - 14	2.618	2.20	3.780	0.748	0.563	0.68	30/60	---
948174	1"	1 - 11.5	3.000	2.579	4.528	0.945	0.630	1.11	20/40	---
948175	1-1/4"	1-1/4 - 11.5	3.563	2.953	4.528	1.260	0.709	1.70	12/24	---
948176	1-1/2"	1-1/2 - 11.5	3.965	3.346	5.512	1.575	0.717	2.50	9/18	---
948177	2"	2 - 11.5	4.496	3.681	5.512	1.969	0.748	3.57	6/12	---



POS	Components	Materials
1	Body	C37700
2	End Cap	CS7700
3	Ball Seat	PTFE
4	Ball	CS7700
5	Stem	CS7700
6	Stem Reducing	PTFE
7	Reducing Nut	CS7700
8	Lever Handle	1008



Locking Handle option



Tee handle option

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

ITALIAN MALE X FEMALE BALL VALVE

• BRASS • 600WOG • FULL PORT

Gas Approved

5 PSIG

CSA AGA 3.88 5 PSIG

UL842, UL258, UL125,FM

Made in Italy

ISO 9002 Manufacturer


FEATURES

- Solid chrome plated brass ball
- Suitable for full range of liquids and gases.
- Minimal pressure drop due to large full size ports.
- Bottom loaded, pressure retaining stem.
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150psi (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Yellow vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation.
- Generic Handles
- Flow both directions.
- Low operating torque.
- Adjustable stem packing gland.
- Maximum operating temperature: 248°F (120°C) at 600 p.s.i
- Minimum operating temperature: -20°F (-40°C)
- KV: Pressure drop m^3/h.
- Each valve individually tested.
- Forged Brass - for more strength.
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem.
- Deeper threads - for better connections.


MADE IN ITALY



MIP x FIP



PART#	SIZE	DN	A	B	C	E	E1	CH1	CH2	WEIGHT	BOX/CASE	LIST
948101	1/4"	.39	2.18	1.53	3.28	.39	.43	.55	.75	0.35	24/96	---
948102	3/8"	.39	2.20	1.53	3.28	.43	.43	.71	.86	0.35	24/96	---
948103	1/2"	.57	2.54	1.57	3.28	.62	.46	.87	.98	0.42	14/56	---
948104	3/4"	.75	2.75	1.77	3.80	.55	.49	1.12	1.22	0.68	12/48	---
948105	1"	.94	3.23	2.03	3.80	.69	.59	1.34	1.50	0.95	6 /24	---
948106	1-1/4"	1.24	3.86	2.32	4.63	.81	.79	1.69	1.90	1.66	4/16	---
948107	1-1/2"	1.49	4.20	2.98	6.28	.85	.64	2.15	2.13	2.83	2/8	---
948108	2"	1.96	4.90	3.27	6.38	.90	.75	2.40	2.64	4.22	1/4	---



POS	Components	Materials	N
1	Body	CW617N Forged Brass	1
2	End Connection	CW617N Forged Brass	1
3	Ball	CW617N CP Brass	1
4	Ball Stems	P.T.F.E.	2
5	Stem Antif. Seat	P.T.F.E.	1
6	Stem Seat	P.T.F.E.	1
7	Brass Ring	CW617N Brass	1
8	Stem	CW617N Brass	1
9	O-Ring	NBR 80	1
10	Handle	UNI EN 10025 Steel	1
11	Nut	UN 5771 Steel	1
12	Nut	CW617N Brass	1

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

• Not Lead Free

TEE HANDLE BALL VALVE – MALE X FEMALE


UL842, UL258



Features
- Thread conform ANSI B1.20.1
- Forged brass body
- Blow out proof stem design
- Packing nut, O-Ring and packing on the stem seal
- Chrome Plated Brass Ball
- Handle with vinyl grip

Performance rating
- 600 PSI (WOG) 150 PSI (WSP) Service
- Temperature range: -20° F to 300° F
- Made in China
- Not lead free

PART#	SIZE	DIMENSION INCHES						Box/Case	List Price
	NPT	A	B	C	D	E	Weight		
948170T	1/4"	2.016	1.27	2.67	0.315	0.457	0.26	70/140	---
948171T	3/8"	2.094	1.213	2.67	0.394	0.457	0.33	70/140	---
948172T	1/2"	2.343	1.61	3.12	0.583	0.520	0.49	50/100	---
948173T	3/4"	2.618	1.26	3.12	0.748	0.563	0.66	30/60	---
948174T	1"	3.000	1.921	3.701	0.945	0.630	1.06	20/40	---
948176T	1-1/2"	3.965	2.717	4.331	1.575	0.717	2.46	9/18	----



Item	Part	Materials
1	Body	Brass
2	End Cap	Brass
3	Ball Seat	PTFE
4	Ball	C/P Brass
5	Stem	Brass
6	Stem Packing	PTFE
7	Packing Nut	Brass
8	T-Handle	Nickel plating steel
9	Stem Nut	Brass plating steel

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LOCKING HANDLE BALL VALVES - FEMALE X MALE

LOCKING HANDLE BALL VALVES - FEMALE X MALE

UL842, UL258

Features


- Thread conform ANSI B1.20.1
- Forged brass body
- Blow out proof stem design
- Packing nut, O-Ring and packing on the stem seal
- Chrome Plated Brass ball
- Handle with vinyl grip

Performance rating

- 600 PSI (WOG) 150 PSI (WSP) Service
- Temperature range: -20° F to 300° F
- Made in China
- Not lead free



PART#	SIZE	DIMENSION INCHES						Box/Case	List Price
	NPT	A	B	C	D	E	Weight		
948170L	1/4"	2.016	1.732	3.543	0.315	0.457	0.32	70/140	---
948171L	3/8"	2.094	1.732	3.543	0.394	0.457	0.37	70/140	---
948172L	1/2"	2.343	1.941	3.543	0.583	0.520	0.50	50/100	---
948173L	3/4"	2.618	2.106	3.78	0.748	0.563	0.77	30/60	---
948174L	1"	3.000	2.579	4.528	0.945	0.630	1.21	20/40	---
948175L	1-1/4"	3.563	2.961	4.528	1.260	0.709	1.74	12/24	---
948176L	1-1/2"	3.965	3.366	5.36	1.575	0.717	2.58	9/18	---
948177L	2"	4.496	3.701	5.36	1.969	0.748	3.73	6/12	---



Item	Part	Materials
1	Body	Brass
2	End Cap	Brass
3	Ball Seat	PTFE
4	Ball	C/P Brass
5	Stem	Brass
6	Stem Packing	PTFE
7	Packing Nut	Brass
8	Lever Handle	Nickel plating steel
9	Stem Nut	Brass plating steel

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


SPRING HANDLE/ RIGHT ANGLE

VALVES

BRASS SPRING HANDLE BALL VALVE

Working pressure:600 PSI for brass
Temperature Range:-40°F to 365°F(-40°C to +185°C)
Material:Brass
Spring Lever Handle w/Vinyl Grip
Made in China
Not lead free






Part #	Part Name	Material
1	Body	Brass
2	Bonnet	Brass
3	Ball	Brass
4	Sealing Seat	PTFE
5	Stem	Stainless Steel
6	Packing Ring	PTFE
7	Gland	Brass
8	Handle	Stainless Steel
9	Bolt	Brass
10	Spring	Stainless Steel

PART#	SIZE	L	D	DN	H	L3	WTG	BOX/ CASE	LIST PRICE
947103	1/2"	2.19	1.24	0.59	1.83	4.24	0.54	10/80	---
947104	3/4"	2.38	1.5	0.75	2.19	4.24	0.72	5/40	---
947105	1"	3.23	1.91	0.98	2.49	4.71	1.32	5/30	---

RIGHT ANGLE BRASS BALL VALVE

Working pressure: 250PSI
Temperature Range -40° to 400°F(-40 °C to +205 °C)
With lever Handle Polytetrafluoroethylene seats 2-pc,full port Heavy Duty forged Body Steel Handle w/Vinyl GripMade in China
Not lead free





Part #	Part Name	Material
1	Body	Brass
2	Cap	Brass
3	Ball	Brass
4	Seat	PTFE
5	Stem	Brass
6	Stuffing	PTFE
7	Packing Nut	Brass
8	Handle	Steel
9	Nut	Brass

PART #	SIZE	A	B	C	D	S	DN	L	E	F	WTG	BOX/ CASE	LIST PRICE
947111	1/4	1.59	0.41	1.40	0.64	0.63	0.32	2.60	0.98	0.65	0.34	12/120	---
947112	3/8	1.59	0.41	1.40	0.73	0.71	0.39	2.60	0.98	0.65	0.36	12/120	---
947113	1/2	1.73	0.55	1.40	0.79	0.87	0.55	2.60	1.08	0.83	0.47	10/80	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


3 WAY AND SAFETY EXHAUST BALL VALVES

VALVES

3-WAY WYE BRASS BALL VALVE,VENTED AND UNVENTED

- Max.pressure:W.O.G.(water,oil,inert gas)
  Unvented Valve:600psi@70ºF
  Vented Valve:250psi@70ºF
  W.S.P.(working steam pressure)
  Unvented Valve:150psi@365ºF
  Vented Valve:Not related
- Vacuum Rating:29"Hg
- Temperature Range:-40º to 365ºF
- Ports:Full

Part#	Part Name	Material
1	Body	Brass Nickel Plated
2	Seat	PTFE
3	Ball	Brass,Cr.Plated
4	Cap	Brass Nickel Plated
5	Stem	Brass
6	O-Ring	Fluoroelastomer



Designed for the portable air compressor industry,these valves control the flow of water, oil, and inert gases in two direction and are great for mixing and diverting. They have a single female inlet and two male outlets with two ball valves.Valves are Brass Nickel Plated and have chrome-plated brass balls,brass blow-out proof stems ,PTFE seats and seals,and steel lever handles with vinyl grips.Vented valves has a drilled hole on the two valve balls and body that vents compressed air in the line when valve is closed. Connections:1"NPT female inlet and 3/4"NPT male outlet. ▪ Made in China ▪ Not lead free



NON-VENTED

NOW WITH STAINLESS STEEL HANDLES




VENTED

EXHAUST VALVES

AUTOMATIC DRAIN & LATCH LOCK HANDLE

Full port hot forged brass ball valve, blow-out proof stem, downstream automatic vent with lockable handle in compliance with OSHA requirements.


- Maximum working pressure: 200 PSI (CWP).
- Temperature rating: +15°F through +210°F.
- Made in Italy
- Not lead free



200 PSI


▪ w/ 10/32 UNP tap for drain.

OPEN



Valve - open position. Drain vent shut off.

CLOSED



PART#	SIZE	LIST PRICE
948131	1/4"	---
948132	3/8"	---
948133	1/2"	---
948134	3/4"	---

Valve - closed and draining occurs. Upstream seat prevents air flow. Downstream system is vented to atmosphere.


SAFETY EXHAUST BALL VALVE

- Threaded - Two Piece Body - Full Port ▪ Vented
- Blow-out Proof Stem - PTFE Seats ▪ 400 PSI WOG
- To Exhaust and Downstream Air in the Closed Position w/ locking lever handle.
- Made in China ▪ Not lead free ▪ 150 SWP





PART #	SIZE	A	B	D	E	LIST PRICE
948141	1/4"	1.756	1.88	0.394	0.457	---
948142	3/8"	1.756	1.88	0.394	0.457	---
948143	1/2"	2.047	2.13	0.583	0.520	---
948144	3/4"	2.362	2.28	0.748	0.563	---



MATERIAL LIST

Item	Part	Material
1	Body	Brass
2	End Cap	Brass
3	Ball Seat	PTFE
4	Ball	Brass
5	Stem	Brass
6	Stem Packing	PTFE
7	Packing Nut	Brass
8	Lever Handle	Nickel plating steel
9	Stem Nut	Nickel plating steel

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GAS BALL VALVES

5 PSIG
C US
CSA AGA 3.88 5 PSIG

Manual Valve
UL LISTED
Threaded NPT
UL 842, UL 258, UL 125


ISO 9002 MANUFACTURER

- Material: C37700
- Forged brass,Regular port,Thread*Flare Thread
- Thread ends in ANSI B1.20.1
- Working temperature:0-65°(32-149°)
- Pressure :1/2PSI;5PSI;

FEATURES

- ASME B16.44/CR91; ANSI Z21.15/CSA9.1
- UL 125 For LP-Gas 125psig
- Made in China





NO.	ITEM	TOTAL	MATERIAL
10	BALL VALVE CAP	1	BRASS
9	HANDLE	1	AL-alloy
8	PACKING	1	PTFE
7	HANDLE NUT	1	PLATED STEEL
6	STEM	1	BRASS
5	PACKING NUT	1	BRASS
4	O-RING	1	NBR
3	BALL	1	BRASS
2	SEALING WASHER	2	PTFE
1	BALL VALVE BODY	1	BRASS

GAS BALL VALVE (2-PIECE)
FEMALE X FEMALE


PART#	SIZE	WTG	BOX/CASE	LIST PRICE
943311	3/8"	0.35	10/100	---
943312	1/2"	0.44	10/100	---
943313	3/4"	0.62	10/100	---
943314	1"			

SIZE	ØD	A	B	C	E	F	G	H
3/8″	0.394	1.752	1.437	1.28	0.472	0.945	1.909	2.146
1/2″	0.394	2.204	1.437	1.28	0.606	1.043	1.961	2.461
3/4″	0.591	2.362	1.535	1.28	0.626	1.299	2.815	2.476



FLARE X FLARE

PART#	SIZE	LIST PRICE
943342	3/8	---
943343	1/2	---
943345	5/8	---
943344	15/16	---



FLARE X MIP

PART#	SIZE	LIST PRICE
943347	3/8 x 1/2	---
943348	1/2 x 1/2	---




FLARE X FIP

PART#	SIZE	LIST PRICE
943331	3/8 x 1/2	---
943332	1/2 x 1/2	---
943351	5/8 x 3/4	---


- For use with natural, manufactured, mixed liquified. petroleum and LP gas-air mixtures.
- Deeper thread connections. Smooth quarter-turn.
- Manufactured to ANSI Z21.15, C.G.A. 9.1-M81, 9.2-M88, 1/2 psig. 372 also to A.G.A.3-8, C.G.A. CR91-002, 2 psig.
- Solid chrome plated brass ball
- Bottom entry
- Blow out proof design.
- Double Fluoroelastomer o-rings stem seals
- Polytetrafluoroethylene seats for durability.
- Forged construction for greater strength.
- Larger ports for increased flow capacity.
- Larger ports for increased flow capacity.
- Red Reversible handle.
- May be used with water 400 WOG.

MADE IN ITALY



	Components	Materials
1	Body	Forged Brass
2	End Connection	Forged Brass
3	Ball	Forged Brass
4	Ball Seats	P.T.F.E.
5	Stem	Brass
6	O-Ring	NBR
7	Butterfly	Steel
8	Screw	UNI 5771 Steel





5 PSIG
C US
CSA AGA 3.88 5 PSIG

Manual Valve
UL LISTED
Threaded NPT
UL 842, UL 258, UL 125

GAS BALL VALVES
FEMALE X FEMALE

PART#	SIZE G	DIMENSION INCHES DN	A	B	C	E	CH	PN in psi	WTG	Box/ Case	
943212	1/2"	.47	2.26	1.45	2.28	.55	.98	600	0.33	20/80	---
943213	3/4"	.59	2.48	1.57	2.28	.57	1.22	600	0.45	14/56	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

CHROME PLATED BRASS MINI BALL VALVES

VALVES


ITALIAN CHROME PLATED BRASS MINI BALL VALVE

ISO 9002 Manufacturer

FEATURES

- Solid chrome plated brass ball
- Max working pressure 235 psi will handle 300psi@75° F
- Longer body style for longer, deeper thread connections
- One piece drawn sand blasted chrome plated body.
- Each valve is seal tested for maximum safety.
- Double seal system allows valve to be operated in both directions making installation easier.
- Blowout-proof brass stem.
- NPT taper ANSI B1.20.1 threads.
- 32°F to +176°F temperature.
- 1/4 Turn Aluminium handle with mechanical stop.
- NSF Approved valves available upon request!
- Not lead free






Made in Italy

Female x Female


PART#	SIZE		DIMENSION INCHES							LIST
	G	DN	A	B	C	E	CH	WTG	BOX/ CASE	
46922I	1/4"	0.31	1.81	1.17	0.9	0.51	0.83	0.24	50/200	---
46923I	3/8"	0.31	1.85	1.17	0.9	0.51	0.83	0.22	50/200	---
46924I	1/2"	0.39	2.18	1.26	0.9	0.61	0.98	0.32	30/120	---






Male x Female

PART#	SIZE		DIMENSION INCHES							LIST
	G	DN	A	B	C	E	CH	WTG	BOX/ CASE	
46903I	1/4"	0.31	1.75	1.17	0.9	.40	0.83	0.20	50/200	---
46904I	3/8"	0.31	1.81	1.17	0.9	.41	0.83	0.20	50/200	---
46905I	1/2"	0.39	2.14	1.26	0.9	.52	0.98	0.30	40/160	---



POS	Components	Materials	N
1	Body	CW517N Forged Brass	1
2	Ball Seats	P.T.F.E	2
3	Ball	CW517N CP Brass	1
4	Ring Unit	CW614N Brass	1
5	Stem	CW614N Brass	1
6	Screw	UNI 5771 Steel	1
7	Handle	Aluminum	1
8	O-Ring	NBR 80	1



WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MINI BALL VALVES

VALVES

MINI BALL VALVES

- Chrome plated forged brass body
- Chrome plated brass ball
- NPT taper ANSI B1.20.1 threads*
- 450 PSI working pressure
- At 212°F - 355 PSI
- At 356°F - 142 PSI
- 1/4 Turn Alumzinc handle
- Not lead free
- Made in China



FEMALE X FEMALE - FLAG HANDLE

PART #	SIZE	DIMENSIONS (IN)				WT LBS	BOX/ CASE	
		A	D(FLOW)	F	G			
46934	1/8	1.57	0.24	0.93	1.46	0.21	20/300	---
46935	1/4	1.57	0.31	0.93	1.46	0.20	20/300	---
46936	3/8	1.57	0.28	0.93	1.46	0.22	20/300	---
46937	1/2	1.77	0.35	0.93	1.56	0.24	20/200	---

MINI BALL VALVES W/FLUOROELASTOMER SEALS



FEMALE X FEMALE - TEE HANDLE


PART #	SIZE	DIMENSIONS (IN)				WT LBS	BOX/ CASE	
		A	D(FLOW)	HAN-DLE	G			
46934LT	1/8	1.60	0.24	1.34	1.43	0.21	20/300	---
46935LT	1/4	1.57	0.31	1.34	1.43	0.20	20/300	---
46936LT	3/8	1.60	0.28	1.34	1.43	0.22	20/300	---



FEMALE X FEMALE - SCREWDRIVER

PART #	SIZE	DIMENSIONS (IN)		WT LBS	BOX/CASE	
		A	D(FLOW)			
46934LS	1/8	1.57	0.24	0.21	20/300	---
46935LS	1/4	1.57	0.31	0.20	20/300	---
46936LS	3/8	1.57	0.28	0.22	20/300	---
46937LS	1/2	1.77	0.35	0.24	20/200	---

- Not lead free



Pos	Components	Materials	N
1	Body	CP Forged Brass	1
2	Ball Seats	P.T.F.E.	2
3	Ball	CP Brass	1
4	Ring Unit	Brass	1
5	Stern	Brass	1
6	O-Ring - flag handle	NBR 80	1
6	O-Ring - all oth-ers	Fluoroelas-tomer	1

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MINI BALL VALVES
VALVES

MINI BALL VALVES

- Chrome plated forged brass body
- Chrome plated brass ball
- NPT taper ANSI B1.20.1 threads*
- 450 PSI working pressure
- At 212°F - 355 PSI
- At 356°F - 142 PSI
- 1/4 Turn Alumzinc handle
- Not lead free
- Made in China



MALE X FEMALE - FLAG HANDLE

PART #	SIZE	DIMENSIONS (IN)				WT LBS	BOX/ CASE	
		A	D(FLOW)	F	G			
46930	1/8	1.57	0.24	0.93	1.46	0.17	20/300	---
46931	1/4	1.57	0.31	0.93	1.46	0.15	20/300	---
46932	3/8	1.57	0.28	0.93	1.46	0.21	20/300	---
46933	1/2	1.77	0.35	0.93	1.56	0.24	20/200	---

MINI BALL VALVES W/FLUOROELASTOMER SEALS



MALE X FEMALE - TEE HANDLE


PART #	SIZE	DIMENSIONS (IN)				WT LBS	BOX/ CASE	
		A	D(FLOW)	HANDLE	G			
46930T	1/8	1.57	0.24	1.34	1.46	0.17	20/300	---
46931T	1/4	1.57	0.31	1.34	1.46	0.15	20/300	---
46932T	3/8	1.57	0.28	1.34	1.40	0.21	20/300	---
46933T	1/2	1.77	0.35	1.34	1.56	0.24	20/200	---



MALE X FEMALE - SCREWDRIVER

PART #	SIZE	DIMENSIONS (IN)		WT LBS	BOX/ CASE	
		A	D(FLOW)			
46930S	1/8	1.57	0.24	0.17	20/300	---
46931S	1/4	1.57	0.31	0.15	20/300	---
46932S	3/8	1.57	0.28	0.21	20/300	---
46933S	1/2	1.77	0.35	0.24	20/200	---

- Not lead free



Pos	Components	Materials	N
1	Body	CP Forged Brass	1
2	Ball Seats	P.T.F.E.	2
3	Ball	CP Brass	1
4	Ring Unit	Brass	1
5	Stern	Brass	1
6	O-Ring - flag handle	NBR 80	1
6	O-Ring - all others	Viton	1
7	Handle	Alumzinc	1
8	Screw	Steel	1


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FORGED BRASS MINI-BALL VALVES

- 180⁰ operational handle, blow out proof stem. Stem with double "O" Rings
- 200 WOG
- Temp rating -20°F - 250°F
- Generic Handles
- Not lead free

NO	Part Name	Material	QTY
1	Nut	Steel	1
2	Handle	Steel	1
3	Cover	PVC	1
4	O-Ring	NBR	2
5	Stem	Brass	1
6	Body	Brass	1
7	Seat	Polyte	2
8	Ball Disc	Brass	1
9	End Plug	Brass	1

*Polyte Abbreviation for Polytetrafluoroethylene





FEMALE X FEMALE

PART #	SIZE	A	B	C	D	LIST PRICE
944113	1/8	1.53	2.80	0.73	1.42	---
944116	1/4	1.53	2.80	0.73	1.42	---
944117	3/8	1.73	2.90	0.87	1.50	---
944140	1/2	2.20	3.08	0.98	1.45	---



FEMALE X MALE

PART #	SIZE	A	B	C	D	LIST PRICE
944106	1/8	1.69	3.02	0.73	1.46	---
944100	1/4X1/8	1.28	2.90	0.66	1.32	---
944101	1/4	1.70	3.00	0.73	1.46	---
944102	3/8X1/4	1.78	2.50	0.89	1.50	---



MALE X MALE

PART #	SIZE	A	B	C	D	LIST PRICE
944107	1/8	1.70	2.94	0.65	1.42	---
944109	1/4	1.25	2.66	0.65	1.42	---
944110	3/8	1.90	2.98	0.73	1.42	---



HOSE BARB X MALE

PART #	SIZE	A	B	C	D	LIST PRICE
944132	1/4X1/8	2.05	2.91	0.73	1.51	---
944138	1/4X1/4	2.08	2.98	0.73	1.51	---
944128	3/8X1/4	2.08	3.04	0.73	1.51	---
944130	3/8X3/8	2.12	3.06	0.73	1.51	---



HOSE BARB X FEMALE

PART #	SIZE	A	B	C	D	LIST PRICE
944136	1/4X1/4	1.97	2.87	0.73	1.55	---



HOSE BARB X HOSE BARB

PART #	SIZE	A	B	C	D	LIST PRICE
944142	1/4X1/4	2.47	3.19	0.73	1.55	---

LEAD FREE

PART #	SIZE	A	B	C	D	LIST PRICE
944142LF	1/4	2.49	3.19	0.73	1.55	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


SIDE OUTLET 3-WAY BALL VALVE


• BRASS • 600WOG • FULL PORT

- Forged Brass
- 600 WOG
- Temp Rating 0-230°F
- 150 SWP



- Side outlet





- Full Port
- Blow-out proof stem
- double o-ring stem packing
- PTFE Seal
- Made in China
- Not lead free


Nomenclature & Materials

NO	Part Name	Material	Qty
1	Body	Brass	1
2	End Cap	Brass	1
3	Ball Seat	PTFE	1
4	Ball	Brass	1
5	Stem	Brass	2
6	Seal	PTFE	1
7	Impacted Nut	Brass	1
8	O-Ring	NBR	2
9	Lever Handle	Steel	1
10	Stem Nut	Steel	1

PART#	SIZE	I	H	D	L	A	WTG	BOX/ CASE	LIST PRICE
940464	1/4"	1.89	1.73	0.39	3.58	0.47	0.51	50/100	---
940465	3/8"	1.89	1.73	0.39	3.35	0.47	0.57	50/100	---
940461	1/2"	2.11	1.80	0.50	3.58	0.51	0.65	30/60	---
940462	3/4"	2.56	2.16	0.74	4.31	0.55	0.99	20/40	---


BOTTOM OUTLET 3 WAY BALL VALVE

- Forged Brass
  Bottom Port is inlet 400 psi
  Side Ports are inlet 100 psi
- 90° Handle Rotation



- Bottom outlet

- Polytetrafluoroethylene ball seats
- Double O-Ring Stem Seals - primary seal is Fluoroelastomer secondary seal is Aflas
- Blow out proof stem
- Made in USA
- Threaded ports
- Good for propane
- Not lead free
- Great for diesel fuel



- Threaded

PART#	SIZE	D	G	H	L	CV	WTG	LIST PRICE
940121	1/4"	.44	3.50	3.12	2.25	5.2	0.76	---
940122	3/8"	.50	3.50	3.12	2.25	5.5	0.69	---
940123	1/2"	.50	3.50	3.12	2.25	5.5	1.00	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


MISCELLANEOUS VALVES
VALVES

BRASS BALL VALVE WITH STRAINER

All-in-One design for economical ,compact and convenient .With stamped stainless Steel Screen . 600PSI WOG Forged brass body,Crome plated ball ,PTFE ball seats and cap seal , and rubber o-ring stem seals. Not lead free



Part #	Part Name	Material
1	Body	Brass
2	Caps	Brass
3	Ball	Brass,Cr.Plated
4	Seat	PTFE
5	Filter	SS
6	Gasket	PTFE
7	Caps	Brass
8	Stem	Brass
9	O-Ring	Fluoroelastomer
10	Handle	Zinc
11	Spring Washer	S.S



PART #	SIZE	L	D	W	H	WTG	BOX/CASE	LIST PRICE
947133	1/2"x1/2"(MxF)	3.77"	0.59"	2.00"	1.50"	0.60	8/64	---
947134	3/4"x3/4"(MxF)	4.32"	0.75"	2.40"	1.85"	1.00	8/64	---

RADIATOR AIR VALVE
COIN SLOT OR LOSSE KEY



PART #	SIZE	LIST PRICE
943284	1/8" MIP	---
943287	Key only	---

ANGLE SILLCOCKS
3/4" HOSE THREAD OUTLET

- Notched flange for convenient installation.
- Heavy brass construction.
- Cast Iron handle.
- Not lead free



FEMALE IPS

PART #	SIZE	BOX	LIST PRICE
942142	1/2	12	---

HOSE BIBBS
3/4" HOSE THREAD OUTLET



IPS

PART #	SIZE	WTG	BOX/ CASE	LIST PRICE
942170	1/2 (1/2"C)	0.33	10/100	---
942171	3/4	0.35	10/100	---

BENT NOSE GARDEN VALVES

- Heavy brass construction
- Cast iron handle
- Stuffing box
- Neoprene seal disc



PART #	SIZE	BOX	CASE	LIST
942100	1/2"	12	72	---
942101	3/4"	12	72	---
942102	1"	12	72	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS GATE VALVE


• BRASS • 200WOG • FULL PORT

- 200 WOG (cold water, oil, gas).
- Full-port design for a better water flow.
- Screw-in Bonnet - Non-Rising Stem - Solid Wedge
- NPT Threaded ends to ANSI B1.20.1
- Cast iron handle.
- Each valve individually air tested under water.
- Good for diesel fuel.
- Made in Indonesia
- Not lead free
- Temp. 32°-320°F



BRASS GATE VALVES IPS

PART#	SIZE	L	H	D1	D	T	S1	WEIGHT	BOX/CASE	LIST PRICE
940130	1/4	1.64	2.91	2.09	0.44	1/4-18 NPT	.85	0.60	10/120	---
940131	3/8	1.71	2.91	2.09	0.48	3/8-18 NPT	.85	0.59	10/120	---
940132	1/2	1.71	2.91	2.09	0.50	1/2-14 NPT	1.03	0.75	10/120	---
940133	3/4	1.71	3.06	2.13	0.74	3/4-14 NPT	1.26	0.83	10/80	---
940134	1	2.13	3.60	2.48	0.97	1-11.5 NPT	1.51	1.24	5/60	---
940135	1-1/4	2.24	4.50	2.66	1.22	1-1/4-11.5 NPT	1.89	1.69	5/40	---
940136	1-1/2	2.44	5.08	3.15	1.45	1-1/2-11.5 NPT	2.17	2.17	5/30	---
940137	2	2.70	5.94	3.52	1.85	2-11.5 NPT	2.60	3.30	2/12	---
940138	2-1/2	3.70	7.87	3.98	2.48	2-1/2-8 NPT	3.27	6.26	1/10	---
940139	3	4.02	8.82	4.37	2.80	3-8 NPT	3.86	8.26	1/4	---



	Description	Material
1	Body	C85700
2	Disk	C85700
3	Seat	PTFE
4	Cap	C85700
5	Packing	C85700
6	Stem	C85700
7	Rubber Seat	NBR
8	Packing Nut	C85700
9	Handle	Cast Iron
10	Nameplate	AL

Crown handle
1/2-1/4



X handle
1/2-1/4



Add "*C*" to part# for Crown handle, "*X*" for X handle.

Also Available SS Gate Valve




See Lead Free for lead free Gate Valves.



WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRONZE IPS GATE VALVE





BRONZE GATE VALVE

NUMBER	PART	MATERIALS	NOTE
1	NUT	HOT ROLLED (SAE 1010R)	
2	NAME PLATE	ALUMINUM	
3	HANDLE	CAST IRON (JIS Z22202)	
4	PACKING NUT	BRASS ROD (C37700)	
5	GLAND RING	BRASS ROD (C37700)	Size 1-1/4" ~ 4"
6	PACKING	GRAPHITE (LK 33 NAFG)	
7	BONNET	CAST BRONZE (C83600)	
8	PACKING	FIBRE	Size 2" ~ 4"
9	STEM	BRASS ROD (C37700)	Size 1/4" ~ 2"
		CAST BRONZE (C83600)	Size 2-1/2" ~ 4"
10	LOCKNUT	BRASS ROD (C37700)	
11	DISC	CAST BRONZE (C83600)	
12	BODY	CAST BRONZE (C83600)	

PART#	SIZE	DIMENSION (MM)		
		D	H	L
	1/4" FIP	53	74	43.5
	3/8" FIP	53	74	43.5
939132	1/2" FIP	53	74	43.5
939133	3/4" FIP	54	84	46
939134	1" FIP	63	99	54
939135	1-1/4" FIP	69	117	57
939136	1-1/2" FIP	80	129	62
939137	2" FIP	89.5	152	68.5
939138	2-1/2" FIP	101	200	94
939139	3" FIP	111	224	102
939140	4" FIP	127	251	115


QUICK OPENING GATE VALVE

VALVES

GATE VALVE QUICK OPENING

Features: Bronze Material, Threaded Ends, 200 WOG





MATERIAL SPECIFICATION


No.	Part	Bronze
1	BONNET	BRASS (C85700)
2	PACKING	FIBRE
3	ARM	BRASS (C85700)
4	DISC MALE	BRASS (C85700)
5	DISC FEMALE	BRASS (C85700)
6	BODY	BRASS (C85700)
7	STEM	BRASS (C37700)
8	WASHER	BRASS (C37700)
9	PACKING	Polytetrafluoroethylene POLYFLON(PTFE M-392)
10	PACKING NUT	BRASS (C37700)
11	HANDLE	CAST IRON (JIS ZZ2202) RUBBER COATING BRASS (C85700)
12	NAME PLATE	ALUMINIUM (A1100)
13	WASHER	HOT ROLLED (SAE 1010R)
14	HANDLE BOLT	HOT ROLLED (SAE 1010R)

PART #	SIZE	L	L1	L2	H	H1	BOX	CASE	LIST PRICE
941133	1/2"	45.6	60.6	119	56.8	52.8	10	50	---
941134	3/4"	51	62	126.3	68	87.5	10	50	---
941135	1"	58.3	72.3	155	78.7	90.2	10	30	---
941136	1-1/4"	30.1	78	180.2	89.5	104	5	25	---
941137	1-1/2"	66.7	85.3	196.6	99.2	131	6	18	---
941138	2"	76.4	90.3	250.6	119.3	143.7	2	10	---
941140	3"	101	129.2	305.6	172.2	191.3	2	6	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

CLASS 150 BRASS Y-PATTERN STRAINER

- Forged Brass body, size 1/4"-3".
- Pressure rating: 250 WOG (water, oil, gas)/PN25
  125 WSP (Saturated Stem)
- NPT Threaded ends to ANSI B1.20.1
- Protects regulators, pumps, meters and other controls from damage due to sediment scale, metal chips or other foreign materials.
- Screwed cap is threaded & gasketed.
- Tapped drain plug opening in cap.
- 304 stainless steel screen #20 mesh.
- Self cleaning.
- Self cleaning can be accomplished by opening the valve or plug connected to the blow-off outlet.
- Made in Indonesia
- NOT LEAD FREE
- w/20 Mesh Screen
- Temp 180°F



PART#	SIZE	L	H	C (PLUG)	WEIGHT	BOX/CASE	LIST PRICE
940521	1/4"	2.57	1.95	NPT 3/8	.53	10/100	---
940522	3/8"	3.23	2.44	NPT 3/8	.71	12/48	---
940523	1/2"	3.23	2.44	NPT 3/8	.66	12/48	---
940524	3/4"	3.94	2.78	NPT 3/8	1.10	8/32	---
940525	1"	4.53	3.19	NPT 1/2	1.71	8/32	---
940526	1-1/4"	5.33	3.66	NPT 1/2	2.49	6/24	---
940527	1-1/2"	6.20	3.82	NPT 1/2	3.24	2/16	---
940528	2"	7.44	4.65	NPT 1/2	5.39	2/8	---
940529	2-1/2"	9.50	5.39	NPT 3/4	9.56	1/6	---
940530	3"	9.4	5.67	NPT 3/4	13.49	1/4	---


Add 'S' to part # for replacement screens



See Lead Free for 1/2" Lead Free



See Lead Free for SS Y Strainer



NO	Name	Material
1	BODY	C85700
2	BONNET	C85700
3	STRAINER	304 S.S.
4	SPRING SEAL	PTFE

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


BRASS SWING CHECK VALVES

VALVES

BRASS SWING CHECK VALVES

- Working pressure non-shock: 200 psi W.O.G. (cold water, oil, gas) 125 psi WSP (saturated steam)
- Swing type disc.
- Screwed Cap.
- Hard Seat.
- 90⁰ Straight Pattern.
- Used to prevent reverse flow in commercial and industrial applications.
- Threaded ends to ANSI B1.20.1
- Integral seat.
- Temp range -5° - 150F°
- NOT LEAD FREE
- Cracking pressure 3-5 psi
- Made in Indonesia





	Descrip-tion	Material
1	Body	C85700
2	Disc	C85700
3	Cap	C85700

CAST BRASS SWING CHECK VALVES IPS SCREWED ENDS

PART #	SIZE	L	H	L1	DN	WEIGHT	BOX/CASE	LIST PRICE
940352	1/2	2.09	1.42	0.531	0.512	.41	10/100	---
940353	3/4	2.36	1.56	0.579	0.728	.56	10/80	---
940354	1	2.62	1.77	0.748	0.925	.80	8/40	---
940355	1-1/4	3.19	2.07	0.748	1.201	1.36	5/40	---
940356	1-1/2	3.54	2.16	0.846	1.417	1.56	5/20	---
940357	2	4.21	2.74	0.886	1.772	2.61	2/16	---
940358	2-1/2	5.14	3.09	1.063	2.224	4.55	1/8	---
940359	3	5.77	3.80	1.102	2.579	6.53	1/6	---
940360	4	6.84	4.25	1.102	3.602	10.18	1/4	---



See Lead Free Brass Swing Check Valves




See SS Swing Check Valves

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS CHECK VALVES


S.S. SPRING LOADED BRONZE POPPET - For positive sealing & self-cleaning. Insures against leakage.

- Inline Lift Type - Resilient Discs - Spring Actuated - Threaded.
- Presure rating: 200 WOG (water, oil, gas) / 125 WSP (Saturated Steam)
- Spring in stainless steel AISI 304. ▪ Resilient washer hold/ disc in brass. ▪ Forged Brass Body for 1/2"-2"
- Corrosion resistant material. ▪ Can be used vertically or horizontally. ▪ Opens & Closes with flow of media.
- No cracking pressure. ▪ NOT LEAD FREE ▪ Made in Indonesia



1/4 Made in Taiwan

Temp Range
-10°C - 110°C
14°F - 248°F



Brass Check Valve (Inches)

Part#	Size	Enters Pipe Size	A NPT	B	C	Weight	Box/Case	List Price
944428	1/4"	-	1/4"	1.00	2.29	.24	24/192	---
944429	3/8"	-	3/8"	1.00	2.07	.23	10/100	---
944430	1/2"	1-1/4"	1/2"	1.26	2.40	.42	10/100	---
944431	3/4"	1-1/4"	3/4"	1.45	2.74	.53	10/80	---
944432	1"	2"	1"	1.77	3.23	.85	6/48	---
944433	1-1/4"	2-1/2"	1-1/4"	2.13	3.62	1.18	4/40	---
944434	1-1/2"	3"	1-1/2"	2.29	4.04	1.40	5/30	---



▪ See Lead Free Brass Check Valves


▪ See SS Check Valves

IN LINE CHECK VALVES VERTICAL OR HORIZONTAL

• Working Pressure: 250 PSI • Temperature Range: -40° to 450°F(-40°to 230°C)
• Cracking Pressure: 3 PSI • Made in China • Not lead free
• Applications:Air Compressor Discharge Lines, may also used on water or oil lines
• Construction:Cast Bronze Body,Corrosion Resistant Stainless Steel Spring to Ensure Long Life,15% Glass Filled • Polytetrafluoroethylene Poppet,C360 Machined Brass Cap,1/8 NPT Unloader Port is Standard • Repairable





Part#	Part Name	Material
6	Plug	Brass
5	Body	Bronze
4	Gasket	PTPF
3	Spring	S.Steel
2	O-ring	HNBR
1	Cap	Brass

PART #	SIZE	W	L	H	WTG	BOX/CASE	LIST PRICE
947140	1/8"	1/8	1.75	1.34	0.28	20/100	---
947141	1/4"	1/4	1.75	1.37	0.29	20/100	---
947142	3/8"	3/8	2.50	2.18	0.62	10/50	---
947143	1/2"	1/2	2.50	2.13	0.54	10/50	---
947144	3/4"	3/4	2.88	2.64	1.17	8/40	---
947145	1"	1	3.61	3.30	1.98	2/20	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS IN-LINE CHECK VALVES
VALVES

BRASS IN-LINE CHECK VALVES

High Capacity, Size 1/4"-2" 400 WOG, 2 1/2"-4" 175 WOG

- Soft Seat for Bubble Tight Shutoff, Spring Loaded for Fast Seating Action.
- Compact design.
- Low Cracking Pressure 1/2 psi.
- Flow Profile Designed to Minimize Head Loss.
- Perfect Seating both at High and Low Pressure, Wide Temperature Range: +10° to 210°F.
- Polyethermide Disc to ensure the Best Resistance For Corrosion and Abrasion.
- Patented Disc Guide to Prevent Any Side Loading.
- Connection: FNPT x FNPT.
- Made in Italy ▪ Not lead free

NBR for water, oils and general purpose.
With Fluoroelastomer® Seal for fuels and hydrocarbons. Max working TEMPERATURE 325°F/125 psi steam


Add V to part# for Fluoroelastomer





BRASS IN-LINE CHECK

PART#	LIST PRICE	SIZE	I	PSI	LBS	CASE	FLUOR PART#	LIST PRICE
944401	---	1/4"	0.39	400	0.22	144		
944402	---	3/8"	0.40	400	0.18	144	944402V	---
944403	---	1/2"	0.60	400	0.32	144	944403V	---
944404	---	3/4"	0.65	400	0.49	90	944404V	---
944405	---	1"	0.66	400	0.71	90	944405V	---
944406	---	1-1/4"	0.68	400	1.13	30	944406V	---
944407	---	1-1/2"	0.68	400	1.53	30	944407V	---
944408	---	2"	0.69	400	2.28	12	944408V	---
944409	---	2-1/2"	0.93	175	4.83	4	944409V	---
944410	---	3"	1.01	175	6.70	4	944410V	---
944411	---	4"	1.09	175	12.43	2	944411V	---



NO	Part	Material	PCS
1	BODY	BRASS	1
2	END CONNECTION	BRASS	1
3	DISC	POLYETHERIMIDE	1
4	SEAT	100002 NBR	1
		100003 Fluoroelastomer	1
5	SPRING	STAINLESS STEEL	1


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

316 SS 2-PC BALL VALVE, FULL PORT, THREADED END, 2000 PSI


- Investment Castings for body and cap.
- Internal Entry blow-out proof stem.
- Pressure rating: 2000PSI.
- Threaded Ends: ANSI B2,1
- Material: CF8M (316SS)
- Pressure test: API 598
- Generic Handles



LOCKING HANDLE



PART#	SIZE	D	L	H	W	N.M	LBS/ PC	CASE	LIST PRICE
949171	1/4"	0.36	2.13	2.13	4.33	.157	0.64	80	---
949172	3/8"	0.50	2.13	2.16	4.33	.157	0.58	80	---
949173	1/2"	0.59	2.24	2.28	4.53	.197	0.71	70	---
949174	3/4"	0.79	2.76	2.40	4.53	.315	1.18	50	---
949175	1"	0.98	3.50	3.03	6.04	.394	2.33	30	---
949176	1-1/4"	1.25	4.12	3.19	6.04	.551	3.48	20	---
949177	1-1/2"	1.50	4.05	3.54	6.10	.709	4.03	14	---
949178	2"	1.96	4.90	4.25	6.10	.984	7.50	7	---



NO	Part	Material	QTY
1	BODY	316SS	1
2	BALL SEAT	PTFE	2
3	BALL	316SS	1
4	BODY SEAL	PTFE	1
5	CAP	316SS	1
6	STEM	SS316	1
7	THRUST WASHER	PTFE	1
8	PACKING	PTFE	1
9	GLAND NUT	SS304	1
10	HANDLE	SS304	1
11	WASHER	SS304	1
12	NUT	SS304	1
13	LOCK DEVICE	SS304	1
14	HANDLE COVER	PLASTIC	1

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

316 SS STANDARD PORT VALVES

VALVES

ONE PIECE STANDARD PORT BALL VALVE

316 Stainless Steel

1000 PSI

- Manufactured for harsh environments with female NPT threads.
- Locking handle for greater security.
- Standard port has restricted flow.
- Made with corrosion resistant stainless steel materials.
- PTFE seat and seals.
- Investment Castings for Body and Cap.
- Internal Entry Blow-out proof stem.
- Pressure rating: 1000PSI (PN63)
- Threaded Ends: ANSI B2.1
- Material: CF8M
- Pressure Test: API 598
- Generic handles




LOCKING HANDLE

Valves will accept a pad-lock on the handle.

dimensions (inches)

PART#	SIZE	D	L	H	W	WEIGHT	CASE	LIST PRICE
949101	1/4"	0.20	1.53	1.53	3.03	0.19	150	---
949102	3/8"	0.27	1.74	1.53	3.03	0.23	150	---
949103	1/2"	0.36	2.24	1.73	3.46	0.41	100	---
949104	3/4"	0.50	2.32	1.89	3.46	0.63	70	---
949105	1"	0.59	2.80	2.24	4.29	0.86	50	---
949106	1-1/4"	0.79	3.07	2.32	4.29	1.34	30	---
949107	1-1/2"	0.98	3.26	2.76	5.14	2.00	25	---
949108	2"	1.25	3.94	2.24	6.50	2.88	15	---

Larger sizes available on special order basis



Item	Parts	Material
1	Plastic Cover	Plastic
2	Handle	AISI 304 SS
3	Thrust Washer	PTFE
4	Packing Ring	AISI 304 SS
5	Stem Packing	PTFE
6	Seat	PTFE
7	Seat	AISI 316 SS
8	Stem Nut	AISI 304 SS
9	Ball	316SS ASTM-A351 CF8M
10	Cap	316SS ASTM-A351 CF8M
11	Body	316SS ASTM-A351 CF8M

SS = Stainless Steel

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

TWO PIECE FULL PORT BALL VALVE

316 Stainless Steel

1000 PSI

Materials: CFM8M (SS316)

Features:


- Quality manufactured for harsh environments.
- Corrrosion resistant.
- Investment Casting body
- Working pressure 1000 psi for W.O.G.
- Adjustable stem packing
- Pure Polytetrafluoroethylene seals and seats
- Temperature range: -60 to 450°F
- Blow-out proof stem and safe pressure-reducing hole
- 100% leakage tested at 100 psi air under water
- Hydrostatic test pressure: 1500 psi
- Locking handle w/ blue generic sleeve
- 125 Steam rated
- Generic Handles



Valves will accept a pad-lock on the handle.

dimensions (inches)

PART#	SIZE	D	L	H	W	WEIGHT	CASE	LIST PRICE
949161	1/4"	0.36	2.13	2.13	4.33	0.51	80	---
949162	3/8"	0.50	2.13	2.16	4.33	0.49	80	---
949163	1/2"	0.59	2.24	2.28	4.17	0.69	70	---
949164	3/4"	0.79	2.68	2.40	4.17	1.03	50	---
949165	1"	0.98	3.15	2.50	4.88	1.40	30	---
949166	1-1/4"	1.26	3.58	3.19	5.04	2.17	20	---
949167	1-1/2"	1.49	4.05	3.54	6.10	3.33	12	---
949168	2"	1.97	4.88	4.25	6.13	6.02	7	---
949170	3"	3.15	7.28	5.71	9.06	21.01	2	---
949180	4"	3.94	8.84	7.28	11.10	36.18	1	---



Item	Parts	Material
1	Body	316SS ASTM-A351 CF8M
2	Body Cap	316SS ASTM-A351 CF8M
3	Ball	316SS ASTM-A351 CF8M
4	Seat	Reinforced PTFE
5	Stem	AISI 316 SS
6	Seal	Reinforced PTFE
7	Thrust Washer	Reinforced PTFE
8	Packing	Reinforced PTFE
9	Gland Nut	AISI 304SS
10/11	Nut & Washer	AISI 304SS
12	Handle	AISI 304SS
13	Plastic Cover	Plastic

SS = Stainless Steel


WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

316 SS MINI BALL VALVES

VALVES

STAINLESS STEEL MINI BALL VALVES

- 316 Stainless Steel
- Working pressure 400PSI
- Working Temperature -10°C to 150°C




FEMALE PIPE x FEMALE PIPE

PART#	SIZE	W	D	H	L	WEIGHT	CASE	LIST PRICE
46934SS	1/8"	.898	.197	.985	1.693	.18	150	---
46935SS	1/4"	.898	.276	.984	1.693	.21	150	---
46936SS	3/8"	.898	.276	.984	1.693	.19	150	---
46937SS	1/2"	.898	.362	1.114	1.811	.26	100	---



MALE PIPE x FEMALE PIPE

PART#	SIZE	W	D	H	L	WEIGHT	CASE	LIST PRICE
46930SS	1/8"	.898	.197	.985	1.693	.18	150	---
46931SS	1/4"	.898	.276	.984	1.693	.18	150	---
46932SS	3/8"	.898	.276	.984	1.693	.19	150	---
46933SS	1/2"	.898	.362	1.114	1.811	.26	100	---



NO	Part	Material	QTY
1	LEVER	ALUMINIUM ALLOY	1
	HANDLES	PLASTIC	
2	BOLT	304	1
3	STEM	304/ 316	1
4	"O" RING	NBR	1~2
5	BALL SEAT (A)	PTFE	1
6	CAP	CF8/ CF8M	1
7	BALL	CF8/ CF8M	1
8	BODY	CF8/ CF8M	1
9	BALL SEAT (B)	PTFE	1

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

316 SS MINI BALL VALVES

VALVES

MINI STAINLESS STEEL BALL VALVE ,WITH BUTTERFLY HANDLE

1000PSI WOG , 150PSI WSP
Temperature Range: -36°F to + 368°F
Full Port for 1/4" , Standard port for 3/8" and 1/2"
316 Stainless Steel body and Ball
Polytetrafluoroethylene seats and sealing

- Fluoroelastomer O-Ring
- #316 Stainless Steel
- Made in China



FEMALE PIPE X FEMALE PIPE

PART #	SIZE FIP X FIP	DIMENSIONS IN						
		D	L	B (HEX)	H	WTG	BOX	
46922SS	1/4"×1/4"	0.314"	2.34"	22.1/0.87"	1.5"	0.33	36	---
46923SS	3/8"×3/8"	0.314"	2.39"	22.1/0.87"	1.5"	0.39	36	---
46924SS	1/2"×1/2"	0.314"	2.81"	24.9/0.98"	1.5"	0.43	36	---




MALE PIPE X FEMALE PIPE


PART #	SIZE MIP X FIP	DIMENSIONS IN						
		D	L	B (HEX)	H	WTG	BOX	
46903SS	1/4"×1/4"	0.314"	2.45"	0.87"	1.5"	0.39	36	---
46904SS	3/8"×3/8"	0.314"	2.45"	0.87"	1.5"	0.36	36	---
46905SS	1/2"×1/2"	0.314"	2.81"	0.98"	1.5"	0.41	36	---



MALE PIPE X MALE PIPE

PART #	SIZE MIP X MIP	DIMENSIONS IN						
		D	L	B (HEX)	H	WTG	BOX	
46912SS	1/4"×1/4"	0.314"	2.59"	0.87"	1.5"	0.33	36	---
46913SS	3/8"×3/8"	0.314"	2.65"	0.87"	1.5"	0.34	36	---
46914SS	1/2"×1/2"	0.314"	2.47"	0.98"	1.5"	0.63	36	---





Part #	Part Name	Material
1	Body	S316
2	Seat	PTFE
3	Ball	S316
4	O-Ring	Fluoroelastomer
5	Cap	S316
6	Stem	S316
7	Stem Bottom Seal	PTFE
8	Stem Up Seal	PTFE

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


304 SS CHECK VALVES

VALVES

#304 STAINLESS STEEL

CHECK VALVE


- No Lead.
- Water wells need a check valve installed above the pumps between lengths of drop pipes.
- Opens & Closes with flow of media.
- No cracking pressure.
- Working pressure unavailable.
- Made in Taiwan




DIMENSIONS (INCHES)

PART#	SIZE	A NPT	B	C	BOX/CASE	LIST PRICE
949430	1/2"	1/2"	1.26	2.43	10/100	---
949431	3/4"	3/4"	1.50	2.72	10/80	---
949432	1"	1"	1.77	3.23	10/60	---

More sizes available on a special order basis.





FLOW RATE GALLONS PER MINUTE

NO	Part	Material
1	Body	S.S 304
2	Stopper	S.S 304
3	O-Ring	Fluor
4	Washer	PE
5	Spring	S.S 304
6	Cap	S.S 304
7	Nut	S.S 304

FLUOR* ABBREVIATION FOR FLUOROELASTOMER

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL IN-LINE CHECK VALVE


High Capacity, Size 1/4"-2" 800 WOG

- Soft PTFE Seat for Bubble Tight Shutoff, Spring Loaded for Fast Seating Action
- Low Cracking Pressure 1/2 psi.
- Flow Profile Designed to Minimize Head Loss.
- Perfect Seating both at High and Low Pressure, Wide Temperature Range: +10° to 450°F.
- Corrosion Resistant-Excellent for use on Chemicals.
- ASTM A351-CF8M Investment Casting.
- Connection: FNPT x FNPT.
- 125WSP Saturated Steam.
- ANSI B1.20.1 Threads.
- Dual Guided Stem & Disc.
- Made in Italy



STAINLESS STEEL IN-LINE CHECK

PART#	SIZE	D	L	PSI	LBS	LIST PRICE
949401	1/4"	1.15	2.25	800	0.36	---
949402	3/8"	1.16	2.25	800	0.34	---
949403	1/2"	1.35	2.31	800	0.40	---
949404	3/4"	1.81	2.87	800	0.85	---
949405	1"	2.13	3.50	800	1.30	---
949406	1-1/4"	2.46	4.18	800	2.50	---
949407	1-1/2"	2.88	4.93	800	3.40	---
949408	2"	3.56	6.00	800	6.0	---



NO	Part	Material	PCS
1	BODY	ASTM A351-CF8M	1
2	SPRING	SS316	1
3	CENTER GUIDE	ASTM A351-CF8M	1
4	DISC	ASTM A351-CF8M	1
5	SEAT	PTFE	1
6	GASKET	PTFE	1
7	END CAP	ASTM A351-CF8M	1

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


316 SS SPRING CHECK VALVES

VALVES

SPRING CHECK VALVE


- Working Pressure: 1500PSI (PN100)
- Working Temperature: -10 -150°C
- Opening Pressure: 2~3PSI
- Suitable Medium: W.O.G.
- Threaded End: NPT
- Made in China

FEMALE PIPE x FEMALE PIPE




PART#	SIZE	L	C	D	B	E	LBS/ PC	CASE	LIST PRICE
949451	1/4"	2.165	.217	.748	.699	.394	.19	200	---
949452	3/8"	2.165	.295	.866	.787	.394	.21	160	---
949453	1/2"	2.165	.413	1.063	.945	.472	.31	100	---
949454	3/4"	2.677	.591	1.417	1.26	.472	.71	60	---
949455	1"	3.268	.787	1.693	1.496	.591	1.14	36	---

MALE PIPE x FEMALE PIPE



PART#	SIZE	L	C	D	B	E	LBS/ PC	CASE	LIST PRICE
949471	1/4"	2.165	.217	.748	.699	.394	.176	200	---
949472	3/8"	2.165	.295	.866	.787	.394	.22	160	---
949473	1/2"	2.165	.413	1.063	.945	.472	.27	100	---
949474	3/4"	2.677	.591	1.417	1.26	.472	.62	65	---
949475	1"	3.268	.787	1.693	1.496	.591	1.05	40	---

FLOWS MALE -> FEMALE



NO	Part	Material	QTY
1	BODY	316	1
2	RING	Rubber	1
3	SPRING	304	1
4	CAP	CF8M	1
5	SPOOL	304/316	1
6	SPRING RING	304	1

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SS Y-SPRING/ BARREL CHECK VALVES


VALVES

Y-SPRING CHECK VALVE

- Working Pressure: 800PSI (PN55)
- Working Temperature: -10 -150°C
- Opening Pressure: 1.5PSI
- Suitable Medium: W.O.G.
- Made in China



PART#	SIZE	L	H	D	LBS/ PC	CASE	LIST PRICE
949481	1/4"	2.559	1.661	.472	.44	70	---
949482	3/8"	2.559	1.661	.472	.51	70	---
949483	1/2"	2.559	1.634	.591	.51	100	---
949484	3/4"	3.15	2.067	.787	.93	80	---
949485	1"	3.543	2.657	.984	1.25	40	---
949486	1-1/4"	4.134	2.795	1.26	2.20	30	---
949487	1-1/2"	4.724	3.169	1.575	3.24	24	---
949488	2"	5.512	3.74	1.969	5.21	10	---




NO	Part	Material	QTY
1	BODY	CF8M/ CF8	1
2	BOLT	304	1
3	SEAT	Polytetrafluoroethylene	1
4	DISC	304	1
5	SPRING	304	1
6	GASKET	Polytetrafluoroethylene	1
7	CAP	CF8M/ CF8	1

2PC BARREL TYPE SPRING CHECK VALVE

- Working Pressure: 300PSI (PN20)
- Working Temperature: -10 -120°C
- Opening Pressure: 2PSI
- Suitable Medium: W.O.G.
- Threaded end: NPT
- Made in China



PART#	SIZE	L	D	LBS/ PC	CASE	LIST PRICE
949441	1/4"	2.00	1.142	.27	100	---
949442	3/8"	2.00	1.142	.24	100	---
949443	1/2"	2.24	1.28	.36	100	---
949444	3/4"	2.44	1.594	.54	60	---
949445	1"	2.95	1.89	.88	30	---
949446	1-1/4"	3.23	2.362	1.39	18	---
949447	1-1/2"	3.46	2.756	1.81	25	---
949448	2"	3.94	3.425	2.86	14	---



NO	Part	Material	QTY
1	BODY	CF8M/ CF8	1
2	BOLT	304	1
3	SEAT	NBR	1
4	DISC	304	1
5	SPRING	316/ 304	1
6	GASKET	PTFE	1
7	CAP	CF8M/ CF8	1


WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

316 SS MISCELLANEOUS VALVES

VALVES

#316 SS Y STRAINER

- Investment Castings for Body
- Pressure Rating: 800PSI (PN40)
- Threaded Ends: ANSI B2.1
- Material: CF8M (#316 SS)
- Pressure Test: API 598
- Made in China





- 40 Mesh screen

	Part	Material	QTY
1	BODY	CF8M	1
2	SCREEN	SS316	1
3	JOINT GASKET	PTFE	1
4	BONNET	CF8M	1


PART #	SIZE	D	L	H	W	ØA	LBS	LIST PRICE
949521	1/4"	.38"	2.53	51	1.69	1	0.44	---
949522	3/8"	.48"	2.53	51	1.69	1	0.38	---
949523	1/2"	.59"	2.53	51	1.76	1	0.46	---
949524	3/4"	.79"	3.12	60	2.07	1	0.69	---
949525	1"	.98"	3.57	72	2.67	1	1.27	---
949526	1-1/4"	1.26"	4.17	77	2.9	1	1.74	---
949527	1-1/2"	1.57"	4.71	87	3.23	1	2.38	---
949528	2"	1.96"	5.49	102	3.88	1	3.57	---

316 SS SWING CHECK VALVE

- 200PSI(PN16)
- Threaded Ends: ANSI B2.1
- Material: CF8M (#316 SS)
- Pressure Test: API 598
- Made in China



	Part	Material	QTY
1	BODY	CF8M	1
2	DISC	CF8M	1
3	PIPE PLUG	CF8	1
4	SCREW	CF8	1
5	SCREW GAS-KET	PTFE	1
6	CAP	CF8M	1
7	CAP GASKET	PTFE	1



PART #	SIZE	D	L	W	LBS	LIST PRICE
949353	1/2"	.59"	2.45	1.66	0.53	---
949354	3/4"	.79"	2.92	1.82	0.73	---
949355	1"	.98"	3.41	2.06	1.2	---
949356	1-1/4"	1.26"	3.93	2.32	1.79	---
949357	1-1/2"	1.57"	4.54	2.54	2.18	---
949358	2"	1.96"	5.3	2.78	3.03	---


CF8 = 304SS

316 SS GLOBE VALVES

- 200PSI(PN16)
- Threaded Ends: ANSI B2.1
- Material: CF8M (#316 SS)
- Pressure Test: API 598
- Made in China



	Part	Material	QTY
1	BODY	CF8M	1
2	DISC	CF8M	1
3	STEM	304SS	1
4	CAP	CF8M	1
5	SEAL	PTFE	1
6	GASKET	304SS	1
7	PACKING	PTFE	1
8	GASKET	CF8	1
9	GLAND	304SS	1
10	NUT	304SS	1
11	SPRING WASHER	CF8	1
12	HANDLE WHEEL	Steel	1




PART #	SIZE	L	LBS	LIST PRICE
949303	1/2	2.64	0.89	---
949304	3/4	3.19	1.3	---
949305	1	3.46	1.72	---
949306	1-1/4	3.81	2.33	---
949307	1-1/2	4.25	3.11	---
949308	2	5.1	4.38	---

316 SS GATE VALVES

- 200PSI(PN16)
- Threaded Ends: ANSI B2.1
- Material: CF8M (#316 SS)
- Pressure Test: API 598
- Made in China



	Part	Material	QTY
1	BODY	CF8M	1
2	DISC	CF8M	1
3	SEAL	CF8M	1
4	CAP	CF8M	1
5	SEAL	PTFE	1
6	STEM	304SS	1
7	SEAL	PTFE	1
8	GLAND	304SS	1
9	NUT	304SS	1
10	HANDLE WHEEL	Steel	1
11	GASKET	PTFE	1
12	CAP NUT	CF8	1



PART #	SIZE	L	D	D1	H	LBS	LIST PRICE
949253	1/2	2.07	2.54	0.55	3.37	0.78	---
949254	3/4	2.28	2.89	0.74	4.03	0.99	---
949255	1	2.42	2.89	0.95	4.46	1.25	---
949256	1-1/4	2.79	3.06	1.18	4.86	1.76	---
949257	1-1/2	2.92	3.79	1.49	5.53	2.59	---
949258	2	3.3	4.17	1.85	6.12	3.54	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


STANDARD PORT CARBON STEEL BALL VALVE

- For chemical and industrial applications.
- Blow-out proof stem design.
- 100% air tested under water, at 100 psi, open and closed positions.
- Made in China
- Generic handles

SPECIFICATIONS


- Working Pressure: 1/4" ~ 1" 2000 psi WOG,
  1-1/4" ~ 2" 1500 psi WOG,
- Temperature Range: -60° to 450°F
- End types: Threaded
- 1 piece ball valve
- Reinforced PTFE seat





2000 PSI STANDARD PORT

PART #	SIZE	D	H	E	L	WTG	BOX/ CASE	LIST PRICE
949121	1/4	.20	1.38	2.95	1.71	0.25	24/96	------
949122	3/8	.28	1.30	3.27	1.87	0.32	100/200	------
949123	1/2	.36	2.36	4.53	2.20	0.67	50/100	------
949124	3/4	.49	2.72	4.53	2.58	1.06	50/100	------
949125	1	.59	2.95	5.00	3.19	1.17	25/50	------
949126	1-1/4	.78	3.07	5.29	3.94	3.15	15/30	------
949127	1-1/2	0.98	3.39	5.29	3.94	2.15	15/30	------
949128	2	1.26	3.86	5.29	4.49	6.21	10/20	------



Item	Parts	Material
1	Body	ASTM A216 WCB
2	Ball	ASTM A351 CF8
3	Stem	304
4	Ball Seat	PTFE
5	Cap Seal	PTFE
6	Packing	PTFE
7	Handle	SS304
8	Handle Sleeve	Vinyl Grip
9	Thrust Washer	PTFE
10	Gland	SS304
11	Washer	SS304
12	Handle Nut	SS304
13	Stem Nut	SS304

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

CARBON STEEL FULL PORT BALL VALVES

VALVES


2000 PSI CARBON STEEL 2PC FULL PORT BALL VALVE

• 2 PIECE

SPECIFICATIONS

- Working Pressure: 2000 PSI (138 Bar)
- Temperature Range: -10° C-150° C
- Suitable medium: WOG
- Threaded End conforms to ANSI B1.20.1
- Made in China
- Generic handle






2000 PSI FULL PORT

PART #	SIZE	D	L	H	W	WTG	BOX/ CASE	LIST PRICE
949111	1/4	0.36	2.13	2.13	4.33	0.59	70	---
949112	3/8	0.50	2.13	2.17	4.33	0.59	70	---
949113	1/2	0.59	2.24	2.28	4.33	0.75	60	---
949114	3/4	0.79	2.76	2.40	4.33	1.17	50	---
949115	1	0.98	3.25	3.03	5.04	1.88	30	---
949116	1-1/4	1.26	3.58	3.19	5.04	2.45	20	---
949117	1-1/2	1.50	4.06	3.54	6.10	4.06	20	---
949118	2	1.97	4.90	4.25	6.10	2.43	7	---

PRESSURE-TEMPERATURE RATING



Item	Parts	Material
1	Handle cover	Plastic
2	Body	CF8M
3	Ball seat	PTFE
4	Ball	CF8M
5	Cap	CF8M
6	Joint gasket	PTFE
7	Thrust washer	PTFE
8	Stem packing	PTFE
9	Gland nut	304
10	Spring washer	304
11	Stem nut	304
12	Stem	316
13	Lock device	304
14	Handle	304

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

HIGH PRESSURE FULL PORT 2-WAY VALVES

VALVES

FULL PORT Two-Way



BKH

PART #	THREAD	WORKING PRESSURE	LIST PRICE
GE214NPT	1/4" NPT	7250 PSI	---
GE238NPT	3/8" NPT	7250 PSI	---
GE212NPT	1/2" NPT	7250 PSI	---
GE234NPT	3/4" NPT	5800 PSI	---
GE21NPT	1" NPT	5075 PSI	---
GE2114TNPT*	1-1/4" NPT	5000 PSI	---
GE2112TNPT*	1-1/2" NPT	5000 PSI	---

PART #	THREAD	WORKING PRESSURE	LIST PRICE
GE204SAE	7/16-20 UNF	7250 PSI	---
GE206SAE	9/16-18 UNF	7250 PSI	---
GE208SAE	3/4-16 UNF	7250 PSI	---
GE212SAE	1-1/16-12 UNF	5800 PSI	---
GE216SAE	1-5/16-12 UNF	5000 PSI	---

*** Reduced Port**
+ 'L' flow pattern

Temp Rating = -22° - 212°F

Construction: Steel Body, Ball, Stem
Zinc Chromate Plate
Buna "O" Rings (Fluoroelastomer on request)
Delrin Ball Seats

FULL PORT Three-Way



BK3

PART #	THREAD	WORKING PRESSURE	LIST PRICE
GE3L14NPT	1/4" NPT	5880 PSI	---
GE3L38NPT	3/8" NPT	5880 PSI	---
GE3L12NPT	1/2" NPT	5145 PSI	---
GE3L34NPT	3/4" NPT	5145 PSI	---
GE3L1NPT	1" NPT	5145 PSI	---
GE3L114TNPT	1 1/4" NPT	4500 PSI	---
GE3L112TNPT	1 1/2" NPT	4500 PSI	---

PART #	THREAD	WORKING PRESSURE	LIST PRICE
GE3L04SAE	7/16-20 UNF	5880 PSI	---
GE3L06SAE	9/16-18 UNF	5880 PSI	---
GE3L08SAE	3/4-16 UNF	5145 PSI	---
GE3L12SAE	1-1/16-12 UNF	5145 PSI	---
GE3L16SAE	1-5/16-12 UNF	5145 PSI	---

+ 'L' flow pattern

Temp Rating = -22° - 212°F

Construction: Steel Body, Ball, Stem
Zinc Chromate Plate
Buna "O" Rings (Fluoroelastomer on request)
Delrin Ball Seats


WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

HIGH PRESSURE CHECK VALVES

VALVES

CHECK VALVES - HARD SEAT CARBON STEEL CONSTRUCTION - 5lb Cracking Pressure

• **w/ NPT threads**



A (NPT Female both ends)

PART #	A SIZE	B INCHES	C INCH-ES	RATED FLOW GPM	PSI	LIST PRICE
100025	1/4 NPT	2.44	.87	6	5,000	---
100035	3/8 NPT	2.87	.95	10	5,000	---
100045	1/2 NPT	3.76	1.26	18	5,000	---
100065	3/4 NPT	4.30	1.50	30	5,000	---
100085	1 NPT	4.74	1.83	36	5,000	---
1000105	1-1/4 NPT	5.56	2.40	50	3,000	---
1000125	1-1/2 NPT	5.56	2.56	60	3,000	---

CHECK VALVES - HARD SEAT CARBON STEEL CONSTRUCTION - 65lb Cracking Pressure



PART #	A SIZE	B INCHES	C INCHES	RATED FLOW GPM	PSI	LIST PRICE
1000265	1/4NPT	2.45	.87	6	5,000	---
1000365	3/8NPT	2.91	.94	10	5,000	---
1000465	1/2NPT	3.74	1.18	18	5,000	---
1000665	3/4NPT	4.29	1.26	30	5,000	---
1000865	1NPT	5.00	1.81	36	5,000	---
10001065	1-1/4NPT	5.20	2.41	50	3,000	---
10001265	1-1/2NPT	5.20	2.56	60	3,000	---

CHECK VALVES - 5lb Cracking Pressure

• **w/ SAE threads**



PART #	A SIZE	B INCHES	C INCHES	RATED FLOW GPM	PSI	LIST PRICE
100145	7/16-20 SAE	2.56	.87	6	5,000	---
100165	9/16-18 SAE	2.91	.94	10	5,000	---
100185	3/4-16 SAE	3.74	1.18	18	5,000	---
1001125	1-1/6-12 SAE	4.29	1.50	30	3,000	---
1001165	1-5/16-12 SAE	5.00	1.81	36	3,000	---
1001205	1-5/8-12 SAE	5.20	2.41	50	3,000	---
1001245	1-7/8-12 SAE	5.20	2.56	60	3,000	---

CHECK VALVES - 65lb Cracking Pressure

• **w/ SAE threads**



PART #	A SIZE	B INCHES	C INCHES	RATED FLOW GPM	PSI	LIST PRICE
1001465	7/16-20 SAE	2.56	.87	6	5,000	---
1001665	9/16-18 SAE	2.91	.94	10	5,000	---
1001865	3/4-16 SAE	3.74	1.18	18	5,000	---
10011265	1-1/6-12 SAE	4.29	1.50	30	3,000	---
10011665	1-5/16-12 SAE	5.00	1.81	36	3,000	---
10012065	1-5/8-12 SAE	5.20	2.41	50	3,000	---
10012465	1-7/8-12 SAE	5.20	2.56	60	3,000	---

Rated Pressure: Sizes 2 thru 8 - 5000 psi / Sizes 10 thru 24 - 3000 psi

• Soft Seat available by special quote

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

PVC VALVES
VALVES

WHITE PVC BALL VALVES

- Quarter turn
- Solvent ends comply with ASTM D2466
- Designed for use in residential, commercial & industrial system as well as waste water, chemical, agricultural applications, marine, food processing, swimming pools.
- Corrosion resistant
- EPDM seal
- FULL PORT
- EPDM O-ring
- Fits both Sch. 40 & 80 pipe
- Rated for 150 PSI at 73°F
- Threaded ends comply with ANSI B1.20.1



MOLDED IN PLACE - WHITE PIPE THREADS

PART#	SIZE	CASE	LIST PRICE
940284	1/2"	100	---
940285	3/4"	100	---
940286	1"	100	---
940287	1-1/4"	100	---
940288	1-1/2"	48	---
940289	2"	24	---
940291	3"	12	---
940292	4"	6	---



WHITE SOCKET - SLIP X SLIP

PART #	SIZE	CASE	LIST PRICE
940294	1/2"	100	---
940295	3/4"	100	---
940296	1"	100	---
940297	1-1/4"	100	---
940298	1-1/2"	48	---
940299	2"	24	---
940300	2-1/2"	12	---
940301	3"	12	---
940302	4"	6	---

GREY PVC BALL VALVES

FEATURES

- Sizes range from 1/2" to 4"
- Excellent flow characteristics
- Leak-tight shut-off
- EPPM O-Ring
- SCH 80
- Test pressure: 225 psi @ 73°F
- Working Pressure: 150 psi @ 73°F



FIP X FIP THREADED BALL VALVE

PART #	SIZE	CASE	LIST PRICE
899000	1/2"	100	---
899001	3/4"	100	---
899002	1"	100	---
899003	1-1/4"	100	---
899004	1-1/2"	48	---
899005	2"	24	---



SLIP X SLIP BALL VALVE

PART #	SIZE	CASE	LIST PRICE
899050	1/2"	100	---
899051	3/4"	100	---
899052	1"	100	---
899053	1-1/4"	100	---
899054	1-1/2"	48	---
899055	2"	24	---



CPVC BALL VALVE

PART #	SIZE	LIST PRICE
940281	1/2"	---
940282	3/4"	---

WARNING: This product can expose you to chemicals, including Chloroethane, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

PLASTIC VALVES
VALVES

INLINE PLASTIC SPRING CHECK VALVE

Socket x Socket

- 200 PSI working pressure @ 77°F .5 PSI to open.



PART#	SIZE	LIST PRICE
940325	1/2"	---
940326	3/4"	---
940327	1"	---
940328	1-1/4"	---
940329	1-1/2"	---
940330	2"	---

INLINE PLASTIC SPRING CHECK VALVE FEMALE THREADED ENDS

- 200 PSI working pressure @ 77°F .5 PSI to open.



PART#	SIZE	LIST PRICE
940331	1/2"	---
940332	3/4"	---
940333	1"	---
940334	1-1/4"	---
940335	1-1/2"	---
940336	2"	---

PLASTIC DRUM FAUCETS

- Pipe threads to ANSI B1.20.1
- Hose threads to ANSI B

The FLO-RITE faucet has been engineered to meet the demand for greater chemical resistance, using linear polyethylene for the stem.



"FLO-RITE" DRUM FAUCET

PART #	SIZE	LIST PRICE
46277	3/4"	---

DRUM & BARREL FAUCET VALVE

- Die cast body w/ nylon seat and steel spring.
- For use with all petroleum products except trichlorethylene.




G261N

Not suitable for potable water

SELF-CLOSING DRUM & BARREL FAUCET

PART #	SIZE	LIST PRICE
46270	3/4"	---



Part #	Part Name	Material
1	Body	Zinc
2	Bonnet	Zinc
3	Stem	Steel
4	Disc	Plastic
5	Seal	Rubber
6	Spring	Zinc plated steel
7	Handle	Aluminum
8	Rivet	Aluminum

WARNING: This product can expose you to chemicals, including Chloroethane, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

DUCTILE IRON VALVES AND ACCESSORIES

WAFER STYLE - LEVER OPERATED



NICKLE PLATED DUCTILE IRON DISC & SS DISC

WAFER STYLE GEAR OPERATED




NICKLE PLATED DUCTILE IRON DISC & SS DISC

BUTTERFLY ACCESSORIES



WAFER STYLE DOUBLE DOOR CHECK VALVE



AWWA C508 OUTSIDE LEVER



AND WEIGHT CHECK VALVES

UL/FM FLANGED SWING CHECK VALVE



SWING CHECK FLANGED

AWWA C515-15 GATE VALVES



FLANGED OS & Y RESILIENT WEDGE GATE VALVE



NRS RESILENT WEDGE GATE VALVES, FLANGED, MECHANICAL JOINT & FLANGE BY MECHANICAL JOINT

BUTTERFLY VALVES - WAFER
VALVES

LEVER - WAFER

Small in size and light in weight, easy to install. It can be mounted wherever needed, quick 90° on-off operation. Disc has two-way bearing, perfect seal without leakage under the pressure test. Flow curve tending to straight-line. Strong wash and brush resistence and can fit to bad working condition. Center plate structure, small torque of open and close. Disc & stem are fastened by pin, more stable.



STANDARD:
1.DESIGN CODE :AP1609 Class A
2.FACE TO FACE : AP1609
3.END STANDARD:ANSI B16.5 125LB/150LB
4.INSPECTION & TEST:API 598

TOP FLANGE DIMENSIONS	
SIZE	4-ΦD2
1.5"-3"	4-0.276
4"-6"	4-0.39
8"-14"	4-0.47

PART#	DUCTILE IRON DISC/ BUNA SEAT/ LEVER	CASE	WEIGHT	
9650L2	2"	200	7.3	---
9650L2.5	2-1/2"	190	8.4	---
9650L3	3"	180	9.8	---
9650L4	4"	150	12.1	---
9650L5	5"	110	16.5	---
9650L6	6"	90	16.9	---
9650L8	8"	50	30.3	---
9650L10	10"	35	44.5	---
9650L12	12"	24	51.6	---

SS DISC/ EPDM SEAT/ LEVER

PART#	SIZE	
9650L2SE	2"	---
9650L3SE	3"	---
9650L4SE	4"	---
9650L5SE	5"	---
9650L6SE	6"	---
9650L8SE	8"	---
9650L10SE	10"	---
9650L12SE	12"	---

GEAR - WAFER





STANDARD:
1.DESIGN CODE :AP1609 Class A
2.FACE TO FACE : AP1609
3.END STANDARD:ANSI B16.5 125LB/150LB
4.INSPECTION & TEST:API 598

TOP FLANGE DIMENSIONS

SIZE	ISO5211	ΦK	ΦE	4-ΦD2
1.5"-3"	F05	2.56	1.97	4-0.276
4"-6"	F07	3.54	2.76	4-0.39
8"-14"	F10	4.92	4.02	4-0.47

PART#	WAFER/ DUCTILE IRON DISC/ BUNA SEAT/ GEAR	CASE	WEIGHT	
9650G2	2"	200	7.3	---
9650G2.5	2-1/2"	190	8.4	---
9650G3	3"	180	9.8	---
9650G4	4"	150	12.1	---
9650G6	6"	90	16.9	
9650G8	8"	50	30.3	---
9650G10	10"	35	44.5	---
9650G12	12"	24	51.6	---

WAFER/ SS DISC/ EPDM SEAT/ GEAR

PART#	SIZE	
9650G2SE	2"	---
9650G2.5SE	2-1/2"	---
9650G3SE	3"	---
9650G4SE	4"	---
9650G6SE	6"	---
9650G8SE	8"	---
9650G10SE	10"	---
9650G12SE	12"	---

LEVER - LUG

Small in size and light in weight, easy to install, can be mounted wherever needed. Lug type butterfly valve can be used at the end of the pipeline. Lug type butterfly valve has threaded metal inserts installed in the valve's bolt holes. Inserts are threaded on both ends, which allows this lug style valve to be installed into a system using two sets of bolts and no nuts for each hole. Valve is installed between two flanges using a separate set of bolts for each side of the flange. This setup permits either side of the piping system to be disconnected without disturbing the other side.



PART#	DUCTILE IRON DISC/ BUNA SEAT/ LEVER	CASE	WEIGHT	
9660L2	2"	200	7.3	---
9660L2.5	2-1/2"	190	8.4	---
9660L3	3"	180	9.8	---
9660L4	4"	150	12.1	---
9660L5	5"	110	16.5	---
9660L6	6"	90	16.9	---
9660L8	8"	50	30.3	---
9660L10	10"	35	44.5	---
9660L12	12"	24	51.6	---

SS DISC/ EPDM SEAT/ LEVER

PART#	SIZE	
9660L2SE	2"	---
9660L3SE	3"	---
9660L4SE	4"	---
9660L5SE	5"	---
9660L6SE	6"	---
9660L8SE	8"	---
9660L10SE	10"	---
9660L12SE	12"	---

GEAR - LUG



PART#	DUCTILE IRON DISC/ BUNA SEAT/ GEAR	CASE	WEIGHT	
9660G2	2"	200	7.3	---
9660G2.5	2-1/2"	190	8.4	---
9660G3	3"	180	9.8	---
9660G4	4"	150	12.1	---
9660G6	6"	90	16.9	---
9660G8	8"	50	30.3	---
9660G10	10"	35	44.5	---
9660G12	12"	24	51.6	---

SS DISC/ EPDM SEAT/ GEAR

PART#	SIZE	
9660G2SE	2"	---
9660G2.5SE	2-1/2"	---
9660G3SE	3"	---
9660G4SE	4"	---
9660G6SE	6"	---
9660G8SE	8"	---
9660G10SE	10"	---
9660G12SE	12"	---

BUTTERFLY ACCESSORIES
VALVES

STEM EXTENSIONS



- FOR BOLTS AND NUTS
- BLACK COLOR

PART#	FOR VALVE SIZES ""	LENGTH	
9650EX2324	2-3	24 LONG	---
9650EX2336	2-3	36 LONG	---
9650EX2348	2-3	48 LONG	---
9650EX2360	2-3	60 LONG	---
9650EX2372	2-3	72 LONG	---
9650EX4624	4-6	24 LONG	---
9650EX4636	4-6	36 LONG	---
9650EX4648	4-6	48 LONG	---
9650EX4660	4-6	60 LONG	---
9650EX4672	4-6	72 LONG	---
9650EX1224	8-12	24 LONG	---
9650EX1236	8-12	36 LONG	---
9650EX1248	8-12	48 LONG	---
9650EX1260	8-12	60 LONG	---
9650EX1272	8-12	72 LONG	---

LEVER REPLACEMENT



PART#	REPLACEMENT LEVER HANDLE FOR	
9650L23	2-3 9650BFV	---
9650L46	4-6 9650 BFV	---
9650L812	8-10 9650 B	---
9650L120	12 9650 BFV	---

GEAR WHEEL HANDLE



PART#	REPLACEMENT WHEEL HANDLE FOR	
9650WH23	2-3" 9650 BFV	---
9650WH46	4-6" 9650 BFV	---
9650WH812	8-12" BFV	---

ROLL PIN



PART#	REPLACEMENT ROLL PIN FOR	
9650RP23	2-3 9650 BFV	---
9650RP46	4-6 9650 BFV	---
9650RP12	8-12 9650 BFV	----

INDEX PLATE



PART#	REPLACEMENT INDEX PLATE	
9650IP23	2-3" 9650BFV	---
9650IP46	4-6" 9650BFV	---
9650IP812	8-12" 9650 B	---


GEAR REPLACEMENT




PART#	REPLACEMENT GEAR OPERATOR	
9650G23	2-3 9650 BFV	---
9650G46	4-6 9650 BFV	---
9650G812	8-10 9650BFV	---
9650G120	12 - 9650BFV	---

DOUBLE DOOR WAFER CHECK VALVE





Part	Part	MATERIAL
1	Countersunk Hex Head Screws	Carbon Steel ASTM A325
2	Stal Ring	EPDM
3	Gasket	PTFE
4	Shaft	Stainless Steal SS420
5	Disc	Aluminum Brance C954
6	Spring	Stainless Steal SS304
7	Body	Ductile Lron ASTM 65-45-12



MAIN DIMENSIONS					
DN		Dimensions (mm)			
inch	mm	L	D	D1	D2
2	50	54	102	64	46
21/2'	65	54	121	78	60
3	80	57	134	94	70
4	100	64	162	117	84
5	125	70	192	145	115
6	150	76	218	170	134
8	200	95	273	224	184
10	250	108	335	265	220
12	300	143	407	310	260
14	350	184	442	360	302
16	400	191	511	410	350


PART#	SIZE	CASE	WEIGHT	
963002	2	50	4	---
963025	2-1/2	40	5	---
963003	3	20	8	---
963004	4	20	13	---
963005	5	20	16	---
963006	6	10	20	---
963008	8	10	38	---
963010	10	10	38	---
963012	12	5	92	---
963014	14	4	121	---
963016	16	4	165	---


DUCTILE IRON CHECK VALVES
VALVES

CHECK VALVE W/OUTSIDE L/W

AWWA C508 CHECK VALVE W/OUTSIDE L/W







Part	Part	MATERIAL
1	Valve Body	Ductile iron 65-45-12
2	Seat	ASTM B62 C83600
3	Disc	Ductile iron 65-45-12
4	Disc Seat Ring	NBR
5	Retainer Washer	Ductile iron 65-45-12
6	Washer	AISI 304
7	Bolt	AISI 304
8	Stud	ASTM B62 C83600
9	Roll Pin	AISI 304
10	Roll Pin	AISI 304
11	Nut	ASTM B62 C83600
12	Washer	ASTM B62 C83600
13	Flat Key	AISI 304
14	Clapper Arm	Ductile iron 65-45-12
15	O-Ring	NBR
16	Bonnet	Ductile iron 65-45-12
17	Bolt	AISI 316
18	Bolt	AISI 316
19	Washer	AISI 316
20	Weight	Ductite iron,65-45-12
21	Arm	Cast steel WCB
22	Bolt	AISI 316
23	Nut	AISI 316
24	Nut	AISI 316
25	Bolt	AISI 316
26	Seat Nut	ASTM B62 C83600
27	O-Ring	NBR
28	Gasket	PTFE
29	Circlip	Carbon steel
30	Shaft sleeve gland	ASTM B62 CB3600

MAIN DIMENSIONS (mm)

inch	DN	L	D	D1	b	n-d	H
3"	80	241	200	152.5	19	4-19.1	173
4"	100	292	229	190.5	24	8-19.1	175.5
6"	150	356	285	241.5	25.5	8-22.2	237.5
8"	200	495	343	298.5	28.5	8-22.2	272.5
10"	250	622	406	362	30.5	12-25.4	326
12"	300	698	483	432	32	12-25.4	358



UL/FM FLANGED SWING CHECK VALVE

PART#	SIZE	CASE	WEIGHT	
96203LW	3	16	57	---
96204LW	4	12	84	---
96206LW	6	6	156	---
96208LW	8	4	294	---
962010LW	10	2	466	---
962012LW	12	2	627	---


PART#	SIZE	CASE	WEIGHT	
96203UL	3	36	50	---
96204UL	4	36	77	---
96206UL	6	14	140	---
96208UL	8	4	266	---
962010UL	10	1	398	---
962012UL	12	1	533	---


DUCTILE IRON CHECK VALVES

VALVES

AWWA C508 & AWWA C515 SWING CHECK VALVE FLANGED







Part	Part	MATERIAL
1	Valve Body	Ductile Iron 65-45-12
2	Bonnet	Ductile Iron 65-45-12
3	Sling Ring	Carbon Steel Zinc Plated
4	O Ring	NBR
5	Hinge Pin	Stainless Steel 304
6	Hinge bushing	Brass ASTM B36
7	Seat Ring	Bronze ASTM B62
8	Disc Seat Bolts	Stainless Steel 304
9	Retainer Washer	Bronze ASTM B62
10	Disc Seat Ring	EPDM
11	Disc	Ductile Iron 65-45-12
12	Ctapper Arm	Ductile Iron 65-45-12
13	Stud Bushing	Bronze ASTM B36
14	O Ring	NBR
15	Nuts	Stainless Steel 304
16	Plug	Tin bronze

MAIN DIMENSIONS


DN		PSI	Dimensions (mm)					
inch	mm		L	D	D1	b	n-d	H
3"	80	300	278	191	152.5	19	4-19.1	160
4"	100	300	330	229	190.5	24	8-19.1	218
6"	150	300	406	279	241.5	25.5	8-22.2	290
8"	200	300	495	343	298.5	28.5	8-22.2	330
10"	250	300	622	406	362	30.5	12-25.4	350
12"	300	300	660	483	432	32	12-25.4	376

PART#	SIZE	CASE	WEIGHT	
962003	3	16	57	---
962004	4	12	84	---
962006	6	6	156	---
962008	8	4	294	---
962010	10	2	466	---
962012	12	2	627	---

DUCTILE IRON GATE VALVES
VALVES

C515 OS&Y RESILIENT SEATED GATE VALVE
FLANGE ENDS, 300PSI





	DESCRIPTION	MATERIAL	ASTM SPEC.
1	Body	Ductile Iron	A536 65-45-12
2	Wedge	Ductile Iron, EPDM Encapsulated	A536 65-45-12
3	Wedge Nut	Stainless Steel	A276 Type 304SS
4	Pin	Stainless Steel	A276 Type 420SS
5	O-Ring	Rubber	D2000 NBR
6	Gasket	Rubber	D2000 NBR
7	Stem	Stainless Steel	A276 Type 304SS
8	Bonnet	Ductile Iron	A536 65-45-12
9	Packing	Graphite	
10	Gland	Ductile Iron	A536 65-45-12
11	Yoke Nut	Bronze	B148 C95200
12	Washer	Brass	
13	Handwheel	Ductile Iron	A536 65-45-12
14	Handwheel Nut	Ductile Iron	A536 65-45-12
15	Bolts	Stainless Steel	A276 Type 304SS
16	Nuts	Stainless Steel	A276 Type 316SS
17	Washers	Stainless Steel	A276 Type 304SS

PART#	SIZE	CASE	WEIGHT	
9610F25	2-1/2"	25	46.2	---
9610F3	3"	16	62.7	---
9610F4	4"	16	74.8	---
9610F6	6"	9	103.9	---
9610F8	8"	6	190.9	---
9610F10	10"	2	291.8	---
9610F12	12"	2	409.8	---

NO TAP

PART#	SIZE	CASE	WEIGHT	
9610NYCF25	2-1/2"	25	46.2	---
9610NYCF3	3"	32	62.7	---
9610NYCF4	4"	64	74.8	---
9610NYCF6	6"	54	103.9	---
9610NYCF8	8"	36	190.9	---
9610NYCF10	10"	12	291.8	---
9610NYCF12	12"	12	409.8	---


COMPLIES WITH NEW YORK AND CHICAGO REQUIREMENTS.

MAIN DIMENSIONS

Size	2.5"	3"	4"	6"	8"	10"	12"
L	7-1/2"	8"	9"	10-1/2"	11-1/2"	13"	14"
H (Open)	16-5/8"	18-7/8"	21-5/8"	29-1/8"	36-5/8"	44-1/2"	52"
H (Close)	13-3/4"	15-3/4"	17-3/4"	23-1/4"	28-3/4"	34-3/4"	40-1/6"
D	7-1/4"	10"	10"	12"	14"	17-1/2"	17-1/2"

NRS RESILIENT SEATED GATE VALVE
FLANGE ENDS, 300PSI





PART#	SIZE	CASE	WEIGHT	
9600FL25	2-1/2"	25	37.6	---
9600FL3	3"	16	54.2	---
9600FL4	4"	16	65.5	---
9600FL6	6"	9	107.5	---
9600FL8	8"	6	181.9	---
9600FL10	10"	2	297.4	---
9600FL12	12"	2	431.4	---


Item	Descript.	Material	ASTM Spec.
1	Body	Ductile Iron	A536 65-45-12
2	Wedge	Ductile Iron, EPDM Encapsulated	A536 65-45-12
3	Wedge Nut	Bronze	B148 C95200
4	Stem	Stainless Steel	A276 Type 304SS
5	Gasket	Rubber	D2000 NBR
6	Bolts	Stainless Steel	A276 Type 304SS
7	Bonnet	Ductile Iron	A536 65-45-12
8	O-Ring	Rubber	D2000 NBR
9	Thrust Collar	Bronze	B148 C95200
10	O-Ring	Rubber	D2000 NBR
11	Gland	Ductile Iron	A536 65-45-12
12	O-Ring	Rubber	D2000 NBR
13	Dust Ring	Rubber	D2000 NBR

MAIN DIMENSIONS							
Size	2.5"	3"	4"	6"	8"	10"	12"
L	7-1/2"	8.0"	9.0"	10-1/2"	11-1/2"	13.0"	14.0"

DUCTILE IRON GATE VALVES
VALVES

AWWA C515-15 NRS RESILIENT SEATED GATE VALVE
MJ × MJ ENDS, 300PSI





PART#	SIZE	WEIGHT	CASE	
9600MJ3	3"	54.2	16	---
9600MJ4	4"	65.5	16	---
9600MJ6	6"	107.5	9	---
9600MJ8	8"	181.9	6	---
9600MJ10	10"	297.4	2	---
9600MJ12	12"	431.4	2	---


*STANDARD CONFIG IS OP NUT ONLY
*MJ=MECHANICAL JOINT

Item	Descrip.	Material	ASTM Spec.
1	Body	Ductile Iron	A536 65-45-12
2	Wedge	Ductile Iron, EPDM Encapsu-lated	A536 65-45-12
3	Wedge Nut	Bronze	B148 C95200
4	Stem	Stainless Steel	A276 Type 304SS
5	Gasket	Rubber	D2000 NBR
6	Bolts	Stainless Steel	A276 Type 304SS
7	Bonnet	Ductile Iron	A536 65-45-12
8	O-Ring	Rubber	D2000 NBR
9	Thrust Collar	Bronze	B148 C95200
10	O-Ring	Rubber	D2000 NBR
11	Gland	Ductile Iron	A536 65-45-12
12	O-Ring	Rubber	D2000 NBR
13	Dust Ring	Rubber	D2000 NBR

MAIN DIMENSIONS						
Size	3"	4"	6"	8"	10"	12"
L	11.5"	12.5"	14.8"	15.0"	13.0"	14.0"
H	16.4"	20.7"	24.5"	28.0"	24.5"	28.0"

NRS RESILIENT SEATED GATE VALVE
FL × MJ ENDS, 300PSI





PART#	SIZE	WEIGHT	CASE	
9600FJ3	3"	54.3	16	---
9600FJ4	4"	65.5	16	---
9600FJ6	6"	107.5	9	---
9600FJ8	8"	181.9	6	---
9600FJ10	10"	297.4	2	---
9600FJ12	12"	431.4	2	---

*STANDARD CONFIG IS OP NUT ONLY
*MJ=MECHANICAL JOINT

Item	Description	Material	ASTM Spec.
1	Body	Ductile Iron	A536 65-45-12
2	Wedge	Ductile Iron, EPDM Encap-sulated	A536 65-45-12
3	Wedge Nut	Bronze	B148 C95200
4	Stem	Stainless Steel	A276 Type 304SS
5	Gasket	Rubber	D2000 NBR
6	Bolts	Stainless Steel	A276 Type 304SS
7	Bonnet	Ductile Iron	A536 65-45-12
8	O-Ring	Rubber	D2000 NBR
9	Thrust Collar	Bronze	B148 C95200
10	O-Ring	Rubber	D2000 NBR
11	Gland	Ductile Iron	A536 65-45-12
12	O-Ring	Rubber	D2000 NBR
13	Dust Ring	Rubber	D2000 NBR

MAIN DIMENSIONS

Size	3"	4"	6"	8"	10"	12"	10"	12"
L	8.8"	9.5"	11.0"	12.0"	14.0"	14.5"	13"	14"
H	11.0"	11.8"	16.4"	20.7"	24.5"	28.0"	44-1/2"	52"
D	10.0"	10.0"	12.0"	14.0"	16.0"	16.0"	34-3/4"	40-1/6"

NIPPLES & FITTINGS



BRASS & BRONZE

Brass Nipples - Sch 40
C/P Brass Nipples
Bronze Fittings
Lead Free Bronze Fittings
C/P Fittings
Bronze Cleanout Plugs
Bronze Drop Ear Elbows
Bronze Barbs for PL. Pipe
Steel Barbs for PL. Pipe
Lead Free Bronze Barbs for PL. Pipe
Stainless Steel Barbs for PL. Pipe
Stainless Steel Well Couplings
Stainless Steel Merchant Couplings

Single Run
Nipple Assortments
STAINLESS STEEL

Stainless Nipples
150# Cast SS Fittings

BLACK & GALVANIZED

Sch. 40 Welded Steel Nipples
Sch. 80 Seamless Steel nipple
Sch. XXS Seamless Steel Nipple
Groove Nipples
Merchant Couplings
API Line Couplings
Malleable Fittings
Steel Fittings
300# Malleable
Bull Plugs and Swages
Forged Steel Fanges
Companion Flanges
Blind Flanges
Copper Fittings

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BRASS NIPPLES



We hereby certify that to the best of our knowledge and belief the CDA 230 alloy seamless Red Brass Pipe from which our nipples are produced meet the requirements of ASTM Specifications B43 and is free of mercury contamination. The chemical analysis is 85% copper, 15% Zinc and conforms to federal Specifications WWN-351. Our brass nipples meet ANSI/ASTM B687-96 and MS51846 for standard brass nipples, and MS51872 for extra heavy brass nipples.

Threads: Nipples are threaded with American Standard taper pipe threads (NPT) in accordance with screw-thread standard for Federal Services Handbook H-58. ANSI B1.20.1

This product is certified by NSF to NSF/ANSI 61 for use in drinking water supplies of pH 6.5 and above.

- ASTM B43
- ANSI B1.20.1, WW-N-351
- ANSI/ ASTM B687-96
- NSF-61 Approved
- MS51846 STD Brass Nipples
- RoHS compliant

STANDARD RED BRASS 85%
PIPE WITH THREADED ENDS SPECIFICATIONS:

Pipe Size in Inches	Dimension in Inches		
	O.D.	I.D.	Wall Thickness
1/8"	.405	.281	.062
1/4"	.540	.376	.082
3/8"	.675	.495	.090
1/2"	.840	.626	.107
3/4"	1.050	.822	.114
1"	1.315	1.063	.126
1-1/4"	1.660	1.368	.146
1-1/2"	1.900	1.600	.150
2"	2.375	2.063	.156
2-1/2"	2.875	2.501	.187
3"	3.500	3.062	.219
3-1/2"	4.000	3.500	.250
4"	4.500	4.000	.250
4-1/2"	5.000	4.500	.250
5"	5.563	5.063	.250
6"	6.625	6.125	.250

Allowable Pressure POUNDS PER SQUARE INCH				
Standard Size (Inches)	@ 100° F	@ 200° F	@ 300° F	@ 400° F
1/8"	370	370	320	140
1/4"	870	870	760	330
3/8"	890	890	780	340
1/2"	900	900	790	340
3/4"	810	810	710	310
1"	630	630	560	240
1-1/4"	690	690	610	260
1-1/2"	630	630	560	240
2"	540	540	480	210
2-1/2"	450	450	390	170
3"	510	510	450	190
3-1/2"	570	570	500	220
4"	510	510	440	190
5"	410	410	360	160
6"	340	340	300	130

No-Lead 125LB seamless Threaded Red Brass Nipples - 2200

LEAD FREE

LEAD FREE

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

SCH 40 SEAMLESS
NIPPLES AND FITTINGS

113RB



LEAD FREE

1/8" - 27

1/8" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	CHAMPION	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40001	80300-02	112RB-A	Close (3/4")	25/400	0.02	---
40002	80300-0215	113RB-A15	x 1-1/2"	25/400	0.03	---
40003	80300-0220	113RB-A2	x 2"	25/400	0.04	---
40004	80300-0225	113RB-A25	x 2-1/2"	25/400	0.05	---
40005	80300-0230	113RB-A3	x 3"	25/400	0.06	---
40006	80300-0235	113RB-A35	x 3-1/2"	25/400	0.07	---
40007	80300-0240	113RB-A4	x 4"	25/400	0.08	---
40008	80300-0245	113RB-A45	x 4-1/2"	25/400	0.10	---
40009	80300-0250	113RB-A5	x 5"	25/400	0.11	---
40010	80300-0255	113RB-A55	x 5-1/2"	25/400	0.12	---
40011	80300-0260	113RB-A6	x 6"	25/400	0.13	---
40012	80300-0270	113RB-A7	x 7"	25/400	0.15	---
40013	80300-0280	113RB-A8	x 8"	25/400	0.17	---
40014	80300-0290	113RB-A9	x 9"	25/400	0.19	---
40015	80300-0292	113RB-A10	x 10"	25/400	0.21	---
40016	80300-0294	113RB-A11	x 11"			---
40017	80300-0296	113RB-A12	x 12"	25/400	0.25	---
40018			x 14"	1/1	0.29	---
40019			x 16"	1/1	0.34	---



LEAD FREE

1/4"-18

1/4" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	CHAMPION	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40020	80300-04	112RB-B	Close (7/8")	25/400	0.03	---
40021	80300-0415	113RB-B15	x 1-1/2"	25/400	0.05	---
40022	80300-0420	113RB-B2	x 2"	25/400	0.07	---
40023	80300-0425	113RB-B25	x 2-1/2"	25/400	0.09	---
40024	80300-0430	113RB-B3	x 3"	25/400	0.11	---
40025	80300-0435	113RB-B35	x 3-1/2"	25/400	0.13	---
40026	80300-0440	113RB-B4	x 4"	25/400	0.14	---
40027	80300-0445	113RB-B45	x 4-1/2"	25/400	0.16	---
40028	80300-0450	113RB-B5	x 5"	25/400	0.18	---
40029	80300-0455	113RB-B55	x 5-1/2"	25/400	0.20	---
40030	80300-0460	113RB-B6	x 6"	25/400	0.22	---
40031	80300-0470	113RB-B7	x 7"	25/200	0.25	---
40032	80300-0480	113RB-B8	x 8"	25/200	0.29	---
40033	80300-0490	113RB-B9	x 9"	25/200	0.33	---
40034	80300-0492	113RB-B10	x 10"	25/200	0.36	---
40035	80300-0494	113RB-B11	x 11"	25/200	0.40	---
40036	80300-0496	113RB-B12	x 12"	25/200	0.43	---

See page pipe fittings for Yellow Brass Nipples

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



LEAD FREE

3/8"-18

3/8" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	CHAMPION	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40040	80300-06	112RB-C	Close (1")	25/400	0.05	---
40041	80300-0615	113RB-C15	x 1-1/2"	25/400	0.08	---
40042	80300-0620	113RB-C2	x 2"	25/400	0.10	---
40043	80300-0625	113RB-C25	x 2-1/2"	25/400	0.13	---
40044	80300-0630	113RB-C3	x 3"	25/400	0.16	---
40045	80300-0635	113RB-C35	x 3-1/2"	25/400	0.18	---
40046	80300-0640	113RB-C4	x 4"	25/400	0.21	---
40047	80300-0645	113RB-C45	x 4-1/2"	25/300	0.23	---
40048	80300-0650	113RB-C5	x 5"	25/300	0.26	---
40049	80300-0655	113RB-C55	x 5-1/2"	25/300	0.29	---
40050	80300-0660	113RB-C6	x 6"	25/300	0.31	---
40051	80300-0670	113RB-C7	x 7"	25/200	0.36	---
40052	80300-0680	113RB-C8	x 8"	25/150	0.42	---
40053	80300-0690	113RB-C9	x 9"	25/150	0.47	---
40054	80300-0692	113RB-C10	x 10"	25/100	0.52	---
40055	80300-0694	113RB-C11	x 11"	25/100	0.57	---
40056	80300-0696	113RB-C12	x 12"	25/100	0.62	---

113RB



LEAD FREE

1/2" - 14

1/2" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	CHAMPION	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40060	80300-08	112RB-D	Close (1-1/8")	25/400	0.09	---
40061	80300-0815	113RB-D15	x 1-1/2"	25/400	0.12	---
40062	80300-0820	113RB-D2	x 2"	25/400	0.16	---
40063	80300-0825	113RB-D25	x 2-1/2"	25/300	0.20	---
40064	80300-0830	113RB-D3	x 3"	25/300	0.23	---
40065	80300-0835	113RB-D35	x 3-1/2"	25/300	0.27	---
40066	80300-0840	113RB-D4	x 4"	25/200	0.31	---
40067	80300-0845	113RB-D45	x 4-1/2"	25/200	0.35	---
40068	80300-0850	113RB-D5	x 5"	25/200	0.39	---
40069	80300-0855	113RB-D55	x 5-1/2"	25/200	0.43	---
40070	80300-0860	113RB-D6	x 6"	25/200	0.47	---
40071	80300-0870	113RB-D7	x 7"	25/100	0.55	---
40072	80300-0880	113RB-D8	x 8"	25/100	0.62	---
40073	80300-0890	113RB-D9	x 9"	25/100	0.70	---
40074	80300-0892	113RB-D10	x 10"	25/75	0.78	---
40075	80300-0894	113RB-D11	x 11"	25/75	0.86	---
40076	80300-0896	113RB-D12	x 12"	25/75	0.94	---
40079			x 24"			
40245			x 36"			

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

SCH 40 SEAMLESS
NIPPLES AND FITTINGS



LEAD FREE

3/4" - 14

3/4" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	CHAMPION	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40080	80300-12	112RB-E	Close (1- 3/8")	25/400	0.15	---
40081	80300-1215	113RB-E15	x 1-1/2"	25/400	0.16	---
40082	80300-1220	113RB-E2	x 2"	25/300	0.21	---
40083	80300-1225	113RB-E25	x 2-1/2"	25/300	0.27	---
40084	80300-1230	113RB-E3	x 3"	25/200	0.32	---
40085	80300-1235	113RB-E35	x 3-1/2"	25/200	0.37	---
40086	80300-1240	113RB-E4	x 4"	25/150	0.43	---
40087	80300-1245	113RB-E45	x 4-1/2"	25/150	0.48	---
40088	80300-1250	113RB-E5	x 5"	25/100	0.53	---
40089	80300-1255	113RB-E55	x 5-1/2"	25/100	0.59	---
40090	80300-1260	113RB-E6	x 6"	25/100	0.64	---
40091	80300-1270	113RB-E7	x 7"	25/75	0.75	---
40092	80300-1280	113RB-E8	x 8"	25/75	0.85	---
40093	80300-1290	113RB-E9	x 9"	25/75	0.96	---
40094	80300-1292	113RB-E10	x 10"	25/50	1.06	---
40095	80300-1294	113RB-E11	x 11"	25/50	1.17	---
40096	80300-1296	113RB-E12	x 12"	25/50	1.28	---
40097	80300-129918		x 18"	1/1	1.92	---
40098	80300-129924		x 24"	1/1	2.56	---

113RB



LEAD FREE

1" - 11 1/2

1" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40100	80300-16	Close (1-1/2")	25/200	0.23	---
40101	80300-1620	x 2"	25/200	0.30	---
40102	80300-1625	x 2-1/2"	25/150	0.38	---
40103	80300-1630	x 3"	25/150	0.45	---
40104	80300-1635	x 3-1/2"	25/100	0.53	---
40105	80300-1640	x 4"	25/100	0.60	---
40106	80300-1645	x 4-1/2"	25/100	0.68	---
40107	80300-1650	x 5"	25/75	0.75	---
40108	80300-1655	x 5-1/2"	25/75	0.83	---
40109	80300-1660	x 6"	25/50	0.94	---
40110	80300-1670	x 7"	25/50	1.05	---
40111	80300-1680	x 8"	25/50	1.20	---
40112	80300-1690	x 9"	25/50	1.35	---
40113	80300-1692	x 10"	25/50	1.50	---
40114	80300-1694	x 11"	25/50	1.65	---
40115	80300-1696	x 12"	20/40	1.80	---
40118		x 18"			
40119		x 24"			

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



LEAD FREE

1 1/4" - 11 1/2

1-1/4" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40120	80300-20	Close (1-5/8")	25/100	0.36	---
40121	80300-2020	x 2"	25/100	0.44	---
40122	80300-2025	x 2-1/2"	25/100	0.56	---
40123	80300-2030	x 3"	25/100	0.67	---
40124	80300-2035	x 3-1/2"	25/100	0.78	---
40125	80300-2040	x 4"	25/50	0.89	---
40126	80300-2045	x 4-1/2"	25/50	1.00	---
40127	80300-2050	x 5"	25/50	1.11	---
40128	80300-2055	x 5-1/2"	25/50	1.22	---
40129	80300-2060	x 6"	25/50	1.33	---
40130	80300-2070	x 7"	25/50	1.56	---
40131	80300-2080	x 8"	25/50	1.78	---
40132	80300-2090	x 9"	25/50	2.00	---
40133	80300-2092	x 10"	25/50	2.22	---
40134	80300-2094	x 11"	25/50	2.45	---
40135	80300-2096	x 12"	25/50	2.67	---
40136	80300-209918	x 18"	1/1	4.00	---

113RB



LEAD FREE

1-1/2" - 11 1/2

1-1/2" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40140	80300-24	Close (1-3/4")	25/100	0.46	---
40141	80300-2420	x 2"	25/100	0.53	---
40142	80300-2425	x 2-1/2"	25/50	0.66	---
40143	80300-2430	x 3"	25/50	0.79	---
40144	80300-2435	x 3-1/2"	25/50	0.93	---
40145	80300-2440	x 4"	25/50	1.06	---
40146	80300-2445	x 4-1/2"	25/50	1.19	---
40147	80300-2450	x 5"	20/40	1.32	---
40148	80300-2455	x 5-1/2"	20/40	1.46	---
40149	80300-2460	x 6"	20/40	1.59	---
40150	80300-2470	x 7"	20/40	1.85	---
40151	80300-2480	x 8"	20/40	2.12	---
40152	80300-2490	x 9"	20/40	2.38	---
40153	80300-2492	x 10"	20/40	2.65	---
40154	80300-2494	x 11"	1/40	2.91	---
40155	80300-2496	x 12"	1/15	3.18	---
40156	80300-249918	x 18"	1/1	4.77	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

SCH 40 SEAMLESS
NIPPLES AND FITTINGS



LEAD FREE

2" - 11 1/2

2" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40160	80300-32	Close (2")	25/50	0.69	---
40161	80300-3225	x 2-1/2"	25/50	0.86	---
40162	80300-3230	x 3"	25/50	1.03	---
40163	80300-3235	x 3-1/2"	25/50	1.20	---
40164	80300-3240	x 4"	1/25	1.37	---
40165	80300-3245	x 4-1/2"	1/25	1.54	---
40166	80300-3250	x 5"	1/25	1.72	---
40167	80300-3255	x 5-1/2"	1/25	1.89	---
40168	80300-3260	x 6"	1/25	2.06	---
40169	80300-3270	x 7"	1/20	2.40	---
40170	80300-3280	x 8"	1/18	2.74	---
40171	80300-3290	x 9"	1/18	3.09	---
40172	80300-3292	x 10"	1/18	3.43	---
40173	80300-3294	x 11"	1/18	3.77	---
40174	80300-3296	x 12"	1/14	4.12	---
40175	80300-329918	x 18"	1/1	6.18	---
40176	80300-329924	x 24"	1/1	8.24	---
40178	80300-329936	x 36"	1/1	12.36	---
40179	80300-329948	x 48"	1/1	16.48	---

113RB



LEAD FREE

2 1/2" - 8

2-1/2" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40180	80300-40	Close (2-1/2")	1/36	1.26	---
40181	80300-4030	x 3"	1/36	1.51	---
40182	80300-4035	x 3-1/2"	1/30	1.76	---
40183	80300-4040	x 4"	1/30	2.02	---
40184	80300-4045	x 4-1/2"	1/30	2.27	---
40185	80300-4050	x 5"	1/20	2.52	---
40186	80300-4055	x 5-1/2"	1/20	2.77	---
40187	80300-4060	x 6"	1/20	3.03	---
40193		x 12"			

See our Valve section for 2-1/2, 3 and 4" Valves

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov



LEAD FREE

3" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40200	80300-48	Close (2-5/8")	1/24	1.89	---
40201	80300-4830	x 3"	1/20	2.16	---
40202	80300-4835	x 3-1/2"	1/18	2.52	---
40203	80300-4840	x 4"	1/18	2.88	---
40204	80300-4845	x 4-1/2"	1/18	3.24	---
40205	80300-4850	x 5"	1/18	3.60	---
40206	80300-4855	x 5-1/2"	1/18	3.96	---
40207	80300-4860	x 6"	1/12	4.32	---
40209	80300-4880	x 8"	1/1	5.76	---
40213	80300-4896	x 12"	1/1		---

113RB



LEAD FREE

4" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40220	80300-64	Close (2-7/8)	1/20	2.40	---
40221	80300-6430	x 3"	1/10	2.72	---
40222	80300-6435	x 3-1/2"	1/10	3.18	---
40223	80300-6440	x 4"	1/10	3.71	---
40224	80300-6445	x 4-1/2"	1/5	4.24	---
40225	80300-6450	x 5"	1/5	4.77	---
40226	80300-6455	x 5-1/2"	1/5	5.30	---
40234	80300-6460	x 6"	1/5	6.36	---



LEAD FREE

6" DIAMETER SCH 40 SEAMLESS

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
40254		Close	1/1	4.94	---
40256		x 4"	1/1	6.54	---
40259		x 4-1/2"	1/1	7.12	---
40260		x 5"	1/1	7.91	---
40261		x 6"	1/1	9.49	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

CHROME PLATED
NIPPLES AND FITTINGS

113CP



LEAD FREE

3/8" DIAMETER CHROME PLATED

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
41040	81300-06	X Close	5/25	0.05	---
41041	81300-0615	x 1-1/2"	5/25	0.08	---
41042	81300-0620	x 2"	5/25	0.10	---
41043	81300-0625	x 2-1/2"	5/25	0.13	---
41044	81300-0630	x 3"	5/25	0.16	---
41045	81300-0635	x 3-1/2"	5/25	0.18	---
41046	81300-0640	x 4"	5/25	0.21	---
41047	81300-0645	x 4-1/2"	5/25	0.23	---
41048	81300-0650	x 5"	5/25	0.26	---
41049	81300-0655	x 5-1/2"	5/25	0.29	---
41050	81300-0660	x 6"	5/25	0.31	---
41054	81300-0692	x 10"	1/1	0.52	
41056	81300-0696	x 12"	1/1	0.62	



LEAD FREE

1/2" DIAMETER CHROME PLATED

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
41060	81300-08	X Close	5/25	0.09	---
41061	81300-0815	x 1-1/2"	5/25	0.12	---
41062	81300-0820	x 2"	5/25	0.16	---
41063	81300-0825	x 2-1/2"	5/25	0.20	---
41064	81300-0830	x 3"	5/25	0.23	---
41065	81300-0835	x 3-1/2"	5/25	0.27	---
41066	81300-0840	x 4"	5/25	0.31	---
41067	81300-0845	x 4-1/2"	5/25	0.35	---
41068	81300-0850	x 5"	5/25	0.39	---
41069	81300-0855	x 5-1/2"	5/25	0.43	---
41070	81300-0860	x 6"	5/25	0.47	---
41074	81300-0892	x 10"	1/1	0.78	---
41075		x 11"	1/1	0.86	
41076	81300-0896	x 12"	1/1	0.94	
41077		x 18"	1/1	1.41	
41079		x 24"	1/1	1.88	
41244		x 36"	1/1	2.82	
41245		x 48"	1/1	3.76	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

CHROME PLATED
NIPPLES AND FITTINGS



81300-12

LEAD FREE

3/4" DIAMETER CHROME PLATED

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
41080	81300-12	Close (1- 3/8")	25/400	0.15	
41081	81300-1215	x 1-1/2"	25/400	0.16	---
41082	81300-1220	x 2"	25/300	0.21	---
41083	81300-1225	x 2-1/2"	25/300	0.27	---
41084	81300-1230	x 3"	25/200	0.32	---
41085	81300-1235	x 3-1/2"	25/200	0.37	---
41086	81300-1240	x 4"	25/150	0.43	---
41087	81300-1245	x 4-1/2"	25/150	0.48	---
41088	81300-1250	x 5"	25/100	0.53	---
41089	81300-1255	x 5-1/2"	25/100	0.59	---
41090	81300-1260	x 6"	25/100	0.64	---



81300-16

LEAD FREE

1" DIAMETER CHROME PLATED

MIDLAND	AMC	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST
41100	81300-16	Close (1-1/2")	25/200	0.23	---
41101	81300-1620	x 2"	25/200	0.30	---
41102	81300-1625	x 2-1/2"	25/150	0.38	---
41103	81300-1630	x 3"	25/150	0.45	---
41104	81300-1635	x 3-1/2"	25/100	0.53	---
41105	81300-1640	x 4"	25/100	0.60	---
41106	81300-1645	x 4-1/2"	25/100	0.68	---
41107	81300-1650	x 5"	25/75	0.75	---
41108	81300-1655	x 5-1/2"	25/75	0.83	---
41109	81300-1660	x 6"	25/50	0.94	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BRONZE FITTINGS



UL842, UL258, UL125,FM

Class 125 (150) For steam, water, gas, oil and air service

Standard specifications

- UL/ FM Approved
- 1S0 9001:2000
- Not Lead Free
- RoHS Compliant

Materials - ASTM B62-93 (85,5,5,5) C83600
Dimensions - ANSI B 16.15
Threads - ANSI B2.1 or BA 21 and Fed. WW-P-460C, MSS-SP-106, ANSI/ASME B1.20.1


Bronze threaded fittings are manufactured from smooth-cored castings, designed to provide full flow with minimum restriction. All threads are accurately machined and gauged to ensure a perfect fit with the pipe. All fittings are individually tested under water to ensure quality. Bronze provides a tighter seal and is easier to install than other metals. Can be used for water, plumbing, heating, pneumatic and marine applications, able to resist the harmful effects of corrosion when coming into contact with salt water or fresh water polluted with mineral acids or peaty soils.

LEAD FREE BRASS FITTINGS



- Approved to ANSI/NSF 61-4 California AB 1953
- Meets Federal State Drinking Water Act, Lead Free Requirement
- Brass fittings conform to AWWA C800
- Brass castings conform to ASTM B584, UNS Alloy C8933
- Brass fittings dimensions conform to ASME B16.15
- NPT threads on all fittings conform to ASME B1.20.1
- Brass unions conform to specification A-A-59617
- Manufacturing facilities are ISO 9001:2008

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



100RB


738100

LEAD FREE



90° ELBOWS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44100	38100-02	---	50/600	1/8″	44100LF	738100-02	---
44101	38100-04	---	35/420	1/4″	44101LF	738100-04	---
44102	38100-06	---	90/360	3/8″	44102LF	738100-06	---
44103	38100-08	---	50/200	1/2″	44103LF	738100-08	---
44104	38100-12	---	35/105	3/4″	44104LF	738100-12	---
44105	38100-16	---	20/60	1″	44105LF	738100-16	---
44106	38100-20	---	20/40	1-1/4″	44106LF	738100-20	---
44107	38100-24	---	15/30	1-1/2″	44107LF	738100-24	---
44108	38100-32	---	8/16	2″	44108LF	738100-32	---
44109	38100-40	---	1/12	2-1/2″	44109LF	738100-40	
44110	38100-48	---	1/4	3″	44110LF	738100-48	---
44112	38100-64	---	1/2	4″	44112LF	738100-64	



100RRB

738105

LEAD FREE




90° REDUCING ELBOWS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44120	38105-0402	---		1/4 x 1/8	44120LF	738105-0402	---
				3/8 x 1/8	44121LF	738105-0602	---
44122	38105-0604	---		3/8 x 1/4	44122LF	738105-0604	
44123	38105-0804	---	60/240	1/2 x 1/4	44123LF	738105-0804	---
44124	38105-0806	---	60/240	1/2 x 3/8	44124LF	738105-0806	---
44125	38105-1204	---	40/160	3/4 x 1/4	44125LF	738105-1204	---
				3/4 x 3/8	44126LF	738105-1206	---
44127	38105-1208	---		3/4 x 1/2	44127LF	738105-1208	---
				1 x 1/4	44128LF	738105-1604	---
				1 x 3/8	44129LF		---
				1 x 1/2	44130LF	738105-1608	---
44131	38105-1612	---	50/100	1 x 3/4	44131LF	738105-1612	---
				1 1/4 x 1/2	44132LF		---
				1 1/4 x 3/4	44133LF	738105-2012	---
44134	38105-2016	---	25/50	1 1/4 x 1	44134LF	738105-2016	---
				1 1/2 x 1/2	44135LF	738105-2408	---
				1 1/2 x 3/4	44136LF	738105-2412	---
44137	38105-2416	---	10/40	1 1/2 x 1	44137LF	738105-2416	---
				1 1/2 x 1 1/4	44138LF	738105-2420	---
44140	38105-3216	---		2 x 1	44140LF	738105-3216	---
				2 x 1 1/4	44141LF	738105-3220	---
				2 x 1 1/2	44142LF	738105-3224	---
				2 1/2 x 2	44146LF	738105-4032	---
				3 x 2	44150LF	738105-4832	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BRONZE/ LEAD FREE BRONZE

NIPPLES AND FITTINGS



116RB


738116

LEAD FREE



90° STREET ELLS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44160	38116-02	---	60/720	1/8″	44160LF	738116-02	---
44161	38116-04	---	35/420	1/4″	44161LF	738116-04	---
44162	38116-06	---	60/240	3/8″	44162LF	738116-06	---
44163	38116-08	---	60/180	1/2″	44163LF	738116-08	---
44164	38116-12	---	35/105	3/4″	44164LF	738116-12	---
44165	38116-16	---	45/90	1″	44165LF	738116-16	---
44166	38116-20	---	25/50	1-1/4″	44166LF	738116-20	---
44167	38116-24	---	9/27	1-1/2″	44167LF	738116-24	---
44168	38116-32	---	8/16	2″	44168LF	738116-32	---
44169	38116-40	---	5/10	2-1/2″	44169LF	738116-40	---
44170	38116-48	---	1/8	3″	44170LF	738116-48	---



10045RB

738107


LEAD FREE



45° ELBOWS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44180	38107-02	---	50/600	1/8″	44180LF	738107-02	---
44181	38107-04	---	30/360	1/4″	44181LF	738107-04	---
44182	38107-06	---	75/300	3/8″	44182LF	738107-06	---
44183	38107-08	---	50/200	1/2″	44183LF	738107-08	---
44184	38107-12	---	40/120	3/4″	44184LF	738107-12	---
44185	38107-16	---	20/60	1″	44185LF	738107-16	---
44186	38107-20	---	20/40	1-1/4″	44186LF	738107-20	---
44187	38107-24	---	10/30	1-1/2″	44187LF	738107-24	---
44188	38107-32	---	12/24	2″	44188LF	738107-32	---
44189	38107-40	---	1/12	2-1/2"	44189LF	738107-40	---
44190	38107-48	---	1/10	3"	44190LF	738107-48	---
				4"	44191LF	738107-64	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov




124RB

738124 LEAD FREE



45° STREET ELBOWS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44200	38124-02	---	70/840	1/8″			
44201	38124-04	---	100/400	1/4″	44201LF	738124-04	---
44202	38124-06	---	100/400	3/8″	44202LF	738124-06	---
44203	38124-08	---	75/225	1/2″	44203LF	738124-08	---
44204	38124-12	---	40/120	3/4″	44204LF	738124-12	---
44205	38124-16	---	25/75	1″	44205LF	738124-16	---
44206	38124-20	---	10/40	1-1/4″	44206LF	738124-20	---
44207	38124-24	---	10/30	1-1/2″	44207LF	738124-24	---
44208	38124-32	---	12/24	2″	44208LF	738124-32	---



102RB

738102 LEAD FREE




CROSSES

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44391	38102-04	---	60/240	1/4″	44391LF	738102-04	---
44392	38102-06	---	50/150	3/8″	44392LF	738102-06	---
44393	38102-08	---	30/90	1/2″	44393LF	738102-08	---
44394	38102-12	---	20/60	3/4″	44394LF	738102-12	---
44395	38102-16	---	15/30	1″	44395LF	738102-16	---
44396	38102-20	---	10/20	1-1/4″	44396LF	738102-20	---
44397	38102-24	---	8/16	1-1/2″	44397LF	738102-24	---
44398		---	5/10	2″	44398LF	738102-32	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BRONZE/ LEAD FREE BRONZE

NIPPLES AND FITTINGS




101RB

TEES



MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44250	38101-02	---	120/480	1/8″	44250LF	738101-02	---
44251	38101-04	---	75/300	1/4″	44251LF	738101-04	---
44252	38101-06	---	45/180	3/8″	44252LF	738101-06	---
44253	38101-08	---	40/120	1/2″	44253LF	738101-08	---
44254	38101-12	---	35/70	3/4″	44254LF	738101-12	---
44255	38101-16	---	20/40	1″	44255LF	738101-16	---
44256	38101-20	---	14/28	1-1/4″	44256LF	738101-20	---
44257	38101-24	---	12/24	1-1/2″	44257LF	738101-24	---
44258	38101-32	---	8/16	2″	44258LF	738101-32	---
44259	38101-40	---	1/6	2-1/2″	44259LF	738101-40	---
44260	38101-48	---	1/6	3″	44260LF	738101-48	---
				4"	44261LF	738101-64	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov



101RRB

738106



REDUCING TEES
REDUCING ON THE BRANCH

MIDLAND	AMC	LIST	BOX/CASE	SIZE 1 X 2 X 3	MIDLAND	AMC	LIST
				1/4 x 1/4 x 1/8	44270LF	738106-040402	---
				3/8 x 3/8 x 1/4	44273LF	738106-060604	---
44276	38106-080804	---	40/160	1/2 x 1/2 x 1/4	44276LF	738106-080804	---
				1/2 x 1/2 x 3/8	44279LF	738106-080806	---
44280	38106-080812	---	40/160	1/2 x 1/2 x 3/4	44280LF	738106-080812	---
44287	38106-120808	---		3/4 x 1/2 x 1/2	44287LF	738106-120808	---
				3/4 x 1/2 x 3/4	44288LF	738106-120812	---
44282	38106-121204	---	25/100	3/4 x 3/4 x 1/4	44282LF	738106-121204	---
44283	38106-121206	---	25/100	3/4 x 3/4 x 3/8	44283LF	738106-121206	
44286	38106-121208	---	20/80	3/4 x 3/4 x 1/2	44286LF	738106-121208	---
				1 x 1/2 x 1/2	44292LF	738106-160808	---
				1 x 1/2 x 3/4	44293LF	738106-160812	---
44296	38106-161212	---		1 x 3/4 x 3/4	44296LF		---
				1 x 1 x 1/4	44268LF	738106-161604	---
				1 x 1 x 3/8	44290LF	738106-161606	---
44291		---	15/60	1 x 1 x 1/2	44291LF	738106-161608	---
44298	38106-161612	---	12/48	1 x 1 x 3/4	44298LF	738106-161612	---
				1 1/4 x 1/2x1 x 1 1/4	44314LF		---
44301	38106-202008	---	20/40	1 1/4 x 1 1/4 x 1/2	44301LF	738106-202008	---
44303	38106-202012	---	20/40	1 1/4 x 1 1/4 x 3/4	44303LF	738106-202012	---
44306	38106-202016	---	20/40	1 1/4 x 1 1/4 x 1	44306LF	738106-202016	---
				1 1/2 x 1 1/2 x 1/2	44315LF		---
				1 1/2 x 1 1/2 x 3/4	44316LF	738106-241212	---
				1 1/2 x 1 1/2 x 1	44318LF		---
				1 1/2 x 1 1/2 x 1 1/4	44322LF		---
				2 x 2 x 1/2	44327LF	738106-323208	---
				2 x 2 x 3/4	44328LF		---
				2 x 2 x 1	44330LF	738106-323216	---
				2 x 2 x 1 1/4	44334LF		---
				2 x 2 x 1 1/2	44336LF	738106-323224	---
				2 1/2 x 2 1/2 x 2	44344LF		---
				3 x 3 x 2	44351LF	738106-484832	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BRONZE/ LEAD FREE BRONZE

NIPPLES AND FITTINGS



103RB

COUPLINGS

738103

LEAD FREE



MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44410	38103-02	---	70/840	1/8″	44410LF	738103-02	---
44411	38103-04	---	40/480	1/4″	44411LF	738103-04	---
44412	38103-06	---	40/480	3/8″	44412LF	738103-06	---
44413	38103-08	---	60/240	1/2″	44413LF	738103-08	---
44414	38103-12	---	50/150	3/4″	44414LF	738103-12	---
44415	38103-16	---	25/100	1″	44415LF	738103-16	---
44416	38103-20	---	16/64	1-1/4″	44416LF	738103-20	---
44417	38103-24	---	18/36	1-1/2″	44417LF	738103-24	---
44418	38103-32	---	12/24	2″	44418LF	738103-32	---
44419	38103-40	---	1	2-1/2"	44419LF	738103-40	---
44420	38103-48	---	1	3″	44420LF	738103-48	---
				4"	44421LF	738103-64	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov



119RB

738119

LEAD FREE



REDUCING COUPLINGS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44430	38119-0402	---	70/840	1/4" x 1/8"	44430LF	738119-0402	---
44431	38119-0602	---	35/420	3/8" x 1/8"	44431LF	738119-0602	---
44432	38119-0604	---	30/360	3/8" x 1/4"	44432LF	738119-0604	---
44433	38119-0802	---	75/300	1/2" x 1/8"	44433LF		
44434	38119-0804	---	75/300	1/2" x 1/4"	44434LF	738119-0804	---
44435	38119-0806	---	60/240	1/2" x 3/8"	44435LF	738119-0806	---
44436	38119-1204	---	45/180	3/4" x 1/4"	44436LF	738119-1204	---
44437	38119-1206	---	45/180	3/4" x 3/8"	44437LF	738119-1206	---
44438	38119-1208	---	60/180	3/4" x 1/2"	44438LF	738119-1208	---
44440	38119-1606	---	30/120	1" x 3/8"	44440LF		
44441	38119-1608	---	30/120	1" x 1/2"	44441LF	738119-1608	---
44442	38119-1612	---	25/100	1" x 3/4"	44442LF	738119-1612	---
44444	38119-2008	---	25/75	1-1/4" x 1/2"	44444LF	738119-2008	---
44445	38119-2012	---	25/75	1-1/4" x 3/4"	44445LF	738119-2012	---
44446	38119-2016	---	15/60	1-1/4" x 1"	44446LF	738119-2016	---
44447	38119-2408	---	20/60	1-1/2" x 1/2"	44447LF	738119-2408	---
44448	38119-2412	---	15/60	1-1/2" x 3/4"	44448LF	738119-2412	---
44449	38119-2416	---	25/50	1-1/2" x 1"	44449LF	738119-2416	---
44450	38119-2420	---	12/48	1-1/2" x 1-1/4"	44450LF	738119-2420	---
44458	38119-3208	---	12/36	2" x 1/2"	44458LF		
44451	38119-3212	---	12/36	2" x 3/4"	44451LF	738119-3212	---
44452	38119-3216	---	12/36	2" x 1"	44452LF	738119-3216	---
44453	38119-3220	---	9/27	2" x 1-1/4"	44453LF	738119-3220	---
44454	38119-3224	---	9/27	2" x 1-1/2"	44454LF	738119-3224	---
44461	38119-4024	---	1	2-1/2" x 1-1/2"	44461LF		
44462	38119-4032	---	1	2-1/2" x 2"	44462LF	738119-4032	---
44456	38119-4832	---	1	3" x 2"	44456LF		
44463	38119-4840	---	1	3" x 2-1/2"	44463LF		

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BRONZE/ LEAD FREE BRONZE

NIPPLES AND FITTINGS



108RB

738108

LEAD FREE



CAPS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44470	38108-02	---	80/160	1/8″	44470LF	738108-02	---
44471	38108-04	---	80/960	1/4″	44471LF	738108-04	---
44472	38108-06	---	60/720	3/8″	44472LF	738108-06	---
44473	38108-08	---	75/300	1/2″	44473LF	738108-08	---
44474	38108-12	---	40/160	3/4″	44474LF	738108-12	---
44475	38108-16	---	25/100	1″	44475LF	738108-16	---
44476	38108-20	---	20/80	1-1/4″	44476LF	738108-20	---
44477	38108-24	---	18/54	1-1/2″	44477LF	738108-24	---
44478	38108-32	---	12/36	2″	44478LF	738108-32	---
44479	38108-40	---		2-1/2"	44479LF	738108-40	---
44480	38108-48	---	1	3″	44480LF	738108-48	---
				4"	44481LF	738108-64	---



104RB

738104

LEAD FREE



UNIONS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44600	38104-02	---	40/160	1/8″	44600LF	738104-02	---
44601	38104-04	---	40/160	1/4″	44601LF	738104-04	---
44602	38104-06	---	40/160	3/8″	44602LF	738104-06	---
44603	38104-08	---	50/100	1/2″	44603LF	738104-08	---
44604	38104-12	---	35/70	3/4″	44604LF	738104-12	---
44605	38104-16	---	20/40	1″	44605LF	738104-16	---
44606	38104-20	---	15/30	1-1/4″	44606LF	738104-20	---
44607	38104-24	---	10/20	1-1/2″	44607LF	738104-24	---
44608	38104-32	---	6/12	2″	44608LF	738104-32	---
44609	38104-40	---	4/8	2-1/2″	44609LF	738104-40	---
44610	38104-48	---	4/8	3″	44610LF	738104-48	---
				4"	44611LF	738104-64	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BRONZE/ LEAD FREE BRONZE

NIPPLES AND FITTINGS



Hex

110RB

738110

LEAD FREE



HEX BUSHINGS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44500	38110-0402	---	120/1440	1/4″ x 1/8″	44500LF	738110-0402	---
44501	38110-0602	---	75/900	3/8″ x 1/8″	44501LF	738110-0602	---
44502	38110-0604	---	75/900	3/8″ x 1/4″	44502LF	738110-0604	---
44503	38110-0802	---	150/600	1/2″ x 1/8″	44503LF	738110-0802	---
44504	38110-0804	---	150/600	1/2″ x 1/4″	44504LF	738110-0804	---
44505	38110-0806	---	150/600	1/2″ x 3/8″	44505LF	738110-0806	---
44506	38110-1202	---	75/300	3/4″ x 1/8″	44506LF	738110-1202	---
44507	38110-1204	---	75/300	3/4″ x 1/4″	44507LF	738110-1204	---
44508	38110-1206	---	75/300	3/4″ x 3/8″	44508LF	738110-1206	---
44509	38110-1208	---	75/300	3/4″ x 1/2″	44509LF	738110-1208	---
44557	38110-1602	---	50/200	1" x 1/8"			
44510*	38110-1604	---	50/200	1″ x 1/4″	44510LF*	738110-1604	---
44511*	38110-1606	---	50/200	1″ x 3/8″	44511LF	738110-1606	---
44512	38110-1608	---	50/200	1″ x 1/2″	44512LF	738110-1608	---
44513	38110-1612	---	50/200	1″ x 3/4″	44513LF	738110-1612	---
44514	38110-2004	---	30/120	1-1/4″ x 1/4″	44514LF	738110-2004	
44515	38110-2006	---	30/120	1-1/4″ x 3/8″	44515LF	738110-2006	---
44516*	38110-2008	---	30/120	1-1/4″ x 1/2″	44516LF*	738110-2008	---
44517	38110-2012	---	30/120	1-1/4″ x 3/4″	44517LF	738110-2012	---
44518	38110-2016	---	30/120	1-1/4″ x 1″	44518LF	738110-2016	---
44519*	38110-2404	---	25/75	1-1/2″ x 1/4″	44519LF	738110-2404	---
44520*	38110-2406	---	25/75	1-1/2″ x 3/8″	44520LF	738110-2406	
44521*	38110-2408	---	25/75	1-1/2″ x 1/2″	44521LF*	738110-2408	---
44522*	38110-2412	---	25/75	1-1/2″ x 3/4″	44522LF*	738110-2412	---
44523	38110-2416	---	25/75	1-1/2″ x 1″	44523LF	738110-2416	---
44524	38110-2420	---	25/75	1-1/2″ x 1-1/4″	44524LF	738110-2420	---
44527*	38110-3208	---	20/60	2″ x 1/2″	44527LF	738110-3208	---
44528*	38110-3212	---	20/60	2″ x 3/4″	44528LF	738110-3212	---
44529*	38110-3216	---	20/60	2″ x 1″	44529LF*	738110-3216	---
44530	38110-3220	---	20/60	2″ x 1-1/4″	44530LF	738110-3220	---
44531	38110-3224	---	20/60	2″ x 1-1/2″	44531LF	738110-3224	---
44532	38110-4016	---	15/30	2-1/2″ x 1″	44532LF	738110-4016	---
			15/30	2-/1/2" x 1-1/4"	44533LF	738110-4020	---
44534	38110-4024	---	15/30	2-1/2″ x 1-1/2″	44534LF	738110-4024	---
44535	38110-4032	---	15/30	2-1/2″ x 2″	44535LF	738110-4032	---
44537	38110-4824	---	12/24	3″ x 1-1/2″	44537LF	738110-4824	---
44538	38110-4832	---	12/24	3″ x 2″	44538LF	738110-4832	---
44539	38110-4840	---	12/24	3″ x 2-1/2″	44539LF	738110-4840	---
44541	38110-6432	---	5/10	4" x 2"	44541LF	738110-6432	---
			5/10	4" x 2-1/2"	44542LF	738110-6440	---
44543	38110-6448	---	12/24	4" x 3"	44543LF	738110-6448	---


* INSIDE HEX



WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BRONZE/ LEAD FREE BRONZE

NIPPLES AND FITTINGS



109RB

738109


LEAD FREE



CORED SQUARE HEAD PLUGS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44650*	38109-02	---	300/3600	1/8″	44650LF	738109-02	---
44651*	38109-04	---	150/1800	1/4″	44651LF	738109-04	---
44652*	38109-06	---	100/1200	3/8″	44652LF	738109-06	---
44653	38109-08	---	50/600	1/2″	44653LF	738109-08	---
44654	38109-12	---	30/360	3/4″	44654LF	738109-12	---
44655	38109-16	---	20/240	1″	44655LF	738109-16	---
44656	38109-20	---	40/120	1-1/4″	44656LF	738109-20	---
44657	38109-24	---	30/90	1-1/2″	44657LF	738109-24	---
44658	38109-32	---	20/60	2″	44658LF	738109-32	---
44659	38109-40	---	16/32	2-1/2″	44659LF	738109-40	---
44660	38109-48	---	16/32	3″	44660LF	738109-48	---
44662	38109-64	---	6/12	4″	44662LF	738109-64	---

* solid




109ALRB SQUARE DRIVE 738115

BRONZE COUNTERSUNK PLUGS



MIDLAND	AMC	LIST	SIZE	BOX/CASE	MIDLAND	AMC	LIST
			1/8"		44630LF		
			1/4"		44631LF		
			3/8"		44632LF		
44633	38115-08	---	1/2″	120/1440	44633LF		
44634	38115-12	---	3/4″	70/840	44634LF		---
44635	38115-16	---	1″	20/240	44635LF		---
44636	38115-20	---	1-1/4″	40/120	44636LF		---
44637	38115-24	---	1-1/2″	30/90	44637LF		---
44638	38115-32	---	2″	20/60	44638LF		---
44639	38115-40	---	2-1/2"	1/1	44639LF		---
44640	38115-48	---	3"	1/1	44640LF		---
44641	83115-64	---	4"	1/1	44641LF		---



• Straight Thread

111RB

738111


LEAD FREE



HEX LOCKNUTS

MIDLAND	AMC	LIST	BOX/CASE	SIZE	MIDLAND	AMC	LIST
44700	38111-02	---	180/720	1/8″	44700LF	780111-02	
44701	38111-04	---	90/540	1/4″	44701LF	738111-04	---
44702	38111-06	---	90/540	3/8″	44702LF	738111-06	---
44703	38111-08	---	90/360	1/2″	44703LF	738111-08	---
44704	38111-12	---	90/360	3/4″	44704LF	738111-12	---
44705	38111-16	---	50/150	1″	44705LF	738111-16	---
44706	38111-20	---	45/180	1-1/4″	44706LF	738111-20	---
44707	38111-24	---	45/135	1-1/2″	44707LF	738111-24	---
44708	38111-32	---	25/75	2″	44708LF	738111-32	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



109SRB


738114



SOLID SQUARE HEAD PLUGS


MIDLAND	AMC	LIST	SIZE	BOX/CASE	MIDLAND	AMC	LIST
44670	38114-02	---	1/8″	400/4800	44670LF	738114-02	---
44671	38114-04	---	1/4″	150/1800	44671LF	738114-04	---
44672	38114-06	---	3/8″	120/1440	44672LF	738114-06	---
44673	38114-08	---	1/2″	50/600	44673LF	738114-08	---
44674	38114-12	---	3/4″	35/420	44674LF	738114-12	---
44675	38114-16	---	1″	20/240	44675LF	738114-16	---
44676	38114-20	---	1-1/4″	30/120	44676LF	738114-20	---
44677	38114-24	---	1-1/2″	30/90	44677LF	738114-24	---
44678	38114-32	---	2″	10/60	44678LF	738114-32	---
			2-1/2"		44679LF	780114-40	
			3"		44680LF	780114-48	

HEX NIPPLES



MIDLAND	AMC	LIST	SIZE	BOX/CASE
44720		---	1/8″	400/4800
44721		---	1/4″	150/1800
44722			3/8"	120/1440
44723		---	1/2″	240/480
44724		---	3/4″	80/320
44725		---	1″	50/150
44726		---	1-1/4″	50/100
44727		---	1-1/2″	35/70
44728		---	2″	20/40
44729		---	2-1/2″	1
44730M		---	3"	4/8

REDUCING HEX NIPPLES



MIDLAND	AMC	LIST	SIZE	BOX/CASE
44740		---	1/4" x 1/8"	1/1
44742		---	1/2" x 3/8"	1/1
44753		---	1-1/2" x 1-1/4"	1/1

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BRONZE/ LEAD FREE BRONZE

NIPPLES AND FITTINGS

FLANGE THREADED COMPANION LEAD-FREE



MIDLAND	AMC	LIST	SIZE	STD. PACK.	WT. PER 100
44790LF	738150-08	---	1/2" x 3-1/2"	1	95
44791LF	780150-12	---	3/4" x 3-7/8"	1	124
44792LF	738150-16	---	1" x 4-1/4"	1	168
44793LF	738150-20	---	1-1/4" x 4-5/8"	1	224
44794LF	738150-24	---	1-1/2" x 5"	1	251
44795LF	738150-32	---	2" x 6"	1	454
44796LF	738150-40	---	2-1/2" x 7"	1	673
44797LF	738150-48	---	3" x 7-1/2"	1	864
44798LF	738150-64	---	4" x 9"	1	1227
44799LF	780150-80	---	5" x 10"	1	1495
44800LF		---	6" x 11"	1	1801

FLANGE SWEAT COMPANION LEAD FREE



MIDLAND	AMC	LIST	SIZE	STD. PACK.	WT. PER 100
44827LF		---	1-1/2" x 5"	1	176
44828LF		---	2" x 6"	1	291
44829LF		---	2-1/2" x 7"	1	405
44830LF		---	3" x 7-1/2"	1	520
44831LF		---	4" x 9"	1	798

FLANGE FLOOR LEAD FREE



MIDLAND	AMC	LIST	SIZE	STD. PACK.	WT. PER 100
44780LF	738151-08	---	1/2"	1	35
44781LF	738151-12	---	3/4"	1	44
44782LF	738151-16	---	1"	1	59
44783LF	780151-20		1-1/4"	1	87
44784LF	738151-24	---	1-1/2"	1	105
44785LF	738151-32	---	2"	1	150

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

CHROME PLATED BRONZE FITTINGS

NIPPLES AND FITTINGS

90° ELBOW



LEAD FREE

781100

MIDLAND	AMC	SIZE	LIST
45102LF	781100-06	3/8"	---
45103LF	781100-08	1/2"	---
45104LF	781100-12	3/4"	---
45105LF	781100-16	1"	---

COUPLING



LEAD FREE

781103

MIDLAND	AMC	SIZE	LIST
45412LF	781103-06	3/8"	---
45413LF	781103-08	1/2"	---

90° ELBOW



81100

MIDLAND	AMC	SIZE	LIST
45100	81100-02	1/8"	---
45101		1/4"	---
45102	81100-06	3/8"	---
45103	81100-08	1/2"	---
45104	81100-12	3/4"	---
45105	81100-16	1"	---
45124	81105-0806	1/2" x 3/8"	---
45127	81105-1208	3/4" x 1/2"	---

90° STREET ELLS



81116

MIDLAND	AMC	SIZE	LIST
45160	81100-02	1/8"	
45161		1/4"	---
45162	781116-06	3/8"	---
45163	81116-08	1/2"	---
45164	781116-12	3/4"	---
45165	81116-15	1"	---

90°STREET ELBOW



LEAD FREE

781116

MIDLAND	AMC	SIZE	LIST
45163LF	781116-08	1/2"	---

TEE



LEAD FREE

781101

MIDLAND	AMC	SIZE	LIST
45252LF		3/8"	---
45253LF		1/2"	---

45° ELBOW



81124

MIDLAND	AMC	SIZE	LIST
45200	81124-02	1/8"	---
45201	81124-04	1/4"	---
45202	81124-06	3/8"	---
45203	81124-08	1/2"	---
45204	81124-12	3/4"	

CROSSES



81102

MIDLAND	AMC	SIZE	LIST
45393	81102-08	1/2"	---
45394	81102-12	3/4"	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

CHROME PLATED BRONZE FITTINGS

NIPPLES AND FITTINGS

45° ELBOWS



81107

MIDLAND	AMC	SIZE	LIST
45180	81107-02	1/8″	
45181	780124-04	1/4″	---
45182	81107-06	3/8″	---
45183	781107-08	1/2″	---
45184	81107-12	3/4″	---
45185	81107-16	1″	---


TEES



81101

MIDLAND	AMC	SIZE	LIST
45250	81101-02	1/8″	---
45251	81101-04	1/4″	---
45252	81101-06	3/8″	---
45253	81101-08	1/2″	---
45254	81101-12	3/4″	---
45255	81101-16	1″	---

COUPLINGS



81103

MIDLAND	AMC	SIZE	LIST
45410	81103-02	1/8″	
45411	81103-04	1/4″	---
45412	81103-06	3/8″	---
45413	81103-08	1/2″	---
45414	81103-12	3/4″	---
45415	81103-16	1″	---
45432		3/8″ x 1/4″	---
45435	81119-0806	1/2″ x 3/8″	---
45438	81119-1208	3/4″ x 1/2″	---
45439	81119-1612	1″ x 3/4″	---

CAPS



81108

MIDLAND	AMC	SIZE	LIST
45470	81108-02	1/8″	---
45471	81108-04	1/4″	---
45472	81108-06	3/8″	---
45473	81108-08	1/2″	---
45474	81108-12	3/4″	---
45475	81108-16	1"	---

UNIONS



81104

MIDLAND	AMC	SIZE	LIST
45600	81104-02	1/8″	---
45601	81104-04	1/4″	---
45602		3/8″	---
45603	781104-08	1/2″	---
45604	81104-12	3/4″	---
45605	81104-16	1″	---
45606	81104-20	1-1/4″	

HEX BUSHINGS



81110

MIDLAND	AMC	SIZE	LIST
45502	781110-0604	3/8″ x 1/4″	
45504	81110-0804	1/2″ x 1/4″	
45505	781110-0806	1/2″ x 3/8″	
45509	781110-1208	3/4″ x 1/2″	
45513	81110-1612	1″ x 3/4″	

PLUGS



MIDLAND	AMC	SIZE	LIST
45652	81109-06	3/8″	---
45653	81109-08	1/2″	---
45654	781109-12	3/4″	---
45655	81109-16	1″	---
45657		1-1/2″	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

CLEANOUT PLUGS/ DROP EAR ELBOWS

NIPPLES AND FITTINGS



• Southern Code

CAST BRASS SQUARE HEAD CLEANOUT PLUG

PART #	SIZE	BOX/CASE	LIST PRICE
970300	1-1/2"	100/200	---
970301	2"	100/200	---
970302	2-1/2"	50/200	---
970303	3"	20/160	---
970304	3-1/2"	20/120	---
970305	4"	10/80	---
970330	5"	10/60	---
970331	6"	10/40	---
970332	8"	5/20	---
970333	10"	1/1	---



• Southern Code

CAST BRASS COUNTERSUNK HEAD CLEANOUT PLUG

PART #	SIZE	BOX/CASE	LIST PRICE
970306	1-1/2"	100/200	---
970307	2"	100/200	---
970308	2-1/2"	100/200	---
970309	3"	50/200	---
970310	3-1/2"	20/160	---
970311	4"	20/120	---
970312	5"	10/60	---
970313	6"	10/40	---
970314	8"	5/20	---



CAST BRASS COUNTERSUNK CLEANOUT
W 1/4-20 TAP

PART #	SIZE	BOX/CASE	LIST PRICE
970700	1-1/2"	1/1	---
970701	2"	1/1	---
970702	2-1/2"	1/1	---
970703	3"	1/1	---
970704	3-1/2"	1/1	---
970705	4"	1/1	---
970706	5"	1/1	---
970707	6"	1/1	---

DROP EAR ELBOWS

• Lead Free Brass



• Lead Free Bronze



PART #	SWT X FIP	LIST PRICE
44840LF	1/2 x 1/2 Bronze	---
44841LF	1/2 x 1/2 Brass	---
44842LF	3/4 x 1/2 Brass	---
44843LF	3/4 x 3/4 Brass	---

• Lead Free Brass



PART #	SWT X SWT	LIST PRICE
44844LF	1/2 x 1/2	---



• Lead Free Bronze

PART #	PEX X FIP	LIST PRICE
44845LF	1/2 x 1/2	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BRONZE/ STEEL INSERT FITTINGS

NIPPLES AND FITTINGS

BRONZE INSERT FITTINGS

150 PSI Genuine red brass - for plastic pipe

• Not Lead Free

HEX MALE ADAPTERS



(Barb x Male Pipe)

PART #	BARB X MALE	LIST PRICE
973925	3/4" x 3/4"	---
973927	1" x 1"	---
973930	1" x 1-1/4"	---
973929	1-1/4" x 1"	---
973928	1-1/4" x 1-1/4"	---
973948	1-1/2" x 1-1/2"	---
973949	2" x 2"	---

BRONZE TEES ALL BARB



PART #	SIZE	LIST PRICE
973965	3/4"	---
973966	1"	---
973967	1-1/4"	---

ELBOWS



(Barb x Male Pipe)

PART #	SIZE	LIST PRICE
973980	3/4" x 3/4"	---
973981	1" x 3/4"	---
973982	1" x 1"	---

ELBOWS



(Barb x Barb)

PART #	HOSE SIZE	LIST PRICE
973975	3/4"	---
973976	1"	---
973977	1-1/4" x 1"	---
973978	1-1/4"	---
973979	1-1/2"	---

STEEL INSERT FITTINGS FOR PLASTIC PIPE

MALE ADAPTER

• Galvanized



(Barb x Male Pipe)

PART #	SIZE	BOX/CASE	LIST PRICE
973906	1/2"	25/100	---
973907	3/4"	25/10	---
973908	1"	16/48	---
973909	1-1/4"	12/36	---
973910	1-1/2"	6/36	---
973911	2"	5/25	---
973912	2-1/2"	1/3	---
973913	3"	1/3	---
973914	4"	1/3	---

REDUCING ADAPTER



(Insert x NPT)

PART #	SIZE	LIST PRICE
974264	3/4 x 1/2	---
974265	1 x 3/4	---
974266	1-1/4 x 1	---
974267	1-1/2 x 1-1/4	----

COUPLINGS



PART #	SIZE	BOX/CASE	LIST PRICE
973900	1/2	30/120	---
973901	3/4	20/100	---
973902	1	20/100	---
973903	1-1/4	16/64	---
973904	1-1/2	12/48	---
973905	2	5/25	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

SS AND LEAD FREE BRONZE INSERT

NIPPLES AND FITTINGS

STAINLESS STEEL #304



#304 INSERT X MALE PIPE

- For coiled plastic pipe to submersible pump

PART #	SIZE	LIST PRICE
973947SS	1/2 x 1/2	---
973925SS	3/4 x 3/4	---
973926SS	1 x 3/4	---
973927SS	1 x 1	---
973930SS	1 x 1-1/4	---
973928SS	1-1/4 x 1-1/4	---
973948SS	1-1/2 x 1-1/2	---
973949SS	2 x 2	---



#304 INSERT X MIP ELBOW

- Hydrant elbow

PART #	SIZE	LIST PRICE
973980SS	3/4 x 3/4	---
973982SS	1 x 1	---
973985SS	1-1/4 x 1-1/4	---

LEAD FREE BRONZE INSERT FITTINGS

- NSF Approved
- ANSI 61-8



INSERT X INSERT

PART #	SIZE	LIST PRICE
973960LF	1/2	---
973961LF	3/4	---
973962LF	1	---
973963LF	1-1/4	---

- NSF Approved
- ANSI 61-8



INSERT TEE

PART #	SIZE	LIST PRICE
973965LF	3/4	---
973966LF	1	---
973967LF	1-1/4	---

- NSF Approved
- ANSI 61-8



INSERT X MALE BRANCH TEE

PART #	SIZE	LIST PRICE
973969LF	3/4	---
973970LF	1 x 3/4	---
973971LF	1	---

- NSF Approved
- ANSI 61-8



INSERT X INSERT ELBOW

PART #	SIZE	LIST PRICE
973975LF	3/4	---
973976LF	1	---

WELL COUPLINGS



304 SS DROP WELL COUPLINGS STANDARD

PART #	SIZE	LIST PRICE
62415DC	1	---
62416DC	1-1/4	---
62417DC	1-1/2	---
62418DC	2	---



HEAVY WALLED SS 304 DROP WELL COUPLINGS

PART #	SIZE	LIST PRICE
62415HDDC	1	---
62416HDDC	1-1/4	---
62417HDDC	1-1/2	---
62418HDDC	2	---



#304 STAINLESS STEEL MERCHANT COUPLINGS

PART #	SIZE	LIST PRICE
61775	1	---
61776	1-1/4	---
61777	1-1/2	---
61778	2	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

SCH 40 STAINLESS STEEL NIPPLES

NIPPLES AND FITTINGS

STAINLESS STEEL NIPPLES





SCHEDULE 40 WELDED

Stainless steel pipe nipples are manufactured from stainless steel pipe that conforms to specification ASTM A312/ SA312.

All stainless steel nipples conform to specification ASTM A733. Threads conform to the requirements of ANSI B1.20.1.

304

The basic alloy. Type 304 (18-8) is an austenitic steel possessing a minimum of 18% chromium and 8% nickel, combined with a maximum of 0.08% carbon. It is a nonmagnetic steel which cannot be hardened by heat treatment, but instead. must be cold worked to obtain higher tensile strengths.

Because of its ability to withstand the corrosive action of various acids found in fruits, meats, milk, and vegetables,
Type 304 is especially suited for all types of dairy equipment piping and valves, the brewing industry, the citrus and fruit juice industry, and in food processing applications. Also used for the dye tanks, pipelines buckets, dippers, etc. that come in contact with the lormic, acetic, and other organic acids used in the dyeing industry.

In the marine environment, because of it slightly higher strength and wear resistance than type 316 it is also used for nuts, bolts, screws, and other fasteners. It is also used for springs, cogs, and other components where both wear and corrosion resistance is needed.

SCHEDULE 80 SEAMLESS

- SEAMLESS FOR UNRESTRICTED FLOW
- USE WITH AIR, WATER, OIL, NATURAL GAS, STEAM
- FITTINGS: USE THREADED CLASS 3000 HIGH-PRESSURE STAINLESS STEEL.

• ASTM A733 • ASTM A312 • ANSI/ ASME B1.20.1

• PSI 3000

316

For severe environments. Of course, there are many industrial processes that require a higher level of resistance to corrosion than Type 304 can offer. For these applications, Type 316 is the answer.

In type 316, the nickel content is increased slightly. What distinguishes Type 316 from Type 304 is the addition of molybdenum up to a maximum of 3%.

Molybdenum increases the corrosion resistance of this chromium-nickel alloy to withstand attack by many industrial chemicals and solvents, and, in particular, inhibits pitting caused by chlorides. As such, molybdenum is one of the single most useful alloying additives in the fight against corrosion.

Type 316 can withstand corrosive attack by sodium and calcium brines, hypochlorite solutions, phosphoric acid; and the sulfite liquors and sulfurous acids used in the paper pulp industry. This alloy, therefore, is specified for industrial equipment that handles the corrosive process chemicals used to produce inks, rayons, photographic chemicals, paper, textiles, bleaches, and rubber. Type 316 is also used extensively for surgical implants within the hostile environment of the body.

Type 316 is the main stainless used in the marine environment, with the exception of fasteners and other items where strength and wear resistance are needed, then Type 304 (18-8) is typically used.

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

SCH 40 STAINLESS STEEL NIPPLES

NIPPLES AND FITTINGS

#304 | 1/8" - 27 | #316



1/8" DIAMETER
SCH 40 WELDED



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48001	---	X Close (3/4")	25	0.01	49001	---
48002	---	x 1-1/2"	25	0.03	49002	---
48003	---	x 2"	25	0.04	49003	---
48004	---	x 2-1/2"	25	0.05	49004	---
48005	---	x 3"	25	0.06	49005	---
48006	---	x 3-1/2"	25	0.07	49006	---
48007	---	x 4"	25	0.07	49007	---
48008	---	x 4-1/2"	25	0.09	49008	---
48009	---	x 5"	25	0.10	49009	---
48010	---	x 5-1/2"	25	0.11	49010	---
48011	---	x 6"	25	0.12	49011	---
		x 8"			49013	
48015	---	x 10"	1	0.19		
		x 12"	1	0.24	49017	---

1/4"-18



1/4" DIAMETER
SCH 40 WELDED



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48020	---	X Close (7/8")	25	0.02	49020	---
48021	---	x 1-1/2"	25	0.04	49021	---
48022	---	x 2"	25	0.06	49022	---
48023	---	x 2-1/2"	25	0.07	49023	---
48024	---	x 3"	25	0.09	49024	---
48025	---	x 3-1/2"	25	0.11	49025	---
48026	---	x 4"	25	0.13	49026	---
48027	---	x 4-1/2"	25	0.14	49027	---
48028	---	x 5"	25	0.16	49028	---
48029	---	x 5-1/2"	25	0.18	49029	---
48030	---	x 6"	25	0.19	49030	---
48031	---	x 7"	1	0.22	49031	---
48032	---	x 8"	1	0.25	49032	---
		x 9"	1	0.31	49033	---
48034	---	x 10"	1	0.35	49034	---
		x 11"	1	0.40	49035	---
48036	---	x 12"	1	0.44	49036	---
		x 14"	1	0.46	49037	---
		x 16"	1	0.47	49038	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

SCH 40 STAINLESS STEEL NIPPLES

NIPPLES AND FITTINGS

#304



3/8"-18

3/8" DIAMETER
SCH 40 WELDED

#316



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48040	---	X Close (1")	25	0.03	49040	---
48041	---	x 1-1/2"	25	0.06	49041	---
48042	---	x 2"	25	0.07	49042	---
48043	---	x 2-1/2"	25	0.10	49043	---
48044	---	x 3"	25	0.12	49044	---
48045	---	x 3-1/2"	25	0.15	49045	---
48046	---	x 4"	25	0.17	49046	---
48047	---	x 4-1/2"	25	0.19	49047	---
48048	---	x 5"	25	0.22	49048	---
48049	---	x 5-1/2"	25	0.23	49049	---
48050	---	x 6"	25	0.26	49050	---
48052	---	x 8"	1	0.34	49052	---
48053	---	x 9"	1			
48054	---	x 10"	1	0.43	49054	---
48056	---	x 12"	1			



1/2" - 14

1/2" DIAMETER
SCH 40 WELDED



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48060	---	X Close 1-1/8"	25	0.05	49060	---
48061	---	x 1-1/2"	25	0.07	49061	---
48062	---	x 2"	25	0.10	49062	---
48063	---	x 2-1/2"	25	0.14	49063	---
48064	---	x 3"	25	0.18	49064	---
48065	---	x 3-1/2"	25	0.20	49065	---
48066	---	x 4"	25	0.25	49066	---
48067	---	x 4-1/2"	25	0.28	49067	---
48068	---	x 5"	25	0.31	49068	---
48069	---	x 5-1/2"	25	0.34	49069	---
48070	---	x 6"	25	0.39	49070	---
48071	---	x 7"	1	0.41		
48072	---	x 8"	1	0.52	49072	---
48073	---	x 9"	1	0.54		
48074	---	10"	1	0.58	49074	---
48075	---	x 11"	1	0.64		
48076	---	x 12"	1	0.69	49076	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

SCH 40 STAINLESS STEEL NIPPLES

NIPPLES AND FITTINGS

#304



3/4" - 14

3/4" DIAMETER
SCH 40 WELDED

#316



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48080	---	X Close (1-3/8")	25	0.08	49080	---
48081	---	x 1-1/2"	25	0.13	49081	---
48082	---	x 2"	25	0.14	49082	---
48083	---	x 2-1/2"	25	0.17	49083	---
48084	---	x 3"	25	0.22	49084	---
48085	---	x 3-1/2"	25	0.27	49085	---
48086	---	x 4"	25	0.32	49086	---
48087	---	x 4-1/2"	25	0.38	49087	---
48088	---	x 5"	25	0.40	49088	---
48089	---	x 5-1/2"	25	0.42	49089	---
48090	---	x 6"	25	0.48	49090	---
48091	---	x 7"	1	0.45	49091	
48092	---	x 8"	1	0.67	49092	---
48094	---	x 10"	1	0.94	49094	---
48096	---	x 12"	1	1.03	49096	



1" - 11 1/2

1" DIAMETER
SCH 40 WELDED



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48100	---	X Close (1-1/2")	25	0.13	49100	---
48101	---	x 2"	25	0.20	49101	---
48102	---	x 2-1/2"	25	0.25	49102	---
48103	---	x 3"	25	0.33	49103	---
48104	---	x 3-1/2"	25	0.40	49104	---
48105	---	x 4"	25	0.47	49105	---
48106	---	x 4-1/2"	25	0.53	49106	---
48107	---	x 5"	25	0.55	49107	---
48108	---	x 5-1/2"	25	0.60	49108	---
48109	---	x 6"	25	0.71	49109	---
48110	---	x 7"	1	0.57	49110	---
48111	---	x 8"	1	1.02	49111	---
48113	---	x 10"	1	1.16	49113	---
48115	---	x 12"	1	1.31	49115	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

SCH 40 STAINLESS STEEL NIPPLES

NIPPLES AND FITTINGS



1 1/4" - 11 1/2

1-1/4" DIAMETER
SCH 40 WELDED



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48120	---	X Close (1-5/8")	10	0.17	49120	---
48121	---	x 2"	10	0.23	49121	---
48122	---	x 2-1/2"	10	0.35	49122	---
48123	---	x 3"	10	0.46	49123	---
48124	---	x 3-1/2"	10	0.52	49124	---
48125	---	x 4"	10	0.65	49125	---
48126	---	x 4-1/2"	10	0.53	49126	---
48127	---	x 5"	10	0.60	49127	---
48128	---	x 5-1/2"	10	0.61	49128	---
48129	---	x 6"	10	0.71	49129	---
48131	---	x 8"	1	1.34		
48135	---	x 12"	1	1.54		



1-1/2" - 11 1/2

1-1/2" DIAMETER
SCH 40 WELDED



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48140	---	X Close x 1-3/4"	10	0.25	49140	---
48141	---	x 2"	10	0.32	49141	---
48142	---	x 2-1/2"	10	0.41	49142	---
48143	---	x 3"	10	0.52	49143	---
48144	---	x 3-1/2"	10	0.62	49144	---
48145	---	x 4"	10	0.73	49145	---
48146	---	x 4-1/2"	10	0.86	49146	---
48147	---	x 5"	10	0.95	49147	---
48148	---	x 5-1/2"	10	1.01	49148	---
48149	---	x 6"	10	1.19	49149	---
48151	---	x 8"	1	1.63	49151	---
48152	---	x 9"	1	1.88		
48153	---	x 10"	1	2.28	49153	---
48155	---	x 12"	1	2.43		

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

SCH 40 STAINLESS STEEL NIPPLES

NIPPLES AND FITTINGS



2" DIAMETER
SCH 40 WELDED



PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48160	---	X Close (2")	10	0.37	49160	---
48161	---	x 2-1/2"	10	0.54	49161	---
48162	---	x 3"	10	0.65	49162	---
48163	---	x 3-1/2"	10	0.88	49163	---
48164	---	x 4"	10	1.02	49164	---
48165	---	x 4-1/2"	10	1.16	49165	---
48166	---	x 5"	10	1.29	49166	---
48167	---	x 5-1/2"	10	1.46	49167	---
48168	---	x 6"	10	1.57	49168	---
48169	---	x 7"	1	1.92	49169	---
48170	---	x 8"	1	2.01	49170	---
48171	---	x 9"	1	2.55		
48172	---	x 10"	1	2.69		
48174	---	x 12"	1	2.89		

2-1/2" DIAMETER
SCH 40 WELDED

PART # 304 S.S.	LENGTH	BOX	APPROX. WT. LBS.	LIST PRICE
48180	X Close (2-1/2")	10	0.64	---
48181	x 3"			---
48187	x 6"	1	2.37	---
48193	x 12"	1	4.85	---



3" DIAMETER
SCH 40 WELDED

PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48200	---	X Close (2-5/8")	10	0.95	49200	---
48201	---	x 3"	10	1.32	49201	---
48203	---	x 4"	10	1.66	49203	---
48205	---	x 5"	5	1.72	49205	---
48207	---	x 6"	5	1.88	49207	---
48209	---	x 8"	1	1.91	49209	---
48213	---	x 12"	1	2.12	49213	---



4" DIAMETER
SCH 40 WELDED

PART # 304 S.S.	LIST PRICE	LENGTH	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
48220	---	X Close (2-7/8")	8	1.15	49220	---
		x 4"	1	2.98	49223	---
48227	---	x 6"	1	4.10	49234	---
		x 8"	1	5.95	49236	---
		x 12"	1	9.25	49240	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL FITTINGS



150# 304 & 316 Stainless Steel Fittings

Our high quality standard pattern 150lb rated stainless steel threaded fittings are manufactured to the highest standards. All stainless steel fittings are monitored by our quality control personnel for strict compliance with applicable standards and specifications.

These stainless steel pipe fittings are excellent for uses that involve chemicals or liquids that may be corrosive. Along with fighting corrosion, a stainless steel pipe fitting will prevent contamination making it useful to many professionals.

- Use with air, water, oil, natural gas, steam
- NPT and FNPT threads conform to ASME B1.20.1
- Maximum Pressure: 300 psi @ 72 F;150 psi @ 366 F for steam
- Maximum Steam Pressure: 150 psi
- Material Conforms to ASTM A-351. Class 150 Pressure Ratings
- Manufacturing facility is ISO 9001:2008
- 304 Stainless Steel is economically priced, chromium-nickel material that offers very good corrosion resistance. 316 Stainless Steel has higher nickel content and contains molybdenum for even better corrosion resistance.

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

304 AND 316 150# SS FITTINGS

NIPPLES AND FITTINGS

90° ELBOW
304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62100	---	1/8"	25	0.06	63100	---
62101	---	1/4"	25	0.06	63101	---
62102	---	3/8"	25	0.11	63102	---
62103	---	1/2"	25	0.13	63103	---
62104	---	3/4"	25	0.20	63104	---
62105	---	1"	10	0.33	63105	---
62106	---	1-1/4"	10	0.55	63106	---
62107	---	1-1/2"	5	0.77	63107	---
62108	---	2"	5	1.10	63108	---
62109	---	2-1/2"	1	2.09	63109	---
62110	---	3"	1	2.84	63110	---
62112	---	4"	1	5.00	63112	---

90° STREET ELBOW
304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62160	---	1/8"	25	0.04	63160	---
62161	---	1/4"	25	0.07	63161	---
62162	---	3/8"	25	0.09	63162	---
62163	---	1/2"	25	0.15	63163	---
62164	---	3/4"	25	0.24	63164	---
62165	---	1"	10	0.31	63165	---
62166	---	1-1/4"	10	0.51	63166	---
62167	---	1-1/2"	5	0.84	63167	---
62168	---	2"	5	1.26	63168	---
62169	---	3"	1	4.16	63170	---
		4"	1	7.61	63171	---

45° ELBOW
304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62180	---	1/8"	25	0.04	63180	---
62181	---	1/4"	25	0.07	63181	---
62182	---	3/8"	25	0.09	63182	---
62183	---	1/2"	25	0.13	63183	---
62184	---	3/4"	25	0.20	63184	---
62185	---	1"	10	0.33	63185	---
62186	---	1-1/4"	10	0.49	63186	---
62187	---	1-1/2"	5	0.66	63187	---
62188	---	2"	5	1.14	63188	---
62189	---	2-1/2"	1	2.82		
62190	---	3"	1	2.91	63190	---
62191	---	4"	1	5.05	63192	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

304 AND 316 150# SS FITTINGS

NIPPLES AND FITTINGS

TEE

304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62250	---	1/8″	25	0.07	63250	---
62251	---	1/4″	25	0.07	63251	---
62252	---	3/8″	25	0.11	63252	---
62253	---	1/2″	25	0.20	63253	---
62254	---	3/4″	25	0.29	63254	---
62255	---	1″	10	0.42	63255	---
62256	---	1-1/4″	5	0.66	63256	---
62257	---	1-1/2″	5	0.99	63257	---
62258	---	2″	3	1.43	63258	---
62259	---	2-1/2"	1	1.43		
62260	---	3″	1	3.66	63260	---
		4"	1	7.19	63261	---

CROSS

304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
		1/8″	25	0.06	63390	---
62391	---	1/4″	25	0.09	63391	---
62392	---	3/8″	25	0.13	63392	---
62393	---	1/2″	25	0.29	63393	---
62394	---	3/4″	10	0.44	63394	---
62395	---	1″	10	0.74	63395	---
62396	---	1-1/4″	5	1.25	63396	---
62397	---	1-1/2″	5	1.53	63397	---
62398	---	2″	1	2.28	63398	---
		3"	1	5.46	63400	---
		4"	1	9.41	63401	---

HEX NIPPLE

304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62720	---	1/8″	1	0.02	63720	---
62721	---	1/4″	1	0.04	63721	---
62722	---	3/8″	1	0.07	63722	---
62723	---	1/2″	1	0.11	63723	---
62724	---	3/4″	1	0.18	63724	---
62725	---	1″	1	0.22	63725	---
62726	---	1-1/4″	1	0.37	63726	---
62727	---	1-1/2″	1	0.46	63727	---
62728	---	2″	1	0.61	63728	---

REDUCING HEX NIPPLE

304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62740	---	1/4" x 1/8"	1	0.04	63740	---
62741	---	3/8" x 1/8"	1	0.07	63741	---
62742	---	3/8" x 1/4"	1	0.07	63742	---
62744	---	1/2" x 1/4"	1	0.09	63744	---
62745	---	1/2" x 3/8"	1	0.11	63745	---
62747	---	3/4" x 1/4"	1	0.15	63747	---
62748	---	3/4" x 3/8"	1	0.15	63748	---
62749	---	3/4" x 1/2"	1	0.15	63749	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

304 AND 316 150# SS FITTINGS

NIPPLES AND FITTINGS

COUPLING
304 & 316 150#




PART # 304 S.S	LIST PRICE	SIZE*	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62410	---	1/8"	25	0.03	63410	---
62411	---	1/4"	25	0.06	63411	---
62412	---	3/8"	25	0.07	63412	---
62413	---	1/2"	25	0.13	63413	---
62414	---	3/4"	25	0.18	63414	---
62415	---	1"	25	0.24	63415	---
62416	---	1-1/4"	10	0.44	63416	---
62417	---	1-1/2"	10	0.51	63417	---
62418	---	2"	5	0.79	63418	---
62419	---	2-1/2"	1	1.28	63419	---
62420	---	3"	1	1.87	63420	---
62421	---	4"	1	2.80	63421	---

REDUCING COUPLING
304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62430	---	1/4" x 1/8"	25	0.04	63430	---
62431	---	3/8" x 1/8"	25	0.04	63431	---
62432	---	3/8" x 1/4"	25	0.04	63432	---
62433	---	1/2" x 1/8"	25	0.09	63433	---
62434	---	1/2" x 1/4"	25	0.09	63434	---
62435	---	1/2" x 3/8"	25	0.09	63435	---
62455	---	3/4" x 1/8"	25	0.13	63455	---
62436	---	3/4" x 1/4"	25	0.11	63436	---
62437	---	3/4" x 3/8"	25	0.13	63437	---
62438	---	3/4" x 1/2"	25	0.15	63438	---
		1" x 1/4"	25	0.25	63459	---
62440	---	1" x 3/8"	25	0.22	63440	---
62441	---	1" x 1/2"	25	0.24	63441	---
62442	---	1" x 3/4"	25	0.24	63442	---
62445	---	1-1/4" x 3/4"	10	0.33	63445	---
62446	---	1-1/4" x 1"	10	0.35	63446	---
62447	---	1-1/2" x 1/2"	10	0.40	63447	---
62448	---	1-1/2" x 3/4"	10	0.42	63448	---
62449	---	1-1/2" x 1"	10	0.44	63449	---
62450	---	1-1/2" x 1-1/4"	10	0.46	63450	---
62459		2" x 1/2"				
62451	---	2" x 3/4"				
62452	---	2" x 1"	5	0.57	63452	---
62453	---	2" x 1-1/4"	5	0.62	63453	---
62454	---	2" x 1-1/2"	5	0.62	63454	---
62462		2-1/2" x 2"				
62428	---	3" x 1"	1	1.82		
62456	---	3" x 2"	1	2.25		
62457		4" x 3"				

OD MACHINED COUPLING
304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	A	B	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62410B	---	1/8"	0.76	0.56	25	0.04	63410B	---
62411B	---	1/4"	0.94	0.71	25	0.04	63411B	---
62412B	---	3/8"	0.98	0.84	25	0.07	63412B	---
62413B	---	1/2"	1.33	1.01	25	0.09	63413B	---
62414B	---	3/4"	1.41	1.27	25	0.16	63414B	---
62415B	---	1"	1.69	1.54	10	0.21	63415B	---
62416B	---	1-1/4"	1.93	1.90	10	0.31	63416B	---
62417B	---	1-1/2"	1.93	2.16	5	0.41	63417B	---
62418B	---	2"	1.96	2.66	5	0.68	63418B	---
62420B	---	3"	3.23	3.76	1			


WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

304 AND 316 150# SS FITTINGS

NIPPLES AND FITTINGS

HALF COUPLING

304 & 316 150#



PART # 304 S.S	LIST	SIZE	A	B	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62770		1/8"						
62771	---	1/4"	0.39	0.70	25	0.02	63771	---
62772	---	3/8"	0.45	0.82	25	0.02	63772	---
62773	---	1/2"	0.57	1.02	25	0.09	63773	---
62774	---	3/4"	0.67	1.22	25	0.11	63774	---
62775	---	1"	0.79	1.47	25	0.13	63775	---
62776	---	1-1/4"	0.86	1.88	10	0.24	63776	---
62777	---	1-1/2"	0.94	2.10	10	0.26	63777	---
62778	---	2"	1.06	2.60	5	0.44	63778	---
62779		3"						

UNION

304 & 316 150#

- Stainless Steel Seat



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62600	---	1/8"	25	0.09	63600	---
62601	---	1/4"	25	0.13	63601	---
62602	---	3/8"	25	0.22	63602	---
62603	---	1/2"	25	0.26	63603	---
62604	---	3/4"	25	0.46	63604	---
62605	---	1"	10	0.60	63605	---
62606	---	1-1/4"	5	0.90	63606	---
62607	---	1-1/2"	5	1.10	63607	---
62608	---	2"	1	1.81	63608	---
62609		2-1/2"				
62610	---	3"	1	3.40	63610	---

CAP - CAST


304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62470	---	1/8"	25	0.02	63470	---
62471	---	1/4"	25	0.02	63471	---
62472	---	3/8"	25	0.04	63472	---
62473	---	1/2"	25	0.07	63473	---
62474	---	3/4"	25	0.11	63474	---
62475	---	1"	10	0.18	63475	---
62476	---	1-1/4"	10	0.29	63476	---
62477	---	1-1/2"	10	0.40	63477	---
62478	---	2"	10	0.60	63478	---
62480	---	3"	1	1.28	63480	---
62481	---	4"	1	1.54		

HEX CAP - BARSTOCK

304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62075	---	1/8"	25	0.04	63075	---
62076	---	1/4"	25	0.09	63076	---
62077	---	3/8"	25	0.11	63077	---
62078	---	1/2"	25	0.13	63078	---
62079	---	3/4"	25	0.22	63079	----
62080	----	1"	10	0.22	63080	---
62081	----	1-1/4"	10	0.29	63081	---
62082	---	1-1/2"	5	0.40	63082	---
62083	---	2"	5	0.49	63083	----

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

304 AND 316 150# SS FITTINGS

NIPPLES AND FITTINGS

HEX BUSHING
304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE M X F	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62500	---	1/4″ x 1/8″	25	0.04	63500	---
62501	---	3/8″ x 1/8″	25	0.04	63501	---
62502	---	3/8″ x 1/4″	25	0.04	63502	---
62503	---	1/2″ x 1/8″	25	0.09		
62504	---	1/2″ x 1/4″	25	0.09	63504	---
62505	---	1/2″ x 3/8″	25	0.11	63505	---
62506	---	3/4" x 1/8"	25	0.13	63506	---
62507	---	3/4″ x 1/4″	25	0.15	63507	---
62508	---	3/4″ x 3/8″	25	0.15	63508	---
62509	---	3/4″ x 1/2″	25	0.15	63509	---
62557	---	1" x 1/8"	25	0.27		
62510	---	1" x 1/4"	25	0.22	63510	---
62511	---	1" x 3/8"	25	0.24	63511	---
62512	---	1″ x 1/2″	25	0.24	63512	---
62513	---	1″ x 3/4″	25	0.24	63513	---
62515	---	1-1/4″ x 3/8″	25	0.37		
62516	---	1-1/4″ x 1/2″	25	0.37	63516	---
62517	---	1-1/4″ x 3/4″	25	0.37	63517	---
62518	---	1-1/4″ x 1″	25	0.37	63518	---
62521	---	1-1/2″ x 1/2″	25	0.44	63521	---
62522	---	1-1/2″ x 3/4″	25	0.46	63522	---
62532	---	1-1/2″ x 1″	25	0.49	63523	---
62524	---	1-1/2″ x 1-1/4″	25	0.46	63524	---
62559	---	2" x 1/4"	10	0.95	63526	
62527	---	2″ x 1/2″	10	0.66	63527	---
62528	---	2″ x 3/4″	10	0.66	63528	---
62529	---	2″ x 1″	10	0.66	63529	---
62530	---	2″ x 1-1/4″	10	0.68	63530	---
62531	---	2″ x 1-1/2″	10	0.68	63531	---
62547		2-1/2" 3/4"				
62536	---	2-1/2" x 1"	5	1.70		
62534	---	2-1/2″ x 1-1/2″	5	1.23	63534	---
62535	---	2-1/2″ x 2″	5	1.21	63535	---
		3" x 1"	5	2.20	63550	---
62537	---	3" x 1-1/2"	5	1.97	63537	---
62538	---	3″ x 2″	5	1.72	63538	---
62539	---	3″ x 2-1/2″	5	1.81	63539	
		4" x 1-1/2"	5	3.92	63540	---
		4" x 2"	1	3.72	63541	---
62543	---	4″ x 3″	1	2.43	63543	---

• STAINLESS STEEL BULKHEAD FITTINGS IN BULKHEAD SECTION

STAINLESS STEEL:
- BARBED FOR PLASTIC PIPE
- WELL COUPLINGS
- MERCHANT COUPLINGS
- SEE END OF BRONZE FITTING SECTION

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

304 AND 316 150# SS FITTINGS

NIPPLES AND FITTINGS

HEX LOCKNUT

304 & 316 150#

• Straight Thread



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62700	---	1/8"	25	0.02		
62701	---	1/4"	25	0.05	63701	---
62702	---	3/8"	25	0.06	63702	---
62703	---	1/2"	25	0.07	63703	---
62704	---	3/4"	25	0.11	63704	----
62705	---	1"	25	0.15	63705	---
62706	---	1-1/4"	25	0.22	63706	---
62707	---	1-1/2"	25	0.29	63707	---
62708	---	2"	10	0.35	63708	---

CORED SQUARE HEAD PLUG

304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62670	---	1/8"	25	0.02	63670	---
62671	---	1/4"	25	0.03	63671	---
62672	---	3/8"	25	0.04	63672	---
62653	---	1/2"	25	0.06	63653	---
62654	---	3/4"	25	0.13	63654	---
62655	---	1"	25	0.20	63655	---
62656	---	1-1/4"	25	0.32	63656	---
62657	---	1-1/2"	10	0.41	63657	---
62658	---	2"	10	0.65	63658	---
62659	---	2-1/2"	1	1.04		
62660	---	3"	1	0.88		

CORED HEX HEAD PLUG

304 & 316 150#



PART # 304 S.S	LIST PRICE	SIZE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
62630	---	1/8"	25	0.02	63630	---
62631	---	1/4"	25	0.02	63631	---
62632	---	3/8"	25	0.04	63632	---
62633	---	1/2"	25	0.07	63633	---
62634	---	3/4"	25	0.11	63634	---
62635	---	1"	25	0.20	63635	---
62636	---	1-1/4"	25	0.31	63636	---
62637	---	1-1/2"	10	0.44	63637	---
62638	---	2"	10	0.65	63638	---
62640		3"				
		4"	1	2.77	63641	---

HOSE NIPPLE

304 & 316 150#



HOSE BARB X MALE PIPE

PART # 304 S.S	LIST PRICE	HOSE I.D. X MALE PIPE	BOX	APPROX. WT. LBS.	PART # 316 S.S.	LIST PRICE
73951	---	1/4"	1	0.04	973951	---
73952	---	3/8"	1	0.07	973952	---
73953	---	1/2"	1	0.13	973953	---
73954	---	3/4"	1	0.20	973954	---
73955	---	1"	1	0.33	973955	---
73956	---	1-1/4"	1	0.47	973956	---
73957	---	1-1/2"	1	0.67	973957	---
73958	---	2"	1	0.88	973958	---
73959	---	2-1/2"	1	1.45	973959	---
73960	---	3"	1	1.94	973990	---
73961	---	4"	1	3.57	973991	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

304 AND 316 150# SS FITTINGS

NIPPLES AND FITTINGS

REDUCING HOSE NIPPLE

304 150#



HOSE BARB X MALE PIPE

PART # 304 S.S	HOSE I.D. X MALE PIPE	BOX	APPROX. WT. LBS.	LIST PRICE
73970	1/4" x 1/8"	1	0.04	---
73971	3/8" x 1/4"	1	0.07	---
73972	1/2" x 3/8"	1	0.13	---
73973	1/2" x 1/4"	1	0.13	---
73974	3/4" x 1/2"	1	0.20	---
73975	1" x 3/4"	1	0.33	---
73976	1" x 1/2"	1	0.33	---
73977	1-1/4" x 1"	1	0.46	---
73979	1-1/2" x 1-1/4"	1	0.66	---
73980	1-1/2" x 1"	1	0.66	---
73981	2" x 1-1/2"	1	0.88	---
73982	2" x 1-1/4"	1	0.88	---

SOLID HEX HEAD PLUG

316 150#



PART # 316 S.S	SIZE	BOX	APPROX. WT. LBS.	LIST PRICE
63660	1/8"	25	0.04	---
63661	1/4"	25	0.06	---
63662	3/8"	25	0.08	---
63663	1/2"	25	0.12	---
63664	3/4"	25	0.15	---
63665	1"	25	0.24	---

HEX SOCKET PLUG - BARSTOCK

316 150#



PART # 316 S.S	SIZE	BOX	APPROX. WT. LBS.	LIST PRICE
63759	1/16"	1	0.03	---
63760	1/8 "	1	0.05	---
63761	1/4 "	1	0.07	---
63762	3/8 "	1	0.10	---
63763	1/2 "	1	0.14	---
63764	3/4 "	1	0.21	---
63765	1"	1	0.24	---


SOLID SQUARE HEAD PLUG

316 150#



PART # 316 S.S	SIZE	BOX	APPROX. WT. LBS.	LIST PRICE
63680	1/8"	25	0.04	---
63681	1/4"	25	0.04	---
63682	3/8"	25	0.05	---
63683	1/2"	25	0.06	---
63684	3/4"	25	0.12	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



BLACK AND GALVANIZED STEEL NIPPLES

Product Specifications

Welded steel pipe nipples both galvanized and black in diameters ranging from 1/8" up to 4" in lengths from close to 12" and cut-pipe up to 120". -200°-150° Temp Rating.

Technical Specifications

Standards: Product complies with ASTM A-53, A-733 and ANSI B1.20.1 for threading, dimensions and pipe specifications.

Pipe: Complies with ASTM A-53 mill tested schedule 40 and 80 for both Welded & Seamless Meets ANSI B36.1. All pipe is hydrostatic tested.

Galvanized: Zinc coating applied by hot dipped. Galvanized complying with ASTM A-123, NSF approved, RoHS compliant.

Black: Protected against oxidation with varnish coating.

Cutting Procedure: All pipe is roller cut. A visual inspection of seams, excessive galvanizing, mid-welds, poor galvanizing, bends, roundness, under and over weight of the pipe is made at the time it is cut. This is done for every length of pipe. Pipe lengths are cut to a tolerance of + or - 1/16" of the actual length.

Threading Procedure:

All pipe is chaser thread cut to American Standard Tapered Pipe Thread standards. This is 3/4" taper per foot. Pipe is visually inspected for roundness of threads and other visual faults as it is removed from the threading machine.

SCHEDULE 80 XXS SEAMLESS



XXS SEAMLESS



- ASTM A106 Grade B Seamless Pipe
- ASTM A 53
- WWN 351
- Standard NPT Tapered Pipe Threads as per ANSI B 1.20.1 Specification

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED SCH 40
NIPPLES AND FITTINGS

1/8" - 27

Wall Thickness 0.068 - GradeB - Test Pressure 700 PSI - Thread Length 0.39



1/8" DIAMETER
SCH 40 WELDED



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56001	---	X Close (3/4")	50/600	0.02	57001	---
56002	---	x 1-1/2"	50/600	0.03	57002	---
56003	---	x 2"	50/500	0.04	57003	---
56004	---	x 2-1/2"	100/400	0.06	57004	---
56005	---	x 3	50/300	0.07	57005	---
56006	---	x 3-1/2"	50/300	0.08	57006	---
56007	---	x 4"	50/300	0.09	57007	---
56008	---	x 4-1/2"	50/300	0.10	57008	---
56009	---	x 5"	50/300	0.11	57009	---
56010	---	x 5-1/2"	50/300	0.12	57010	---
56011	---	x 6"	50/300	0.13	57011	---
56012	---	x 7"	50/300	0.15	57012	---
56013	---	x 8"	50/300	0.18	57013	---
56014	---	x 9"	50/300	0.21	57014	---
56015	---	x 10"	50/300	0.25	57015	---
56017	---	x 12"	50/300	0.29	57017	---

1/4"-18

Wall Thickness 0.068 - GradeB - Test Pressure 700 PSI - Thread Length 0.39



1/4" DIAMETER
SCH 40 WELDED



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56020	---	X Close (7/8")	50/600	0.04	57020	---
56021	---	x 1-1/2"	125/500	0.06	57021	---
56022	---	x 2"	125/500	0.06	57022	---
56023	---	x 2-1/2"	100/400	0.08	57023	---
56024	---	x 3	50/300	0.10	57024	---
56025	---	x 3-1/2"	50/300	0.12	57025	---
56026	---	x 4"	50/300	0.14	57026	---
56027	---	x 4-1/2"	50/300	0.17	57027	---
56028	---	x 5"	50/300	0.19	57028	---
56029	---	x 5-1/2"	50/300	0.21	57029	---
56030	---	x 6"	50/300	0.23	57030	---
56031	---	x 7"	50/100	0.27	57031	---
56032	---	x 8"	50/100	0.31	57032	---
56033	---	x 9"	50/100	0.35	57033	---
56034	---	x 10"	50/100	0.40	57034	---
56035	---	x 11"	50/100	0.44	57035	---
56036	---	x 12"	50/100	0.48	57036	---
56038	---	x 18"	50/100	0.54		

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED SCH 40

NIPPLES AND FITTINGS



3/8" DIAMETER

SCH 40 WELDED

Wall Thickness 0.091 - Grade B - Test Pressure 700 PSI - Thread Length 0.6



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56040	---	X Close (1")	50/600	0.05	57040	---
56041	---	x 1-1/2"	125/500	0.07	57041	---
56042	---	x 2"	125/500	0.08	57042	---
56043	---	x 2-1/2"	100/400	0.11	57043	---
56044	---	x 3"	50/300	0.13	57044	---
56045	---	x 3-1/2"	50/300	0.16	57045	---
56046	---	x 4"	50/300	0.19	57046	---
56047	---	x 4-1/2"	50/200	0.21	57047	---
56048	---	x 5"	50/150	0.24	57048	---
56049	---	x 5-1/2"	50/150	0.27	57049	---
56050	---	x 6"	50/100	0.29	57050	---
56051	---	x 7"	50/100	0.35	57051	---
56052	---	x 8"	50/100	0.40	57052	---
56053	---	x 9"	50/100	0.45	57053	---
56054	---	x 10"	50/100	0.51	57054	---
56055	---	x 11"	50/100	0.56	57055	---
56056	---	x 12"	50/100	0.62	57056	---
56430	---	x 18"	5/10	0.71	57430	---
		x 24"	1/1	1.02	57431	---



1/2" DIAMETER

SCH 40 WELDED

Wall Thickness 0.109 - Grade B - Test Pressure 700 PSI - Thread Length 0.78



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56060	---	X Close (1-1/8")	50/600	0.08	57060	---
56061	---	x 1-1/2"	125/500	0.08	57061	---
56062	---	x 2"	125/500	0.12	57062	---
56063	---	x 2-1/2"	100/400	0.15	57063	---
56064	---	x 3"	50/300	0.19	57064	---
56065	---	x 3-1/2"	50/300	0.23	57065	---
56066	---	x 4"	50/300	0.27	57066	---
56067	---	x 4-1/2"	50/200	0.30	57067	---
56068	---	x 5"	50/150	0.34	57068	---
56069	---	x 5-1/2"	50/150	0.38	57069	---
56070	---	x 6"	50/100	0.42	57070	---
56071	---	x 7"	50/100	0.49	57071	---
56072	---	x 8"	50/100	0.57	57072	---
56073	---	x 9"	50/100	0.65	57073	---
56074	---	x 10"	50/100	0.72	57074	---
56075	---	x 11"	50/100	0.80	57075	---
56076	---	x 12"	40/80	0.87	57076	---
56240	---	x 18"	1/3	1.29	57240	---
56241	---	x 24"	1/3	1.74	57241	---
56242	---	x 30"	1/3	2.16	57242	---
56243	---	x 36"	1/3	2.61	57243	---
56244	----	x 42"	1/3	3.03	57244	---
56245	---	x 48"	1/3	3.48	57245	---
56246	---	x 60"	1/3	4.35	57246	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



3/4" DIAMETER
SCH 40 WELDED

Wall Thickness 0.113 - Grade B - Test Pressure 700 PSI - Thread Length 0.79



Part # Galv	List Price	Length	Box/Case	Approx. Wt. Lbs.	Part # Black	List Price
56080	---	X Close (1-3/8")	50/300	0.13	57080	---
56081	---	x 1-1/2"	125/250	0.10	57081	---
56082	---	x 2"	125/250	0.15	57082	---
56083	---	x 2-1/2"	50/250	0.20	57083	---
56084	---	x 3"	50/200	0.24	57084	---
56085	---	x 3-1/2"	50/150	0.29	57085	---
56086	---	x 4"	50/150	0.34	57086	---
56087	---	x 4-1/2"	50/150	0.39	57087	---
56088	---	x 5"	50/150	0.43	57088	---
56089	---	x 5-1/2"	60/120	0.48	57089	---
56090	---	x 6"	50/100	0.53	57090	---
56091	---	x 7"	50/100	0.63	57091	---
56092	---	x 8"	50/100	0.72	57092	---
56093	---	x 9"	40/80	0.82	57093	---
56094	---	x 10"	40/80	0.91	57094	---
56095	---	x 11"	30/60	1.01	57095	---
56096	---	x 12"	30/60	1.10	57096	---
56250	---	x 18"	1/3	1.63	57250	---
56251	---	x 24"	1/3	2.20	57251	---
56252	---	x 30"	1/3	2.73	57252	---
56253	---	x 36"	1/3	3.30	57253	---
56254	----	x 42"	1/3	3.83	57254	----
56255	---	x 48"	1/3	4.40	57255	---
56256	---	x 60"	1/3	5.50	57256	---
56257	---	x 72"	1/3	6.60	57257	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED SCH 40

NIPPLES AND FITTINGS



1" DIAMETER

SCH 40 WELDED

Wall Thickness 0.133 - Grade B - Test Pressure 700 PSI - Thread Length 0.98



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56100	---	X Close (1-1/2")	50/200	0.16	57100	---
56101	---	x 2"	50/150	0.23	57101	---
56102	---	x 2-1/2"	50/150	0.29	57102	---
56103	---	x 3"	50/100	0.36	57103	---
56104	---	x 3-1/2"	50/100	0.43	57104	---
56105	---	x 4"	50/100	0.50	57105	---
56106	---	x 4-1/2"	50/100	0.56	57106	---
56107	---	x 5"	50/100	0.63	57107	---
56108	---	x 5-1/2"	50/100	0.70	57108	---
56109	---	x 6"	40/80	0.77	57109	---
56110	---	x 7"	25/50	0.90	57110	---
56111	---	x 8"	25/50	1.03	57111	---
56112	---	x 9"	15/30	1.17	57112	---
56113	---	x 10"	15/30	1.30	57113	---
56114	---	x 11"	15/30	1.44	57114	---
56115	---	x 12"	15/30	1.57	57115	---
56260	---	x 18"	1/3	2.34	57260	---
56261	---	x 24"	1/3	3.14	57261	---
56262	---	x 30"	1/3	3.91	57262	---
56263	---	x 36"	1/3	4.71	57263	---
56264	----	x 42"	1/3	5.48	57264	---
56265	---	x 48"	1/3	6.28	57265	---
56266	---	x 60"	1/3	7.85	57266	---
56267	---	x 72"	1/3	9.42	57267	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED SCH 40
NIPPLES AND FITTINGS



1-1/4" DIAMETER
SCH 40 WELDED

Wall Thickness 0.14 - Grade B - Test Pressure 1300 PSI - Thread Length 1.01



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56120	---	X Close (1-5/8")	50/100	0.25	57120	---
56121	---	x 2"	50/100	0.32	57121	---
56122	---	x 2-1/2"	50/100	0.41	57122	---
56123	---	x 3"	50/100	0.50	57123	---
56124	---	x 3-1/2"	30/60	0.60	57124	---
56125	---	x 4"	30/60	0.69	57125	---
56126	---	x 4-1/2"	30/60	0.78	57126	---
56127	---	x 5"	25/50	0.87	57127	---
56128	---	x 5-1/2"	25/50	0.96	57128	---
56129	---	x 6"	25/50	1.06	57129	---
56130	---	x 7"	15/30	1.24	57130	---
56131	---	x 8"	15/30	1.42	57131	---
56132	---	x 9"	15/30	1.61	57132	---
56133	---	x 10"	15/30	1.79	57133	---
56134	---	x 11"	10/20	1.97	57134	---
56135	---	x 12"	10/20	2.16	57135	---
56270	---	x 18"	1/3	3.22	57270	---
56271	---	x 24"	1/3	4.32	57271	---
56272	---	x 30"	1/3	3.22	57272	---
56273	---	x 36"	1/3	6.48	57273	---
56275	---	x 48"			57275	---
		x 48"	1/3	8.64	57275	---
56276		x 60"	1/3	10.80	57276	



1-1/2" DIAMETER
SCH 40 WELDED

Wall Thickness 0.145 - Grade B - Test Pressure 1300 PSI - Thread Length 1.03



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56140	---	X Close (1-3/4")	50/100	0.31	57140	---
56141	---	x 2"	40/80	0.37	57141	---
56142	---	x 2-1/2"	40/80	0.47	57142	---
56143	---	x 3"	40/80	0.58	57143	---
56144	---	x 3-1/2"	25/50	0.68	57144	---
56145	---	x 4"	25/50	0.78	57145	---
56146	---	x 4-1/2"	25/50	0.89	57146	---
56147	---	x 5"	25/50	1.10	57147	---
56148	---	x 5-1/2"	20/40	1.10	57148	---
56149	---	x 6"	15/30	1.20	57149	---
56150	---	x 7"	15/30	1.41	57150	---
56151	---	x 8"	15/30	1.62	57151	---
56152	---	x 9"	15/30	1.83	57152	---
56153	---	x 10"	1/20	2.04	57153	---
56154	---	x 11"	1/20	2.25	57154	---
56155	---	x 12"	1/20	2.46	57155	---
56280	---	x 18"	1/3	3.66	57280	---
56281	---	x 24"	1/3	4.92	57281	---
56282	---	x 30"	1/3	6.12	57282	---
56283	---	x 36"	1/3	7.38	57283	---
56285	---	x 48"	1/3	9.84	57285	---
56286		x 60"			57286	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED SCH 40
NIPPLES AND FITTINGS



2" DIAMETER
SCH 40 WELDED

Wall Thickness 0.154 - Grade B - Test Pressure 2500 PSI - Thread Length 1.06



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56160	---	X Close (2")	40/80	0.55	57160	---
56161	---	x 2-1/2"	25/50	0.70	57161	---
56162	---	x 3"	25/50	0.86	57162	---
56163	---	x 3-1/2"	1/30	1.01	57163	---
56164	---	x 4"	1/30	1.16	57164	---
56165	---	x 4-1/2"	1/25	1.31	57165	---
56166	---	x 5"	1/30	1.47	57166	---
56167	---	x 5-1/2"	1/30	1.62	57167	---
56168	---	x 6"	1/20	1.77	57168	---
56169	---	x 7"	1/20	2.08	57169	---
56170	---	x 8"	1/20	2.39	57170	---
56171	---	x 9"	1/10	2.70	57171	---
56172	---	x 10"	1/10	3.00	57172	---
56173	---	x 11"	1/10	3.31	57173	---
56174	---	x 12"	1/10	3.62	57174	---
56290	---	x 18"	1/3	5.39	57290	---
56291	---	x 24"	1/3	5.26	57291	---
56292	---	x 30"	1/3	7.03	57292	---
56293	---	x 36"	1/3	10.86	57293	---
56294	----	x 42"	1/3	12.63	57294	---
56295	---	x 48"	1/3	14.48	57295	---
56296	---	x 60"	1/3	18.10	57296	---
56297	---	x 72"	1/3	18.10	57297	---



2-1/2" DIAMETER
SCH 40 WELDED

Wall Thickness 0.203 - Grade B - Test Pressure 2500 PSI - Thread Length 1.57



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56180	---	X Close (2-1/2")	1/20	1.09	57180	---
56181	---	x 3"	1/20	1.33	57181	---
56182	---	x 3-1/2"	1/20	1.57	57182	---
56183	---	x 4"	1/20	1.82	57183	---
56184	---	x 4-1/2"	1/20	2.06	57184	---
56185	---	x 5"	1/20	2.30	57185	---
56186	---	x 5-1/2"	1/10	2.54	57186	---
56187	---	x 6"	1/10	2.78	57187	---
56188	---	x 7"	1/10	3.27	57188	---
56189	---	x 8"	1/10	3.75	57189	---
56190	---	x 9"	1/10	4.24	57190	---
56191	---	x 10"	1/8	4.72	57191	---
56192	---	x 11"	1/8	5.21	57192	---
56193	---	x 12"	1/8	5.69	57193	---


WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED SCH 40
NIPPLES AND FITTINGS



3" DIAMETER
SCH 40 WELDED

Wall Thickness 0.216 - Grade B - Test Pressure 2500 PSI - Thread Length 1.64




PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56200	---	X Close (2-5/8")	1/20	1.52	57200	---
56201	---	x 3"	1/20	1.76	57201	---
56202	---	x 3-1/2"	1/10	2.08	57202	---
56203	---	x 4"	1/10	2.39	57203	---
56204	---	x 4-1/2"	1/10	2.71	57204	---
56205	---	x 5"	1/10	3.03	57205	---
56206	---	x 5-1/2"	1/10	3.35	57206	---
56207	---	x 6"	1/10	3.66	57207	---
56208	---	x 7"	1/8	4.30	57208	---
56209	---	x 8"	1/8	4.93	57209	---
56210	---	x 9"	1/8	5.57	57210	---
56211	---	x 10"	1/5	6.20	57211	---
56212	---	x 11"	1/5	7.20	57212	---
56213	---	x 12"	1/5	7.47	57213	---
		x 24"	1	14.94	57311	---



4" DIAMETER
SCH 40 WELDED

Wall Thickness 0.237 - Grade B - Test Pressure 2210 PSI - Thread Length 1.74



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56220	---	X Close (2-7/8")	1/10	2.00	57220	---
56221	---	3-1/2"	1/8	2.21		
56223	---	x 4"	1/8	3.41	57223	---
56224	---	x 4-1/2"	1/6	3.86	57224	---
56225	---	x 5"	1/6	4.31	57225	---
56226	---	x 5-1/2"	1/6	4.76	57226	---
56227	---	x 6"	1/6	5.21	57227	---
56330	---	x 7"	1/5	6.48	57330	---
56229	---	x 8"	1/5	7.01	57229	---
56331	---	x 9"	1/5	7.54	57331	---
56332	---	x 10"	1/5	8.14	57332	---
56228	---	x 12"	1/4	8.54	57228	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

NIPPLES AND ASSORTMENTS

NIPPLES AND FITTINGS



6" DIAMETER

SCH 40 WELDED

Wall Thickness 0.154 - Grade B - Test Pressure 2500 PSI - Thread Length 1.06



PART # GALV	LIST PRICE	LENGTH	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
56300	---	X Close (3-1/8")	1/1	3.80	57300	---
		x 4"	1/1	5.30	57304	---
		x 6"	1/1	8.30	57301	---
		x 8"	1/1	11.30	57305	---
		x 10"			57306	---
		x 12"	1/1	17.20	57308	---



8" DIAMETER

SCH 40 WELDED

Wall Thickness 0.154 - Grade B - Test Pressure 2500 PSI - Thread Length 1.06

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
57320	X Close (3-1/8")	1/1	5.80	---
57322	x 6"	1/1	6.50	---
57324	x 8"	1/1	11.30	---
57326	x 10"	1/1	19.00	---
57328	x 12"	1/1	28.55	---



SCH 40 SINGLE RUN NIPPLE BLACK

PART	DESCRIPTION	CLOSE	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5 1/2	6	TOTAL PCS	LIST
973570	1/2"	1	1	1	1	1	1	1	1	1	1	1	11	
973571	3/4"	1	1	1	1	1	1	1	1	1	1	1	11	
973572	1"	1		1	1	1	1	1	1	1	1	1	10	
973573	1-1/4"	1		1	1	1	1	1	1	1	1	1	10	
973574	1-1/2"	1		1	1	1	1	1	1	1	1	1	10	
973575	2"	1			1	1	1	1	1	1	1	1	9	

SCH 40 SINGLE RUN NIPPLE GALVANIZED

PART	DESCRIPTION	CLOSE	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5 1/2	6	TOTAL PCS	LIST
973670	1/2"	1	1	1	1	1	1	1	1	1	1	1	11	
973671	3/4"	1	1	1	1	1	1	1	1	1	1	1	11	
973672	1"	1		1	1	1	1	1	1	1	1	1	10	
973673	1-1/4"	1		1	1	1	1	1	1	1	1	1	10	
973674	1-1/2"	1		1	1	1	1	1	1	1	1	1	10	
973675	2"	1			1	1	1	1	1	1	1	1	9	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL NIPPLE ASSORTMENTS

B "6" ASSORTMENTS



BLACK		LENGTH											WT.	TOTAL	
		CLOSE	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	LBS.	PIECES	
973567	1/2"	6	6	6	6	6	6	6	6	6	6	6	20	66	---
973568	3/4"	6	6	6	6	6	6	6	6	6	6	6	27	66	---
973569	1"	6		6	6	6	6	6	6	6	6	6	34	60	---
GALV.		**LENGTH**											**WT.**	**TOTAL**	
		CLOSE	**1-1/2"**	**2"**	**2-1/2"**	**3"**	**3-1/2"**	**4"**	**4-1/2"**	**5"**	**5-1/2"**	**6"**	**LBS.**	**PIECES**	
973667	1/2"	6	6	6	6	6	6	6	6	6	6	6	20	66	---
973668	3/4"	6	6	6	6	6	6	6	6	6	6	6	27	66	---
973669	1"	6		6	6	6	6	6	6	6	6	6	34	60	---

STEEL TOTE TRAYS





PART #	SIZE	CAPACITY	LIST PRICE
990781	1/2"	77pcs	---
990782	3/4"	66pcs	---
990783	1"	50pcs	---
990786	1-1/4"	40pcs	---
990784	1-1/2"	30pcs	---
990785	2"	27pcs	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BLACK SCH 80 SEAMLESS

NIPPLES AND FITTINGS

EXTRA HEAVY SEAMLESS STEEL PIPE NIPPLES

1/8" - 27



1/8" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.094 - GradeB - Test Pressure850 PSI - Thread Length 0.39

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59001SMLS	x Close	40/480	0.02	---
59002SMLS	x 1-1/2"	40/480	0.03	---
59003SMLS	x 2"	100/400	0.05	---
59004SMLS	2-1/2"	100/400	0.06	---
59005SMLS	x 3"	40/240	0.08	---
59006SMLS	x 3-1/2"	40/240	0.09	---
59007SMLS	x 4"	40/240	0.11	---
59009SMLS	x 5"	40/120	0.12	---
59010SMLS	x 5-1/2"	40/120	0.13	---
59011SMLS	x 6"	40/80	0.16	---

1/4"-18



1/4" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.119 - Grade B - Test Pressure 850 PSI - Thread Length 0.59

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59020SMLS	x Close (7/8")	40 / 480	0.03	---
59021SMLS	x 1-1/2"	100 / 400	0.06	---
59022SMLS	x 2"	100 / 400	0.08	---
59023SMLS	x 2-1/2"	80 / 320	0.10	---
59024SMLS	x 3"	40 / 240	0.12	---
59025SMLS	x 3-1/2"	40 / 240	0.15	---
59026SMLS	x 4"	40 / 240	0.17	---
59027SMLS	x 4-1/2"	40 / 120	0.19	---
59028SMLS	x 5"	40 / 120	0.21	---
59029SMLS	x 5-1/2"	40 / 80	0.24	---
59030SMLS	x 6"	40 / 80	0.26	---
59031SMLS	x 7"	40 / 80	0.30	---
59032SMLS	x 8"	40 / 80	0.35	---
59033SMLS	x 9"	40 / 80	0.39	---
59034SMLS	x 10"	40 / 80	0.44	---
59036SMLS	x 12"	40 / 80	0.53	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

3/8"-18



3/8" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.126 - Grade B - Test Pressure 850 PSI - Thread Length 0.6

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59040SMLS	X Close (3/8")	40 / 480	0.05	---
59041SMLS	x 1-1/2"	100 / 400	0.08	---
59042SMLS	x 2"	100 / 400	0.11	---
59043SMLS	x 2-1/2"	80 / 320	0.14	---
59044SMLS	x 3"	40 / 240	0.17	---
59045SMLS	x 3-1/2"	40 / 240	0.20	---
59046SMLS	x 4"	40 / 240	0.23	---
59047SMLS	x 4-1/2"	40 / 160	0.26	---
59048SMLS	x 5"	40 / 120	0.29	---
59049SMLS	x 5-1/2"	40 / 120	0.32	---
59050SMLS	x 6"	40 / 80	0.35	---
59052SMLS	x 8"	40/80	0.47	---
59054SMLS	x 10"	40/80	0.53	---
59056SMLS	x 12"	40/80	0.65	---

1/2" - 14



1/2" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.147 - Grade B - Test Pressure 850 PSI - Thread Length 0.78

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59060SMLS	X Close (1-1/8")	40 / 480	0.07	---
59061SMLS	x 1-1/2"	100 / 400	0.11	---
59062SMLS	x 2"	100 / 400	0.15	---
59063SMLS	x 2-1/2"	80 / 320	0.20	---
59064SMLS	x 3"	40 / 240	0.24	---
59065SMLS	x 3-1/2"	40 / 240	0.29	---
59066SMLS	x 4"	40 / 240	0.33	---
59067SMLS	x 4-1/2"	40 / 160	0.38	---
59068SMLS	x 5"	40 / 120	0.42	---
59069SMLS	x 5-1/2"	40 / 120	0.47	---
59070SMLS	x 6"	40 / 80	0.51	---
59071SMLS	x 7"	40 / 80	0.60	---
59072SMLS	x 8"	40 / 80	0.69	---
59073SMLS	x 9"	40/80	0.73	---
59074SMLS	x 10"	40 / 80	0.88	---
59075SMLS	x 11"	32/64	0.96	---
59076SMLS	x 12"	32 / 64	1.06	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK SCH 80 SEAMLESS

NIPPLES AND FITTINGS



3/4" - 14

3/4" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.154 - Grade B - Test Pressure 850 PSI - Thread Length 0.79

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59080SMLS	X Close (1-3/8")	40/240	0.13	---
59081SMLS	x 1-1/2"	100/200	0.15	---
59082SMLS	x 2"	100/200	0.21	---
59083SMLS	x 2-1/2"	40/160	0.27	---
59084SMLS	x 3"	40/160	0.33	---
59085SMLS	x 3-1/2"	40/120	0.39	---
59086SMLS	x 4"	40/120	0.45	---
59087SMLS	x 4-1/2"	40/120	0.51	---
59088SMLS	x 5"	40/120	0.57	---
59089SMLS	x 5-1/2"	48/96	0.64	---
59090SMLS	x 6"	40/80	0.69	---
59091SMLS	x 7"	40/80	0.82	---
59092SMLS	x 8"	40/80	0.94	---
59094SMLS	x 10"	32/64	1.19	---
59096SMLS	x 12"	24/48	1.44	---

1" - 11 1/2



1" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.179 - Grade B - Test Pressure 850 PSI - Thread Length 0.98

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59100SMLS	X Close (1-1/2")	40 / 160	0.21	---
59101SMLS	x 2"	40 / 120	0.30	---
59102SMLS	x 2-1/2"	40 / 120	0.37	---
59103SMLS	x 3"	40 / 80	0.47	---
59104SMLS	x 3-1/2"	40 / 80	0.56	---
59105SMLS	x 4"	40 / 80	0.65	---
59106SMLS	x 4-1/2"	40 / 80	0.74	---
59107SMLS	x 5"	40 / 80	0.83	---
59108SMLS	x 5-1/2"	40 / 80	0.92	---
59109SMLS	x 6"	32 / 64	1.01	---
59110SMLS	x 7"	20 / 40	1.19	---
59111SMLS	x 8"	20 / 40	1.37	---
59112SMLS	x 9"	20 / 40	1.55	---
59113SMLS	x 10"	12 / 24	1.74	---
59114SMLS	x 11"	12 / 24	1.92	---
59115SMLS	x 12"	12 / 24	2.10	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



1-1/4" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.191 - Grade B - Test Pressure 1900 PSI - Thread Length 1.01

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59120SMLS	X Close (1-5/8")	40 / 80	0.31	---
59121SMLS	x 2"	40 / 80	0.42	---
59122SMLS	x 2-1/2"	40 / 80	0.52	---
59123SMLS	x 3"	40 / 80	0.64	---
59124SMLS	x 3-1/2"	24 / 48	0.77	---
59125SMLS	x 4"	24 / 48	0.90	---
59126SMLS	x 4-1/2"	24 / 48	1.02	---
59127SMLS	x 5"	20 / 40	1.15	---
59128SMLS	x 5-1/2"	20 / 40	1.27	---
59129SMLS	x 6"	20 / 40	1.40	---
59130SMLS	x 7"	20 / 40	1.65	---
59131SMLS	x 8"	12 / 24	1.90	---
59132SMLS	x 9"	12 / 24	2.15	---
59133SMLS	x 10"	12 / 24	2.40	---
59134SMLS	x 11"	8 / 16	2.65	---
59135SMLS	x 12"	8 / 16	2.90	---



1-1/2" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.2 - Grade B - Test Pressure 1900 PSI - Thread Length 1.03

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59140SMLS	X Close (1-3/4")	40 / 80	0.41	---
59141SMLS	x 2"	32 / 64	0.51	---
59142SMLS	x 2-1/2"	32 / 64	0.64	---
59143SMLS	x 3"	32 / 64	0.78	---
59144SMLS	x 3-1/2"	20 / 40	0.94	---
59145SMLS	x 4"	20 / 40	1.09	---
59146SMLS	x 4-1/2"	20 / 40	1.23	---
59147SMLS	x 5"	20 / 40	1.39	---
59148SMLS	x 5-1/2"	16 / 32	1.54	---
59149SMLS	x 6"	12 / 24	1.69	---
59150SMLS	x 7"	12 / 24	2.00	---
59151SMLS	x 8"	12 / 24	2.30	---
59152SMLS	x 9"	12 / 24	2.61	---
59153SMLS	x 10"	8 / 16	2.90	---
59154SMLS	x 11"	8 / 16	3.20	---
59155SMLS	x 12"	8 / 16	3.51	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK SCH 80 SEAMLESS

NIPPLES AND FITTINGS



2" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.218 - Grade B - Test Pressure 2500 PSI - Thread Length 1.06

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59160SMLS	X Close (2")	32/64	0.30	---
59161SMLS	x 2-1/2"	20 / 40	0.80	---
59162SMLS	x 3"	20 / 40	1.10	---
59163SMLS	x 3-1/2"	12 / 24	1.31	---
59164SMLS	x 4"	12 / 24	1.52	---
59165SMLS	x 4-1/2"	12 / 24	1.72	---
59166SMLS	x 5"	12 / 24	1.94	---
59167SMLS	x 5-1/2"	12 / 24	2.15	---
59168SMLS	x 6"	8 / 16	2.35	---
59169SMLS	x 7"	8 / 16	2.78	---
59170SMLS	x 8"	8 / 16	3.19	---
59171SMLS	x 9"	1 / 8	3.62	---
59172SMLS	x 10"	1 / 8	4.03	---
59173SMLS	x 11"	1 / 8	4.44	---
59174SMLS	x 12"	1 / 8	4.87	---
59196SMLS	x 18"	1/1	7.22	---
59197SMLS	x 24"	1/1	9.74	---
59198SMLS	x 36"	1/1	14.61	---
59199SMLS	x 48"	1/1	19.48	---



2-1/2" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.276 - Grade B - Test Pressure 2500 PSI - Thread Length 1.57

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59180SMLS	x Close (2-1/2")	1 / 16	1.25	---
59181SMLS	x 3"	1 / 16	1.57	---
59182SMLS	x 3-1/2"	1 / 16	1.82	---
59183SMLS	x 4"	1 / 16	2.15	---
59184SMLS	x 4-1/2"	1 / 16	1.75	---
59185SMLS	x 5"	1 / 16	2.78	---
59186SMLS	x 5-1/2"	1 / 8	2.25	---
59187SMLS	x 6"	1 / 8	3.41	---
59188SMLS	x 7"	1 / 8	3.89	---
59189SMLS	x 8"	1 / 8	4.69	---
59190SMLS	x 9"	1 / 8	5.34	---
59191SMLS	x 10"	1 / 6	5.97	---
59192SMLS	x 11"	1 / 6	4.89	---
59193SMLS	x 12"	1 / 5	7.26	---


WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



3" DIAMETER SCHEDULE 80 SEAMLESS

Wall Thickness 0.3 - Grade B - Test Pressure 2500 PSI - Thread Length 1.64

Part #	Length	Box/Case	Approx. Wt. Lbs.	List Price
59-200SMLS	X Close (2-5/8")	1 / 16	1.79	---
59-201SMLS	x 3"	1 / 16	2.11	---
59-202SMLS	x 3-1/2"	1 / 16	2.55	---
59-203SMLS	x 4"	1 / 8	2.89	---
59-204SMLS	x 4-1/2"	1 / 8	3.30	---
59-205SMLS	x 5"	1 / 8	3.73	---
59-206SMLS	x 5-1/2"	1 / 8	4.17	---
59-207SMLS	x 6"	1 / 8	4.57	---
59-208SMLS	x 7"	1 / 6	5.45	---
59-209SMLS	x 8"	1 / 6	6.29	---
59-210SMLS	x 9"	1 / 6	7.17	---
59-211SMLS	x 10"	1 / 4	8.01	---
59-212SMLS	x 11"	1 / 4	8.85	---
59-213SMLS	x 12"	1 / 4	9.72	---




4" DIAMETER SCHEDULE 80 SEAMLESS


Wall Thickness 0.337 - Grade B - Test Pressure 2800 PSI - Thread Length 1.74

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59220SMLS	X Close (2-7/8")	1 / 8	2.91	---
59221SMLS	x 4"	1 / 6	4.26	---
59223SMLS	x 5"	1 / 5	5.49	---
59224SMLS	x 5-1/2"			
59225SMLS	x 6"	1 / 5	6.72	---
59226SMLS	x 7"	1/3	7.33	---
59227SMLS	x 8"	1 / 3	9.23	---
59228SMLS	9"			
59229SMLS	x 10"	1 / 3	11.73	---
59231SMLS	x 12"	1 / 3	14.24	---

SCHEDULE 80 SEAMLESS



6" DIAMETER



8" DIAMETER

PART #		LENGTH	BOX/CASE	APPROX. WT. LBS. 6"	APPROX. WT. LBS. 8"	PART #	
59300SMLS	---	X Close	2	3.57	4.62	59-320SMLS	---
59301SMLS	---	x 6"	2	14.29	16.91	59-322SMLS	---
59305SMLS	---	x 8"	2	19.05	22.54	59-324SMLS	---
59306SMLS	---	x 10"	2	23.81	27.47	59-326SMLS	---
59308SMLS	---	x 12"	2	28.57	34.18	59-328SMLS	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK EXTRA HEAVY XXS SEAMLESS

NIPPLES AND FITTINGS



1/2" DIAMETER BLACK EXTRA HEAVY XXS SEAMLESS

Wall Thickness 0.294 - Grade B - Test Pressure 1000 PSI - Thread Length 0.79

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59060SMLSXX	x Close	100 / 200	0.31	---
59062SMLSXX	x 2"	100 / 200	0.58	---
59064SMLSXX	x 3"	50 / 100	0.62	---
59066SMLSXX	x 4"	50 / 100	0.66	---
59070SMLSXX	x 6"	25 / 50	0.75	---



3/4" DIAMETER DIAMETER BLACK EXTRA HEAVY XXS SEAMLESS

Wall Thickness 0.308 - Grade B - Test Pressure 1000 PSI - Thread Length 0.79


PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59080SMLSXX	x Close	40/240	0.55	---
59082SMLSXX	x 2"	50 / 100	0.62	---
59086SMLSXX	x 4"	25 / 50	0.68	---
59090SMLSXX	x 6"	25 / 50	0.71	---



1" DIAMETER DIAMETER BLACK EXTRA HEAVY XXS SEAMLESS

Wall Thickness 0.358 - Grade B - Test Pressure 1000 PSI - Thread Length 0.98

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59100SMLSXX	x close	50 / 100	0.88	---
59101SMLSXX	x 2"	50 / 100	1.07	---
59103SMLSXX	x 3"	20/40	1.10	---
59105SMLSXX	x 4"	20 / 40	1.14	---
59109SMLSXX	x 6"	20 / 40	1.75	---
59111SMLSXX	x 8"	1 / 25	1.88	---
59115SMLSXX	x 12"	1 / 15	2.15	---



2" DIAMETER DIAMETER BLACK EXTRA HEAVY XXS SEAMLESS

Wall Thickness 0.436 - Grade B - Test Pressure 2500 PSI - Thread Length 1.06

PART #	LENGTH	BOX/CASE	APPROX. WT. LBS.	LIST PRICE
59160SMLSXX	x close	1 / 25	1.36	---
59161SMLSXX	x 2-1/2"	1 / 20	1.67	---
59162SMLSXX	x 3"	1 / 20	2.09	---
59163SMLSXX	x 3-1/2"	1 / 12	2.51	---
59164SMLSXX	x 4"	1 / 12	2.86	---
59166SMLSXX	x 5"	1/12	3.04	---
59168SMLSXX	x 6"	1 / 11	3.20	---
59169SMLSXX	x 7"	1 / 8	4.35	---
59170SMLSXX	x 8"	1 / 8	5.86	---
59171SMLSXX	x 9"	1 / 8	6.58	---
59172SMLSXX	x 10"	1 / 8	7.31	---
59174SMLSXX	x 12"	1 / 8	9.34	---
59179SMLSXX	x 24"	1 / 1	14.77	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov


SCH 40 AND SCH 80 GROOVE NIPPLES

NIPPLES AND FITTINGS

THREAD X GROOVE



SCH 40





SCH 80

2" DIAMETER

PART #	LIST PRICE	BOX	WTG	LENGTH	WTG	BOX	PART #	LIST PRICE
57162TV	---	50	0.70	x 3	1.03	40	59162TV	---
57164TV	---	30	0.97	x 4	1.40	24	59164TV	---
57168TV	---	20	1.64	x 6	2.41	16	59168TV	---
57170TV	---	20	2.15	x 8	3.20	16	59170TV	---
57172TV	---	10	2.80	x 10	3.65	8	59172TV	---
57174TV	---	10	3.45	x 12	4.01	8	59174TV	---

3" DIAMETER

PART #	LIST PRICE	BOX	WTG	LENGTH	WTG	BOX	PART #	LIST PRICE
57201TV	---	20	1.26	x 3	2.01	16	59201TV	---
57203TV	---	10	1.80	x 4	3.01	8	59203TV	---
57207TV	---	10	3.17	x 6	4.87	8	59207TV	---
57209TV	---	8	4.13	x 8	5.86	6	59209TV	---
57211TV	---	5	5.48	x 10	6.19	4	59211TV	---
57213TV	---	5	6.24	x 12	6.37	4	59213TV	---

4" DIAMETER

PART #	LIST PRICE	BOX	WTG	LENGTH	WTG	BOX	PART #	LIST PRICE
57222TV	---	8	2.40	x 3	4.11	6	59222TV	---
57223TV	---	8	2.52	x 4	4.15	6	59221TV	---
57227TV	---	6	4.30	x 6	6.52	5	59225TV	---
57229TV	---	4	5.63	x 8	7.18	3	59229TV	---
57332TV	---	4	7.90	x 10	11.74	3	59231TV	---
57228TV	---	4	8.25	x 12	14.24	3	59227TV	---

NOMINAL IPS PIPE SIZE	O.D. ACTUAL	GASKET SEAT "A"	GROOVE WIDTH "B"	GROOVE DIAM-ETER "C"	ACTUAL GROOVE DEPTH "D"
2	2.375	0.625	0.312	2.250	0.062
3	3.500	0.625	0.312	3.344	0.078
4	4.500	0.625	0.375	4.334	0.083

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov


BLACK SCH 40 AND SCH 80 SEAMLESS GROOVE NIPPLES

NIPPLES AND FITTINGS

GROOVE X GROOVE



SCH 40





SCH 80

2" DIAMETER

PART #	LIST PRICE	BOX	WTG	LENGTH	WTG	BOX	PART #	LIST PRICE
57162V	---	50	0.70	x 3	1.03	40	59162V	---
57164V	---	30	0.97	x 4	1.40	24	59164V	---
57168V	---	20	1.64	x 6	2.41	16	59168V	---
57170V	---	20	2.15	x 8	3.20	16	59170V	---
57172V	---	10	2.80	x 10	3.65	8	59172V	---
57174V	---	10	3.45	x 12	4.01	8	59174V	---

3" DIAMETER

PART #	LIST PRICE	BOX	WTG	LENGTH	WTG	BOX	PART #	LIST PRICE
57201V	---	20	1.26	x 3	2.01	16	59201V	---
57203V	---	10	1.80	x 4	3.01	8	59203V	---
57207V	---	10	3.17	x 6	4.87	8	59207V	---
57209V	---	8	4.13	x 8	5.86	6	59209V	---
57211V	---	5	5.48	x 10	6.19	4	59211V	---
57213V	---	5	6.24	x 12	6.37	4	59213V	---

4" DIAMETER

PART #	LIST PRICE	BOX	WTG	LENGTH	WTG	BOX	PART #	LIST PRICE
57223V	---	8	2.52	x 4	4.15	6	59221V	---
57227V	---	6	4.35	x 6	6.52	5	59225V	---
57229V	---	4	5.63	x 8	7.18	3	59227V	---
57332V	---	4	7.90	x 10	11.74	3	59229V	---
57228V	---	4	8.25	x 12	14.24	3	59231V	---

SEAMLESS SCH 40 GROOVE X BEVEL NIPPLES



PART #	DIA. X LENGTH	
57162GBS	2 x 3	---
57201GBS	3 x 3	---
57222GBS	4 x 3	---
57400GBS	8 x 3	---
57500GBS	10 x 3	---
57600GBS	12 x 3	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

MERCHANT COUPLINGS

Product Specifications
Welded steel couplings both galvanized and black in diameters from 1/8" up to 4".

Technical Specifications
Standards: Product complies with ASTM A865 and ANSI B1.20.1 for threading, dimensions and pipe specifications. Federal Spec WW-P-404
Pipe: Complies with ASTM A-53 milltested schedule 40 and 80. Meets ANSI B36.1. All pipe is hydrostatic tested.
Galvanized: Zinc coating applied by hot dipping. Galvanized complying with ASTM-A-123.

MERCHANT COUPLINGS



• Straight threads thru 2"

PART # GALV	LIST PRICE	SIZE	PART # BLACK	LIST PRICE
64770	---	1/8"	65770	---
64771	---	1/4"	65771	---
64772	---	3/8"	65772	---
64773	---	1/2"	65773	---
64774	---	3/4"	65774	---
64775	---	1"	65775	---
64776	---	1-1/4"	65776	---
64777	---	1-1/2"	65777	---
64778	---	2"	65778	---
64779	---	2-1/2"	65779	---
64780	---	3"	65780	---
64781	---	4"	65781	---
		5"	65782	---
		6"	65783	---

HALF MERCHANT COUPLINGS



• Straight threads thru 2"

PART # GALV	LIST PRICE	SIZE	PART # BLACK	LIST PRICE
		1/8"	65770H	
		1/4"	65771H	---
		3/8"	65772H	---
64773H	---	1/2"	65773H	---
64774H	---	3/4"	65774H	---
64775H	---	1"	65775H	---
64776H	---	1-1/4"	65776H	---
64777H	---	1-1/2"	65777H	---
64778H	---	2"	65778H	---
		2-1/2"	65779H	---
64780H	---	3"	65780H	---
64781H	---	4"	65781H	---



#304 STAINLESS STEEL MERCHANT COUPLINGS

PART #	SIZE	LIST PRICE
61775	1	---
61776	1-1/4	---
61777	1-1/2	---
61778	2	---

Also available:
Extra Heavy Merchant Couplings

MERCHANT COUPLINGS SPECIFICATIONS

SIZE	OUTSIDE DIAM.	LENGTH INCHES	WEIGHT 100 PCS APPROX. POUNDS	QUANTITY PER BOX	THREADS PER INCH	THREADS TYPE
1/8"	.59"	.78	3.5	1000	27	Straight
1/4"	.73"	1.18	7.5	500	18	Straight
3/8"	.86"	1.18"	9	600	18	Straight
1/2"	1.063"	1-9/16"	13.0	100	14	Straight
3/4"	1.313"	1-5/8"	28.3	50	14	Straight
1"	1.576"	2"	40.1	30	11-1/2	Straight
1-1/4"	1.900"	2-1/16"	49.5	25	11-1/2	Straight
1-1/2"	2.17"	2-3/64"	71.48	25	11-1/2	Straight
2"	2.750"	2-1/8"	112.0	20	11-1/2	Straight
2-1/2"	3.250"	3-1/8"	231.2	8	8	Taper Tapped
3"	4.000"	3-1/4"	353.8	5	8	Taper Tapped
4"	5.000"	3-1/2"	471.8	4	8	Taper Tapped
6"	7.32	4"	1000.05	4	8	Taper Tapped

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

API LINE COUPLINGS

A105 BLACK STEEL TAPER TAPPED COUPLINGS

Product Specifications
These couplings are manufactured in accordance with American Petroleum Institute specifications 5L & 5B.
All couplings are phosphated.
All sizes are taper tapped 3/4" per foot on the diameter.

*Certified by the American Petroleum Institute



A105
- **Black Steel**
- **API line API SL**

- Each end has a short, unthreaded recess before the threads start.
- Use with sch 80 & sch. 160 nipples & pipe.
- Max. pressure: 3000PSI

API LINE PIPE COUPLINGS

PART #	NPT SIZE	THREADS PER INCH	OUTSIDE DIAMETER	LENGTH	UNIT WEIGHT	LIST PRICE
65770API	1/8"	27	0.563	1-1/16	0.04	---
65771API	1/4"	18	0.719	1-5/8	0.10	---
65772API	3/8"	18	0.875	1-5/8	0.13	---
65773API	1/2"	14	1.063	2-1/8	0.24	---
65774API	3/4"	14	1.313	2-1/8	0.35	---
65775API	1"	11.5	1.576	2-5/8	0.52	---
65776API	1-1/4"	11.5	2.054	2-3/4	1.00	---
65777API	1-1/2"	11.5	2.200	2-3/4	0.88	---
65778API	2"	11.5	2.875	2-7/8	1.83	---
65779API	2-1/2"	8	3.375	4-1/8	3.28	---
65780API	3"	8	4.000	4-1/4	4.09	---
65781API	4"	8	5.200	4-1/2	7.59	---
65783API	6"	8	7.390	4-5/8	12.92	---
65784API	8"	8	9.625	5-3/4	23.18	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

MALLEABLE FITTINGS



- Saturated steam pressure 150 PSI @ 350°F
- Max pressure 300 PSI @ 150°F
- Temp range -20°F to 350°F

ISO 9002 - CERTIFICATE OF QUALITY - UL/FM LISTED

Our quality fittings are made with care and attention to detail. With better molds we can reduce parting lines and rough edges resulting in better fluid flow. By using a low temperature galvanizing process the coating is more durable which means a longer lasting fitting. All Fittings are 100% Pressure Tested to 300# Class.

(Every fitting is subjected to an underwater fitness test to ensure the highest quality)

SPECIFICATIONS

• MATERIAL: ASTM A 197 - Cuppla Malleable Iron, ASTM A 153 - Hot dipped galvanizing • Coating ASTM A164 LS
• DIMENSIONS: ANSI B 16.3 - Malleable Iron threaded fittings, ANSI B 16.14 - Ferrous Pipe Plugs, Bushings etc..., ANSI B 16.39 - Malleable Iron threaded pipe unions.
• THREADS: ANSI B 2.1 or BS 21 ASME B1.20.1 • RoHS Compliant • Tapered Threads
• Pressure - Saturated steam 150 PSI @350°F: Max pressure 300 PSI - 150°F
• Temperature range -20 - 350°F

MALLEABLE IRON - ANSI B 16.3

F°	Class 150 PSIG	Sizes 1/4-1 300#	Sizes 1 1/4-2 300#	Sizes 2 1/4-3 300#
-200-150	300	2000	1500	1000
200	265	1785	1350	910
250	225	1575	1200	825
300	185	1360	1050	735
366*	150	1150	900	650

*Permissible for service temperature up to 366°F, reflecting the temperature of saturated steam at 150 psig.

STEEL FITTINGS



• 1010 Carbon Steel, 3/4 taper threads (see hydraulic section for 7/8 taper threads.)
• Finish or coating • Black Dipped in rust resistant
• Galvanized, Zinc Plated (Inside and Out)

300lb MALLEABLE FITTINGS



Max. pressure: 300 psi WOG @ 72°F; 150 psi WOG saturated steam

• Meet ANSI/ ASME B1.20.1 standards
• Black meet ASTM 197 standards

BULL PLUGS AND SWAGES



FLANGES




WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150

NIPPLES AND FITTINGS

ELBOWS 90°



Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64100	---	1/8"	0.69	50/600	0.07	65100	---
64101	---	1/4"	0.81	35/420	0.10	65101	---
64102	---	3/8"	0.95	90/360	0.16	65102	---
64103	---	1/2"	1.12	50/200	0.23	65103	---
64104	---	3/4"	1.31	35/105	0.35	65104	---
64105	---	1"	1.50	20/60	0.57	65105	---
64106	---	1-1/4"	1.75	20/40	0.86	65106	---
64107	---	1-1/2"	1.94	15/30	1.31	65107	---
64108	---	2"	2.25	8/16	1.79	65108	---
64109	---	2-1/2"	2.70	6/12	3.35	65109	---
64110	---	3"	3.08	4/8	5	65110	---
64112	---	4"	3.79	1/2	9.02	65112	---
64114	---	6"	5.13	1/1	23.68	65114	---
		8"			41.1	65115	---


REDUCING ELBOWS 90°





PART # GALVA-NIZED	LIST PRICE	SIZE	A	B	BOX/ CASE	AP-PROX. WT. LBS.	PART # BLACK	LIST PRICE
64122	---	3/8" x 1/4"	0.88	0.90	90/360	0.16	65122	---
64123	---	1/2" x 1/4"	0.97	0.98	60/240	0.21	65123	---
64124	---	1/2" x 3/8"	1.04	1.03	60/240	0.24	65124	---
64126	---	3/4" x 3/8"	1.12	1.13	40/160	0.31	65126	---
64127	---	3/4" x 1/2"	1.20	1.22	40/160	0.44	65127	---
64130	---	1" x 1/2"	1.26	1.40	25/100	0.52	65130	---
64131	---	1" x 3/4"	1.37	1.45	50/100	0.58	65131	---
64133	---	1-1/4" x 3/4"	1.45	1.62	15/120	0.79	65133	---
64134	---	1-1/4" x 1"	1.58	1.67	10/40	0.80	65134	---
64136	---	1-1/2" x 3/4"	1.52	1.75	10/40	0.88	65136	---
64137	---	1-1/2" x 1"	1.65	1.80	10/40	1.07	65137	---
64138	---	1-1/2" x 1-1/4"	1.82	1.88	15/30	1.12	65138	---
		2" x 3/4"					65139	
64140	---	2" x 1"	1.73	2.02	14/28	1.41	65140	---
64141	---	2" x 1-1/4"	1.90	2.10	10/20	1.53	65141	---
64142	---	2" x 1-1/2"	2.02	2.16	10/20	1.65	65142	---
64145	---	2-1/2" x 1-1/2"	2.16	2.51	6/12	2.97	65145	---
64146	---	2-1/2" x 2"	2.39	2.60	6/12	3.18	65146	---
64148	---	3" x 1-1/2"	2.28	2.83	6/18	4.54	65148	---

90° STREET ELBOWS






PART # GALVANIZED	LIST	SIZE	A	B	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64160	---	1/8"	0.69	1.00	60/720	.06	65160	---
64161	---	1/4"	0.80	1.17	35/420	.10	65161	---
64162	---	3/8"	0.95	1.48	40/240	.15	65162	---
64163	---	1/2"	1.10	1.59	60/180	.22	65163	---
64164	---	3/4"	1.28	1.85	35/105	.39	65164	---
64165	---	1"	1.47	2.10	35/105	.60	65165	---
64166	---	1-1/4"	1.75	2.57	25/50	.95	65166	---
64167	---	1-1/2"	1.90	2.63	9/27	1.37	65167	---
64168	---	2"	2.21	3.19	8/16	2.25	65168	---
64169	---	2-1/2"	2.65	3.78	5/10	3.32	65169	---
64170	---	3"	3.02	4.42	4/8	5.27	65170	---
64171	---	4"	3.72	5.57	2/4	8.94	65171	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150

NIPPLES AND FITTINGS


ELBOWS 45°





PART # GALVANIZED	LIST PRICE	SIZE	A	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64180	---	1/8"	0.63	50/600	.07	65180	---
64181	---	1/4"	0.73	30/360	.10	65181	---
64182	---	3/8"	0.80	75/300	.14	65182	---
64183	---	1/2"	0.88	50/200	.21	65183	---
64184	---	3/4"	0.98	40/120	.33	65184	---
64185	---	1"	1.12	20/60	.50	65185	---
64186	---	1-1/4"	1.29	20/40	.74	65186	---
64187	---	1-1/2"	1.43	10/30	1.01	65187	---
64188	---	2"	1.68	12/24	1.53	65188	---
64189	---	2-1/2"	1.95	9/18	2.78	65189	---
64190	---	3"	2.17	1/10	4.49	65190	---
64191	---	4"	2.61	2/4	7.44	65191	---
64192	---	6"	3.46	1/1	18.63	65192	---
		8"			26.40	65194	---


45° STREET ELBOWS





PART # GALVA-NIZED	LIST PRICE	SIZE	A	B	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64200	---	1/8"	0.63	0.83	70/840	.05	65200	---
64201	---	1/4"	0.73	0.94	40/480	.09	65201	---
64202	---	3/8"	0.80	1.03	100/400	.14	65202	---
64203	---	1/2"	0.86	1.30	75/225	.19	65203	---
64204	---	3/4"	0.96	1.48	40/120	.28	65204	---
64205	---	1"	1.10	1.69	25/75	.48	65205	---
64206	---	1-1/4"	1.26	1.87	10/40	.71	65206	---
64207	---	1-1/2"	1.40	2.05	10/30	1.02	65207	---
64208	---	2"	1.65	2.38	12/24	1.68	65208	---
64209	---	2-1/2"	1.95	2.72	6/12	2.69	65209	---
64210	---	3"	2.17	3.16	3/6	4.61	65210	---
64211	---	4"	2.61	3.90	2/4	7.74	65211	---

CROSSES






PART # GALVANIZED	LIST PRICE	SIZE	A	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64390	---	1/8"	0.65	50/600	.14	65390	---
64391	---	1/4"	0.80	60/240	.17	65391	---
64392	---	3/8"	0.95	50/150	.26	65392	---
64393	---	1/2"	1.12	30/90	.42	65393	---
64394	---	3/4"	1.31	20/60	.64	65394	---
64395	---	1"	1.50	15/30	.98	65395	---
64396	---	1-1/4"	1.75	10/20	1.45	65396	---
64397	---	1-1/2"	1.94	8/16	1.90	65397	---
64398	---	2"	2.25	5/10	2.96	65398	---
64399	---	2-1/2"	2.71	4/8	5.49	65399	---
64400	---	3"	3.06	2/4	7.71	65400	---
		4"		1/1	14.77	65401	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150

NIPPLES AND FITTINGS

TEES






PART # GALVANIZED	LIST PRICE	SIZE	A	BOX/CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64250	---	1/8″	0.69	120/480	.11	65250	---
64251	---	1/4″	0.81	75/300	.15	65251	---
64252	---	3/8″	0.95	45/180	.22	65252	---
64253	---	1/2″	1.12	40/120	.36	65253	---
64254	---	3/4″	1.31	35/70	.48	65254	---
64255	---	1″	1.50	20/40	.83	65255	---
64256	---	1-1/4″	1.75	14/28	1.29	65256	---
64257	---	1-1/2″	1.94	12/24	1.66	65257	---
64258	---	2″	2.26	8/16	2.50	65258	---
64259	---	2-1/2″	2.70	4/8	4.45	65259	---
64260	---	3″	3.08	1/6	6.72	65260	---
64261	---	4″	3.79	1/2	11.31	65261	---
64262	---	6″	5.13	1/1	30.75	65262	---
		8"			37.85	65264	---

REDUCING TEES


(SAME SIZE ON RUN, REDUCING ON BRANCH)





PART # GALVANIZED	LIST PRICE	SIZE (1&2) X 3	A	B	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64273	---	3/8″ x 1/4″	0.81	0.90	25/300	.18	65273	---
64276	---	1/2″ x 1/4″	0.97	0.98	40/160	.24	65276	---
64279	---	1/2″ x 3/8″	1.04	1.03	40/160	.35	65279	---
64282	---	3/4″ x 1/4″	1.05	1.08	25/100	.43	65282	---
64283	---	3/4″ x 3/8″	1.12	1.13	25/100	.39	65283	---
64286	---	3/4″ x 1/2″	1.20	1.18	20/80	.49	65286	---
64268	---	1″ x 1/4″	1.11	1.22	20/80	.51	65268	---
64269	---	1″ x 3/8″	1.18	1.27	15/60	.55	65269	---
64291	---	1″ x 1/2″	1.26	1.40	15/60	.63	65291	---
64298	---	1″ x 3/4″	1.37	1.45	12/48	.71	65298	---
64301	---	1-1/4″ x 1/2″	1.34	1.45	20/40	.91	65301	---
64303	---	1-1/4″ x 3/4″	1.45	1.62	20/40	.99	65303	---
64306	---	1-1/4″ x 1″	1.58	1.66	20/40	1.07	65306	---
64721	---	1-1/2" x 1/2"				1.12	65721	---
64316	---	1-1/2″ x 3/4″	1.41	1.75	15/30	1.23	65316	---
64318	---	1-1/2″ x 1″	1.65	1.88	10/30	1.33	65318	---
64322	---	1-1/2″ x 1-1/4″	1.65	1.88	12/24	1.52	65322	---
64327	---	2″ x 1/2″	1.49	1.88	10/20	1.64	65327	---
64328	---	2″ x 3/4″	1.60	1.97	10/20	1.71	65328	---
64330	---	2″ x 1″	1.73	2.02	10/20	1.88	65330	---
64334	---	2″ x 1-1/4″	1.86	2.06	8/16	2.03	65334	---
64336	---	2″ x 1-1/2″	1.98	2.12	8/16	2.22	65336	---
		2-1/2" x 1"				2.85	65342	---
64343	---	2-1/2″ x 1-1/2″	2.16	2.51	5/10	2.97	65343	---
64729	---	3" x 1"	2.00	2.00	3/6	4.15		
		3" x 1-1/2"				5.19	65359	---
64351	---	3″ x 2″	2.52	2.89	3/6	5.35	65351	---

BULLHEAD TEES





PART # GALVANIZED	LIST PRICE	SIZE (1&2) X 3	A	B	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64280	---	1/2" x 3/4"	1.22	1.20	30/120	.4	65280	---
64733	---	1/2″ x 1″	1.36	1.26	25/100	.50	65733	---
64289	---	3/4″ x 1″	1.45	1.37	20/120	.60	65289	---
64299	---	1″ x 1-1/4″	1.67	1.58	15/30	.96	65299	---
64300	---	1″ x 1-1/2″	1.80	1.65	9/36	1.11	65300	---
64317	---	1-1/4″ x 1-1/2″	1.88	1.82	12/24	1.07	65317	---
64319	----	1-1/2″ x 2″	2.12	1.98	8/32	2.10	65-319	---
65335		2" x 1¼" x 2"						


WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150

NIPPLES AND FITTINGS

REDUCING TEES


REDUCING ON RUN



PART #	SIZE 1 X 2 X 3	A	B	C	BOX/ CASE	APPROX. WT. LBS.	LIST	PART # BLACK
64287	3/4″ x 1/2″ x 1/2″	1.18	1.18	1.20	25/100	0.39	---	65287
64288	3/4″ x 1/2″ x 3/4″	1.28	1.20	1.28	20/80	0.49	---	65288
	1" x 1/2" x 1/2"	1.31	1.22	1.31	20/80	0.51	---	65292
	1" x 1/2" x 3/4"	1.22	1.37	1.45	20/80	0.53	---	65293
64294	1" x 1/2" x 1"	1.40	1.50	1.50	15/60	0.54	---	65294
	1" x 3/4" x 1/2"	1.20	1.26	1.40	20/80	0.58	---	65295
64296	1″ x 3/4″ x 3/4″	1.34	1.28	1.42	15/60	0.63	---	65296
64297	1" x 3/4" x 1"	1.45	1.50	1.50	15/60	0.62	---	65297
	1-1/4" x 1/2" x 1/2"							65304
	1-1/4" x 1/2" x 1"							65311
	1-1/4" x 1/2" x 1¼"							65314
	1-1/4" x 3/4" x 3/4"	1.31	1.45	1.64	10/40	0.66	---	65347
	1-1/4" x 3/4" x 1"							65348
	1-1/4" x 3/4" x 1-1/4"	1.62	1.75	1.75	10/40	1.14	---	65305
64309	1-1/4″ x 1″x 1″	1.55	1.47	1.63	20/40	1.00	---	65309
	1-1/4" x 3/4" x 1/2"	1.31	1.45	1.64	20/40	1.05	---	65346
	1-1/4" x 1" x 1/2"	1.26	1.34	1.53	20/40	1.10	---	65349
	1-1/4" x 1" x 3/4"						---	65350
	1-1/4" x 1" x 1-1/4"	1.30	1.36	1.44	15/30	1.21	---	65310
	1-1/2" x 3/4" x 1-1/2"							65281
64372	1-1/2" x 1" x 1"	1.50	1.65	1.78	15/30	1.28	---	65372
	1-1/2" x 1" x 1-1/2"							65323
	1-1/2" x 1-1/4" x 3/4"	1.43	1.52	1.25	15/30	1.30	---	65375
	1-1/2" x 1¼" x 1"							65325
	1-1/2" x 1-1/4" x 1-1/4"	1.75	1.82	1.88	15/30	1.35	---	65377
	2" x 3/4" x 2"						---	65267
	2" x 1" x 2"							65332
	2" x 1-1/4" x 1¼"							65302
	2" x 1-1/4" x 2"							65335
	2" x 1-1/2" x 1-1/4"	1.82	1.90	2.10	10/30	1.21	---	65312
	2" x 1-1/2" x 1-1/2"	1.94	2.02	2.16	10/30	1.79	---	65313


MALLEABLE SERVICE TEE

(STREET TEE)



PART # GALVANIZED	LIST PRICE	SIZE	A	B	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64363	---	1/2″	1.12	1.62	40/12	0.31	65363	---
64364	---	3/4″	1.31	1.89	25/75	0.49	65364	---

SIDE OUTLET TEES



PART # GALVANIZED	LIST	SIZE	A	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64383	---	1/2″	1.12	25/100	.39	65383	---
64384	---	3/4″	1.31	15/60	.58	65384	---
64385	---	1″	1.50	20/40	.88	65385	---
64386	---	1-1/4″	1.75	12/24	1.32	65386	---
		1-1/2"	1.97	1/1	1.56	65387	---
		2"	2.29	1/1	1.81	65388	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150

NIPPLES AND FITTINGS

COUPLINGS





PART # GALVANIZED	LIST PRICE	SIZE	A	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64410	---	1/8″	0.96	70/840	.07	65410	---
64411	---	1/4″	1.06	40/480	.09	65411	---
64412	---	3/8″	1.16	40/480	.13	65412	---
64413	---	1/2″	1.34	60/240	.19	65413	---
64414	---	3/4″	1.52	50/150	.28	65414	---
64415	---	1″	1.67	25/100	.45	65415	---
64416	---	1-1/4″	1.93	16/64	.66	65416	---
64417	---	1-1/2″	2.15	18/36	.84	65417	---
64418	---	2″	2.54	12/24	1.39	65418	---
64419	---	2-1/2″	2.88	8/16	2.42	65419	---
64420	---	3″	3.18	1/12	3.49	65420	---
64421	---	4″	3.69	3/6	5.81	65421	---
64422	---	6″	4.23	1/2	28.62	65422	---

REDUCING COUPLINGS





PART # GALVANIZED	LIST PRICE	SIZE	A	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST
64430	---	1/4″ x 1/8″	1.00	50/600	.07	65430	---
64431	---	3/8″ x 1/8″	1.13	35/420	.09	65431	---
64432	---	3/8″ x 1/4″	1.13	30/360	.11	65432	---
64433	---	1/2″ x 1/8″	1.25	75/300	.13	65433	---
64434	---	1/2″ x 1/4″	1.25	75/300	.11	65434	---
64435	---	1/2″ x 3/8″	1.25	60/240	.15	65435	---
64439	---	3/4″ x 1/8″	1.44	60/240	.18	65439	---
64436	---	3/4″ x 1/4″	1.44	45/18	.19	65436	---
64437	---	3/4″ x 3/8″	1.44	45/18	.21	65437	---
64438	---	3/4″ x 1/2″	1.44	60/180	.25	65438	---
64459	---	1″ x 1/4″	1.69	45/135	.34	65459	---
64440	---	1″ x 3/8″	1.69	30/120	.35	65440	---
64441	---	1″ x 1/2″	1.69	30/120	.36	65441	---
64442	---	1″ x 3/4″	1.69	25/100	.39	65442	---
64460	---	1-1/4″ x 3/8″	2.06	25/75	.55	65460	---
64444	---	1-1/4″ x 1/2″	2.06	25/75	.53	65444	---
64445	---	1-1/4″ x 3/4″	2.06	25/75	.57	65445	---
64446	---	1-1/4″ x 1″	2.06	15/60	.61	65446	---
64443	---	1-1/2″ x 3/8″	2.31	20/60	.71	65443	---
64447	---	1-1/2″ x 1/2″	2.31	20/60	.69	65447	---
64448	---	1-1/2″ x 3/4″	2.31	15/60	.71	65448	---
64449	---	1-1/2″ x 1″	2.31	25/50	.78	65449	---
64450	---	1-1/2″ x 1-1/4″	2.31	12/48	.87	65450	---
64458	---	2″ x 1/2″	2.81	12/36	1.14	65458	---
64451	---	2″ x 3/4″	2.81	12/36	1.14	65451	---
64452	---	2″ x 1″	2.81	12/36	1.21	65452	---
64453	---	2″ x 1-1/4″	2.81	9/27	1.19	65453	---
64454	---	2″ x 1-1/2″	2.81	9/27	1.38	65454	---
		2½" x 1"				65455	
		2½ x 1¼				65429	
64461	---	2-1/2″ x 1-1/2″	3.25	20/40	2.07	65461	---
64462	---	2-1/2″ x 2″	3.25	7/14	2.23	65462	---
		3" x 1"				65466	
		3" x 1-1/4"				65467	
64486	---	3″ x 1-1/2″	3.69	6/12	3.23	65486	---
64456	---	3″ x 2″	3.69	6/12	3.30	65456	---
64463	---	3″ x 2-1/2″	3.69	5/10	3.55	65463	---
		4" x 1½"				65468	
64464	---	4″ x 2″	4.38	3/6	5.55	65464	---
64465	---	4″ x 2-1/2″	4.38	3/6	5.90	65465	---
64457	---	4″ x 3″	4.38	3/6	6.05	65457	---
		6″ x 4″	4.24	1/2	10.86	65491	----

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150

NIPPLES AND FITTINGS

HEX BUSHING







* INSIDE HEX

NOTE: ADD DT TO THE PART# FOR A DOUBLE-TAPPED BUSHING

PART # GALVANIZED	LIST PRICE	SIZE M X F	A	HEX	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64500	---	*1/4" x 1/8"	0.79	0.67	1/25	.03	65500	---
64501	---	*3/8" x 1/8"	0.79	0.75	1/25	.06	65501	---
64502	---	*3/8" x 1/4"	0.79	0.75	1/25	.05	65502	---
64503	---	1/2" x 1/8"	0.84	1.03	150/600	.09	65503	---
64504	---	1/2" x 1/4"				.08	65504	---
64505	---	1/2" x 3/8"	0.75	1.03	150/600	.07	65505	---
64506	---	3/4" x 1/8"	0.85	1.15	75/300	.14	65506	---
64507	---	3/4" x 1/4"	0.85	1.15	75/300	.13	65507	---
64508	---	3/4" x 3/8"	0.85	1.15	75/300	.12	65508	---
64509	---	3/4" x 1/2"	0.93	1.15	75/300	.10	65509	---
		1" x 1/8"					65557	
64510*	---	1" x 1/4"	1.13	1.12	50/200	.20	65510*	---
64511*	---	1" x 3/8"	1.13	1.12	50/200	.18	65511*	---
64512	---	1" x 1/2"	1.10	1.42	50/200	.21	65512	---
64513	---	1" x 3/4"	1.10	1.42	50/200	.17	65513	---
64514*	---	1-1/4" x 1/4"	1.24	1.12	30/120	.29	65514*	---
64515*	---	1-1/4" x 3/8"	1.24	1.12	30/120	.29	65515*	---
64516*	---	1-1/4" x 1/2"	1.24	1.24	30/120	.31	65516*	---
64517	---	1-1/4" x 3/4"	1.08	1.76	30/120	.35	65517	---
64518	---	1-1/4" x 1"	1.08	1.76	30/120	.29	65518	---
64519*	---	1-1/2" x 1/4"	1.30	1.12	25/75	.40	65519*	---
64520*	---	1-1/2" x 3/8"	1.30	1.12	25/75	.38	65520*	---
64521*	---	1-1/2" x 1/2"	1.30	1.34	25/75	.38	65521*	---
64522*	---	1-1/2" x 3/4"	1.30	1.44	25/75	.40	65522*	---
64523	---	1-1/2" x 1"	1.23	2.00	25/75	.45	65523	---
64524	---	1-1/2" x 1-1/4"	1.23	2.00	25/75	.34	65524	---
64526	---	2" x 1/4"	1.29	1.12	20/60	.57	65526	---
64525*	---	2" x 3/8"	1.28	1.12	20/60	.57	65525*	---
64527*	---	2" x 1/2"	1.39	1.34	20/60	.57	65527*	---
64528*	---	2" x 3/4"	1.39	1.63	20/60	.63	65528*	---
64529*	---	2" x 1"	1.39	1.77	20/60	.66	65529*	---
64530	---	2" x 1-1/4"	1.50	2.48	20/60	.74	65530	---
64531	---	2" x 1-1/2"	1.50	2.48	20/60	.61	65531	---
64546*	---	2-1/2" x 1/2"	1.51	1.34	15/30	.97	65546*	---
64547*	---	2-1/2" x 3/4"	1.51	1.63	15/30	.91	65547*	---
64532*	---	2-1/2" x 1"	1.51	1.95	15/30	.97	65532*	---
64533*	---	2-1/2" x 1-1/4"	1.51	2.39	15/30	1.03	65533*	---
64534	---	2-1/2" x 1-1/2"	1.51	2.98	15/30	1.16	65534	---
64535	---	2-1/2" x 2"	1.54	2.98	15/30	1.01	65535	---
64550	---	3" x 1"	1.61	1.95	12/24	1.41	65550	---
64549*	---	3" x 1-1/4"	1.61	2.39	12/24	1.42	65549*	---
64537*	---	3" x 1-1/2"	1.61	2.68	12/24	1.51	65537*	---
64538	---	3" x 2"	1.61	3.86	12/24	1.71	65538	---
64539	---	3" x 2-1/2"	1.61	3.86	12/24	1.68	65539	---
		3-1/2" x 3"	1.86	4.20	5/10	2.17	65555	---
64551	---	4" x 3/4"	2.15	4.90	5/10	3.88	65551	---
64553*	---	4" x 1"	2.00	4.75	5/10	3.79	65553*	---
64552	---	4" x 1-1/4"	1.82	2.39	5/10	2.39	65552	---
64540	---	4" x 1-1/2"	1.82	2.68	5/10	2.39	65540	---
64541*	---	4" x 2"	1.82	3.31	5/10	2.52	65541*	---
64542*	---	4" x 2-1/2"	2.06	3.87	5/10	2.87	65542*	---
64543	---	4" x 3"	2.17	4.96	5/10	2.95	65543	---
		5" x 4"	2.16	5.34	2/4	6.80	65544	---
64544		6" x 2"					65558	
64549		6" x 3"					65559	
64545*	---	6" x 4"	2.33	5.79	2/4	7.11	65545*	---
		6" x 5"			2/4		65560	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150

NIPPLES AND FITTINGS


UNIONS



• Brass Seat

PART # GALVANIZED	LIST PRICE	SIZE	A	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64600	---	1/8″	1.26	60/240	.17	65600	---
64601	---	1/4″	1.44	20/240	.25	65601	---
64602	---	3/8″	1.61	40/160	.37	65602	---
64603	---	1/2″	1.72	50/100	.52	65603	---
64604	---	3/4″	1.94	35/70	.78	65604	---
64605	---	1″	2.06	20/40	1.18	65605	---
64606	---	1-1/4″	2.26	15/30	1.64	65606	---
64607	---	1-1/2″	2.41	10/20	2.08	65607	---
64608	---	2″	2.75	6/12	3.24	65608	---
64609	---	2-1/2″	3.22	4/8	5.31	65609	---
64610	---	3″	3.50	4/8	6.94	65610	---
64611	---	4″	3.85	2/4	12.02	65611	---

SQUARE HEAD PLUGS





• Cored

PART # GALVANIZED	LIST	SIZE	A	B	C	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
		*1/8"	0.41	0.23	0.30	1/25	.02	65650	---
64651	---	*1/4″	0.48	0.28	0.38	1/25	.03	65651	---
64652	---	*3/8″	0.53	0.31	0.43	1/25	.04	65652	---
64653	---	1/2″	0.58	0.38	0.56	50/600	.08	65653	---
64654	---	3/4″	0.65	0.44	0.63	30/360	.13	65654	---
64655	---	1″	0.75	0.50	0.82	20/240	.22	65655	---
64656	---	1-1/4″	0.82	0.56	0.94	40/120	.33	65656	---
64657	---	1-1/2″	0.85	0.62	1.13	30/90	.41	65657	---
64658	---	2″	0.91	0.68	1.31	20/60	.68	65658	---
64659	---	2-1/2″	1.26	0.74	1.50	16/64	.89	65659	---
64660	---	3″	1.16	0.80	1.69	16/32	1.68	65660	---
64661	---	4″	1.22	1.00	2.28	6/12	3.02	65661	---
		6"	1.85	1.13	5.97	5/10	11.41	65662	---
		8"				1/1		65664	---

CAPS





PART # GALVANIZED	LIST PRICE	SIZE	A	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
64470	---	1/8"	0.55	1/25	.03	65470	---
64471	---	1/4"	0.62	80/960	.07	65471	---
64472	---	3/8″	0.74	60/720	.08	65472	---
64473	---	1/2″	0.87	75/300	.13	65473	---
64474	---	3/4″	0.97	40/160	.18	65474	---
64475	---	1″	1.16	25/100	.30	65475	---
64476	---	1-1/4″	1.28	20/80	.47	65476	---
64477	---	1-1/2″	1.33	18/54	.66	65477	---
64478	---	2″	1.45	12/36	.99	65478	---
64479	---	2-1/2″	1.70	20/40	1.58	65479	---
64480	---	3″	1.80	12/24	2.51	65480	---
64481	---	4″	2.08	6/12	4.09	65481	---
64482	---	6″	2.55	2/4	5.18	65482	---


* Use steel fittings for smaller sizes. See Steel Fittings for Galvanized and Black Steel Fittings.

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150


NIPPLES AND FITTINGS

LATERAL Ys




PART #	SIZE	A	B	CASE	WEIGHT	LIST	PART #
64963	1/2	2.32	1.71	120	.35	---	65963
64964	3/4	2.77	2.05	60	.58	---	65964
	1	3.28	2.42	40	.97	---	65965
	1-1/4	3.94	2.92	24	1.44	---	65966
	1-1/2	4.38	3.28	16	1.93	---	65967
64968	2	5.41	3.98	8	3.12	---	65968
	2-1/2	6.25	4.73	4	5.61	---	65969
	3	7.26	5.55	2	8.36	---	65970
	4	8.98	6.97	2	14.88	---	65971

LOCKNUTS
*Straight Thread




PART # GALV	LIST PRICE	SIZE	A HEX	THICK-NESS	BOX/ CASE	WEIGHT	PART # BLACK	LIST PRICE
64703	---	1/2		0.31	150/600	0.08	65703	---
64704	---	3/4		0.34	90/360	0.13	65704	---
64705	---	1		0.38	60/240	0.19	65705	---
64706	---	1-1/4		0.42	45/180	0.27	65706	---
64707	---	1-1/2		0.47	45/135	0.47	65707	---
64708	---	2		0.53	25/75	0.56	65708	---

RIGHT & LEFT COUPLINGS



PART # GALV	LIST PRICE	SIZE	A	CASE	WEIGHT	PART # BLACK	LIST PRICE
64573	----	1/2	1.34	240	0.19	65573	---
64574	---	3/4	1.52	150	0.28	65574	---
64575	----	1	1.67	100	0.45	65575	---
64576	----	1-1/4	1.93	64	0.66	65576	---
64577	----	1-1/2	2.15	36	0.84	65577	----
64578	---	2	2.53	24	1.39	65578	----

SIDE OUTLET ELBOW



PART # GALV	LIST PRICE	SIZE	A	B	CASE	PART # BLACK	LIST PRICE
64583	---	1/2	1.10		135	65583	---
64584	---	3/4	1.30		80	65584	---
64585	---	1	1.50		40	65585	----
64586	----	1-1/4	1.77		30	65586	---
64587	----	1-1/2	1.97		24	65587	---
64588	----	2	2.29		10	65588	----

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED IRON #150

NIPPLES AND FITTINGS

FLOOR FLANGES



PART # GALVANIZED	LIST	SIZE	A	THICK-NESS	HOLE SIZE	BOX/ CASE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
		1/4"						65691	
		3/8"						65690	
64692	---	1/2″	3.50	0.50	0.25	25/100	.63	65692	---
64693	---	3/4″	3.50	0.63	0.25	15/45	.73	65693	---
64694	---	1″	4.00	0.69	0.25	15/45	1.02	65694	---
64695	---	1-1/4″	4.00	0.75	0.25	15/30	1.00	65695	---
64696	---	1-1/2″	4.50	0.87	0.31	8/24	1.37	65696	---

EXTENSION FIP X MIP



PART #	SIZE	APPROX. WT. LBS.	BOX/CASE	LIST PRICE
65621	1/2"	0.12	75 / 300	---
65622	3/4"	0.23	40 / 160	---

MUSHROOM VENT CAP





PART #	SIZE	LIST PRICE
21174	3/4"	---
21175	1"	---
21176	1-1/2"	---
21177	1-1/2"	---
21178	2"	---
21179	3"	---
21180	4"	---

Cast Iron Galvanized Threaded Cap. 30 Mesh screen. Protects against driving rain, snow, sleet and insects.

DOUBLE TAPPED BUSHINGS



PART #	SIZE	
65518DT	1-1/4" x 1"	
65522DT	1-1/2" x 3/4"	
65523DT	1-1/2" x 1"	
65527DT	2" x 1/2"	
65528DT	2" x 3/4"	
65529DT	2" x 1"	
65530DT	2" x 1¼"	
65531DT	2" x 1-1/2"	
65541DT	4" x 2"	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL FITTINGS

This will certify that the material was manufactured in accordance with ASME B16.14 - 1991 Standards. All Threads are Dryseal (NPTF) - 3/4 inch taper per foot and are made of Carbon Steel 12L14. Pressure rating: 150/300 PSI

- Clear Zinc plating specifications ASTM B633-07
- Federal Specification QQ-Z-325 (Zinc Plate)
- Type III with supplemental clear Trivalent chromate
- .00015" Zinc (Minimum)
- ROHS Compliant
- Lead Free


HEX BUSHINGS






PART # ZINC	LIST PRICE	SIZE M X F	A	HEX	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
66500	---	1/4" x 1/8"	0.63	0.62	0.02	67500	---
66501	---	3/8" x 1/8"	0.66	0.68	0.04	67501	---
66502	---	3/8" x 1/4"	0.66	0.68	0.02	67502	---
66503	---	1/2" x 1/8"	0.80	0.87	0.10	67503	---
66504	---	1/2" x 1/4"	0.80	0.87	0.08	67504	---
66505	---	1/2" x 3/8"	0.80	0.87	0.06	67505	---
66506	---	3/4" x 1/8"	0.94	1.06	0.18	67506	---
66507	---	3/4" x 1/4"	0.94	1.06	0.14	67507	---
66508	---	3/4" x 3/8"	0.94	1.06	0.14	67508	---
66509	---	3/4" x 1/2"	0.94	1.06	0.10	67509	---
66510	---	1" x 1/4"	1.00	1.31	0.16	67510	---
66511	---	1" x 3/8"	1.00	1.31	0.26	67511	---
66512	---	1" x 1/2"	1.00	1.31	0.22	67512	---
66513	---	1" x 3/4"	1.00	1.31	0.14	67513	---

FACE BUSHING



PART # ZINC	LIST PRICE	SIZE M X F	A	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
	---	1/4" x 1/8"	0.44	0.01	67700	---
	---	3/8" x 1/4"	0.48	0.02	67702	---
	---	1/2" x 1/4"	0.56	0.04	67704	---
66705	---	1/2" x 3/8"	0.56	0.04	67705	---
	---	3/4" x 3/8"	0.62	0.10	67708	---
66709	---	3/4" x 1/2"	0.62	0.10	67709	---
	---	1" x 3/4"	0.75	0.16	67713	---

CAPS



PART # ZINC	LIST PRICE	SIZE NPTF	A	HEX	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
66470	---	1/8"	0.53	0.56	0.02	67470	---
66471	---	1/4"	0.63	0.62	0.04	67471	---
66472	---	3/8"	0.69	0.81	0.06	67472	---
66473	---	1/2"	0.87	1.00	0.12	67473	---
66474	---	3/4"	0.97	1.18	0.16	67474	---
66475	---	1"	1.16	1.50	0.30	67475	---
	---	1-1/4"	1.28	2.00	0.68	67476	---
	---	1-1/2"	1.35	2.25	0.83	67477	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov


STEEL FITTINGS

NIPPLES AND FITTINGS

This will certify that the plugs are dimensional per SAE J531 MAY 95 Standards. All threads are Dryseal (NPTF) - 3/4"Taper per foot and are made of SAE J403 Low Carbon Steel 1010 Cold headed.

SQUARE HEAD PLUGS


• Solid



PART # ZINC	LIST PRICE	SIZE NPTF	A	B	C	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
66670	---	1/8″	0.33	0.24	0.28	0.01	67670	---
66671	---	1/4″	0.45	0.28	0.37	0.02	67671	---
66672	---	3/8″	0.50	0.31	0.43	0.04	67672	---
66653	---	1/2″	0.59	0.38	0.55	0.12	67653	---
66654	---	3/4″	0.63	0.44	0.62	0.18	67654	---
66655	---	1"	0.75	0.5	0.81	0.34	67655	---
66656	---	1-1/4"	0.80	0.56	0.93	0.62	67656	---
66657	---	1-1/2"	0.83	0.62	1.12	0.82	67657	---
66658	---	2"	0.88	0.68	1.31	1.36	67658	---

HEX HEAD PLUGS

• Solid





PART # ZINC	LIST PRICE	SIZE NPTF	A	HEX	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
66770	---	1/8″	0.55	0.43	0.01	67770	---
66771	---	1/4″	0.74	0.56	0.04	67771	---
66772	---	3/8″	0.67	0.68	0.06	67772	---
66773	---	1/2″	0.80	0.70	0.12	67773	---
66774	---	3/4″	0.94	1.06	0.18	67774	---
66775	---	1″	1.00	1.31	0.22	67775	---
66776	---	1-1/4"	1.17	1.75	0.7	67776	---
66777	---	1-1/2"	1.51	2.00	1.2	67777	---
66778	---	2"	1.65	2.50	2.06	67778	---

COUNTERSUNK PLUG - Square Socket





PART # ZINC	LIST PRICE	SIZE NPTF	A	SOCKET SIZE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
66630	---	1/8″	0.29	0.19	0.01	67630	---
66631	---	1/4″	0.45	0.25	0.02	67631	---
66632	---	3/8″	0.45	0.31	0.04	67632	---
66633	---	1/2″	0.59	0.38	0.08	67633	---
66634	---	3/4″	0.60	0.50	0.12	67634	---
66635	---	1″	0.75	0.50	0.16	67635	---
66636	---	1-1/4"	0.80	0.75	0.32	67636	---
66637	---	1-1/2"	0.83	0.75	0.45	67637	---
66638	---	2"	0.88	0.875	2.06	67638	---

COUNTERSUNK PLUG - Hex Socket





PART # ZINC	LIST PRICE	SIZE NPTF	A	SOCKET SIZE	APPROX. WT. LBS.	PART # BLACK	LIST PRICE
66760	---	1/16″	0.29	0.15	0.01	67760	---
66761	---	1/8″	0.29	0.18	0.01	67761	---
66762	---	1/4″	0.44	0.25	0.02	67762	---
66763	---	3/8″	0.44	0.31	0.04	67763	---
66764	---	1/2″	0.59	0.37	0.08	67764	---
66765	---	3/4″	0.60	0.56	0.14	67765	---
66766	---	1″	0.75	0.625	0.22	67766	---
66767	---	1-1/4"	0.80	0.75	0.37	67767	---
66768	---	1-1/2"	0.83	1.0	0.45	67768	---
66769	---	2"	0.88	1.0	0.86	67769	---

• Slotted and Flush plugs available upon request

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

300# MALLEABLE

90° ELBOW



PART #	SIZE	LIST PRICE
69101	1/4"	---
69102	3/8"	---
69103	1/2"	---
69104	3/4"	---
69105	1"	---
69106	1-1/4"	---
69107	1-1/2"	---
69108	2"	---

45° ELBOW



PART #	SIZE	LIST PRICE
69181	1/4"	---
69182	3/8"	---
69183	1/2"	---
69184	3/4"	---
69185	1"	---
69186	1-1/4"	---
69187	1-1/2"	---
69188	2"	---

90° STREET ELBOW



PART #	SIZE	LIST PRICE
69161	1/4"	---
69162	3/8"	---
69163	1/2"	---
69164	3/4"	---
69165	1"	---
69166	1-1/4"	---
69167	1-1/2"	---
69168	2"	---

TEE



PART #	SIZE	LIST PRICE
69252	3/8"	---
69253	1/2"	---
69254	3/4"	---
69255	1"	---
69256	1-1/4"	---
69257	1-1/2"	---
69258	2"	---

COUPLING



PART #	SIZE	LIST PRICE
69411	1/4"	---
69412	3/8"	---
69413	1/2"	---
69414	3/4"	---
69415	1"	---
69416	1-1/4"	---
69417	1-1/2"	---
69418	2"	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

BLACK EXTRA 300# IRON

NIPPLES AND FITTINGS

REDUCING COUPLING



PART #	SIZE	LIST PRICE
69432	3/8 x 1/4"	---
69434	1/2 x 1/4"	---
69435	1/2 x 3/8"	---
69438	3/4 x 1/2"	---
69441	1 x 1/2"	---
69442	1 x 3/4"	---

CAP



PART #	SIZE	LIST PRICE
69471	1/4"	---
69472	3/8"	---
69473	1/2"	---
69474	3/4"	---
69475	1"	---
69476	1-1/4"	---
69477	1-1/2"	---
69478	2"	---

UNION

• Brass Seat



PART #	SIZE	LIST PRICE
69600	1/8"	---
69601	1/4"	---
69602	3/8"	---
69603	1/2"	---
69604	3/4"	---
69605	1"	---
69606	1-1/4"	---
69607	1-1/2"	---
69608	2"	---

STEEL MAGNETIC PLUGS


Steel Magnetic Drain Plugs - NPT Threaded


Magnetic Drain Plugs are similar to standard pipe or straight thread drain plugs with one important difference - a permanent magnet is fastened to the plug body. This magnet attracts and holds abrasive, ferrous metal particles preventing their circulation through the lubrication or hydraulic system.

These abrasive, ferrous metal particles appear in lubricating or hydraulic systems as a result of the following conditions:
- The constant flaking effect of normal wear of moving parts.
- Particles not removed by flushing operations after boring or machining.
- Chipping due to sub-surface casting flaws.
- Minute component breakdown caused by stress usage.

Magnetic Drain Plugs prevent excessive wear to the system's components.

Magnetic Plugs are used by numerous manufacturers of gear boxes, transmissions, engines, and hydraulic systems for the automotive, aircraft, agricultural and machinery industries.
Typical applications include:
- Outboard Engines
- Earthmoving Equipment
- Combines
- Balers
- Crawler Tractors
- Lift Trucks
- Mining Equipment
- Military Vehicles
- Turbine Engines
- Truck Axles
- Heavy-Duty Transmissions







PART	SIZE "A"	HEAD WIDTH "C"	RECESS DIA. "H"	O/L LENGTH "L"	LIST PRICE
28996	3/8 - 18	.428 - .440	.435 - .445	.805 - .860	---
28997	1/2 - 14	.553 - 565	.560 - .570	.970 -1.04	---
28998	3/4 - 14	.615 - .627	.725 - .735	1.120 - 1.170	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BULL PLUGS AND SWAGES

STANDARD BULL PLUG

- Sch 40 150#
- Zinc plated



PART #	DESCRIPTION	LIST PRICE
91008	2"	---
	2" w/ 1/2" TAP	---
	2-1/2"	---
	3"	---
	4"	---

XH BULL PLUG

- Made from sch. 80 pipe.
- Zinc plated
- Hollow



PART #	DESCRIPTION	LIST PRICE
	1/4"	---
90002	3/8"	---
90003	1/2"	---
90004	3/4"	---
90005	1"	---
	1-1/4"	---
	1-1/2"	---
90008	2"	---
93001*	2"	---
90213	2" w/ 1/4" TAP	---
90212	2" w/ 1/2" TAP	---
93212*	2"XXH w/1/2" TAP	---
	2-1/2"	---
	3"	---
	3" w/ 1/2" TAP	---
90011	4"	---

* XXH

STANDARD SCH. 40 SWAGE

MIP X MIP

- Zinc plated



PART #	DESCRIPTION	LIST PRICE
93113	1-1/4" x 1"	---
93121	2" x 1"	---
93122	2" x 1-1/4"	---
93123	2" x 1-1/2"	---
	2-1/2" x 2"	---
	3" x 1"	---
93127	3" x 1-1/2"	---
93128	3" x 2"	---
	3" x 2-1/2"	---
93130	4" x 2"	---
93131	4" x 3"	---
93139	6" x 3"	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

SWAGES

NIPPLES AND FITTINGS

SCH 80 XH SWAGES

MIP X MIP



* Hex Style



PART #	DESCRIPTION	LIST PRICE
	1/4" x 1/8"	---
	1/2" x 1/4"	---
90103*	1/2" x 3/8"	---
90104*	3/8" x 1/4"	---
90105*	3/4" x 1/4"	---
90106*	3/4" x 3/8"	---
90107*	3/4" x 1/2"	---
	1" x 1/4"	---
	1" x 3/8"	---
90110*	1" x 1/2"	---
90111*	1" x 3/4"	---
90140	1-1/4" x 3/4"	---
90141	1-1/4" x 1"	---
90114	1-1/2" x 1/2"	---
90115	1-1/2" x 3/4"	---
90116	1-1/2" x 1"	---
90117	1-1/2" x 1-1/4"	---
	2" x 1/4"	---
90119	2" x 1/2"	---
90120	2" x 3/4"	---
90121	2" x 1"	---
90122	2" x 1-1/4"	---
90123	2" x 1-1/2"	---
	2-1/2" x 2"	---
	3" x 1"	---
90126	3" x 1-1/4"	---
90127	3" x 1-1/2"	---
90128	3" x 2"	---
	3" x 2-1/2"	---
	4" x 1"	---
90130	4" x 2"	---
90131	4" x 3"	---
90132	6" x 4"	---
	6" x 2"	---
	6" x 3"	---

XXH SWAGE



PART #	DESCRIPTION	LIST PRICE
	1/2" x 1/4"	---
	3/4" x 1/2"	---
	1" x 1/4"	---
	1" x 3/8"	---
92110*	1" x 1/2"	---
	1" x 3/4"	---
	1-1/2" x 1/2"	---
	1-1/2" x 3/4"	---
92116	1-1/2" x 1"	---
	2" x 1/2"	---
	2" x 3/4"	---
92121	2" x 1"	---
	2" x 1-1/4"	---
	2" x 1-1/2"	---
92128	3" x 2"	---


WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

ASTMA105
ASME SA105
ANSI B16.5

CARBON STEEL FLANGES

• A105 Forged Steel • CLASS 150
(1-1/2 thru 6" available in #316 Stainless Steel add SS to part#)






SLIP-ON 1/16" RAISED FACE CARBON STEEL FLANGE

PART #	SIZE	LIST PRICE
	1/2"	---
	3/4"	---
	1"	---
	1-1/4"	---
107024	1-1/2"	---
107025	2"	---
107026	2-1/2"	---
107027	3"	---
107029	4"	---
107031	6"	---
107032	8"	---
	10"	---
	12"	---





THREADED 1/16" RAISED FACE CARBON STEEL FLANGE

PART #	SIZE	LIST PRICE
107060	1/2"	---
107061	3/4"	---
107062	1"	---
107063	1-1/4"	---
107064	1-1/2"	---
107065	2"	---
107066	2-1/2"	---
107067	3"	---
107069	4"	---
107071	6"	---
107072	8"	---
107073	10"	---
	12"	---

Nominal Pipe Size	Depth of Socket in.	DRILLING			BOLTING				APPROXIMATE WEIGHT		
		Bolt Circle Diam-eter	Number of Holes	Diam-eter of Holes	Diam-eter of Bolts (inch)	Machine Bolt Length	Stud Bolt Length		Welding Neck	Slip-on and Thread-ed	Blind
	Y					Raised Face	Raised Face	Ring Joint	LBS	LBS	LBS
1/2	.382	2.382	4	.618	1/2	2.00	2.252	-	1.146	1.036	1.036
3/4	.441	2.752	4	.618	1/2	2.00	2.50	-	2.028	1.653	1.389
1	.500	3.118	4	.618	1/2	2.252	2.50	3.00	2.425	1.893	2.094
1-1/4	.559	3.50	4	.618	1/2	2.252	2.752	3.252	3.086	3.086	3.086
1-1/2	.618	3.882	4	.618	1/2	2.50	2.752	3.252	3.99	3.109	3.571
2	.689	4.752	4	.752	5/8	2.752	3.252	3.752	6.173	4.982	5.82
2-1/2	.752	5.5	4	.752	5/8	3.00	3.50	4.00	9.436	7.562	8.951
3	.811	6.0	4	.752	5/8	3.00	3.50	4.00	11.42	8.818	11.023
4	.941	7.50	8	.752	5/8	3.00	3.50	4.00	16.138	12.677	16.535
6	1.059	9.50	8	.882	3/4	3.252	4.00	4.50	24.824	17.196	26.455
8	1.252	11.752	8	.882	3/4	3.50	4.252	4.752	39.683	28.66	44.092
10	1.311	14.252	12	1.00	7/8	4.00	4.50	5.00	55.116	37.699	66.139
12	1.559	17	12	1.00	7/8	4.00	4.752	5.252	85.936	61.024	97.003

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov


FORGED STEEL FLANGES

NIPPLES AND FITTINGS

ASTMA105
ASME SA105
ANSI B16.5

• A105 Forged Steel
• CLASS 150
(1-1/2 thru 6" available in #316 Stainless Steel add SS to part#)






WELD NECK CARBON STEEL FLANGE

Part #	Size	List Price
	1/2"	---
	3/4"	---
	1"	---
	1-1/4"	---
107004	1-1/2"	---
107005	2"	---
	2-1/2"	---
107007	3"	---
107009	4"	---
107011	6"	---
107012	8"	---
	10"	---
	12"	---





BLIND 1/16" RAISED FACE CARBON STEEL FLANGE

PART #	SIZE	LIST PRICE
	1/2"	---
	3/4"	---
107042	1"	---
	1-1/4"	---
107044	1-1/2"	---
107045	2"	---
	2-1/2"	---
107047	3"	---
107049	4"	---
	6"	---
	8"	---
	10"	---
	12"	---

Nominal Pipe Size	Outside Diameter	O.D of Raised Face	Diameter at Base of Hub	Thickness	Bore	Length Thru Hub	
					Welding Neck Socket Welding	Welding Neck	Slip-on Threaded Socket Welding
	D	G	X	T	B1	T1	T2
1/2	3.504	1.382	1.189	.441	.618	1.882	.618
3/4	3.898	1.689	1.50	.50	.819	2.059	.618
1	4.252	2.00	1.941	.559	1.051	2.189	.689
1-1/4	4.606	2.50	2.311	.618	1.382	2.252	.811
1-1/2	5.00	2.882	2.559	.689	1.610	2.441	.882
2	5.984	3.618	3.059	.752	2.071	2.50	1.00
2-1/2	7.008	4.118	3.559	.882	2.469	2.752	1.118
3	7.52	5.00	4.252	.941	3.071	2.752	1.189
4	9.016	6.189	5.311	.941	4.031	3.00	1.311
6	10.984	8.50	7.559	1.00	6.071	3.50	1.559
8	13.504	10.618	9.689	1.118	7.980	4.00	1.752
10	15.984	12.752	12.00	1.189	10.02	4.00	1.941
12	19.016	15.00	14.382	1.252	12.00	4.50	2.189


WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALV. DUCTILE IRON REDUCING COMPANION FLANGES

NIPPLES AND FITTINGS

THREADED COMPANION FLANGE CLASS 125 PATTERN (BLACK & GALVANIZED)

* DIMENSIONS, FACED AND DRILLED IN ACCORDANCE WITH ASME B16.42/AWWA C110
* COATING: AVAILABLE IN BLACK ELECTROPHORETIC COATING AND HOT DIP GALVANIZED
* HOT-DIPPED GALVANIZED CONFORM TO ASTM A153; COMPANION FLANGE THREADS CONFORM TO ASME B1.20.1
* APPLICATION: WATERWORKS, PUMP, IRRIGATION
* 150PSI





BLACK

PART #	DESCRIPTION (DI FLANGE)	A (INCH)	B (INCH)	C (INCH)	D (INCH)	BOLT HOLE SIZE	NO. OF HOLES	UNIT WEIGHT (KG)	
108075	3" x 2"	7.50	6.00	0.75	1.19	ϕ0.75	4	4.3827	---
108076	3" x 2-1/2"	7.50	6.00	0.75	1.19	ϕ0.75	4	4.2013	---
108077	4" x 1-1/2"	9.00	7.50	0.94	1.31	ϕ0.75	8	6.8352	---
108088	4" x 2"	9.00	7.50	0.94	1.31	ϕ0.75	8	6.4168	---
108089	4" x 2-1/2"	9.00	7.50	0.94	1.31	ϕ0.75	8	6.3343	---
108090	4" x 3"	9.00	7.50	0.94	1.31	ϕ0.75	8	6.081	---
108091	5" x 4"	10.00	8.50	0.94	1.44	ϕ0.875	8	6.8761	---
108094	6" x 2"	11.00	9.50	1.00	1.56	ϕ0.875	8	10.6349	---
108095	6" x 3"	11.00	9.50	1.00	1.56	ϕ0.875	8	10.1831	---
108092	6" x 4"	11.00	9.50	1.00	1.56	ϕ0.875	8	9.4563	---
108096	8" x 4"	13.50	11.75	1.12	1.75	ϕ0.875	8	17.1296	---
108097	8" x 6"	13.50	11.75	1.12	1.75	ϕ0.875	8	15.2184	---
108098	8" x 2"	16.00	14.25	1.19	1.94	ϕ1	12	26.54	---
108099	8" x 3"	---	---	---	---	---	---	---	---
108100	10" x 2"	---	---	---	---	---	---	---	---
108101	12" x 2"	---	---	---	---	---	---	---	---

GALVANIZED


108031	2-1/2" x 2"	6.00	4.75	0.75	1.19	ϕ0.75	4	3.623	---
108032	3" x 2"	7.50	6.00	0.75	1.19	ϕ0.75	4	4.3827	---
108033	3" x 2-1/2"	7.50	6.00	0.75	1.19	ϕ0.75	4	4.2013	---
108034	4" x 2"	9.00	7.50	0.94	1.31	ϕ0.75	8	6.4168	---
108035	4" x 2-1/2"	9.00	7.50	0.94	1.31	ϕ0.75	8	6.3343	---
108036	4" x 3"	9.00	7.50	0.94	1.31	ϕ0.75	8	6.081	---
108038	6" x 2"	11.00	9.50	1.00	1.56	ϕ0.875	8	10.6349	---
108039	6" x 2-1/2"	11.00	9.50	1.00	1.56	ϕ0.875	8	10.5386	---
108037	6" x 4"	11.00	9.50	1.00	1.56	ϕ0.875	8	9.4563	---
108040	8" x 4"	13.50	11.75	1.12	1.75	ϕ0.875	8	17.1296	---
108041	8" x 6"	13.50	11.75	1.12	1.75	ϕ0.875	8	15.2184	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

BLACK AND GALVANIZED COMPANION FLANGES

NIPPLES AND FITTINGS

DUCTILE IRON THREADED COMPANION FLANGES





*DIMENSIONS, FACED AND DRILLED IN ACCORDANCE WITH ASME B16.42/AWWA C110
*COATING: AVAILABLE IN BLACK ELECTROPHORETIC COATING AND HOT DIP GALVANIZED
*HOT-DIPPED GALVANIZED CONFORM TO ASTM A153; COMPANION FLANGE THREADS CONFORM TO ASME B1.20.1
*APPLICATION: WATERWORKS, PUMP, IRRIGATION

BLACK

PART # (BLACK)	DESCRIPTION (THREADED)	SIZE (INCH)	A (INCH)	B (INCH)	C (INCH)	D (INCH)	BOLT HOLE SIZE	NO. OF HOLES	UNIT WEIGHT (KG)	
108062	1 150	1"	4.25	3.12	0.44	0.75	ϕ0.625	4	0.8347	---
108063	1 1/4 150	1-1/4"	4.62	3.5	0.5	0.81	ϕ0.625	4	1.0797	---
108064	1 1/2 150	1-1/2"	5	3.88	0.56	0.88	ϕ0.625	4	1.3217	---
108065	2 150	2"	6	4.75	0.62	1	ϕ0.75	4	2.1457	---
108066	2 1/2 150	2-1/2"	7	5.5	0.69	1.12	ϕ0.75	4	3.4182	---
108067	3 150	3"	7.5	6	0.75	1.19	ϕ0.75	4	3.9051	---
108069	4 150	4"	9	7.5	0.94	1.31	ϕ0.75	8	5.5254	---
108071	6 150	6"	11	9.5	1	1.56	ϕ0.875	8	7.5328	---
108072	8 150	8"	13.5	11.75	1.12	1.75	ϕ0.875	8	13.0201	---
108073	10 150	10"	16	14.25	1.19	1.94	ϕ1	12	22.854	---
108074	12 150	12"	19	17	1.25	2.19	ϕ1	12	26.5451	---

GALVANIZED

108025	2 150	2"	6	4.75	0.62	1	ϕ0.75	4	2.1457	---
108026	2 1/2 150	2-1/2"	7	5.5	0.69	1.12	ϕ0.75	4	3.4182	---
108027	3 150	3"	7.5	6	0.75	1.19	ϕ0.75	4	3.9051	---
108028	4 150	4"	9	7.5	0.94	1.31	ϕ0.75	8	5.5254	---
108029	6 150	6"	11	9.5	1	1.56	ϕ0.875	8	7.5328	---

BLIND FLANGES





PART # (BLACK)	DESCRIPTION (THREADED)	SIZE (INCH)	A (INCH)	B (INCH)	C (INCH)	BOLT HOLE SIZE	NO. OF HOLES	UNIT WEIGHT (KG)	
108065BF		2"	6	4.75	0.62	ϕ0.75	4	2.3731	
108067BF		3"	7.5	6	0.94	ϕ0.75	4	4.8547	
108069BF		4"	9	7.5	0.94	ϕ0.75	8	6.5341	
108071BF		5"	10	8.5	0.94	ϕ0.875	8	7.9894	
108070BF		6"	11	9.5	1	ϕ0.875	8	10.811	
108072BF		8"	13.5	11.75	1.12	ϕ0875	8	18.6264	
108073BF		10"	16	14.25	1.19	ϕ1	12	26.2487	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

#150 BOLT & GASKET SET W/ PLATED STEEL BOLTS/NUTS & FULL FACE RED RUBBER GASKETS



MIDLAND	SIZE	
987245	2″ Bolt & Gasket Set	
987246	2-1/2″ Bolt & Gasket Set	
987247	3″ Bolt & Gasket Set	
987248	4″ Bolt & Gasket Set	
987249	5″ Bolt & Gasket Set	
987250	6″ Bolt & Gasket Set	
987251	8″ Bolt & Gasket Set	
987252	10″ Bolt & Gasket Set	
987253	12″ Bolt & Gasket Set	

#150 BOLT & GASKET SET W/ PLATED STEEL BOLTS/NUTS & NON-ASBESTOS GASKETS



MIDLAND	SIZE	
987254	2″ Bolt & Gasket Set	
987255	2-1/2″ Bolt & Gasket Set	
987256	3″ Bolt & Gasket Set	
987257	4″ Bolt & Gasket Set	
987258	5″ Bolt & Gasket Set	
987259	6″ Bolt & Gasket Set	
987260	8″ Bolt & Gasket Set	
987261	10″ Bolt & Gasket Set	
987262	12″ Bolt & Gasket Set	

#150 BOLT & GASKET SET W/ 304SS BOLTS/NUTS & FULL FACE RED RUBBER GASKETS



MIDLAND	SIZE	
988245	2″ Bolt & Gasket Set	
988246	2-1/2″ Bolt & Gasket Set	
988247	3″ Bolt & Gasket Set	
988248	4″ Bolt & Gasket Set	
988249	5″ Bolt & Gasket Set	
988250	6″ Bolt & Gasket Set	
988251	8″ Bolt & Gasket Set	
988252	10″ Bolt & Gasket Set	
988253	12″ Bolt & Gasket Set	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

GASKET SETS

NIPPLES AND FITTINGS

#150 BOLT & GASKET SET W/ 304SS BOLTS/NUTS & NON-ASBESTOS GASKETS




MIDLAND	SIZE	
988254	2″ Bolt & Gasket Set	
988255	2-1/2″ Bolt & Gasket Set	
988256	3″ Bolt & Gasket Set	
988257	4″ Bolt & Gasket Set	
988258	5″ Bolt & Gasket Set	
988259	6″ Bolt & Gasket Set	
988260	8″ Bolt & Gasket Set	
988261	10″ Bolt & Gasket Set	
988262	12″ Bolt & Gasket Set	

FULL FACE RED RUBBER GASKET



MIDLAND	SIZE	
988400	2″ Gasket	
988401	2-1/2″ Gasket	
988402	3″ Gasket	
988403	4″ Gasket	
988404	5″ Gasket	
988405	6″ Gasket	
988406	8″ Gasket	
988407	10″ Gasket	
988408	12″ Gasket	

NON-ASBESTOS RING GASKET



MIDLAND	SIZE	
987400	2″ Gasket	
987401	2-1/2″ Gasket	
987402	3″ Gasket	
987403	4″ Gasket	
987404	5″ Gasket	
987405	6″ Gasket	
987406	8″ Gasket	
987407	10″ Gasket	
987408	12″ Gasket	

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

COPPER FITTINGS




SYMBOL OF JOINT ENDS

C Solder joint fitting end made to receive copper tube diameter
Ftg. Solder joint fitting end made to copper tube diameter
F Internal ANSI Standard Taper Pipe Thread-Female
M External ANSI Standard Taper Pipe Thread-Male
Threaded ends ANSI/ ASME B1. Solder ends ASTM B88


- Temp range 32° to 200°F
- Pressure @100° - 1/8-1 : 500 PSI
  - 1-1/4-2 : 400 PSI
  - 2-1/2 - 3: 300 PSI

NSF - 61 CERTIFIED
ALLOY C12200

THE ABOVE CONFORMS TO ASTM B 88 & ASTM B 306, A 306



MALE (FITTING)



FEMALE (COPPER)

Nominal Size	Joint Ends										Metal Thickness T (in)	Inside Diameter O (in)
	Male End					Female End						
	Outside Diameter (A) in	Average Tolerance (mm)	Actual MIN in	O.D. MAX in		Inside Diameter F (in)	Average Tolerance (mm)	Actual MIN in	O.D. MAX in			
1/8	2/8	0.03	2/8	2/8	3/8	2/8	0.03	2/8	2/8	3/8	0	2/8
1/4	3/8		3/8	3/8	3/8	3/8		3/8	3/8	3/8	0	2/8
3/8	4/8		4/8	4/8	3/8	4/8		4/8	4/8	3/8	0	3/8
1/2	5/8		5/8	5/8	4/8	5/8		5/8	5/8	3/8	0	4/8
5/8	6/8		6/8	6/8	5/8	6/8		6/8	6/8	5/8	0	4/8
3/4	7/8		7/8	7/8	6/8	7/8		7/8	7/8	5/8	0	5/8



WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

WROT SOLDER JOINT

NIPPLES AND FITTINGS

90° ELL C X C



PART#	NOMINAL (ID)	OD	APPROX NET WT.	IND #	LIST PRICE
77101	1/4"	3/8"	0.01	W 02009	---
77102	3/8"	1/2"	0.03	W 02017	---
77104	1/2"	5/8"	0.04	W 02022	---
77108	3/4"	7/8"	0.09	W 02034	---
77110	1"	1-1/8"	0.17	W 02047	---
77113	1-1/4"	1-3/8"	0.27	W 02077	---
77114	1-1/2"	1-5/8"	0.41	W 02085	---
77116	2"	2-1/8"	0.73	W 02086	---
77119	3"				

WE-500-R **607-R** 107-C

90° STREET ELL FTG. X C



PART#	NOMINAL (ID)	OD	APPROX NET WT.	IND #	LIST PRICE
77124	1/4"	3/8"	0.01	W 02312	---
77125	3/8"	1/2"	0.03	W 02321	---
77126	1/2"	5/8"	0.05	W 01652	---
77128	3/4"	7/8"	0.12	W 01654	---
77129	1"	1-1/8"	0.22	W 02344	---
77130	1-1/4"	1-3/8"	0.33	W 02384	---
77131	1-1/2"	1-5/8"	0.45	W 02385	---
77132	2"	2-1/8"	0.87	W 02386	---
77134	3"				

90° LONG TURN ELL C X C



PART#	NOMINAL (ID)	OD	APPROX NET WT.	IND #	LIST PRICE
77143	1/2"	5/8"	0.06	W 02722	---
77144	5/8"	3/4"	0.10	W 02728	---
77145	3/4"	7/8"	0.15	W 02734	---

WE-500-L **607-LT** 107-L

90° LONG TURN ST. ELL FTG. X C



PART#	NOMINAL (ID)	OD	APPROX NET WT.	IND #	LIST PRICE
77156	5/8"	3/4"	0.11		---
77159	1-1/4"	1-3/8"	0.46	W 02828	---
77160	1-1/2"	1-5/8"	0.64	W 02834	---

WE-503-L **607-2LT**

45° ELL C X C



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77163	3/8"	0.02	W 03021	---
77164	1/2"	0.04	W 03026	---
77166	3/4"	0.10	W 03034	---
77167	1"	0.19	W 03044	---
77168	1-1/4"	0.27	W 03050	---
77169	1-1/2"	0.39	W 03055	---
77170	2"	0.75	W 03059	---

WE-504 **606** 106

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

WROT SOLDER JOINT
NIPPLES AND FITTINGS

STREET 45° FTG. X C



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77179	1/2"	0.06	W 03326	---
77181	3/4"	0.10	W 03334	---
77182	1"	0.18	W 03344	---
77183	1-1/4"	0.27	W 03350	---

WE-505 **606-2**

COUPLING (SOCKET) W/ ROLLED UP TUBE STOP C X C



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77201	1/8"	0.01	W 01003	---
77202	1/4"	0.01	W 01009	---
77203	3/8"	0.02	W 01017	---
77204	1/2"	0.03	W 01022	---
77205	5/8"	0.04	W 01028	---
77206	3/4"	0.06	W 01034	---
77207	1"	0.10	W 01047	---
77208	1-1/4"	0.15	W 01055	---
77209	1-1/2"	0.22	W 01063	---
77210	2"	0.39	W 01072	---
77212	3"			

WC-400 **100**

COUPLING (SOCKET) LESS TUBE STOP C X C



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77220	1/4"	0.01	W 01901	---
77222	1/2"	0.03	W 01903	---
77223	3/4"	0.06	W 01905	---
77224	1"	0.10	W 01906	---
77225	1-1/4"	0.15	W 01907	---
77226	1-1/2"	0.22	W 01908	---
77227	2"	0.39	W 01909	---

WC-400NS **601**

COUPLING (SOCKET) W/ DIMPLED TUBE STOP C X C



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77238	1/2"	0.03		---
77240	3/4"	0.06		---
77241	1"	0.10		---

WC-400S

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

WROT SOLDER JOINT

NIPPLES AND FITTINGS

REDUCER COUPLING W/ STOP C X C



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77252	1/4" x 1/8"	0.01	W 01011	---
77253	3/8" x 1/4"	0.02	W 01019	---
77256	1/2" x 1/4"	0.03	W 01023	---
77255	1/2" x 3/8"	0.03	W 01021	---
77258	5/8" x 1/2"	0.04	W 01025	---
77262	3/4" x 1/2"	0.06	W 01029	---
77267	1"x1/2"	0.10	W 01049	---
77265	1"x3/4"	0.12	W 01038	---
77269	1 -1/4" x 3/4"	0.17	W 01056	---
77268	1-1/4" x 1"	0.17	W 01051	---
77272	1-1/2" x1"	0.24	W 01064	---
77271	1-1/2" x 1-1/4"	0.24	W 01060	---
77277	2" x 1"	0.48	W 01074	---
77276	2 x 1-1/4"	0.46	W 01073	---
77275	2" x 1-1/2"	0.42	W 01069	---

WC-400R **600-R**


FITTING REDUCER FTG. C X C



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77294	1/2" x 1/4"	0.03	W 01317	---
77298	3/4" x 3/8"	0.05	W 01327	---
77297	3/4" x 1/2"	0.06	W 01326	---
77352	1" x 1/2"	0.10	W 01265	---
77300	1"x3/4"	0.11	W 01337	---
77355	1 -1/4" x 3/4"	0.15	W 01345	---
77354	1-1/4" x1"	0.17	W 01343	---
77359	1 -1/2" x 3/4"	0.21	W 01353	---
77358	1-1/2"x1"	0.22	W 01351	---
77357	1 -1/2" X 1-1/4"	0.21	W 01350	---
77361	2" x 1-1/2"	0.39	W 01358	---

WC-403 **600-2**

MALE ADAPTER C X M



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77398	3/8"	0.06	W 01125	---
77401	1/2"	0.08	WB01131	---
77306	3/4"	0.14	WB01146	---
77309	1"	0.24	WB01163	---
77314	1-1/4"	0.41	W 01171	---
77318	1-1/2"	0.50	W 01179	---
77322	2"	0.87	W 01187	---
77308	3/8" x 1/2"			
77311	1/2" x 3/8"	0.18		---
77315	3/4" x 1/2"	0.31		---
77307	3/4" x 1"	0.29	W 01145	---
77312	1" x 3/4"	0.18	W 01164	---


• 14 more reducing sizes available

WC-401 **604**

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

WROT SOLDER JOINT
NIPPLES AND FITTINGS

FTG. MALE ADAPTER FTG. X M



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77331	1/2"	0.09	W 01431	---
77333	3/4"	0.15	W 01446	---
77334	1"	0.15	W 01463	---
77335	1-1/4"	0.41	W 01471	---

WC-404 **604-2**

COPPER TUBING
SEE COPPER TUBING FOR REFRIGERATION AND DRINKING WATER





FEMALE ADAPTERS C X F



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77340	3/8"			
77343	1/2"	0.10	WB01231	---
77349	3/4"	0.14	WB01246	---
77402	1"	0.24	WB01263	---
77406	1-1/4"	0.43	W 01271	---
77410	1-1/2"	0.58	W 01279	---
77413	2"	0.74	W 01287	---
77341	3/8" x 1/2"	0.10	W 01224	---
77347	1/2" x 1/4"	0.05	W 01233	---
77346	1/2"x3/8"	0,70	W 01232	---
77345	1/2" x 3/4"	0.15	WB01230	---

FEMALE FTG. ADAPT. FTG. X F



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77420	1/2"	0.11	W 01531	---
77423	3/4"	0.19	W 01546	---
77424	1			---
77425	1¼			

WC405 **603-2** WC405R **603R**

CAP



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77430	3/8"	0.01	W 07006	---
77431	1/2"	0.02	WB07007	---
77432	5/8"	0.03	W 07008	---
77433	3/4"	0.04	WB07009	---
77434	1"	0.08	WB07011	---
77435	1-1/4"	0.11	W 07012	---
77436	1-1/2"	0.18	W 07013	---
77437	2"	0.30	W 07014	---

• More sizes available

WC402 **603** WC402R **603R**

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

WROT SOLDER JOINT

NIPPLES AND FITTINGS

UNIONS C X C



• LF = Lead Free

PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77455LF	1/2"	0.17	W 08003	---
77456LF	3/4"	0.37	W 08004	---
77457LF	1"	0.51	W 08005	---
77606LF	1-1/4"	0.98	W08006	---
77607LF	1-1/2"	1.21	W08007	---
77608LF	2"		W08008	---

WC-415 617

U-TYPE STRAP



PART#	NOMINAL	APPROX NET WT.	IND #	LIST PRICE
77461	1/2"	0.03	A 02529	---
77462	3/4"	0.03	A 02574	---

WC-407
WS-1100

TEE C X C X C



PART#	NOMINAL 1 X 2 X 3	APPROX NET WT.	IND #	LIST PRICE
77467	1/8"	0.02	W 40306	---
77468	1/4"	0.03	W 04000	---
77470	3/8"	0.05	W 04001	---
77473	1/2"	0.08	WB04006	---
77483	3/4"	0.18	WB04031	---
77490	1"	0.35	WB04048	---
77504	1-1/4"	0.58	W 04068	---
77519	1-1/2"	0.72	W 04084	---
77543	2"	1.35	W 40102	---
77489	3/4"x1/2"x1/2"	0.15	WB04043	---
77488	3/4" x 1/2" x 3/4"	0.19	WB04041	---
77486	3/4" x 3/4" x 1/2"	0.15	WB04033	---
77485	3/4"x3/4"x1"	0.25	W 04065	---
77501	1"x1/2"x1"	0.34	W 04061	---
77499	1"x3/4"x3/4"	0.31	W 04056	---
77496	1"x1"x1/2"	0.24	WB04051	---
77493	1"x1"x3/4"	0.29	WB04049	---
77523	1 -1/2" x 1-1/2" x 3/4"	0.51	W 04087	---
77522	1-1/2" x 1-1/2" x1"	0.60	W 04086	---
77547	2"x2"x1"	0.99	W 40105	---

WT-600 611

DROP EAR ELBOWS





• Lead Free Bronze • Lead Free Brass

PART #	SWT X FIP	LIST PRICE
44840LF	1/2 x 1/2 Bronze	---
44841LF	1/2 x 1/2 Brass	---
44842LF	3/4 x 1/2 Brass	---
44843LF	3/4 x 3/4 Brass	---



• Lead Free Brass

PART #	SWT X SWT	LIST PRICE
44844LF	1/2 x 1/2	---



• Lead Free Bronze

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

PLASTIC FITTINGS



SCH 80 PVC NIPPLES



Machined Schedule 80 PVC nipples comply fully with ASTM D2464, threads conform to ASTM F1498, and the pipe is extruded from PVC 1120-1220 meeting ASTM D1784 and meets ASTM D1785, products standard 21-70

PIPE FITTINGS



- Nylon
- Polyethylene
- Polypropylene

HOSE BARB FITTINGS



- Nylon
- Polyethylene
- Polypropylene

NYLON & POLYPROPYLENE COMPRESSION FITTINGS



Machined Schedule 80 PVC nipples comply fully with ASTM D2464,

POLYPROPYLENE PUSH-IN TUBE FITTINGS AND VALVES



- NSF 61 certified for use with drinking (potable) water
- Max Temperature: 140°F
- Max Pressure: Not Rated

GARDEN HOSE FITTINGS



- Nylon

SCH 40 PVC FITTINGS



- NSF 61 certified for use with drinking (potable) water
- Max Temperature: 140°F
- Max Pressure: Not Rated

Resistant to corrosion, strong and rigid - commonly used in low pressure plumbing applications. ASTM D1784 and D2466.

SCH 80 PVC FITTINGS



PVC Material is Type 1 according to the American Society for Testing Materials (ASTM) D-1784. Fittings conform to ASTM D-2464 & ASTM D-2467. Temperature rating is 140°F. PSI is based on water at 73°F. Derate 50% at 110°F and 78% at 140°F. Not recommended for use in compressed air or gas systems.

SEE MIDLAND BLANKET ORDER PROGRAM FOR PVC FITTINGS

SCHEDULE 80 PVC NIPPLES

Machined Schedule 80 PVC nipples comply fully with ASTM D2464, threads conform to ASTM F1498, and the pipe is extruded from PVC 1120-1220 meeting ASTM D1784 and meets ASTM D1785, products standard 21-70



- Dark Grey
- NSF-61 Cert.

1/2" DIAMETER 420 PSI

PART #	LENGTH	LIST PRICE
55060	X Close (1-1/8")	---
55061	1-1/2"	---
55062	2"	---
55063	2-1/2"	---
55064	3"	---
55065	3-1/2"	---
55066	4"	---
55067	4-1/2"	---
55068	5"	---
55069	5-1/2"	---
55070	6"	---
55072	8"	---
55074	10"	---
55075	11"	---
55076	12"	---
	18"	---
55241	24"	---

3/4" DIAMETER 340 PSI

PART #	LENGTH	LIST PRICE
55080	x Close (1-3/8")	---
55081	1-1/2"	---
55082	2"	---
55083	2-1/2"	---
55084	3"	---
55085	3-1/2"	---
55086	4"	---
55087	4-1/2"	---
55088	5"	---
55089	5-1/2"	---
55090	6"	---
55092	8"	---
55093	10"	---
55096	12"	---
55097	18"	---
55098	24"	---

1" DIAMETER 315 PSI

PART #	LENGTH	LIST PRICE
55100	X Close (1-1/2")	---
55101	2"	---
55102	2-1/2"	---
55103	3"	---
55104	3-1/2"	---
55105	4"	---
55106	4-1/2"	---
55107	5"	---
55108	5-1/2"	---
55109	6"	---
55111	8"	---
55115	12"	---
55116	18"	---
55117	36"	---

1-1/4" DIAMETER 210 PSI

PART #	LENGTH	LIST PRICE
55120	X Close (1-5/8")	---
55121	2"	---
55122	2-1/2"	---
55123	3"	---
55124	3-1/2"	---
55125	4"	---
55126	4-1/2"	---
55127	5"	---
55128	5-1/2"	---
55129	6"	---
55132	12"	---

PLASTIC PIPE
PLASTIC FITTINGS

1-1/2" DIAMETER 234 PSI

PART	LENGTH	
55140	X Close (1-5/8")	---
55141	2"	---
55142	2-1/2"	---
55143	3"	---
55144	3-1/2"	---
55145	4"	---
55146	4-1/2"	---
55147	5"	---
55148	5-1/2"	---
55149	6"	---
55150	8"	---
55151	12"	---

2" DIAMETER 200 PSI

PART #	LENGTH	LIST PRICE
55160	X Close (2")	---
55161	2-1/2"	---
55162	3"	---
55163	3-1/2"	---
55164	4"	---
55165	4-1/2"	---
55166	5"	---
55167	5-1/2"	---
55168	6"	---
55170	8"	---
55174	12"	---
55179	60"	---

3" DIAMETER

PART #	LENGTH	BOX QTY	LIST PRICE
55200	x Close	25	---
55201	3"	20	---
55203	4"	30	---
55205	5"	20	---
55207	6"	20	---
55209	8"	10	---
55211	10"	10	---
55213	12"	10	---

PIPE-NYLON POLY

AVAILABLE IN THREE TYPES OF PLASTIC

(W) White Nylon

Made from virgin grade formulated to resist physical stress and abrasion. This material meets F.D.A. requirements of Code of Federal Regulation part 177.1500 and is therefore suitable for food contact surfaces.

Temperature Range: -40^{0}F to 200^0 F
Working Pressure: 125 PSI maximum.

ELBOW

P



POLYPROPYLENE ELBOWS

PART #	SIZE	LIST PRICE
28702P	3/8"	---
28704P	3/4"	---

W



NYLON ELBOWS

PART #	SIZE	LIST PRICE
28703W	1/2"	---
28704W	3/4"	---
28705W	1"	---
28706W	1-1/4"	---
28707W	1-1/2"	---
28708W	2"	----

TEE

P



POLYPROPYLENE TEES

PART #	SIZE	LIST PRICE
28741P	1/4"	---
28742P	3/8"	---
28743P	1/2"	---
28744P	3/4"	---

(B) Black Polyethylene

Made from a high molecular weight linear polyethylene formulated for chemical compatibility and high impact resistance at lower temeratures. Polyethylene is NSF approved for potable water.

Temperature Range: -65^{0}F to 190^{0}F
Working Pressure: 125 PSI maximum.

W



NYLON TEES

PART #	SIZE	LIST PRICE
28741W	1/4"	---
28743W	1/2"	---
28744W	3/4"	---
28745W	1"	---
28746W	1-1/4"	---
28747W	1-1/2"	---
28748W	2"	----

STREET ELBOW

P



POLYPROPYLENE STREET ELBOW

PART #	SIZE	LIST PRICE
28819P	1/8"	---
28723P	1/2"	---
28820P	2"	---

W



NYLON STREET ELBOW

PART #	SIZE	LIST PRICE
28819W	1/8"	---
28720W	1/4"	---
28721W	3/8"	---
28723W	1/2"	---
28724W	3/4"	---
28725W	1"	---
28726W	1-1/4"	---
28727W	1-1/2"	---
28820W	2"	---

(P) Polypropylene

Made from the finest polypropylene resins. Polypropylene is used for its resistance to a wide range of chemicals. Working pressures decrease as temperatures increase.

- NSF-approved materials
- FDA-approved materials

Note: Do not use with compressed air or gas.

- 10% Fiberglass fill for extra strength

HEX HEAD PLUGS

- Cored

B



POLYETHYLENE PLUGS

PART #	SIZE	LIST PRICE
28601B	1/8"	---
28602B	1/4"	---
28603B	3/8"	---
28604B	1/2"	---
28605B	3/4"	---

W



NYLON PLUGS

PART #	SIZE	LIST PRICE
28601W	1/8"	---
28602W	1/4"	---
28603W	3/8"	---
28604W	1/2"	---
28605W	3/4"	---
28606W	1"	---
28607W	1-1/4"	---
28608W	1-1/2"	---
28609W	2 "	---

PLASTIC PIPE
PLASTIC FITTINGS

HEX BUSHING

P



POLYPROPYLENE BUSHINGS

PART #	SIZE	LIST PRICE
28659P	1/4 x 1/8"	---
28660P	3/8 x 1/8"	---
28661P	3/8 x 1/4"	---
28811P	1/2 x 1/8"	---
28663P	1/2 x 1/4"	---
28664P	1/2 x 3/8"	---
28666P	3/4 x 1/4"	---
28668P	3/4 x 1/2"	---
28671P	1 x 1/2"	---
28672P	1 x 3/4"	---
28675P	1-1/4" x 1"	---
28814P	1-1/2" x 1/2"	---
28678P	1-1/2 x 3/4"	---
28680P	1-1/2 x 1-1/4"	---
28816P	2 x 1-1/4"	---

W



NYLON BUSHINGS

PART #	SIZE	LIST PRICE
28659W	1/4 x 1/8"	---
28660W	3/8 x 1/8"	---
28661W	3/8 x 1/4"	---
28663W	1/2 x 1/4"	---
28664W	1/2 x 3/8"	---
28666W	3/4 x 1/4"	---
28667W	3/4 x 3/8"	---
28668W	3/4 x 1/2"	---
28671W	1 x 1/2"	---
28672W	1 x 3/4"	---
28674W	1-1/4 x 3/4"	---
28675W	1-1/4 x 1"	---
28678W	1-1/2 x 3/4"	---
28679W	1-1/2 x 1"	---
28680W	1-1/2 x 1-1/4"	---
28815W	2" x 1/2"	---
28682W	2 x 3/4"	---
28683W	2 x 1"	---
28685W	2 x 1-1/2"	---
28818W	3" x 2"	----

HEX NIPPLES

B



POLYETHYLENE HEX NIPPLES

PART #	SIZE	LIST PRICE
28611B	1/8"	---
28612B	1/4"	---
28613B	3/8"	---

P



POLYPROPYLENE HEX NIPPLES

PART #	SIZE	LIST PRICE
28612P	1/4"	---
28613P	3/8"	---
28614P	1/2"	---
28615P	3/4"	---

W



NYLON HEX NIPPLES

PART #	SIZE	LIST PRICE
28611W	1/8"	---
28612W	1/4"	---
28613W	3/8"	---
28614W	1/2"	---
28615W	3/4"	---
28616W	1"	---
28617W	1 1/4 "	---
28618W	1 1/2"	---

REDUCER NIPPLES


B



POLYETHYLENE HEX NIPPLES

PART #	SIZE	LIST PRICE
28623B	1/2 x 1/4"	---
28624B	1/2 x 3/8"	---
28628B	3/4 x 3/8"	---

W



NYLON REDUCING HEX NIPPLES

PART #	SIZE	LIST PRICE
28620W	1/4 x 1/8"	---
28622W	3/8 x 1/4"	---
28623W	1/2 x 1/4"	---
28624W	1/2 x 3/8"	---
28628W	3/4 x 3/8"	---
28625W	3/4 x 1/2"	---
28663W	1-1/4 x 1"	---

P = Polypropylene
W = White Nylon
B = Black Polyethylene

PLASTIC PIPE/ HOSE BARB

PLASTIC FITTINGS

COUPLING

P



POLYPROPYLENE COUPLINGS

PART #	SIZE	LIST PRICE
28761P	1/4"	---
28762P	3/8"	---
28763P	1/2"	---
28764P	3/4"	---



W

NYLON COUPLINGS

PART #	SIZE	LIST PRICE
28761W	1/4"	---
28762W	3/8"	---
28763W	1/2"	---
28764W	3/4"	---
28765W	1"	---
28803W	1-1/4"	---
28767W	1-1/2"	---
28768W	2"	---

PIPE CAP


W



NYLON CAPS

PART #	SIZE	LIST PRICE
28640W	1/4"	---
28641W	3/8"	---
28642W	1/2"	---

PLASTIC BULKHEAD FITTINGS



P

20% Glass Filled Polypropylene w/ Santoprene Gasket

PART #	FPT	HOLE	LIST PRICE
28693P	1/2"	1-3/8"	---
28694P	3/4"	1-3/8"	---
28695P	1"	1-3/4"	---
28696P	1-1/4"	2"	---
28697P	1-1/2"	3"	---
28698P	2"	3"	---

P = Polypropylene
W = White Nylon
B = Black Polyethylene

MALE ADAPTERS



B

POLYETHYLENE BARB X MALE PIPE

PART #	SIZE	LIST PRICE
33002B	3/16 x 1/8"	---
33003B	3/16 x 1/4"	---
33004B	1/4 x 1/8"	---
33005B	1/4 x 1/4"	---
33006B	1/4 x 3/8"	---
33007B	1/4 x 1/2"	---
33008B	5/16 x 1/8"	---
33009B	5/16 x 1/4"	---
33012B	3/8 x 1/4"	---
33013B	3/8 x 3/8"	---
33014B	3/8 x 1/2"	---
33026B	3/8 x 3/4"	---
33015B	1/2 x 1/4"	---
33016B	1/2 x 3/8"	---
33017B	1/2 x 1/2"	---
33018B	1/2 x 3/4"	---
33020B	5/8 x 1/2"	---
33021B	5/8 x 3/4"	---
33022B	3/4 x 1/2"	---
33023B	3/4 x 3/4"	---
33024B	1 x 3/4"	---



P

POLYPROPYLENE HOSE BARB
Hose ID x MIP

PART #	SIZE	LIST PRICE
33012P	3/8 x 1/4"	---
33013P	3/8 x 3/8"	---
33014P	3/8 x 1/2"	---
33015P	1/2 x 1/4"	---
33016P	1/2 x 3/8"	---
33017P	1/2 x 1/2"	---
33018P	1/2 x 3/4"	---
33020P	5/8 x 1/2"	---
33022P	3/4 x 1/2"	---
33023P	3/4 x 3/4"	---
33000P	3/4 x 1"	---
33024P	1 x 3/4"	---
33025P	1 x 1"	---

PLASTIC BARBS
PLASTIC FITTINGS

W



NYLON BARB MALE ADAPTERS
Hose ID x MIP

PART #	SIZE	LIST PRICE
33002W	3/16 x 1/8"	---
33003W	3/16 x 1/4"	---
33004W	1/4 x 1/8"	---
33005W	1/4 x 1/4"	---
33006W	1/4 x 3/8"	---
33007W	1/4 x 1/2"	---
33380W	1/4 x 3/4"	---
33008W	5/16 x 1/8"	---
33009W	5/16 x 1/4"	---
33010W	5/16 x 3/8"	---
33011W	3/8 X 1/8"	---
33012W	3/8 x 1/4"	---
33013W	3/8 x 3/8"	---
33014W	3/8 x 1/2"	---
33026W	3/8 x 3/4"	---
33015W	1/2 x 1/4"	---
33016W	1/2 x 3/8"	---
33017W	1/2 x 1/2"	---
33018W	1/2 x 3/4"	---
33303W	1/2" x 1"	---
33019W	5/8 x 3/8"	---
33020W	5/8 x 1/2"	---
33021W	5/8 x 3/4"	---
33306W	3/4" x 3/8"	---
33022W	3/4 x 1/2"	---
33023W	3/4 x 3/4"	---
33000W	3/4 x 1"	---
33318W	3/4" x 1-1/4"	---
33024W	1 x 3/4"	---
33025W	1 x 1"	---
33029W	1 x 1-1/4"	---
33320W	1" x 1-1/2"	---
33027W	1-1/8" x 1"	
33028W	1-1/4 x 1"	---
33030W	1-1/4 x 1-1/4"	---
33032W	1-1/4 x 1-1/2"	---
33321W	1-1/2" x 1-1/4"	---
33033W	1-1/2 x 1-1/2"	---
33322W	2" x 1-1/2"	----
33035W	2 x 2"	----

ELBOWS

B



POLYETHYLENE ELBOWS
Hose ID x MALE PIPE

PART #	SIZE	LIST PRICE
33308B	3/16 x 1/8	---
33038B	1/4 x 1/8	---
33039B	1/4 x 1/4	---
33309B	1/4 x 3/8	---
33046B	3/8 x 1/8	---
33041B	3/8 x 1/4	---
33042B	3/8 x 3/8	---
33047B	3/8 x 1/2	---
33043B	1/2 x 3/8	---
33311B	1/2 x 1/2	---
33385B	1/2 x 3/4	---
33044B	5/8 x 3/8	---
33045B	5/8 x 1/2	---
33312B	5/8 x 3/4	---
33313B	3/4 x 1/2	---
33314B	3/4 x 3/4	---

P



POLYPROPYLENE BARB ELBOW

PART #	SIZE	LIST PRICE
33048P	1/2 x 1/4	---
33311P	1/2 x 1/2	---
33385P	1/2 x 3/4	---
33313P	3/4 x 1/2	---
33314P	3/4 x 3/4	---
33316P	1 x 1	---
33334P	1-1/4 x 1	---
33461P	1-1/4 x 1-1/4	---

W



NYLON BARB X MIP ELBOWS

PART #	SIZE	LIST PRICE
33381W	3/16 x 1/4	---
33038W	1/4 x 1/8	---
33039W	1/4 x 1/4	---
33309W	1/4 x 3/8	---
33351W	1/4 x 1/2	---
33040W	5/16 x 1/4	---
33310W	5/16 x 3/8	---
33046W	3/8 x 1/8	---
33041W	3/8 x 1/4	---
33042W	3/8 x 3/8	---
33047W	3/8 x 1/2	---
33384W	3/8 x 3/4	---
33048W	1/2 x 1/4	---
33043W	1/2 x 3/8	---
33311W	1/2 x 1/2	---
33385W	1/2 x 3/4	---
33044W	5/8 x 3/8	---
33045W	5/8 x 1/2	---
33312W	5/8 x 3/4	---
33329W	5/8" x 1"	---
33313W	3/4 x 1/2	---
33314W	3/4 x 3/4	---
33315W	3/4 x 1	---
33386W	1x3/4	---
33316W	1 x 1	---
33460W	1 x 1-1/4	---
33050W	1-1/8" x 1"	
33461W	1-1/4 x 1-1/4	---
33462W	1-1/2 x 1-1/4	---
33463W	1-1/2 x 1-1/2	---

P = Polypropylene
W = White Nylon
B = Black Polyethylene

PLASTIC BARBS
PLASTIC FITTINGS

HOSE BARB X FE ADAPTERS



B

POLYETHYLENE ADAPTER
Hose ID x FIP

PART #	SIZE	LIST PRICE
33053B	1/4 x 1/4"	---



W

NYLON ADAPTER
Barb x FIP

PART #	SIZE	LIST PRICE
33052W	1/4 x 1/8"	---
33053W	1/4 x 1/4"	---
33058W	3/8 x 1/4"	---
33059W	3/8 x 3/8"	---
33060W	3/8 x 1/2"	---
33442W	3/8 x 3/4"	---
33066W	1/2 x 1/4"	---
33062P	1/2 x 3/8"	----
33061W	1/2 x 1/2"	---
33067W	1/2 x 3/4"	---
33068W	5/8 x 1/2"	---
33063W	5/8 x 3/4"	---
33064W	3/4 x 1/2"	---

HOSE BARB X FE ELBOW



P

W

NYLON ELBOW
Hose ID x Female Pipe

PART #	SIZE	LIST PRICE
33342W	3/8 x 1/2"	---
33402W	1/2 x 3/8"	---
33343P	1/2 x 1/2"	---
33343W	1/2 x 1/2"	---
33344P	5/8 x 3/4"	---
33344W	5/8 x 3/4"	---
33470W	5/8 x 1/2"	---
33345W	3/4 x 1/2"	---
33471W	3/4 x 3/4"	---
33471P	3/4 x 3/4"	----

UNION ELBOWS

B



POLYETHYLENE ELBOW

PART #	SIZE	LIST PRICE
33390B	1/4	---
33391B	3/8	---
33394B	1/2	---
33395B	5/8	---

W



NYLON ELBOW

PART #	SIZE	LIST PRICE
33390W	1/4	---
33391W	3/8	---
33394W	1/2	---
33395W	5/8	---
33396W	3/4	---
33397W	1	---
33398W	1-1/4	---
33399W	1-1/2	---

SPLICERS



B

POLYETHYLENE SPLICER

PART #	SIZE	LIST PRICE
33091B	1/8	---
33092B	3/16	---
33093B	1/4	---
33095B	3/8	---
33096B	1/2	---
33097B	5/8	---



POLYPROPYLENE SPLICER

PART #	SIZE	LIST PRICE
33095P	3/8	---
33096P	1/2	---
33098P	3/4	---

SPLICERS



W

NYLON SPLICES

PART #	SIZE	LIST PRICE
33091W	1/8	---
33092W	3/16	---
33093W	1/4	---
33094W	5/16	---
33095W	3/8	---
33096W	1/2	---
33097W	5/8	---
33098W	3/4	---
33099W	1	---
33480W	1-1/4	---
33481W	1-1/2	---

REDUCING SPLICERS



B

POLYETHYLENE SPLICES

PART #	SIZE	LIST PRICE
33406B	3/8 x 1/4	---
33407B	1/2 x 1/4	---
33408B	1/2 x 3/8	---



W

NYLON SPLICES

PART #	SIZE	LIST PRICE
33079W	1/4 x 1/8	---
33347W	1/4 x 3/16	---
33406W	3/8 x 1/4	---
33348W	3/8 x 5/16	---
33407W	1/2 x 1/4	---
33408W	1/2 x 3/8	---
33409W	5/8 x 3/8	---
33410W	5/8 x 1/2	---
33089W	3/4 x 1/2	---

PLASTIC BARBS
PLASTIC FITTINGS

TEES BARBED ON ALL SIDES

B



POLYETHYLENE TEE

PART #	SIZE	LIST PRICE
33415B	1/8	---
33418B*	3/16	---
33420B	3/16	---
33422B	1/4	---
33426B	5/16	---
33429B	3/8	---
33433B	1/2	---
33436B	5/8	---
33437B	3/4	---

P



POLYPROPYLENE TEE

PART #	SIZE	LIST PRICE
33440P	1-1/2	---

ALL HOSE BARB "Y"

P




POLYPROPYLENE WYE

PART #	SIZE	LIST PRICE
33300P*	1/4"	---
33301P*	3/8"	---

***Natural Polypro**

W



NYLON WYE

PART #	SIZE	LIST PRICE
33301W	3/8"	---

W



NYLON TEE

PART #	SIZE	LIST PRICE
33415W	1/8	---
33417W	5/32	---
33420W	3/16	---
33422W	1/4	---
33426W	5/16	---
33429W	3/8	---
33433W	1/2	---
33436W	5/8	---
33437W	3/4	---
33438W	1	---
33439W	1-1/4	---
33440W	1-1/2	---

REDUCING TEES


B



POLYETHYLENE TEE

PART #	SIZE	LIST PRICE
33430B	1/2 x 1/2 x 3/8	---
33434B	1/2 x 1/2 x 5/8	---
33435B	3/4 x 3/4 x 1/2	---

W



NYLON TEE

PART #	SIZE	LIST PRICE
33430W	1/2 x 1/2 x 3/8	---
33431W	5/8 x 5/8 x 3/8	---
33432W	3/8 x 3/8 x 1/2	---
33435W	3/4 x 3/4 x 1/2	---

MALE BRANCH TEE

W



NYLON BRANCH TEE

PART #	SIZE	LIST PRICE
33448W	1/4 x 1/4	---
33450W	3/8 x 1/4	---
33451W	3/8 x 3/8	---
33454W	1/2 x 3/8	---
33455W	1/2 x 1/2	---
33456W	3/4 x 3/4	---

GARDEN HOSE

PLASTIC GARDEN HOSE FITTINGS
FITTINGS WITH GARDEN HOSE THREAD

GARDEN HOSE CAP

- Washer not included




▪ White Nylon

P

PART #	SIZE	LIST PRICE
30103P	3/4"	---

GARDEN HOSE THREAD ADAPTERS

BARB X MALE GARDEN HOSE



▪ White Nylon

PART #	SIZE	LIST PRICE
31038	1/4"	---
31039	3/8"	---
31040	1/2"	---
31041	5/8"	---
31042	3/4"	---

GARDEN HOSE ADAPTER INSERTS

- for assembly with 31-022



▪ White Nylon

PART #	SIZE	LIST PRICE
31030	1/4"	---
31031	3/8"	---
31032	1/2"	---
31033	5/8"	---
31034	3/4"	---

GARDEN HOSE NUT



▪ White Nylon

PART #	SIZE	LIST PRICE
31022	3/4"	---


MALE GARDEN HOSE X FEMALE PIPE



▪ White Nylon

PART #	SIZE	LIST PRICE
31067	MGH X 1/4	---
31068	MGH X 1/2 FIP	---
31069	MGH X 3/4	---

FEMALE GARDEN HOSE X MALE PIPE



▪ White Nylon

PART #	SIZE	LIST PRICE
31093	FGH X 3/4 MPT	---
31095	FGH X 3/4 MGH	---


FEMALE GARDEN HOSE X FEMALE PIPE



▪ White Nylon

PART #	SIZE	LIST PRICE
31096	FGH X 1/2 FIP	---

MALE GARDEN HOSE X MALE PIPE



▪ White Nylon

PART #	SIZE	LIST PRICE
31055	GHT X 3/8 MPT	---
31058	GHT X 1/2 MPT	---
31063	GHT X 3/4 MPT	---
31064	GHT X 1 MPT	---

PLASTIC COMPRESSION
PLASTIC FITTINGS

PLASTIC COMPRESSION FITTINGS


Corrosion resistant thermoresins designed to resist vibration, provide good electrical insulation, low flow resistance, and resistance to scale buildup.

The letter on the end of part no. denotes the type.
N = Nylon
P = Polypropylene
Standard nut and sleeves will be provided (sleeve is integral part of nut). Other sizes available upon request.

FDA and NSF Listed

UNION & REDUCING UNION CONNECTORS

P



PART #	SIZE	LIST PRICE
17064P	1/4"	---
17066P	3/8"	---
17079P	3/8" x 1/4"	---
17068P	1/2"	---

▪ Nylon



PART #	SIZE	LIST PRICE
17064N	1/4"	---
17065N	5/16"	---
17078N	5/16" x 1/4"	---
17066N	3/8"	---
17079N	3/8" x 1/4"	---

BULKHEAD UNIONS



▪ Nylon

PART #	SIZE	LIST PRICE
17088N	1/4"	---
17090N	3/8"	---

UNION TEES



▪ Nylon

PART #	SIZE	LIST PRICE
17103N	1/4"	---
17105N	3/8"	---

UNION ELBOWS

P



PART #	SIZE	LIST PRICE
17124P	1/4"	---
17126P	3/8"	---



▪ Nylon


PART #	SIZE	LIST PRICE
17124N	1/4"	---

FEMALE CONNECTORS

P



PART #	SIZE	LIST PRICE
17145P	1/4 x 1/8	---
17153P	3/8 x 1/4	---
17154P	3/8 x 3/8	---
17158P	1/2 x 3/8	---



▪ Nylon

PART #	SIZE	LIST PRICE
17146N	1/4 x 1/4	---
17153N	3/8 x 1/4	---

MALE CONNECTORS

P



PART #	SIZE	LIST PRICE
17179P	1/4 x 1/8	---
17180P	1/4 x 1/4	---
17188P	3/8 x 1/4	---
17189P	3/8 x 3/8	---
17190P	3/8 x 1/2	---
17193P	1/2 x 1/4	---
17194P	1/2 x 3/8	---

▪ Nylon



PART #	SIZE	LIST PRICE
17176N	1/8 x 1/8"	
17179N	1/4 x 1/8	---
17180N	1/4 x 1/4	---
17188N	3/8 x 1/4	---
17189N	3/8 x 3/8	---
17190N	3/8 x 1/2	---
17193N	1/2 x 1/4	---
17194N	1/2 x 3/8	---

MALE ELBOWS

P



PART #	SIZE	LIST PRICE
17225P	1/4 x 1/4	---
17233P	3/8 x 1/4	---
17234P	3/8 x 3/8	---
17237P	1/2 x 3/8	---



▪ Nylon

PART #	SIZE	LIST PRICE
17224N	1/4 x 1/8	---
17225N	1/4 x 1/4	---
17233N	3/8 x 1/4	---
17234N	3/8 x 3/8	---
17237N	1/2 x 3/8	---

PLASTIC PUSH-IN TUBE FITTINGS

Manufactured from safe, non-toxic materials meeting the requirements of the US FDA, WRAS, ANSI/NSF-51, 61, and SK Zert. Our products are widely used in water purification, food/beverage and pneumatic systems.

- Function & Quality : provides quick and convenient assembly - saving time & expense. Our ISO9001, 14001 registered quality system ensures our customers a superior level of product quality. Defects are easily detectable and maintenance is easy with its easy dismantling for access.
- Collet Design : Unique oval collet design is superior and more practical.
- Applications : Beyond water and food use, fittings can be used with air, gases, vacuum, & liquids. And all connections can be assembled & disassembled repeatedly.
- Material : Grey Acetal Copolymer, also known as POM. Highly durable and resistant to fatigue and creep. It has high resistance to a wide range of organic & inorganic chemicals and detergents. Not recommended for use with strong acids or repeated exposure to strong oxidizers. (polypropylene may be subbed)

SIZE / Temperature	Small Size						Large Size				
	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	7/8"			28mm
	4mm	5mm	6mm	8mm	10mm	12mm	15mm	16mm	18mm	22mm	
1°C (34°F)	16bar (230PSI)				11bar (170PSI)		11bar (170PSI)				
20°C (68°F)	16bar (230PSI)				11bar (170PSI)		11bar (170PSI)				
65°C (150°F)	10bar (150PSI)				7bar (100PSI)		7bar (100PSI)				

- Fittings are not recommended for use with liquids other than water and food or beverage products.
- Do not use pipe dope or other liquid thread sealers. Use only Teflon tape to seal threaded connections.
- After assembling a tube connection, tug with moderate force to check for proper gripping of the tube.
- Before disassembling tube connections, always verify that pressure has been removed from the system.

UNION CONNECTOR



PART #	TUBE OD	LIST PRICE
20018P	5/32"	---
20019P	1/4"	---
20020P	3/8"	---
20021P	1/2"	---

UNION TEE



PART #	TUBE OD	LIST PRICE
20028P	1/4"	---
20029P	3/8"	---
20030P	1/2"	---

UNION ELBOW



PART #	TUBE OD	LIST PRICE
20152P	1/4"	---
20153P	3/8"	---
20154P	1/2"	---

REDUCING UNION



PART #	TUBE OD	TUBE OD	LIST PRICE
20750P	1/4"	3/16"	---
20755P	3/8"	1/4"	---
20756P	3/8"	5/16"	---
20758P	1/2"	3/8"	---

REDUCING BRANCH TEE



PART #	TUBE OD 1	TUBE OD 2	LIST PRICE
20725P	3/8"	1/4"	---
20724P	1/2"	3/8"	---

REDUCING ELBOW



PART #	TUBE OD	TUBE OD	LIST PRICE
20734P	3/8"	1/4"	---
20736P	1/2"	3/8"	---

BULKHEAD UNION



PART #	TUBE OD	LIST PRICE
20127P	1/4"	---
20128P	3/8"	---
20129P	1/2"	----

PLASTIC PUSH-IN
PLASTIC FITTINGS

FEMALE CONNECTOR



Female Pipe

PART #	TUBE OD	THREAD NPTF	LIST PRICE
20993P	1/4"	1/8"	---
20035P	1/4"	1/4"	---
20944P	3/8"	1/8"	---
20036P	3/8"	1/4"	---



Female Flare

PART #	TUBE OD	FE FLARE	LIST PRICE
20936P	1/4"	1/4"	---
20937P	3/8"	1/4"	---
20938P	3/8"	3/8"	---



Female UNS Cone Type

PART #	TUBE OD	UNS	LIST PRICE
20939P	1/4"	7/16"	---
20940P	3/8"	7/16"	---



Female Comp

PART #	TUBE OD	FE COMP	LIST PRICE
20941P	3/8"	9/16-24"	---



20-152P + 20-525P = 20973P

MALE CONNECTOR



Male Pipe

PART #	TUBE OD	THREAD NPTF	LIST
20050P	5/32"	1/8"	---
20054P	1/4"	1/8"	---
20055P	1/4"	1/4"	---
20056P	1/4"	3/8"	---
20057P	3/8"	1/8"	---
20058P	3/8"	1/4"	---
20059P	3/8"	3/8"	---
20062P	3/8"	1/2"	---
20061P	1/2"	3/8"	---
20063P	1/2"	1/2"	---



Male BSP

AMCB

PART #	TUBE OD	BSP	LIST
20958P	3/8"	3/8"	---



AMCF

PART #	TUBE OD	MALE FLARE	LIST
20960P	3/8"	1/4"	---
20961P	3/8"	1/2"	---

STEM ADAPTER



Part #	stem OD	Thread NPTF	List Price
20524P	1/4"	1/8"	---
20525P	1/4"	1/4"	---
20528P	3/8"	1/4"	---
20529P	3/8"	3/8"	---

REDUCER



PART #	TUBE OD 1	STEM OD 2	LIST PRICE
20512P	3/8"	1/4"	---
20763P	3/8"	5/16"	---
20514P	1/2"	3/8"	---

TUBE BARB CONNECTOR



ATBC

PART #	STEM OD	HOSE BARB ID	LIST PRICE
20964P	1/4"	1/4"	---
20965P	3/8"	1/4"	---
20966P	3/8"	3/8"	---
20967P	3/8"	1/2"	---
20968P	1/2"	3/8"	---
20969P	1/2"	1/2"	---

FIXED ELBOW



Part #	Tube OD	Thread NPTF	List Price
20068P	1/4"	1/8"	---
20069P	1/4"	1/4"	---
20070P	1/4"	3/8"	---
20072P	3/8"	1/4"	---
20073P	3/8"	3/8"	---

SWIVEL ELBOW



Union Elbow + Stem Adapter

AMES

PART #	STEM OD	TUBE ID	LIST PRICE
20973P	1/4"	1/4"	----
20974P	3/8"	3/8"	----

PLASTIC PUSH-IN
PLASTIC FITTINGS

PLUG-IN ELBOW



PART #	TUBE OD	STEM	LIST PRICE
20740P	5/32"	5/32"	---
20742P	1/4"	1/4"	---
20745P	3/8"	1/4"	---
20747P	3/8"	3/8"	---
20748P	1/2"	1/2"	---


TUBE ELBOW BARB CONNECTOR



PART #	STEM OD	HB ID	LIST PRICE
20970P	1/4"	1/4"	---
20971P	3/8"	1/4"	---
20972P	3/8"	3/8"	---

ADAPTABILITY

- For maximum flexibility, fittings may be combined to provide wider functions.
- Unlike some competitors products, separation and reuse is easy.




2-WAY DIVIDER



PART #	TUBE OD	LIST PRICE
20775P	1/4"	----
20776P	5/16"	---
20777P	3/8"	---

PLUG



PART #	TUBE OD	LIST PRICE
20876P	5/32"	---
20878P	1/4"	---
20880P	3/8"	---
20881P	1/2"	---

TUBE END STOP



PART #	TUBE OD	LIST PRICE
20925P	1/4"	---



PART #	TUBE OD	FGH	LIST PRICE
20950P	1/4"	3/4"	---
20951P	3/8"	3/4"	---



PART #	TUBE OD	BSP	LIST PRICE
20953P	1/4"	1/2"	---
20954P	1/4"	3/4"	---
20955P	3/8"	3/4"	---
20956P	5/8"	3/4"	---

PL X PL



PART #	TUBE OD	LIST PRICE
20900P	1/4"	---
20901P	3/8"	---

PL X MALE NPTF



PART #	TUBE OD	MALE THREAD NPTF	LIST
20904P	1/4"	1/4"	---
20905P	3/8"	3/8"	---

PLASTIC PUSH-IN
PLASTIC FITTINGS

CHECK VALVE



PART #	TUBE OD	LIST PRICE
20778P	1/4"	---

STOP VALVES

CONNECTOR: Flows in both directions by connection.

DISCONNECTOR: Stop flows in both directions by with separation where pulling to the open position.



ASTVBU

PART #	TUBE OD	LIST PRICE
20910P	1/4"	---

LOCKING CLIP



ALC

PART #		LIST PRICE
20975P	1/4"	---
20976P	3/8"	---
20977P	1/2"	---

FLOW BEND CLIP



AFBC

PART #		LIST PRICE
20980P	1/4"	---
20981P	3/8"	---

SPANNER



PART #	SIZES	LIST PRICE
20983P	3/16,1/4,5/16 3/8,1/2	---

STOP & FAUCET ADAPTER VALVES

AV range of Stop & Faucet Valve Adaptor valves and Slip Tee Valves are manufactured in white Polypropylene, reinforced plastic with EPDM O-rings which provides value- added advantages in the installation of water supply line mainly.

AV range of Stop & Faucet Valve Adaptors and Slip Tee Valves are designed for use in drinking water systems, Refrigerators, Ice-Makers, Humidifiers and Water filtration applications, etc.,. Our valves offer greater efficiency than any traditional valves.
AV valves have been approved in NSF/ANSI 61 & 372.
AV range is 1/4" Turn valves.

STOP VALVE ADAPTER



3/8 MALE COMP X
3/8 FEMALE COMP

PART #	TUBE OD	LIST PRICE
20985P	1/4"	---
20986P	3/8"	---

SLIPTEE VALVE



PART #	RUN X RUN	BRANCH	LIST PRICE
20988P	5/8"	1/4"	---
20989P	5/8"	3/8"	---
20990P	7/8"	1/4"	---

HOSE ACCESSORIES



CAM AND GROOVE



ALUMINIUM



POLYPROPLYENE



STAINLESS STEEL



BRASS

COMBINATION HOSE NIPPLES



FIRE HOSE FITTINGS



UNIVERSAL/ GROUND JOINT COUPLINGS



CAM AND GROOVE

MALE ADAPTER X FEMALE NPT
TYPE A

CGA
6191X



PART#	SIZE	LIST PRICE
CGA-050-A1	1/2"	---
CGA-075-A1	3/4"	---
CGA-100-A1	1"	---
CGA-125-A1	1-1/4"	---
CGA-150-A1	1-1/2"	---
*CGA-200-A1	2"	---
CGA-250-A1	2-1/2"	---
*CGA-300-A1	3"	---
*CGA-400-A1	4"	---
CGA-500-A1	5″	---
CGA-600-A1	6″	---
CGA-800-A1	8″	---
CGA-1000-A	10"	---

FEMALE COUPLER X HOSE SHANK
TYPE C

CGC
6193X



PART#	SIZE	LIST PRICE
CGC-050-A1	1/2"	---
CGC-075-A1	3/4"	---
CGC-100-A1	1"	---
CGC-125-A1	1-1/4"	---
CGC-150-A1	1-1/2"	---
*CGC-200-A1	2"	---
CGC-250-A1	2-1/2"	---
*CGC-300-A1	3"	---
*CGC-400-A1	4"	---
CGC-500-A1	5″	---
CGC-600-A1	6"	---
CGC-800-A1	8"	---
CGC-1000-A	10"	---

FEMALE COUPLER X MALE NPT
TYPE B

CGB
6192X



PART#	SIZE	LIST PRICE
CGB-050-A1	1/2"	---
CGB-075-A1	3/4"	---
CGB-100-A1	1"	---
CGB-125-A1	1-1/4"	---
CGB-150-A1	1-1/2"	---
CGB-200-A1	2"	---
CGB-250-A1	2-1/2"	---
CGB-300-A1	3"	---
*CGB-400-A1	4"	---
CGB-500-A1	5″	---
CGB-600-A1	6″	---
CGB-800-A1	8"	---
CGB-1000-A	10"	---

FEMALE COUPLER X FEMALE NPT
TYPE D

CGD
6194X



PART#	SIZE	LIST PRICE
CGD-050-A1	1/2"	---
CGD-075-A1	3/4"	---
CGD-100-A1	1"	---
CGD-125-A1	1-1/4"	---
CGD-150-A1	1-1/2"	---
*CGD-200-A1	2"	---
CGD-250-A1	2-1/2"	---
*CGD-300-A1	3"	---
*CGD-400-A1	4"	---
CGD-500-A1	5″	---
CGD-600-A1	6″	---
CGD-800-A1	8"	---
CGD-1000-A	10"	---

ALUMINUM CAM AND GROOVE
HOSE ACCESSORIES

MALE ADAPTER X HOSE SHANK
TYPE E



CGE
61-95X

PART#	SIZE	LIST PRICE
CGE-050-A1	1/2"	---
CGE-075-A1	3/4"	---
CGE-100-A1	1"	---
CGE-125-A1	1-1/4"	---
CGE-150-A1	1-1/2"	---
*CGE-200-A1	2"	---
CGE-250-A1	2-1/2"	---
*CGE-300-A1	3"	---
*CGE-400-A1	4"	---
CGE-500-A1	5″	---
CGE-600-A1	6″	---
CGE-800-A1	8"	---
CGE-1000-A	10"	---

MALE ADAPTER X MALE NPT
TYPE F



CGF
61-96X

PART#	SIZE	LIST PRICE
CGF-050-A1	1/2"	---
CGF-075-A1	3/4"	---
CGF-100-A1	1"	---
CGF-125-A1	1-1/4"	---
CGF-150-A1	1-1/2"	---
*CGF-200-A1	2"	---
CGF-250-A1	2-1/2"	---
CGF-300-A1	3"	---
*CGF-400-A1	4"	---
CGF-500-A1	5″	---
CGF-600-A1	6″	---
CGF-800-A1	8″	---
CGF-1000-A	10"	---

DUST CAP
TYPE DC



CDC
61-97X

PART#	SIZE	LIST PRICE
CDC-050-A1	1/2"	---
CDC-075-A1	3/4"	---
CDC-100-A1	1"	---
CDC-125-A1	1-1/4"	---
CDC-150-A1	1-1/2"	---
*CDC-200-A1	2"	---
CDC-250-A1	2-1/2"	---
*CDC-300-A1	3"	---
*CDC-400-A1	4"	---
CDC-500-A1	5″	---
CDC-600-A1	6″	---
CDC-800-A1	8″	---
CDC-1000-A	10"	---

DUST PLUG
TYPE DP



CDP
61-98X

PART#	SIZE	LIST PRICE
CDP-050-A1	1/2"	---
CDP-075-A1	3/4"	---
CDP-100-A1	1"	---
CDP-125-A1	1-1/4"	---
CDP-150-A1	1-1/2"	---
CDP-200-A1	2"	---
CDP-250-A1	2-1/2"	---
CDP-300-A1	3"	---
CDP-400-A1	4"	---
CDP-500-A1	5″	---
CDP-600-A1	6″	---
CDP-800-A1	8"	---
CDP-1000-A	10"	---

ALUMINUM (AL) SPOOL & PART A

MALE ADAPTER X MALE ADAPTER ALUMINUM SPOOL ADAPTER



SA-XXX-A
61910

PART#	SIZE	PART#	LIST PRICE
SA-100-A	1″	61872	---
SA-150-A	1-1/2″	*61873	---
SA-200-A	2″	*61874	---
SA-2030-A	2″ x 3″	*61875	---
SA-250-A	2-1/2″	61876	---
SA-300-A	3″	*61877	---
SA-3040-A	3″ x 4″	*61878	---
SA-400-A	4″	*61879	---

REDUCER ADAPTER FEMALE NPT ALUMINUM



CGA-XXX-A

MALE ADAPTER X FEMALE PIPE

PART#	SIZE	PART#	LIST PRICE
CGA-1520-A	1-1/2" x 2"		---
CGA-2015-A	2" x 1-1/2"		---
CGA-2030-A	2" x 3"	*61-851	---
CGA-3040-A	3" x 4"	*61-853	---
CGA-4030-A	4" x 3"	*61-854	---
*CGA-6040-A	6" x 4"		---

ALUMINUM SWIVEL



PART#	SIZE	LIST PRICE
CGASV-300-A	3"	---
CGASV-400-A	4"	---

REDUCER COUPLER M NPT PART B



CGB-XXX-A

FEMALE COUPLER X MALE PIPE

PART#	SIZE	PART#	LIST PRICE
CGB-3020-A	3" x 2"	61859	---
CGB-3040-A	3" x 4"	*61860	---
CGB-4030-A	4" x 3"	*61861	---

ALUMINUM 90° PART C



PART#	SIZE	LIST PRICE
CGC-1590-A	1-1/2"	---
CGC-2090-A	2"	---

REDUCER COUPLER SHANK PART C



CGC

PART#	SIZE	LIST PRICE
CGC-2015-A	2" x 1-1/2"	---
CGC-3020-A	3" x 2"	---
CGC-3025-A	3" x 2-1/2"	---
CGC-4030-A	4" x 3"	---

ALUMINUM CAM AND GROOVE
HOSE ACCESSORIES

REDUCER COUPLER ADAPTER PART D

DA-XXX-A



FEMALE COUPLER X MALE ADAPTER

PART#	SIZE	PART#	LIST PRICE
DA-1510-A	1-1/2″ x 1″	619001	---
DA-1520-A	1-1/2″ x 2″	*619002	---
DA-2015-A	2″ x 1-1/2″	*619003	---
DA-2030-A	2" x 3"	*619004	---
DA-2040-A	2" x 4"	619005	---
DA-3015-A	3″ x 1-1/2″	619006	---
DA-3020-A	3″ x 2″	*619007	---
DA-3040-A	3″ x 4″	*619008	---
DA-4020-A	4" x 2"	*619009	---
DA-4030-A	4″ x 3″	*619010	---
DA-4060-A	4" x 6"	*619011	---

REDUCER COUPLER FEMALE NPT PART D

CGD



FEMALE COUPLER X FEMALE PIPE

PART#	SIZE	PART#	LIST PRICE
CGD-1510-A	1-1/2" x 1"	61865	---
CGD-2015-A	2" x 1-1/2"	61866	---
CGD-3020-A	3" x 2"	61867	---

SPOOL COUPLER PART D

DD



FEMALE COUPLER X FEMALE COUPLER

PART#	SIZE	PART#	LIST PRICE
*DD-1515-A	1-1/2" x 1-1/2"	*619440	---
*DD-2020-A	2" x 2"	*619450	---
*DD-2030-A	2" x 3"		---
*DD-3030-A	3" x 3"	*619470	---
*DD-3040-A	3" x 4"		---

SWIVEL PART D



FEMALE COUPLER X FEMALE PIPE

CGDSV

PART#	SIZE	LIST PRICE
*CGDSV-300-A	3"	---
*CGDSV-400-A	4"	---

REDUCER ADAPTER MALE NPT PART F



CGF

MALE ADAPTER X MIP

Part#	Size		List Price
CGF-1520-A	1-1/2" x 2"		---
*CGF-2030-A	2" x 3"		---
*CGF-3020-A	3" x 2"	61870	---
*CGF-3040-A	3" x 4"	61871	---
CGF-4030-A	4" x 3"		---
CGF-4060-A	4" x 6"		---

POLYPROPYLENE (PP)

MALE ADAPTER X FEMALE NPT
TYPE A

35-91X



PART#	SIZE	LIST PRICE
CGA-050-PP	1/2"	---
CGA-075-PP	3/4"	---
CGA-100-PP	1"	---
CGA-125-PP	1-1/4"	---
CGA-150-PP	1-1/2"	---
*CGA-200-PP	2"	---
CGA-300-PP	3"	---
CGA-400-PP	4"	---

FEMALE COUPLER X MALE NPT
TYPE B

CGB
35-92X



PART#	SIZE	LIST PRICE
CGB-050-PP	1/2"	---
CGB-075-PP	3/4"	---
CGB-100-PP	1"	---
CGB-125-PP	1-1/4"	---
CGB-150-PP	1-1/2"	---
*CGB-200-PP	2"	---
*CGB-300-PP	3"	---
CGB-400-PP	4"	---

FEMALE COUPLER X HOSE SHANK
TYPE C

CGC
35-93X



PART#	SIZE	LIST PRICE
CGC-050-PP	1/2"	---
CGC-075-PP	3/4"	---
CGC-100-PP	1"	---
CGC-125-PP	1-1/4"	---
CGC-150-PP	1-1/2"	---
*CGC-200-PP	2"	---
*CGC-300-PP	3"	---
CGC-400-PP	4"	---

FEMALE COUPLER X FEMALE NPT
TYPE D

35-94X



PART#	SIZE	LIST PRICE
CGD-050-PP	1/2"	---
CGD-075-PP	3/4"	---
CGD-100-PP	1"	---
CGD-125-PP	1-1/4"	---
CGD-150-PP	1-1/2"	---
*CGD-200-PP	2"	---
CGD-300-PP	3"	---
CGD-400-PP	4"	---

POLYPROPYLENE CAM AND GROOVE
HOSE ACCESSORIES

MALE ADAPTER X HOSE SHANK
TYPE E



35-95X

PART#	SIZE	LIST PRICE
CGE-050-PP	1/2"	---
CGE-075-PP	3/4"	---
CGE-100-PP	1"	---
CGE-125-PP	1-1/4"	---
CGE-150-PP	1-1/2"	---
*CGE-200-PP	2"	---
*CGE-300-PP	3"	---
CGE-400-PP	4"	---

MALE ADAPTER X MALE NPT
TYPE F



35-96X

PART#	SIZE	LIST PRICE
CGF-050-PP	1/2"	---
CGF-075-PP	3/4"	---
CGF-100-PP	1"	---
CGF-125-PP	1-1/4"	---
CGF-150-PP	1-1/2"	---
*CGF-200-PP	2"	---
*CGF-300-PP	3"	---
CGF-400-PP	4"	---

DUST CAP
TYPE DC



CDC
35-97X

PART#	SIZE	LIST PRICE
CDC-050-PP	1/2"	---
CDC-075-PP	3/4"	---
CDC-100-PP	1"	---
CDC-125-PP	1-1/4"	---
CDC-150-PP	1-1/2"	---
*CDC-200-PP	2"	---
*CDC-300-PP	3"	---
CDC-400-PP	4"	---

DUST PLUG
TYPE DP



CDP
35-98X

PART#	SIZE	LIST PRICE
CDP-050-PP	1/2"	---
CDP-075-PP	3/4"	---
CDP-100-PP	1"	---
CDP-125-PP	1-1/4"	---
CDP-150-PP	1-1/2"	---
CDP-200-PP	2"	---
CDP-300-PP	3"	---
CDP-400-PP	4"	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MALE ADAPTER X FEMALE NPT
TYPE A

CGA
6391X



PART#	SIZE	LIST PRICE
CGA-050-SS1	1/2"	---
*CGA-075-SS1	3/4"	---
*CGA-100-SS1	1"	---
*CGA-125-SS1	1-1/4"	---
*CGA-150-SS1	1-1/2"	---
*CGA-200-SS1	2"	---
*CGA-250-SS1	2-1/2"	---
*CGA-300-SS1	3"	---
*CGA-400-SS1	4"	---
*CGA-500-SS1	5″	---
CGA-600-SS1	6″	---
CGA-800-SS1	8″	---

FEMALE COUPLER X HOSE SHANK
TYPE C

CGC
6393X



PART#	SIZE	LIST PRICE
CGC-050-SS1	1/2"	---
*CGC-075-SS1	3/4"	---
*CGC-100-SS1	1"	---
*CGC-125-SS1	1-1/4"	---
*CGC-150-SS1	1-1/2"	---
*CGC-200-SS1	2"	---
CGC-250-SS1	2-1/2"	---
*CGC-300-SS1	3"	---
*CGC-400-SS1	4"	---
CGC-500-SS1	5″	---
*CGC-600-SS1	6″	---
CGC-800-SS1	8″	---

FEMALE COUPLER X MALE NPT
TYPE B

CGB
6392X



PART#	SIZE	LIST PRICE
CGB-050-SS1	1/2"	---
*CGB-075-SS1	3/4"	---
*CGB-100-SS1	1"	---
CGB-125-SS1	1-1/4"	---
*CGB-150-SS1	1-1/2"	---
*CGB-200-SS1	2"	---
CGB-250-SS1	2-1/2"	---
*CGB-300-SS1	3"	---
*CGB-400-SS1	4"	---
CGB-500-SS1	5″	---
CGB-600-SS1	6″	---
CGB-800-SS1	8"	---

FEMALE COUPLER X FEMALE NPT
TYPE D

CGD
6394X



PART#	SIZE	LIST PRICE
*CGD-050-SS1	1/2"	---
*CGD-075-SS1	3/4"	---
*CGD-100-SS1	1"	---
*CGD-125-SS1	1-1/4"	---
*CGD-150-SS1	1-1/2"	---
*CGD-200-SS1	2"	---
*CGD-250-SS1	2-1/2"	---
*CGD-300-SS1	3"	---
*CGD-400-SS1	4"	---
*CGD-500-SS1	5″	---
CGD-600-SS1	6″	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS STEEL CAM AND GROOVE #316

HOSE ACCESSORIES

MALE ADAPTER X HOSE SHANK TYPE E



SA
6395X

PART#	SIZE	LIST PRICE
CGE-050-SS1	1/2"	---
*CGE-075-SS1	3/4"	---
*CGE-100-SS1	1"	---
*CGE-125-SS1	1-1/4"	---
*CGE-150-SS1	1-1/2"	---
*CGE-200-SS1	2"	---
*CGE-250-SS1	2-1/2"	---
*CGE-300-SS1	3"	---
*CGE-400-SS1	4"	---
*CGE-500-SS1	5″	---
*CGE-600-SS1	6″	---
CGE-800-SS1	8"	---

DUST CAP TYPE DC



6397X

PART#	SIZE	LIST PRICE
CDC-050-SS1	1/2"	---
*CDC-075-SS1	3/4"	---
*CDC-100-SS1	1"	---
CDC-125-SS1	1-1/4"	---
*CDC-150-SS1	1-1/2"	---
*CDC-200-SS1	2"	---
CDC-250-SS1	2-1/2"	---
*CDC-300-SS1	3"	---
*CDC-400-SS1	4"	---
CDC-500-SS1	5″	---
CDC-600-SS1	6″	---
CDC-800-SS1	8"	---

MALE ADAPTER X MALE NPT TYPE F



CGF
6396X

PART#	SIZE	LIST PRICE
CGF-050-SS1	1/2"	---
*CGF-075-SS1	3/4"	---
*CGF-100-SS1	1"	---
CGF-125-SS1	1-1/4"	---
*CGF-150-SS1	1-1/2"	---
*CGF-200-SS1	2"	---
CGF-250-SS1	2-1/2"	---
*CGF-300-SS1	3"	---
*CGF-400-SS1	4"	---
CGF-500-SS1	5″	---
*CGF-600-SS1	6″	---
CGF-800-SS1	8"	---

DUST PLUG TYPE DP



6398X

PART#	SIZE	LIST PRICE
*CDP-050-SS1	1/2"	---
*CDP-075-SS1	3/4"	---
*CDP-100-SS1	1"	---
CDP-125-SS1	1-1/4"	---
*CDP-150-SS1	1-1/2"	---
*CDP-200-SS1	2"	---
CDP-250-SS1	2-1/2"	---
*CDP-300-SS1	3"	---
*CDP-400-SS1	4"	---
CDP-600-SS1	6″	---
CDP-800-SS1	8"	---

PART A SPOOL ADAPTER STAINLESS



PART#	SIZE	PART#	LIST PRICE
SA-100-SS	1"	63850	---
SA-150-SS	1-1/2"	63851	---
SA-1520-SS	1-1/2" x 2"	63852	---
SA-200-SS	2"	63853	---
SA-2030-SS	2" x 3"	63854	---
SA-300-SS	3"	63855	---
SA-3040-SS	3" x 4"	63856	---

PART D SPOOL COUPLER STAINLESS 316



PART#	SIZE	PART#	LIST PRICE
*DD-1515-SS	1-1/2" x 1-1/2"	639440	---
*DD-2020-SS	2" x 2"	639450	---
*DD-2030-SS	2" x 3"		---
*DD-3030-SS	3" x 3"	639470	---
*DD-3040-SS	3" x 4"		---
*DD-4040-SS	4" x 4"	639480	---

PART D REDUCER COUPLER ADAPTER STAINLESS 316



PART#	SIZE	PART#	LIST PRICE
*DA-2030-SS	2" x 3"		---
*DA-3020-SS	3" x 2"	639002	---
*DA-3040-SS	3" x 4"		---
*DA-4030-SS	4" x 3"	639003	---

PART D STAINLESS 90° ELBOW



PART#	SIZE	LIST PRICE
*CGD-2090-SS	2"	---

BRASS CAM AND GROOVE
HOSE ACCESSORIES

BRASS

MALE ADAPTER X FEMALE NPT
TYPE A

4491X



PART#	SIZE	LIST PRICE
CGA-050-B1	1/2"	---
*CGA-075-B1	3/4"	---
*CGA-100-B1	1"	---
CGA-125-B1	1-1/4"	---
CGA-150-B1	1-1/2"	---
*CGA-200-B1	2"	---
CGA-250-B1	2-1/2"	---
*CGA-300-B1	3"	---
*CGA-400-B1	4"	---
CGA-500-B1	5″	---
*CGA-600-B1	6″	---

FEMALE COUPLER X MALE NPT
TYPE B

4492X



PART#	SIZE	LIST PRICE
CGB-050-B1	1/2"	---
*CGB-075-B1	3/4"	---
*CGB-100-B1	1"	---
CGB-125-B1	1-1/4"	---
*CGB-150-B1	1-1/2"	---
*CGB-200-B1	2"	---
CGB-250-B1	2-1/2"	---
*CGB-300-B1	3"	---
*CGB-400-B1	4"	---
CGB-500-B1	5″	---
CGB-600-B1	6″	---

FEMALE COUPLER X HOSE SHANK
TYPE C

4493X



PART#	SIZE	LIST PRICE
CGC-050-B1	1/2"	---
*CGC-075-B1	3/4"	---
*CGC-100-B1	1"	---
CGC-125-B1	1-1/4"	---
CGC-150-B1	1-1/2"	---
*CGC-200-B1	2"	---
CGC-250-B1	2-1/2"	---
*CGC-300-B1	3"	---
*CGC-400-B1	4"	---
CGC-500-B1	5″	---

FEMALE COUPLER X FEMALE NPT
TYPE D

4494X



PART#	SIZE	LIST PRICE
CGD-050-B1	1/2"	---
*CGD-075-B1	3/4"	---
*CGD-100-B1	1"	---
*CGD-125-B1	1-1/4"	---
CGD-150-B1	1-1/2"	---
*CGD-200-B1	2"	---
CGD-250-B1	2-1/2"	---
*CGD-300-B1	3"	---
*CGD-400-B1	4"	---
CGD-500-B1	5″	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BRASS CAM AND GROOVE
HOSE ACCESSORIES

MALE ADAPTER X HOSE SHANK
TYPE E



4495X

PART#	SIZE	LIST PRICE
CGE-050-B1	1/2"	---
*CGE-075-B1	3/4"	---
*CGE-100-B1	1"	---
*CGE-125-B1	1-1/4"	---
*CGE-150-B1	1-1/2"	---
*CGE-200-B1	2"	---
CGE-250-B1	2-1/2"	---
*CGE-300-B1	3"	---
*CGE-400-B1	4"	---
CGE-500-B1	5"	---
*CGE-600-B1	6"	---

MALE ADAPTER X MALE NPT
TYPE F



4496X

PART#	SIZE	LIST PRICE
CGF-050-B1	1/2"	---
*CGF-075-B1	3/4"	---
*CGF-100-B1	1"	---
*CGF-125-B1	1-1/4"	---
*CGF-150-B1	1-1/2"	---
*CGF-200-B1	2"	---
CGF-250-B1	2-1/2"	---
*CGF-300-B1	3"	---
*CGF-400-B1	4"	---
CGF-500-B1	5"	---
CGF-600-B1	6"	---

DUST CAP
TYPE DC



4497X

PART#	SIZE	LIST PRICE
CDC-050-B1	1/2"	---
*CDC-075-B1	3/4"	---
*CDC-100-B1	1"	---
CDC-125-B1	1-1/4"	---
CDC-150-B1	1-1/2"	---
*CDC-200-B1	2"	---
CDC-250-B1	2-1/2"	---
*CDC-300-B1	3"	---
*CDC-400-B1	4"	---
CDC-500-B1	5"	---
CDC-600-B1	6"	---

DUST PLUG
TYPE DP



4498X

PART#	SIZE	LIST PRICE
CDP-050-B1	1/2"	---
*CDP-075-B1	3/4"	---
*CDP-100-B1	1"	---
CDP-125-B1	1-1/4"	---
CDP-150-B1	1-1/2"	---
*CDP-200-B1	2"	---
CDP-250-B1	2-1/2"	---
*CDP-300-B1	3"	---
*CDP-400-B1	4"	---
CDP-500-B1	5"	---
CDP-600-B1	6"	---

CRIMPLOK

SELF LOCKING
CAM & GROOVE



STAINLESS STEEL &
ALUMINUM

UNIVERSAL FITTINGS

CRIMPLOCK KING NIPPLES




CRIMPLOK FERRULES - PLATED STEEL - STAINLESS STEEL ALUMINUM





SOLID DEPENDABLE SAFE

FEATURES AND BENEFITS



The ferrule is crimped into this groove for hose retention

Crimplok is the best way to ensure a perfect hose connection every time!

- All fittings have a Crimplok groove for the ferrule end the Lok into for a strong permanent seal.
- Serrations on the couplings and fittings are not as sharp at the top, but become sharper towards the Crimplok groove.
- The length of the barb and sleeve/ ferrule are matched for a safer, cleaner connection.
- Crimplok connections do not have sharp clamp buckles or edges
- Interchangeable with most market systems

ALUMINUM SELF LOCKING CAM & GROOVE

- Automatic Self-Locking Arms Prevent Accidental Disconnection
- Machined multi-serrated shank with interlocking groove
- Aluminum with Brass Self Locking Arms
- 316 Stainless with Investment Cast Self-Locking Arms
- Available in sizes 2" through 6"
- 2" @250 psi 3" & 4" @150 psi 6" @75 psi
- 6" @150 psi 4 arms
- Configurations
  - Dust Cap
  - Part B
  - Part C
  - Part D

Sample item code	Description
CDCSL-XXX-A1	X" DUST CAP ALUMINUM CRIMPLOK SELF LOCKING
CGBSL-XXX-A1	X" PART B ALUMINUM CRIMPLOK SELF LOCKING
CGCSL-XXXCR-A1	X" PART C ALUMINUM CRIMPLOK SELF LOCKING
CGDSL-XXX-A1	X" PART D ALUMINUM PRIMPLOK SELF LOCKING

Designed for use with Buchanan Crimp Sleeves and Interlocking Ferrules

FEMALE COUPLER X MALE NPT TYPE B



CGBSL

PART#	SIZE	LIST PRICE
CGBSL-200-A1	2"	---
CGBSL-300-A1	3"	---
CGBSL-400-A1	4"	---
CGBSL-600-A1	6"	---

FEMALE COUPLER X FEMALE NPT TYPE D



CGDSL

PART#	SIZE	LIST PRICE
CGDSL-200-A1	2"	---
CGDSL-300-A1	3"	---
CGDSL-400-A1	4"	---
CGDSL-600-A1	6"	---

FEMALE COUPLER X HOSE SHANK TYPE C



CGCSL

PART#	SIZE	LIST PRICE
CGCSL-200CR-A1	2"	---
CGCSL-300CR-A1	3"	---
CGCSL-400CR-A1	4"	---
CGCSL-600CR-A1	6"	---
CGCSL-600CR-A4	6" w/4 arms	

DUST CAP TYPE DC



CDCSL

PART#	SIZE	LIST PRICE
CDCSL-200-A1	2"	---
CDCSL-300-A1	3"	---
CDCSL-400-A1	4"	---
CDCSL-600-A1	6"	---

STAINLESS STEEL SELF LOCKING CAM & GROOVE

- Automatic Self-Locking Arms Prevent Accidental Disconnection
- Machined multi-serrated shank with interlocking groove
- Aluminum with Brass Self Locking Arms
- 316 Stainless with Investment Cast Self-Locking Arms
- Available in sizes 2" through 6"
- 2" @250 psi 3" & 4" @150 psi 6" @75 psi
- 6" @150 psi 4 arms
- Configurations
  - Dust Cap
  - Part B
  - Part C
  - Part D

Sample item code	Description
CDCL-XXX-SS1	X" DUST CAP STAINLESS CRIMPLOK 316 SELF LOCKING
CGBSL-XXX-SS1	X" PART B STAINLESS CRIMPLOK 316 SELF LOCKING
CGCSL-XXXCR-SS1	X" PART C STAINLESS 316 CRIMPLOK SELF LOCKING
CGDSL-XXX-SS1	X" PART D STAINLESS CRIMPLOK 316 SELF LOCKING

Designed for use with Buchanan Crimp Sleeves and Interlocking Ferrules

FEMALE COUPLER X MALE NPT TYPE B

CGBSL



PART#	SIZE	LIST PRICE
CGBSL-200-SS1	2"	---
CGBSL-300-SS1	3"	---
CGBSL-400-SS1	4"	---

FEMALE COUPLER X HOSE SHANK TYPE C

CGCSL



PART#	SIZE	LIST PRICE
CGCSL-200CR-SS1	2"	---
CGCSL-300CR-SS1	3"	---
CGCSL-400CR-SS1	4"	---
CGCSL-600CR-SS1	6"	---

FEMALE COUPLER X FEMALE NPT TYPE D

CGDSL



PART#	SIZE	LIST PRICE
CGDSL-200-SS1	2"	---
CGDSL-300-SS1	3"	---
CGDSL-400-SS1	4"	---
CGDSL-600-SS1	5″	---

DUST CAP TYPE DC

CDCSL



PART#	SIZE	LIST PRICE
CDCSL-200-SS1	2"	---
CDCSL-300-SS1	3"	---
CDCSL-400-SS1	4"	---
CDCSL-600-SS1	5″	---

CRIMPLOK ALUMINUM CAM & GROOVE COUPLINGS

TYPE C



PART#	SIZE	LIST PRICE
CGC-150CR-A1	1-1/2"	---
CGC-200CR-A1	2"	---
CGC-250CR-A1	2-1/2"	---
CGC-300CR-A1	3"	---
CGC-400CR-A1	4"	---
CGC-600CR-A1	6"	---
CGC-800CS-A1	8"	---

TYPE E



PART#	SIZE	LIST PRICE
CGE-150CR-A1	1-1/2"	---
CGE-200CR-A1	2"	---
CGE-250CR-A1	2-1/2"	---
CGE-300CR-A1	3"	---
CGE-400CR-A1	4"	---
CGE-600CR-A1	6"	---
CGE-800CS-A1	8"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SP

CRIMPLOK STAINLESS CAM & GROOVE COUPLINGS

TYPE C



PART#	SIZE	LIST PRICE
CGC-100CR-SS1	1"	---
CGC-150CR-SS1	1-1/2"	---
CGC-200CR-SS1	2"	---
CGC-300CR-SS1	3"	---
CGC-400CR-SS1	4"	---



TYPE E

PART#	SIZE	LIST PRICE
CGE-100CR-SS1	1"	---
CGE-150CR-SS1	1-1/2"	---
CGE-200CR-SS1	2"	---
CGE-300CR-SS1	3"	---
CGE-400CR-SS1	4"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SS304

HANDLES, RINGS AND PINS
HOSE ACCESSORIES

QUICKLOK HANDLE FOR ALUMINUM, BRASS & SS



PART#	SIZE	
HSK2-200-SS	1-1/2"	---
HSK2-300-SS	3"	---

QUICKLOK HANDLE FOR SS AND ALUMINUM



PART#	SIZE	
HSK5-200-SS	1-1/2-2"	---
HSK5-300-SS	3-4"	---

INVESTMENT CAST STAINLESS STEEL HANDLE, RING & PIN



PART#	SIZE	
61447	3/4″	---
61448	1″	---
61449	1-1/4″ - 2-1/2″	---
61452	3″ & 4″	---
61454	6″	---

FORGED BRASS HANDLE - RING & PIN STEEL



PART#	SIZE	
61455	3/4″	---
61450	1″	---
61451	1-1/4″ - 2-1/2″	---
61453	3″ & 4″	---
61457	6″	HF-600-BCC

SAFETY CLIP



PART #	SIZE	
66015	1-1/4" - 2-1/2"	---

HANDLE + PIN + RING BRASS

CAMLOCK GASKET EPDM



PART#	SIZE	
CG-050-EPDM	1/2″	---
CG-200-EPDM	2″	---
CG-300-EPDM	3″	---

CAMLOCK GASKET NBR



PART#	SIZE	
CG-075-NBR	3/4	---
CG-100-NBR	1	---
CG-125-NBR	1-1/4	---
CG-150-NBR	1-1/2	---
CG-200-NBR	2	---
CG-250-NBR	2-1/2	---
CG-300-NBR	3	---
CG-400-NBR	4	---
CG-500-NBR	5	---
CG-600-NBR	6	---
CG-800-NBR	8	---

CAMLOCK GASKET VITON



PART#	SIZE	
CG-050-VI	1/2	---
CG-075-VI	3/4	---
CG-100-VI	1	---
CG-125-VI	1-1/4	---
CG-150-VI	1-1/2	---
CG-200-VI	2	---
CG-250-VI	2-1/2	---
CG-300-VI	3	---
CG-400-VI	4	---

BUNA-N GASKET



PART#	SIZE	
BG50	1/2″	---
BG75	3/4″	---
BG100	1″	---
BG125	1-1/4″	---
BG150	1-1/2″	---
BG200	2″	---
BG250	2-1/2″	---
BG300	3″	---
BG400	4″	---
BG500	5″	---
BG600	6″	---
BG800	8″	---

SILICONE GASKET



PART#	SIZE	
SG300	3"	---
SG400	4"	---

VITON GASKET



PART#	SIZE	LIST PRICE
VG100	1"	---
VG150	1-1/2"	---
VG200	2"	---
VG250	2-1/2"	---
VG300	3"	---

COMBINATION NIPPLES

HOSE BARB X MALE PIPE

STEEL HOSE NIPPLES



CNT-XXX-S ▪ BLACK

(BARB X MALE PIPE)

PART #	HOSE SIZE	LIST PRICE
*973850	1/2"	---
*973851	3/4"	---
*973852	1"	---
*973853	1-1/4"	---
*973854	1-1/2"	---
*973855	2"	---
*973856	2-1/2"	---
*973857	3"	---
*973858	4"	---
*CNT-600-S	6"	---
*973861	8"	---
*CNT-1200-S	12"	---

COMBINATION NIPPLE 316 STAINLESS



CNT-XXX-S316

PART #	SIZE	LIST PRICE
973697	1/4" 1/4"	---
973698	3/8" x 3/8"	---
973699	1/2" x 3/8"	---
*973700	1/2"	---
*973701	3/4"	---
*973702	1"	---
973703	1-1/4"	---
*973704	1-1/2"	---
*973705	2"	---
973706	2-1/2"	---
973707	3"	---
973708	4"	---

ZINC PLATED STEEL



CNT-XXX-SP

PART #	SIZE	LIST PRICE
*973870	1/2"	---
*973871	3/4"	---
*973872	1"	---
*973873	1-1/4"	---
*973874	1-1/2"	---
*973875	2"	---
*973876	2-1/2"	---
*973877	3"	---
*973878	4"	---
*973879	5"	---
*973880	6"	---
*973881	8"	---
CNT-1200-SP	12"	---

ZINC PLATED STEEL EXPANDER & REDUCER



EXP
RED

HOSE X MIP

PART #	SIZE	LIST PRICE
*973862	3/4 x 1	---
*973884	1 x 3/4	---
973863	1 x 1-1/4	---
*973885	1-1/4 x 1	---
*973886	1-1/4 x 1-1/2	---
*973887	1-1/2 x 1-1/4	---
*973864	1-1/2 x 2	---
*973888	2 x 1-1/2	---
*973859	2 x 2-1/2	---
*973869	2-1/2 x 2	---
*973865	2-1/2 x 3	---
*973867	3 x 2-1/2	---
*973866	3 x 4	---
*973868	4 x 3	---

COMBINATION NIPPLES
HOSE BARB X MALE PIPE

BRASS



CNT-XXX-B

▪ LEAD FREE

PART #	SIZE	LIST PRICE
973600	1/2"	---
973601	3/4"	---
973602	1"	---
973603	1-1/4"	---
973604	1-1/2"	---
973605	2"	---
973606	2-1/2"	---
973607	3"	---
CNT-400-B	4"	---

ALUMINUM



CNT-XXX-A

PART #	SIZE	LIST PRICE
973620	1/2"	---
973621	3/4"	---
973622	1"	---
973623	1-1/4"	---
973624	1-1/2"	---
*973625	2"	---
*973626	2-1/2"	---
*973627	3"	---
*973628	4"	---

victaulic grooved
combination nipples


COMBINATION NIPPLE PLAIN STEEL VICTAULIC GROOVED



CNG-S

PART #	HOSE SIZE	LIST PRICE
*CNG-200-S	2"	---
*CNG-300-S	3"	---
*CNG-400-S	4"	---
*CNG-600-S	6"	---

COMBINATION NIPPLE PLATED VICTAULIC GROOVED



PART#	SIZE	LIST PRICE
CNG-150-SP	1-1/2"	---
*CNG-200-SP	2"	---
CNG-250-SP	2-1/2"	---
CNG-300-SP	3"	---
*CNG-400-SP	4"	---
CNG-500-SP	5"	---
*CNG-600-SP	6"	---

CRIMPLOK
HOSE ACCESSORIES

CRIMPLOK CRIMP UNIVERSAL FITTINGS



PART#	SIZE	MAX OPERATING PSI 70F	LIST PRICE
FHE-075-MP	3/4	150	----
HE-050CF-SP	1/2	150	---
HE-075CF-SP	3/4	150	---
HE-075CR-SP	3/4	150	---
HE-100CF-SP	1	150	---
HE-100CR-SP	1	150	---

HIGH PRESSURE FEMALE STEM



PART#	SIZE	LIST PRICE
GJS-050CR-SP	1/2	---
GJS-075CR-SP	3/4	---
GJS-100CR-SP	1	---
GJS-125CR-DP	1-1/4	----
GJS-150CR-DP	1-1/2	----
GJS-200CR-DP	2	----
GJS-250CR-DP	2-1/2	----
GJS-300CR-DP	3	----

HIGH PRESSURE MALE STEM



PART#	SIZE	LIST PRICE
GJM-050CR-SP	1/2	---
GJM-075CR-SP	3/4	---
GJM-100CR-SP	1	---
GJM-125CR-DP	1-1/4	----
GJM-150CR-DP	1-1/2	----
GJM-200CR-DP	2	----
GJM-250CR-DP	2-1/2	----
GJM-300CR-DP	3	----

CRIMPLOK KING NIPPLES

HOSE ACCESSORIES

CRIMPLOK CRIMP COMBINATION NIPPLES PLATED STEEL



PART#	SIZE	LIST PRICE
*CNT-100CR-SP	1"	---
*CNT-125CR-SP	1-1/4"	---
*CNT-150CR-SP	1-1/2"	---
*CNT-200CR-SP	2"	---
*CNT-250CR-SP	2-1/2"	---
*CNT-300CR-SP	3"	---
*CNT-400CR-SP	4"	---
*CNT-600CR-SP	6"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SP

CRIMPLOK CRIMP COMBINATION NIPPLES STAINLESS



PART#	SIZE	LIST PRICE
*CNT-100CR-SS316	1"	---
CNT-125CR-SS316	1-1/4"	---
*CNT-150CR-SS316	1-1/2"	---
*CNT-200CR-SS316	2"	---
*CNT-250CR-SS316	2-1/2"	---
*CNT-300CR-SS316	3"	---
*CNT-400CR-SS316	4"	---
*CNT-600CR-SS316	6"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SS304

CRIMPLOK COMBINATION NIPPLE PLATED LONG NPT



PART#	SIZE	LIST PRICE
*CNL-200CR-SP	2"	---
*CNL-250CR-SP	2-1/2"	---
*CNL-300CR-SP	3"	---
*CNL-400CR-SP	4"	---

Project Information: For use with CRIMPLOK Long Ferrules CF-XXXXXL-SP

CRIMPLOK HD COMBINATION NIPPLE PLATED



PART#	SIZE	LIST PRICE
*CNT-400CS-SP	4"	---
*CNT-600CS-SP	6"	---
*CNT-800CS-SP	8"	---

Project Information: For use with CRIMPLOK Sleeves CSL-XXXXX-SP


CRIMPLOK HD COMBINATION NIPPLE UNPLATED



PART#	SIZE	LIST PRICE
*CNT-400CS-S	4"	---
*CNT-600CS-S	6"	---
CNT-800CS-S	8"	---

Project Information: For use with CRIMPLOK Sleeves CSL-XXXXX-SP

CRIMPLOK HD COMBINATION NIPPLE VICTAULIC PLATED



PART#	SIZE	LIST PRICE
*CNG-400CS-SP	4"	---
*CNG-600CS-SP	6"	---
*CNG-800CS-SP	8"	---

Project Information: For use with CRIMPLOK Sleeves CSL-XXXXX-SP

CRIMPLOK HD COMBINATION NIPPLE VICTAULIC UNPLATED




PART#	SIZE	LIST PRICE
*CNG-400CS-S	4"	---
*CNG-600CS-S	6"	---
*CNG-800CS-S	8"	---

Project Information: For use with CRIMPLOK Sleeves CSL-XXXXX-SP

CRIMPLOK KING NIPPLES
HOSE ACCESSORIES

CRIMPLOK CRIMP VICTAULIC COMBINATION NIPPLES PLATED STEEL



PART#	SIZE	LIST PRICE
*CNG-200CR-SP	2"	---
*CNG-300CR-SP	3"	---
*CNG-400CR-SP	4"	---
*CNG-600CR-SP	6"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SP

CRIMPLOK CRIMP VICTAULIC COMBINATION NIPPLES STAINLESS



PART#	SIZE	LIST PRICE
CNG-200CR-SS316	2"	---
CNG-250CR-SS316	2-1/2"	---
CNG-300CR-SS316	3"	---
CNG-400CR-SS316	4"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SS304

CRIMPLOK FIXED FLANGE NIPPLE STEEL 125 - 150#



PART#	SIZE	LIST PRICE
*CNFL-200CR-S	2"	---
*CNFL-300CR-S	3"	---
*CNFL-400CR-S	4"	---
*CNFL-600CR-S	6"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SP
Stainless Steel available - add S316 to part #

CRIMPLOK CRIMP TURNBACK COMBINATION NIPPLES STEEL



PART#	SIZE	LIST PRICE
*CNTB-200CR-S	2"	---
*CNTB-300CR-S	3"	---
*CNTB-400CR-S	4"	---
*CNTB-600CR-S	6"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SP

CRIMPLOK CRIMP TURN BACK NIPPLES STAINLESS



PART#	SIZE	LIST PRICE
*CNTB-200CR-SS316	2"	---
*CNTB-300CR-SS316	3"	---
*CNTB-400CR-SS316	4"	---
*CNTB-600CR-SS316	6"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SS304

CRIMPLOK CRIMP SQUARE CUT COMBINATION NIPPLES UNPLATED



PART#	SIZE	LIST PRICE
*CNSC-300CR-SP	3"	---
*CNSC-400CR-SP	4"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SP

CRIMPLOK FIXED FLANGE NIPPLE STAINLESS STEEL 125 - 150#



PART#	SIZE	LIST PRICE
*CNFL-200CR-SS316	2"	---
*CNFL-300CR-SS316	3"	---
*CNFL-400CR-SS316	4"	---
*CNFL-600CR-SS316	6"	---

Project Information: For use with CRIMPLOK Ferrules CF-XXXXX-SP

hose menders

MENDER PLAIN STEEL

HM-S



PART #	HOSE SIZE	LIST PRICE
973890	1/2"	---
HM-063-S	5/8"	---
973891	3/4"	---
973892	1"	---
973893	1-1/4"	---
973894	1-1/2"	---
973895	2"	---
HM-300-S	3"	---
HM-400-S	4"	---
HM-600-S	6"	---
HM-800-S	5"	---

MENDER PLATED STEEL



PART #	SIZE	LIST PRICE
973650	3/8"	---
973651	1/2"	---
HM-063-SP	5/8"	---
973652	3/4"	---
973653	1"	---
973654	1-1/4"	---
973655	1-1/2"	---
973656	2"	---
973657	2-1/2"	---
973658	3"	---
973659	4"	---
HM-600-SP	6"	---
HM-800-SP	8"	---

316 STAINLESS STEEL HOSE MENDER



PART #	SIZE	LIST PRICE
73669	1/2"	---
73670	3/4"	---
73671	1"	---
73672	1-1/4"	---
73673	1-1/2"	---
73674	2"	---
73675	2-1/2"	----
73676	3"	----
73677	4"	----

BRASS HOSE MENDER



▪ LEAD FREE

PART #	SIZE	LIST PRICE
73983	3/4"	---
73984	1"	---
73985	1-1/4"	---
73986	1-1/2"	---
73987	2"	---

UNIVERSAL COUPLING

MALE NPT ENDS

- Twist claw/ universal/ chicago



- Malleable iron
- ISO PSI

ME-XXX-SP

* Safety clip included

PART #	SIZE	LIST PRICE
ME-025-SP	1/4	---
66005	3/8"	---
66006	1/2"	---
66007	3/4"	---
66008	1"	---

WASHER



PART #	LIST PRICE
66000	---

FEMALE NPT ENDS



* Safety clip included

PART #	SIZE	LIST PRICE
FE-025-SP	1/4"	---
66009	3/8"	---
66010	1/2"	---
66011	3/4"	---
66012	1"	---
FE-125-SP	1-1/4"	---
FE-150-SP	1-1/2"	---
FE-200-SP	2"	---

HOSE END



SEE CRIMPLOK SECTION

HE-XXX-SP

* Safety clip included

PART #	SIZE	LIST PRICE
66001	3/8"	---
66002	1/2"	---
66003	3/4"	---
66004	1"	---
HE-125-SP	1-1/4"	---
HE-150-SP	1-1/2"	---
HE-200-SP	2"	---

TRIPLE CONNECTIONS



UW-300-SP

PART #	LIST PRICE
66013	---

UNIVERSAL BLANK END



ISO PSI

PART #	SIZE	LIST PRICE
BE-300-SP		---

GROUND JOINT COUPLING

HIGH PRESSURE FEMALE+ WING NUT+FEMALE SPUD



PART #	SIZE	LIST PRICE
73003	1/2	---
73004	3/4	---
73005	1	---
73006	1-1/4	---
73007	1-1/2	---
73008	2	---
73009	2-1/2	---
73010	3	---
73011	4	---

HIGH PRESSURE WING NUT



PART #	SIZE	PART #	LIST PRICE
73033	1/2	*GJN-050-DP	---
73035	3/4	*GJN-075-DP	---
73036	1-1/4	*GJN-125-DP	---
73037	1-1/2	*GJN-150-DP	---
73038	2	*GJN-200-DP	---
73039	2-1/2		---
73040	3	*GJN-300-DP	---

HIGH PRESSURE FEMALE STEM



PART #	SIZE	PART #	LIST PRICE
73023	1/2	*GJS-050-SP	---
73024	3/4	*GJS-075-DP	---
73025	1	*GJS-100-DP	---
73026	1-1/4	*GJS-125-DP	---
73027	1-1/2	*GJS-150-DP	---
73028	2	*GJS-200-DP	---
73029	2-1/2"		---
73030	3"		---
73031	4"		---

HIGH PRESSURE FEMALE SPUD



PART #	SIZE	PART #	LIST PRICE
73063	1/2	*GJF-050-SP	---
73064	3/4	*GJF-075-DP	---
73065	1	*GJF-100-DP	---
73066	1-1/4	*GJF-125-DP	---
73067	1-1/2	*GJF-150-DP	---
73068	2	*GJF-200-DP	---
73070	3	*GJF-300-DP	---

HIGH PRESSURE DOUBLE SPUD



PART #	SIZE	LIST PRICE
GDS-050-B	1/2	---
*GDS-075-B	3/4	---

GROUND JOINT COUPLINGS/ ALUMINUM SHORT SHANKS

HOSE ACCESSORIES

2 BOLT HIGH PRESSURE CLAMP



PART #	HOSE ID	CLAMP RANGE	MAX BOLT TORQUE	LIST PRICE
*BC2-075A-DP	3/4"	1-5/32"-1-9/32"	21FT LBS	---
*BC2-075C-DP	3/4"	1-5/16"-1-1/2"	21FT LBS	---

4 BOLT HIGH PRESSURE CLAMP



PART #	HOSE ID	CLAMP RANGE	MAX BOLT TORQUE	LIST PRICE
BC4-100B-DP	1"	1.53-1.72	21FT LBS	---
BC4-125-DP	1-1/4"	2.06-2.25	40FT LBS	---
BC4-200A-DP	2"	2-11/32"-2-17/32"	60FT LBS	---
BC4-200-DP	2-1/2"	3-3/32"-3-7/16"	60FT LBS	---

HIGH PRESSURE MALE STEM



PART #	LIST	SIZE	PART #	LIST PRICE
73043		1/2	*GJM-050-SP	---
73044		3/4	*GJM-075-SP	---
73045		1	*GJM-100-SP	---
73046		1-1/4	*GJM-125-DP	---
73047		1-1/2	*GJM-150-DP	---
73048		2	*GJM-200-DP	---
73049		2-1/2		---
73050		3		---
73051		4		---

NPT STEEL HEX NIPPLE



PART #	SIZE	LIST PRICE
HNC-04-02-SP	1/4 x 1/8	---
HNC-04-04-SP	1/4 x 1/4	---
HNC-06-04-SP	3/8 x 1/4	---
HNC-06-06-SP	3/8 x 3/8	---
HNC-08-06-SP	1/2 x 3/8	---
HNC-08-08-SP	1/2 x 1/2	---
HNC-12-08-SP	3/4 x 1/2	---
HNC-16-12-SP	1 x 3/4	---

SHORT SHANK ALUMINUM SET NPS



PART #	SIZE	LIST PRICE
PL-150-AD	1-1/2	---
*PL-200-AD	2	---
*PL-300-AD	3	---
*PL-400-AD	4	---

FEMALE END

PART #	SIZE	LIST PRICE
PF-150-AD	1-1/2	---
PF-200-AD	2	---
PF-300-AD	3	---
PF-400-AD	4	---
PF-600-AD	6	---

MALE END

PART #	SIZE	LIST PRICE
PM-150-A	1-1/2	---
PM-200-A	2	---
PM-300-A	3	---

STRAINERS/ NOZZLES
HOSE ACCESSORIES

LARGE SAFETYCHECK FOR HOSE/ HOSE AND HOSE/TOOL



HOSE TO HOSE

PART #	SIZE	LIST PRICE
WHIP-L	1-1/2" HOSE, 37" LONG	---
WHIP-S	1/2-1-1/4" HOSE 22" LONG	---

FOOT VALVE



PART #	SIZE	LIST PRICE
*FV-200-DP	2	---
*FV-300-DP	3	---
*FV-400-DP	4	---
*FV-600-DP	6	---

STRAINER ROUND HOLE



PART #	SIZE	LIST PRICE
*SR-200-SP	2	---
*SR-250-SP	2-1/2	---
*SR-300-SP	3	---
*SR-400-SP	4	---
*SR-600-SP	6	---
*SR-800-SP	8	---

STRAINER ROUND HOLE LONG THIN



PART #	SIZE	LIST PRICE
*SL-200-SP	2	---
*SL-300-SP	3	---

STRAINER BOTTOM HOLE



PART #	SIZE	STRAINER HOSE SIZE	LIST PRICE
SB-200-SP	2		---
SB-300-SP	3		---

STRAINER STRAINER BOTTOM HOLE



PART #	SIZE	LIST PRICE
SCR-300-SS304	3	---
SCR-400-SS304	4	---

PLASTIC FOG NOZZLE GHT



PART #	SIZE	LIST PRICE
FN-075	3/4	---
FN-075R	3/4	----

PLASTIC FOG NOZZLE NPS



PART #	SIZE	LIST PRICE
FN-100	1	---
*FN-150	1-1/2	---
FN-200	2	---

GREEN ABS FOG NOZZLE GHT



PART #	SIZE	LIST PRICE
FN-075G	3/4	---

FIRE HOSE FITTINGS

HYDRANT ADAPTERS - BRASS



PART #	DESCRIPTION	LIST PRICE
444011	1-1/2" NST x 3/4" GHT	---
444000	2-1/2" NST x 3/4" GHT	---
444001	2-1/2" NST x 3/4" NPT	---
444002	2-1/2" NST x 1" NPT	---
444005	2-1/2" NST x 1-1/2" NPT	---
444007	2-1/2" NST x 2" NPSH	---
444008	2-1/2" NST x 2" NPT	---
444006	2-1/2" NST x 1-1/2" NST	---

FEMALE TO MALE HEX ADAPTER - BRASS



PART #	FEMALE X MALE	LIST PRICE
444021	1-1/2" NST x 1-1/2" NPSH	---
444023	1-1/2" NPT x 1-1/2" NPSH	---
444020	1-1/2" NST x 1-1/2" NPT	---
444318	2 NPT x 2-1/2" NST	---

CAP - BRASS



PART #	DESCRIPTION	LIST PRICE
444062	2-1/2" NST	---
444313	4-1/2" NST	---
444320	2-1/2" NST PLUG	---
444060	1-1/2" NST	---

DOUBLE MALE HEX NIPPLE - BRASS



PART #	DESCRIPTION	LIST PRICE
444042	1-1/2" NPT x 1-1/2" NPSH	---
444040	1-1/2" NPT x 1-1/2" NST	---
444048	2" NPT x 2-1/2" NST	---
444095	2-1/2" NST x 1-1/2" NST	---
444045	2-1/2" NPT x 2-1/2" NST	---
444049	3" NPT x 2-1/2" NST	---

MALE SWIVEL ADAPTER - BRASS W/ LUGS



PART #	DESCRIPTION FEMALE X MALE	LIST PRICE
444111	2-1/2" NST x 2" NPT	---
444112	2-1/2" NST x 2-1/2" NPT	---
444113	2-1/2" NST x 3" NPT	---

BRASS NOZZLE






PART #	PIPE	LIST PRICE
HN-075-B	3/4"	---
*HN-100-B	1"	---
HN-125-B	1-1/4"	---
HN-150-B	1-1/2"	---
HN-200-B	2"	---

BUCHANAN HOSE





HOSE INFORMATION
HOSE ACCESSORIES




PRODUCT	DESCRIPTION	APPLICATION	PRESSURE	SIZES	TEMPERATURE
Air Hoses *- Also Available: Montana, Hi-Temp Steelflex Air, Oroflex Air, Oroflex 20, Duraflex 20 & Hot Air Blower*					
 **Super Service Air**	Yellow cut and abrasion resistant cover with blue stripe. Tube is oil resistant synthetic rubber.	A superior quality mining, construction and industrial hose.	400 PSI	1/2" - 4"	-35ºC to +80ºC -30ºF to +180ºF
 **Contractors Air**	Yellow cut and abrasion resistant rubber cover with oil mist resistant synthetic rubber tube.	For mining, construction, and industrial use.	250 - 300 PSI	1/2" - 4"	-35ºC to +80ºC -30ºF to +180ºF
 **Steelflex Air**	Yellow cut and abrasion resistant cover with red stripe. Tube is oil resistant synthetic rubber.	High pressure steel reinforced air service for mining, construction and industrial use. More resistant to external abuse than textile air hose. Mandrel built.	400 - 1000 PSI	1/2" - 4"	-35ºC to +80ºC -30ºF to +180ºF
 **Jackhammer**	Smooth Yellow cut and abrasion resistant rubber cover with oil mist resistant synthetic rubber tube.	An economical air hose for jackhammer and other uses on construction sites. Also for general industrial use.	300 PSI	3/4"	-35ºC to +80ºC -30ºF to +180ºF
General Purpose *- Also Available: General Purpose, Urethane General Purpose & Self Storing Air*					
 **Premium General Purpose - Non Conductive**	Red, oil, grease,weather and abrasion resistant nitrile/pvc cover with nitrile tube.	A premium quality long length hose for petroleum based fluids, lubricating oils, air, hot water and some chemical solutions.	250 - 300 PSI	1/4" - 1 1/2"	-32ºC to +85ºC -25ºF to +185ºF
 **EPDM General Purpose**	Smooth red abrasion and weather resistant EPDM synthetic rubber tube and cover.	Air, water, agricultural spray solutions, and other dilute chemicals. Excellent resistance to heat and weathering. Also resists animal fats, vegetable oils and Methyl Ethyl Ketone.	150 - 250 PSI	1/4" - 2"	-30ºC to +93ºC -20ºF to +200ºF
 **Clear Reinforced PVC**	Clear smooth PVC.	An economical FDA quality hose for handling air, water, oil, mild chemicals, and alkalis. Clear wall allows visual inspection of product. 3A/USDA/NSF-51 Compliant.	65 - 250 PSI	3/16" - 2"	-5ºC to +65ºC +25ºF to +150ºF
 **Push On**	Black, Grey, Red, Blue, or Yellow oil, weather and abrasion resistant nitrile/pvc cover with nitrile tube.	Transmission of most petroleum-based hydraulic fluids, mineral oil, diesel fuel, engine coolant solutions, agricultural sprays and a wide range of chemical solutions.	250 - 300 PSI	1/4" - 3/4"	-32ºC to +80ºC -25ºF to +180ºF
 **Arctic General Purpose**	Blue weather and oil resistant synthetic rubber specially compounded for arctic service featuring a static wire.	A premium general purpose hose for conveying air, water, petroleum products and some chemicals under arctic conditions.	300 PSI	1/2" - 2"	-54ºC to +65ºC -65ºF to +150ºF
Water Discharge *- Also Available: H.D Water Discharge, Garden Hose, High Pressure Water Discharge, Papermill, Packers Washdown, White Sanitary & Single Jacket Industrial Mill*					
 **Oroflex 10 Layflat**	Black abrasion, weather and oil resistant nitrile rubber cover with oil resistant nitrile rubber tube.	A lightweight high pressure, extremely strong hose for general water and oil discharge, and for some chemicals.	150 - 200 PSI	1 1/2" - 8"	-20ºC to +80ºC 0ºF to +180ºF
 **Duraflex - Rubber Layflat**	Black abrasion, weather and oil resistant nitrile rubber.	This is a lightweight high pressure, extremely strong hose for general water discharge service. Ideal for rental service where long life and competitive pricing is paramount. Its compact characteristics make this an ideal hose for use with portable pumps. Especially suited for pumping oily contaminated water.	150 - 200 PSI	2" - 6"	-20ºC to +80ºC 0ºF to +180ºF
 **Pressure Washer**	Smooth cover blue and black (also wrapped version) oil resistant synthetic rubber cover. One high tensile steel braid with oil resistant synthetic rubber tube.	Extremely flexible, compact hose for use on pressure washers with working pressures up to 3000 psi. Available in 4500 psi, 250ºF.	3000 PSI	3/8"	-29ºC to +100ºC -20ºF to +212ºF

PRODUCT	DESCRIPTION	APPLICATION	PRESSURE	SIZES	TEMPERATURE
Water Discharge - *Also Available: H.D Water Discharge, Garden Hose, High Pressure Water Discharge, Papermill, Packers Washdown & White Sanitary*					
 **PVC Layflat**	Blue, Brown or Green PVC impregnation.	Light (Blue) to Heavy (Brown and Green) duty layflat hose for portable pump and irrigation use.	30 - 150 PSI	3/4" - 12"	-10ºC to +60ºC +15ºF to +140ºF
 **Contractors and Contractors Plus Water Discharge**	Black abrasion and weather resistant synthetic rubber cover with synthetic rubber tube.	A lightweight water discharge hose which is ideal for use with portable pumps, and general water discharge service.	75 - 100 PSI	1 1/4" - 12"	-35ºC to +80ºC -30ºF to +180ºF
 **Contractors Water Discharge - Industrial Garden Hose**	Black abrasion and weather resistant synthetic rubber cover with synthetic rubber tube.	For use on construction sites and general water service.	150 - 300PSI	1/2" - 1"	-35ºC to +80ºC -30ºF to +180ºF
Water Suction - *Also Available: EPDM Aggie Water S & D*					
 **Superflex**	A hose constructed with extra soft PVC, a feature that ensures greater flexibility and ease of handling at very low temperatures. Also available with static wire.	Can be used for light oil, grease and animal fat suction. It can also be used in more general applications where great flexibility is required at very low temperatures.	35 - 70 PSI 29" HG	2" - 6"	-40ºC to +60ºC -40ºF to +140ºF
 **Rubber Water S & D**	Black smooth abrasion and weather resistant synthetic rubber.	A heavy duty wire reinforced rubber suction hose for construction, quarries and general use.	50 - 200 PSI 29" HG	3/4" - 12"	-30ºC to +80ºC -22ºF to +180ºF
 **Saturn Water S & D**	Clear abrasion and weather resistant extra soft low temperature PVC with blue helix	An economical, flexible hose for construction pumps, septic tank & marine pump-out service. Resistant to some chemicals, mild acids & alkalis. Consult us for recommendations. Soft low temperature compounds allow for increased flexibility.	25 - 45 PSI 29" HG	3/4" - 6"	-40ºC to +65ºC -40ºF to +150ºF
 **Saturn Green PVC Water S & D**	Clear abrasion and weather resistant PVC.	An economical, flexible hose for construction pumps, septic tank & marine pump-out service. Resistant to some chemicals, mild acids & alkalis. Consult us for recommendations.	25 - 90 PSI 28 - 29" HG	3/4" - 8"	-20ºC to +65ºC -5ºF to +150ºF
 **Saturn Low Temperature PVC Water S & D**	Clear abrasion and weather resistant extra soft PVC.	An economical, flexible hose for construction pumps, septic tank & marine pump-out service. Resistant to some chemicals, mild acids & alkalis. Consult us for recommendations. Specially formulated compounds allow for increased flexibility at low temperatures.	35 - 90 PSI 29" HG	3/4" - 6"	-40ºC to +65ºC -40ºF to +150ºF
 **Saturn Grey PVC Water S & D**	Clear abrasion and weather resistant PVC.	An economical, flexible hose for construction pumps, septic tank & irrigation lines. Resistant to some chemicals, mild acids & alkalis. Consult us for recommendations.	15 - 45 PSI 26 - 29" HG	1" - 12"	-40ºC to +65ºC -40ºF to +150ºF
 **Textile Reinforced S & D**	Clear abrasion and weather resistant PVC with high tensile synthetic yarn reinforcement.	Good for both suction and discharge applications, this heavy duty hose can be used for rental/construction pumping as well as fish suction hose.	40 - 110 PSI 28 - 29" HG	2" - 10"	-23ºC to +65ºC -10ºF to +150ºF
 **Saturn White PVC Water Suction and Discharge Hose**	Clear abrasion and weather resistant PVC with white helix.	An economical, flexible hose for construction pumps, septic tank & marine pump-out service. Can also be used in air seeder applications.	35 - 90 PSI	3/4" - 8"	-20ºC to +65ºC -4ºF to +150ºF

HOSE INFORMATION
HOSE ACCESSORIES




PRODUCT	DESCRIPTION	APPLICATION	PRESSURE	SIZES	TEMPERATURE
Water Suction *- Also Available: EPDM Aggie Water S & D*					
 **EPDM Water Suction**	Green polypropylene and Black EPDM.	Agricultural suction, general industrial use where high working pressures are not required.	22 - 50 PSI 29" HG	1 1/2" - 6"	-40ºC to +60ºC -40ºF to +140ºF
Steam *- Also Available: Textile Steam*					
 **Steam 250**	Red, heat, weather and abrasion resistant EPDM synthetic rubber tube and cover.	An extremely flexible steel reinforced hose for use with saturated steam at pressures to 250 PSI.	250 PSI	1/2" - 3"	-40ºC to +210ºC -40ºF to +406ºF
 **CB Steam 250**	Red abrasion resistant EPDM cover with Chlorobutyl synthetic rubber tube.	An extremely flexible steel reinforced hose for use with saturated steam at pressures to 250 PSI.Chlorobutyl tube has a low permeation factor resulting in resistance to popcorning of tube.	250 PSI	1/2" - 2"	-40ºC to +210ºC -40ºF to +406ºF
Petroleum *- Also Available: Agricultural Farm Tank, Tank Truck Drop, SAE100R4, W187 Vapour Recovery & Hot Tar & Asphalt*					
 **Tank Truck**	Black, abrasion, gasoline and oil resistant synthetic rubber with blue stripe.	An all purpose petroleum suction and discharge hose for use with gasoline, kerosene, diesel, oil suspensions and emulsions. May also be used as hydraulic return line and suction.	150 PSI 29" HG	3/4" - 6"	-35ºC to +93ºC -30ºF to +200ºF
 **Super Black 250**	Black, abrasion, gasoline and oil resistant synthetic rubber with blue stripe and pressure.	An all purpose petroleum suction and discharge hose for use with gasoline, kerosene, diesel, oil suspensions and emulsions up to 250 PSI. May also be used as hydraulic return line and suction.	250 PSI	2" - 6"	-35ºC to +93ºC -30ºF to +200ºF
 **LW Arctic Superflex 150 Petroleum**	Blue weather and oil resistant synthetic rubber specially compounded for arctic service. Corrugated with white stripe.	Specially designed to remain flexible while handling a wide range of petroleum products, including gasoline and diesel under arctic conditions.	150 PSI	1 1/2" - 6"	-54ºC to +90ºC -65ºF to +195ºF
 **H.O.T Oil Tank Truck**	Black, abrasion and oil resistant synthetic rubber with red stripe.	Specially designed for conveying hot oil and/or Glycol at temperatures up to 120ºC (250ºF).	150 PSI	2" - 4"	up to +120ºC 250ºF
 **LW Petroleum Tank 150**	Black, abrasion, gasoline and oil resistant synthetic rubber with green stripe.	An all purpose lightweight and flexible petroleum suction and discharge hose for use with gasoline, kerosene, diesel, oil suspensions and emulsions. May also be used as hydraulic return line and suction.	150 PSI	2" - 6"	-40ºC to +93ºC -40ºF to +200ºF
 **Petroleum Discharge**	Red, heat, oil and weather resistant Neoprene cover with nitrile tube.	For handling a wide range of petroleum products, including gasoline, as well as a number of chemical solutions.	150 - 200 PSI	3/4" - 4"	-35ºC to +88ºC -30ºF to +190ºF
 **Petroleum Discharge 250**	Black, heat, oil and weather resistant Neoprene.	For handling a wide range of petroleum products, including gasoline, as well as a number of chemical solutions.	250 PSI	2" - 6"	-35ºC to +88ºC -30ºF to +190ºF
 **Petroleum Drop Hose**	Orange PVC helix with high tensile synthetic yarn reinforcement and built in static wire.	For use as a tank truck gravity drop hose. Also for use with oil, fuel and grease transfer, oil slurry, hydrocarbons and animal fat handling. Features an external helix that protects the hose cover as well as enabling the hose to slide over rough surface.	65 - 70 PSI 28" HG	2" - 4"	-29ºC to +65ºC -20ºF to +150ºF

HOSE INFORMATION
HOSE ACCESSORIES

PRODUCT	DESCRIPTION	APPLICATION	PRESSURE	SIZES	TEMPERATURE
Petroleum - *Also Available: Agricultural Farm Tank, Tank Truck Drop, SAE100R4, W187 Vapour Recovery & Hot Tar & Asphalt*					
 **Urethane Bio-Drop Fuel Hose**	Green PVC Helix with polyurethane cover. BDROP is clear wall for flow visibility and BDROPB is black with added UV resistance.	For use as a tank truck gravity drop hose with biofuel, gasoline, diesel and ethanol. Lightweight and flexible with exposed pvc helix making it very user friendly.	65 PSI	3" - 4"	-40ºC to +65ºC -40ºF to +150ºF
 **Vapour Thane Dust & Vapour Recovery Hose**	Convoluted yellow helix.	Vapour recovery from petroleum transfer operations. Embedded static wire serves to dissipate static electricity. NOT SUITABLE FOR CONVEYING LIQUIDS	9 - 17 PSI	2" - 4"	-40ºC to +65ºC -40ºF to +150ºF
Material Handling - *Also Available: Tan Bulkmaster, Furnace Door Cooling, Concrete Boom, Concrete Placement & Bulkmaster Hardwall*					
 **Aztec**	Thick black corrugated abrasion and weather resistant synthetic blend cover. Red 3/8" thick super abrasion resistant natural rubber tube.	Primarily designed for handling abrasive slurries in mines and quarries. Can also be used for dry material handling of sand, gravel, grain, slag, and other such materials. External re-usable bolt on flanges allow for ease of installation, and uninterrupted free flow.	150 PSI 30" HG	3" - 12"	-40ºC to +80ºC -40ºF to +180ºF
 **Bulkmaster Softwall**	Black abrasion and weather resistant synthetic rubber cover with black abrasion resistant natural rubber tube. Green stripe on 1/4" thick tube.	Dry bulk discharge including limestone, ground silica, chalk, dry cement, fertilizer etc. May also be used for wet abrasive applications.	75 PSI	3" - 6"	-30ºC to +80ºC -25ºF to +180ºF
 **Sandblast**	Black static conductive synthetic rubber cover with thick black static conductive abrasion resistant natural rubber tube.	For conducting sand, steel shot, and other abrasives for blast cleaning.	150 PSI	1/2" - 3"	-35ºC to +80ºC -30ºF to +180ºF
 **Industrial Vacuum**	Black weather and abrasion resistant cover with black abrasion resistant pure gum rubber tube.	For handling abrasive dust from wood, metal, rock, marble and concrete grinding machines under vacuum.	40 PSI 10 - 24" HG	1" - 6"	-30ºC to +80ºC -25ºF to +180ºF
Chemical - *Also Available: Hypalon Acid S & D, Viton Lined S & D, EPDM Acid S & D*					
 **Chemical**	Green smooth chemical resistant EPDM rubber cover with cross-linked polyethylene tube.	The cross-linked polyethylene tube makes this one of the most versatile types of hose available to the chemical industry today. It will handle 90% of known chemical and petroleum products in both suction and discharge applications.	200 PSI 29" HG	1/2" - 4"	-29ºC to +120ºC -20ºF to +248ºF
 **Flexchem**	Green corrugated chemical resistant EPDM rubber with FDA UHMW polyethylene tube.	Similar to Chemical hose above but may be used at lower temperatures. More versatile than our Chemical hose, Flexchem handles 98 per cent of known chemicals and can be steam cleaned. Corrugated cover results in a more flexible hose.	200 PSI 29" HG	3/4" - 4"	-40ºC to +65ºC -40ºF to +150ºF
Material Handling Polyurethane and PVC - *Also Available: Grey PVC Vacuum*					
 **B Flex/B Flex Static**	Corrugated clear PVC rigid helix. FDA, 3A and USDA compliant.	Conveying of dry powders, grains and plastic pellets where viewing the product is important. B Flex Static has built-in static wire.	25 - 45 PSI 29" HG	1 1/2" - 3" and 39mm	-23ºC to +65ºC -10ºF to +150ºF
 **Neptune Suction/Neptune Static Suction**	Corrugated clear PVC with clear rigid PVC helix. FDA, 3A and USDA compliant.	Suction and discharge of liquids, grains, plastic pellets and powders where moderate abrasion is a factor. Netptune Static has built-in static wire.	20 - 55 PSI 29" HG	1" - 8"	-23ºC to +65ºC -10ºF to +150ºF

Other Hoses Available*: Auto Heater Hose, Marine Hardwall/Softwall/Fuel Fill Hose, Silicone Coolant and Heater Hose. Garage Exhaust Hose, Welding Hose, Pressure Washer Hose, Paint Spray Hose, Auto Fuel Line Hose.*

HOSE INFORMATION
HOSE ACCESSORIES

PRODUCT	DESCRIPTION	APPLICATION	PRESSURE	SIZES	TEMPERATURE
Material Handling Polyurethane and PVC *- Also Available: Grey PVC Vacuum*					
 **PU Vac/PU Vac Lite/PU Vac Static**	Corrugated clear abrasion and weather resistant Polyurethane with grey PVC helix. FDA, 3A and USDA compliant.	Ideal for applications where conventional rubber or PVC hose will wear rapidly, i.e. grain transfer, abrasive powder recovery, leaf collection. PU Vac Static has built-in static wire.	3 - 50 PSI 29" HG	1 1/2" - 6"	-40ºC to +65ºC -40ºF to +150ºF
 **ARI HD**	Blue HMW PVC up to 5" I.D. Black cover in 6" and 8" I.D	Used in a variety of material handling application where a good resistance to abrasion is required, such as transfer of sands, plastic pellets, gravel, wood chips, slurries and fly ash. Also for use on vacuum excavation trucks. Cover is a specially formulated static dissapative compound with low temperature flexibility.	30 - 45 PSI 28 - 29" HG	2" - 8"	-40ºC to +65ºC -40ºF to +150ºF
 **ARI**	This hose has a polyurethane tube with an HMC cover. Cover is a specially formulated technical alloy that makes this hose antistatic.	Used in a variety of material handling application where a good resistance to abrasion is required, such as transfer of sands, plastic pellets, gravel, wood chips, slurries and fly ash.	30 - 45 PSI 29" HG	2" - 8"	-40ºC to +65ºC -40ºF to +150ºF
Food *- Also Available: Pure Gum Tubing, Polyethylene Tubing & Clear Vinyl Tubing*					
 **Bacco**	Smooth clear, food grade PVC non-marking with red rigid PVC helix. FDA, 3A and USDA compliant.	Alcoholic beverages up to 25% alcohol content. Fruit juices, soft drinks and other liquid foodstuffs. Also suitable for dry bulk foodstuffs.	35 - 85 PSI 29" HG	3/4" - 5" and 38 - 50mm	-23ºC to +65ºC -10ºF to +150ºF
 **Brewers and Beverage Discharge**	Red abrasion resistant natural rubber tube and cover.	Will handle a wide range of non fatty-oily food products up to 80ºC where taste and aroma must not be affected.	140 PSI	3/4" - 3"	-35ºC to +80ºC -30ºF to +180ºF
 **Wirevac**	Smooth clear PVC with wire helix. Super Wirevac has additional layer of fabric reinforcement. FDA, 3A, USDA and NSF-51 compliant.	An extremely flexible transparent hose for use where full vacuum performance is required while monitoring the contents of the hose. Ideal for use with most food-stuffs, cosmetics, beverages, and a wide range of chemical solutions. Also suitable for lubricating oils and animal fats.	45 - 250 PSI 28" HG	3/8" - 3"	-10ºC to +65ºC +15ºF to +150ºF
 **Foodflex PVC S & D**	Clear PVC non-marking. FDA, 3A and USDA compliant.	For dry bulk foodstuffs, pharmaceuticals, cosmetics, milk, fruit and vegetable juices, soft drinks, alcoholic beverages, flour, sugar etc. Clear wall allows visual inspection of the product.	50 - 85 PSI 29" HG	3/4" - 4"	-23ºC to +65ºC -10ºF to +150ºF
 **Foodflex Textile Reinforced S & D (Food Grade)**	Clear PVC non-marking with high tensile yarn reinforcement. FDA, 3A and USDA compliant.	For liquid or dry bulk foodstuffs, pharmaceuticals, cosmetics, milk, fruit and vegetable juices, soft drinks, alcoholic beverages, flour, sugar, poultry or meat packing etc. Clear wall allows visual inspection of the product.	60 - 110 PSI 28 - 29" HG	2" - 8"	-23ºC to +65ºC -10ºF to +150ºF







AIR & GENERAL PURPOSE HOSE

HOSE ACCESSORIES

CLEAR REINFORCED PVC (FOOD QUALITY)



APPLICATION:An economical hose for handling air, water, oil, mild chemicals, and alkalis. Clear wall allows visual inspection of product. COVER:Clear smooth PVC REINFORCEMENT:Multiple layers of synthetic yarns TUBE:Clear smooth PVC
TEMPERATURE:-5C to +65C(+25F to +150F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
CRPVC-019	3/16	0.38	250	300	0.05	---
CRPVC-025	1/4	0.43	250	300	0.07	---
CRPVC-025-100	1/4	0.43	250	100	0.07	---
CRPVC-031	5/16	0.53	300	300	0.08	---
CRPVC-031-100	5/16	0.53	300	100	0.08	---
*CRPVC-038	3/8	0.59	250	300	0.09	---
CRPVC-038-100	3/8	0.59	250	100	0.09	---
*CRPVC-050	1/2	0.71	250	300	0.15	---
*CRPVC-050-100	1/2	0.71	250	100	0.15	---
CRPVC-063	5/8	0.87	200	300	0.17	---
CRPVC-063-100	5/8	0.87	200	100	0.17	---
CRPVC-075	3/4	1.02	180	300	0.23	---
CRPVC-075-100	3/4	1.02	180	100	0.23	---
*CRPVC-100	1	1.30	150	300	0.32	---
*CRPVC-100-100	1	1.30	150	100	0.32	---
CRPVC-125	1-1/4	1.61	100	100	0.58	---
CRPVC-150	1-1/2	1.89	85	100	0.69	---
CRPVC-200	2	2.44	65	100	1.00	---

Standard Length: 3/16"-3/4" 100'/300' coil, 1" 100'/200' coil, 1-1/4"-2" 100' coil
Product Info: Compliant with the applicable requirements and standards of FDA USDA 3-A and NSF-51. Please specify length when ordering i.e. 100' or 300'
Safety Info: Working pressure ratings are based on 20C (68F). At operating temperature of +65C (150F) reduce working pressure by 50%. Recommended Couplings: Combination nipples, short shank, brass barbed, cam and groove. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

HOT AIR BLOWER HOSE



APPLICATION:FOR CONVEYING HOT AIR FROM BLOWER TO TANK ON DRY BULK TRUCKS.
COVER:Black heat and weather resistant EPDM rubber.
REINFORCEMENT:High tensile wire helix embedded between layers of heat resistant synthetic fabric.
TUBE:Black specially compounded heat resistant EPDM rubber.
TEMPERATURE:-40C to +163C(-40F to +350F)

PART #	NOM. ID"	NOM. OD"	PSI	BEND RADIUS	STD PACK	WEIGHT#	LIST PRICE
*BLOW150-300	3	3.62	150	12.00	100	1.75	---
*BLOW150-400	4	4.65	150	15.00	100	2.40	---

Standard Length: 100'
Recommended Couplings: Cam and groove, combination nipples or short shank. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

JACKHAMMER - AIR



APPLICATION:AN ECONOMICAL AIR HOSE FOR JACKHAMMER AND OTHER USES ON CONSTRUCTION SITES. ALSO FOR GENERAL INDUSTRIAL USE
COVER:Red smooth cut and abrasion resistant REINFORCEMENT:Multiple layers of synthetic yarn
TUBE:Synthetic oil mist resistant
TEMPERATURE:-35C to +80C(-30F to +180F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	COLOR	LIST PRICE
JACK-075-50	3/4	1.14	300	50	0.40	Yellow	---
JACK-075R-50	3/4	1.14	300	50	0.40	Red	---
JACK-075G-50	3/4	1.14	300	50	0.40	Green	---
JACK-075BL-50	3/4	1.14	300	50	0.40	Blue	---
JACK-075-CUASSP*	3/4"	1.14	300	50	0.40	Yellow	---
JACK-075R-CUASSP	3/4"	1.14	300	50	.40	Red	

Standard Length: 50'
Recommended Couplings: High Pressure, mine stem and nut, Universal quick acting. Crimplok universals. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

* C/W CRIMP UNIVERSAL ASSEMBLED

AIR & GENERAL PURPOSE HOSE

HOSE ACCESSORIES

EPDM GENERAL PURPOSE 300



APPLICATION:Air, water, agricultural spray solutions, and other dilute chemicals Excellent resistance to heat and weathering Also resists animal fats, vegetable oils.
COVER:Smooth red abrasion and weather resistant EPDM synthetic rubber
REINFORCEMENT:Multiple layers of synthetic yarn TUBE:Synthetic oil mist resistant EPDM synthetic rubber
TEMPERATURE:-30C to +93C(-20F to +200F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
*GPE-025-300	1/4	0.55	300	300	0.14	---
*GPE-038-300	3/8	0.70	300	300	0.20	---
*GPE-050-300	1/2	0.87	300	300	0.27	---
*GPE-063-300	5/8	0.98	300	300	0.31	---
GPE-075-300	3/4	1.16	300	300	0.44	---
* GPE-100-300	1	1.42	300	300	0.59	---

Standard Length: 300'
Recommended Couplings: High Pressure, Short shank, universal, or Combination nipples all other sizes. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

PREMIUM GENERAL PURPOSE NON CONDUCTIVE WITH REEL



APPLICATION:Air, water, agricultural spray solutions, and other dilute chemicals Excellent resistance to heat and weathering Also resists animal fats, vegetable oils.
COVER: Red, Oil, Grease, Weather & Abrasion resistent nitrile
REINFORCEMENT:Multiple layers of synthetic yarn TUBE:Synthetic oil mist resistant EPDM synthetic rubber
TEMPERATURE:-30C to +93C(-20F to +200F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
PREMR-038-300	3/8	0.67	300	300	0.17	---
PREMR-050-300	1/2	0.79	300	300	0.21	---
PREMR-075-300	3/4	1.14	300	300	0.39	---
PREMR-100-300	1	1.42	300	300	0.51	---
PREM-125-250	1-1/4	1.77	300	200	0.70	---

Standard Length: 1/4"- 1" 50'/100'/300'. 1-1/4" - 2" 50'/100'.
Recommended Couplings: High Pressure 1"to 1-1/2" for air service if the working pressure exceeds 150 psi. High Pressure, Short shank, universal, or Combination nipples all other sizes. Crimplok universals. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

PUSH-ON BLACK



APPLICATION:Transmission of most petroleum-based hydraulic fluids, mineral oil, diesel fuel, engine coolant solutions, agricultural sprays and a wide range of chemical solutions. Also suitable for air and water service
COVER:Black, oil, weather and abrasion resistant Neoprene.
REINFORCEMENT:Multiple layers of polyester yarns.
TUBE:Black oil resistant nitrile rubber.
TEMPERATURE:-32C to +80C(-25F to +180F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
PON-025-B	1/4	0.50	250	700'	0.10	---
PON-038-B	3/8	0.63	250	700'	0.14	---
PON-050-B	1/2	0.75	250	700'	0.17	---
PON-063-B	5/8	0.91	250	700'	0.19	---
PON-075-B	3/4	1.03	250	700'	0.19	---

Standard Length: Supplied on reels
Recommended Couplings: Push-on

MARINE EXHAUST HARDWALL



APPLICATION:Marine exhaust applications, and other general applications where non-standard sizes are specified. Meets SAEJ 2006 R1
COVER:Black heat and weather resistant synthetic rubber with blue identification stripe.
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Black heat resistant rubber specially compounded for wet marine exhaust service.
TEMPERATURE:-40C to +100C(-40F to +212F)

PART #	NOM. ID"	NOM. OD"	STD PACK	WEIGHT#	LIST PRICE
MXH-238	2-3/8	2.68	100'	1.98	---
MXH-250	2-1/2	2.81	100'	1.82	---
MXH-300	3	3.54	100'	2.12	---
MXH-350	3-1/2	4.09	100'	2.77	---
MXH-400	4	4.57	100'	3.22	---
MXH-500	5	5.55	100'	3.59	---

Standard Length: not on reels
Recommended Couplings: Push-on

MATERIAL HANDLING
HOSE ACCESSORIES

FUEL LINE



APPLICATION:Fuel and vapour emission lines, meets SAE 30R7 specification and is USCG Type B and BIA approved.
COVER:Black heat and fuel resistant Hypalon.
REINFORCEMENT:Two layers of synthetic yarns.
TUBE:Black fuel resistant nitrile rubber.
TEMPERATURE:-40C to +120C(-40F to +250F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
FUEL-025	1/4	0.49	50	300'	0.10	---
FUEL-031	5/16	0.58	50	300'	0.13	---
FUEL-038	3/8	0.63	50	300'	0.13	---

Cut Lengths: Plus 5%
Standard Length: 300' coils:
Recommended Couplings: Barbed short shank, combination nipples.

ARI SUCTION



APPLICATION:Used in a variety of material handling application where a good resistance to abrasion is required, such as transfer of sands, plastic pellets, gravel, wood chips, slurries and fly ash. Cover is a specially formulated static dissapative compound with low temperature flexibility.
COVER:Black HMW PVC
REINFORCEMENT:Anti shock rigid pvc helix
TUBE:Polyurethane
TEMPERATURE:-40C to +65C(-40F to +150F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
ARI-300	3	3.65	29	40	4.00	100'	1.18	---
ARI-400	4	4.76	29	35	6.00	100'	1.95	---
ARI-600	6	6.80	28	30	12.00	100'	3.51	---

Standard Length: 100'
Safety Info: Suction and pressure ratings are based on a temperature of 20C (68F), reduce ratings by 50% at maximum working temperature. This hose has no fabric reinforcement and normally should not be used under pressure for service at temperatures above 25C (75F).
Recommended Couplings: Cam and groove

BULKMASTER SOFTWALL



APPLICATION:Dry bulk discharge including limestone, ground silica, chalk, dry cement, fertilizer etc. May also be used for wet abrasive applications.
COVER:Black abrasion and weather resistant synthetic rubber.
REINFORCEMENT:Multiple layers of high tensile synthetic cords.
TUBE:Black abrasion resistant ant-static natural rubber in 1/8", 3/16" and 1/4"
TEMPERATURE:-30C to +80C(-25F to +180F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
BSB-400-187	4	4.64	75	100'	2.33	---
BSB-400-250	4	4.72	75	100'	2.65	---
BSB-450-125	4-1/2	5.00	75	100'	2.09	---
BSB-500-187	5	5.63	75	100'	2.75	---
BSB-500-250	5	5.79	75	100'	3.50	---
BSB-600-250	6	6.81	75	100'	4.29	---

Standard Length: 100'
Product Info: Longer lengths available, check for price and availability
Recommnded Couplings: Cam and groove. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

INDUSTRIAL VACUUM HEAVY DUTY LENGTHS



APPLICATION:For handling abrasive dust from wood, metal, rock, marble and concrete grinding machines under vacuum.
COVER:Black abrasion resistant rubber, corrugated for flexibility.
REINFORCEMENT:A high tensile steel helix embedded between layers of textile cords.
TUBE:1/4" or 1/8" red Pure Gum abrasion resistant rubber standard.
TEMPERATURE:-30C to +80C(-25F to +180F)

PART #	ASSEMBLY DESCRIPTION	NOM. OD"	VACUUM	PSI	BEND RADIUS"	WEIGHT#	LIST PRICE
IVB-800-250RPG2	8"x25' H.D.IND VAC. 1/4" Red w/cuffs	9.01	28	50	30.00	190.00	---
IVB-800-250RPG3	8"x32' H.D.IND VAC. 1/4" Red w/cuffs	9.01	28	50	30.00	243.80	---
IVB-800-250RPG7	8"x70' H.D.IND VAC. 1/4" Red Tube	9.01	28	50	30.00	716.10	----

MATERIAL HANDLING
HOSE ACCESSORIES

SANDBLAST




APPLICATION:For conducting sand, steel shot, and other abrasives for blast cleaning.
COVER:Black static conductive synthetic rubber.
REINFORCEMENT:Two (SBB) or Four (SBB4) layers of synthetic textile cords.
TUBE:Thick black static conductive abrasion resistant natural rubber.
TEMPERATURE:-35C to +80C(-30F to +180F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
SBB-075-100	3/4	1.50	150	100'	0.68	---
SBB-075-50	3/4	1.50	150	50'	0.68	---
SBB-125-100S	1-1/4	2.16	150	100'	1.22	---
SBB-125-50S	1-1/4	2.16	150	50'	1.22	---
SBB-150-50	1-1/2	2.36	150	50'	1.36	---
SBB-300	3	3.98	150	100'	2.57	---

Standard Length: 50'/100'
Product Info: Longer lengths available up to 200'. Surcharges may apply
Recommended Couplings: Sandblast

EPDM WATER SUCTION



APPLICATION:For use in liquid waste suction application. Also for use with liquid or dry chemcial suction applications or general industrial use where high working pressures are not required.
COVER:Green Polyethylene helix and specially formulated rubber.
REINFORCEMENT:Rigid green Polyethylene helix.
TUBE:Smooth specially formulated rubber
TEMPERATURE:-40C to +60C(-40F to +140F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
EPDM-150	1-1/2	1.85	29	50	3.50	100'	0.40	---
EPDM-200	2	2.44	29	50	5.50	100'	0.67	---
EPDM-300	3	3.52	29	42	7.50	100'	1.10	---
EPDM-400	4	4.61	29	38	12.00	100'	1.84	---

Standard Length: 100'
Recommended Couplings: Cam and groove or short shank, Crimplok camd and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

FLEXLITE UHMW



APPLICATION:The (UHMW) Ultra High Molecular Weight polyethylene tube makes this one of the most versatile types of hose available to the chemical industry today. It will handle 94% of common chemical and petroleum products in both suction and discharge applications.This hose is very flexible due to its corrugated cover and low temperature characteristics. This hose can also be used in dry food applications due to its FDA Compliant tube.
COVER:Green corrugated chemical resistant EPDM rubber
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Smooth chemical resistant (UHMW) Ultra High Molecular Weight polyethylene FDA Compliant tube
TEMPERATURE:-40C to +100C(-40F to +212F) Can be open end steam cleaned to 120C or 248F for 30 minutes

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
FLX-075	3/4	1.22	29	200	2.00	100'	0.40	---
FLX-100	1	1.46	29	200	2.50	100'	0.47	---
FLX-150	1-1/2	2.01	29	200	3.75	100'	0.80	---
FLX-200	2	2.52	29	200	5.00	100'	1.00	---
FLX-300	3	3.58	29	200	7.50	100'	1.74	---
FLX-400	4	4.64	29	150	10.00	100'	2.48	---

Standard Length: 100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose.

FLEXCHEMS



APPLICATION:The (UHMW) Ultra High Molecular Weight polyethylene tube makes this one of the most versatile types of hose available to the chemical industry today. It will handle 94% of common chemical and petroleum products in both suction and discharge applications.This hose is very flexible due to its corrugated cover and low temperaqture characteristics. This hose can also be used in dry food applications due to its FDA Compliant tube.
COVER:Green chemical resistant EPDM rubber
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Smooth chemical resistant (UHMW) Ultra High Molecular Weight polyethylene FDA Compliant tube
TEMPERATURE:-40C to +100C(-40F to +212F) Can be open end steam cleaned to 120C or 248F for 30 minutes

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
FLXS-100	1	1.46	29	200	4.00	100'	0.62	---
FLXS-200	2	2.60	29	200	6.00	100'	1.14	---
FLXS-300	3	3.62	29	200	8.00	100'	2.26	---
FLXS-400	4	4.65	29	200	12.00	100'	3.25	---

Standard Length: 100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

PETROLEUM STEAM AND CHEMICAL HOSE
HOSE ACCESSORIES

FLEXLITE PETROLEUM TANK 150



APPLICATION:An all purpose lightweight and flexible petroleum suction and discharge hose for use with gasoline, kerosene, diesel, oil suspensions and emulsions. May also be used as hydraulic suction and return line.
COVER:Black corrugated, abrasion, gasoline and oil resistant synthetic rubber with green stripe.
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Black nitrile rubber for maximum oil resistance.
TEMPERATURE:-40C to +93C(-40F to +200F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
TTD150-200	2	2.53	29	150	4.00	100'	1.44	---
TTD150-300	3	3.62	29	150	6.00	100'	2.48	---
TTD150-400	4	4.72	29	150	9.00	100'	3.63	---

Standard Length: 100'
Product Info: Longer lengths available on request. Please check for availability and pricing
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

TANK TRUCK 150



APPLICATION: An all purpose petroleum suction and discharge hose for use with gasoline, kerosene, diesel, oil suspensions and emulsions. May also be used as hydraulic suction and return line.
COVER:Black, abrasion, gasoline and oil resistant synthetic rubber with red stripe and pressure.
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Black nitrile rubber for maximum oil resistance.
TEMPERATURE:-35C to +93C(-30F to +200F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST
TLBS150-100	1	1.42	29	150	3.00	100	0.57	---
TLBS150-150	1-1/2	1.93	29	150	4.00	100	0.81	---
TLBS150-200	2	2.52	29	150	4.50	100	1.38	---
TLBS150-300	3	3.54	29	150	7.00	100	2.19	---
TLBS150-400	4	4.68	29	150	10.00	100	3.56	---
TLBS150-600	6	6.89	29	150	21.00	100	6.65	---

Standard Length: 100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

TANK TRUCK



APPLICATION:An all purpose petroleum suction and discharge hose for use with gasoline, kerosene, diesel, oil suspensions and emulsions. May also be used as hydraulic suction and return line.
COVER:Black, abrasion, gasoline and oil resistant synthetic rubber with blue stripe and pressure
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Black nitrile rubber for maximum oil resistance.
TEMPERATURE:-35C to +93C(-30F to +200F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
TLB-075	3/4	1.14	29	150	3.00	100'	0.43	---
TLB-100	1	1.42	29	150	3.00	100'	0.57	---
TLB-125	1-1/4	1.65	29	150	3.50	100'	0.62	---
TLB-150	1-1/2	1.93	29	150	4.00	100'	0.81	---
TLB-200	2	2.52	29	150	4.50	100'	1.38	---
TLB-250	2-1/2	2.99	29	150	4.75	100'	1.72	---
TLB-400	4	4	29	150	10.00	100'	3.56	---

OIL VACUUM - SMOOTH



APPLICATION:An all purpose petroleum suction and discharge hose for use with gasoline, kerosene, diesel, oil suspensions and emulsions. May also be used as hydraulic suction and return line.
COVER:Black, abrasion, gasoline and oil resistant synthetic rubber with red stripe and pressure.
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Black nitrile rubber for maximum oil resistance.
TEMPERATURE:-35C to +93C(-30F to +200F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
OILVS-150	1-1/2	1.89	29	150	4.00	100	0.75	---
OILVS-200	2	2.43	29	150	4.50	100	1.07	---
OILVS-300	3	3.47	29	150	7.00	100	1.78	---
OILVS-400	4	4.52	29	150	10.00	100	2.58	---

Standard Length: 100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

PETROLEUM STEAM AND CHEMICAL HOSE

HOSE ACCESSORIES

TANK TRUCK 300



APPLICATION:An all purpose petroleum suction and discharge hose for use with gasoline, kerosene, diesel, oil suspensions and emulsions up to 300 PSI. May also be used as hydraulic suction and return line.
COVER:Black, abrasion, gasoline and oil resistant synthetic rubber with red stripe and pressure
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Black nitrile rubber for maximum oil resistance.
TEMPERATURE:-35C to +93C(-30F to +200F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
TLBS300-200	2	2.62	29	300	5.00	100'	1.43	---
TLBS300-300	3	3.67	29	300	7.00	100'	2.20	---
TLBS300-400	4	4.71	29	300	10.00	100'	3.63	---
TLBS300-600	6	6.91	29	300	21.00	100'	6.90	---

Standard Length: 100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

OIL VACUUM CORRUGATED



APPLICATION:Designed for transferring petroleum waste, sediments, sludge, diluted mild chemicals, brine and water in oil field tank and waste pit recovery applications, not suitable for refined petroleum products or high concentrations of chemicals
COVER:Black, corrugated abrasion oil resistant synthetic rubber with blue stripe and pressure
REINFORCEMENT:High tensile wire helix embedded between layers of textile cords.
TUBE:Black synthetic rubber for maximum oil resistance.
TEMPERATURE:-35C to +93C(-30F to +200F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
OILVC-200	2	2.44	29	150	4.00	100'	0.89	---
OILVC-300	3	3.46	29	150	6.00	100'	1.42	---
OILVC-400	4	4.52	29	150	9.00	100'	2.44	---

Standard Length: 100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

FRACLINE 400



APPLICATION:For handling a wide range of petroleum products, including gasoline, as well as a number of chemical solutions. Specifically designed for use in Frac service.
COVER:Black, heat, oil and weather resistant Neoprene.
REINFORCEMENT:Multiple layers of synthetic textile cords, with static wire.
TUBE:Black, heat and oil resistant synthetic rubber.
TEMPERATURE:-35C to +88C(-30F to +190F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
FRAC400-300	3	3.65	400	100'	1.80	---
FRAC400-400	4	4.80	400	100'	2.81	---
FRAC400-600	6	6.80	400	100'	5.20	---

Standard Length: 100'
Recommended Couplings: Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

PETROLEUM DISCHARGE



APPLICATION:For handling a wide range of petroleum products, including gasoline, as well as a number of chemical solutions.
COVER:Red, heat, oil and weather resistant Neoprene.
REINFORCEMENT:Multiple layers of synthetic textile cords, with static wire.
TUBE:Black, heat and oil resistant synthetic rubber.
TEMPERATURE:-35C to +88C(-30F to +190F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
PDR-125	1-1/4	1.69	150	100'	0.58	---
PDR-150	1-1/2	1.97	150	100'	0.78	---
PDR-300	3	3.50	150	100'	1.64	---
PDR-400	4	4.57	150	100'	2.46	---
PDR-600	6	6.72	150	100'	3.89	---

Standard Length: 50'/100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference.

PETROLEUM STEAM AND CHEMICAL HOSE
HOSE ACCESSORIES

PETROLEUM DISCHARGE 250



APPLICATION:For handling a wide range of petroleum products, including gasoline, as well as a number of chemical solutions. Specifically designed for use in Frac service.
COVER:Black, heat, oil and weather resistant Neoprene.
REINFORCEMENT:Multiple layers of synthetic textile cords, with static wire.
TUBE:Black, heat and oil resistant synthetic rubber.
TEMPERATURE:-35C to +88C(-30F to +190F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
PDB250-200	2	2.50	250	100'	1.14	---
PDB250-300	3	3.54	250	100'	1.80	---
PDB250-400	4	4.64	250	100'	2.81	---
PDB250-600	6	6.69	250	100'	5.20	---

Standard Length: 50'/100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

HOT TAR AND ASPHALT




APPLICATION:Specially designed for conveying hot tar and asphalt at temperatures up to 160 C (350 F).
COVER:Black Neoprene synthetic rubber.
REINFORCEMENT:High tensile wire helix embedded between multiple layers of heat resistant synthetic yarns
TUBE:Specially compounded heat resistant synthetic rubber compound.
TEMPERATURE:up to +177C(350F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
HTA-300	3	3.77	150	100'	2.94	---
HTA-400	4	4.85	150	100'	4.20	---

Standard Length: 100'
Recommended Couplings: Cam and Grove, combination nipple. Crimplok cam and groove, Crimplok nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

PETROLEUM TRANSFER



APPLICATION:For use with oil, fuel and grease transfer, oil slurry, hydrocarbons and animal fat handling. Features an external helix that protects the hose cover as well as enabling the hose to slide over rough surface. Static wire embedded in helix for ease of grounding.
COVER:Orange PVC Helix with built in static wire
REINFORCEMENT:High tensile synthetic textile yarn
TUBE:Specially formulated compound for fuel transfer
TEMPERATURE:-40C to +93C(-40F to +200F)

PART #	NOM. ID"	NOM. OD"	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
FLDROP-200	2	2.87	150	5.00	100'	1.29	---
FLDROP-400	4	5.00	75	12.00	100'	2.51	---

Standard Length: 50'/100'
Recommended Couplings: Cam and groove, combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

STEAM 250 BLACK



APPLICATION:An extremely flexible hose for use with saturated steam at pressures to 250 PSI .
COVER:Black abrasion and heat resistant EPDM rubber, with embossed brand and pressure.
REINFORCEMENT:Multiple layers of high tensile steel cords.
TUBE:Black heat resistant EPDM synthetic rubber.
TEMPERATURE:-40C to +210C(-40F to +406F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
ST250B-075-50	3/4	1.26	250	50'	0.48	---
ST250B-100-50	1	1.50	250	50'	0.60	---
ST250B-150-50	1-1/2	2.13	250	50'	1.10	---
ST250B-200-50	2	2.64	250	50'	1.48	---

Standard Length: 50'
Recommended Couplings: High Pressure with interlocking clamps

PETROLEUM STEAM AND CHEMICAL HOSE

HOSE ACCESSORIES

STEAM 250



APPLICATION:An extremely flexible hose for use with saturated steam at pressures to 250 PSI .
COVER:Red abrasion and heat resistant EPDM rubber, with embossed brand and pressure.
REINFORCEMENT:Multiple layers of high tensile steel cords.
TUBE:Black heat resistant EPDM synthetic rubber.
TEMPERATURE:-40C to +210C(-40F to +406F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
ST250-075-50	3/4	1.26	250	50'	0.48	---
ST250-075-100	3/4	1.26	250	100'	0.48	---
ST250-100-50	1	1.50	250	50'	0.60	---
ST250-100-100	1	1.50	250	100'	0.60	---
ST250-200-50	2	2	250	50'	1.48	---
ST250-200-100	2	2	250	100'	1.48	---
ST250-300	3	3	250	100'	3.40	---

Standard Length: 50'/100'
Product Info: Longer lengths available on request. Please check for availability and pricing
Recommended Couplings: High Pressure with interlocking clamps

WATER SUCTION & DISCHARGE HOSE

HOSE ACCESSORIES

BLUE LAYFLAT



APPLICATION:A LIGHT DUTY LAYFLAT HOSE FOR PORTABLE PUMP AND IRRIGATION USE.
COVER:Blue PVC impregnation. REINFORCEMENT:Woven high tensile synthetic yarns. TUBE:Blue PVC impregnation.
TEMPERATURE:-10C to +55C(15F to +130F)

PART #	NOM. ID"	NOM.OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
BLAY-100	1	1.11	150	300	0.13	---
BLAY-125	1-1/4	1.37	130	300	0.15	---
BLAY-150	1-1/2	1.63	70	300	0.15	---
*BLAY-200	2	2.13	65	300	0.20	---
BLAY-250	2-1/2	2.63	65	300	0.27	---
*BLAY-300	3	3.13	60	300	0.33	---
*BLAY-400	4	4.14	60	300	0.46	---
*BLAY-600	6	6.15	35	300	0.78	---

Standard Length: Multiples of 50' up to 300' maximum
Product Info: Please specify length required when ordering, i.e.50', 100'
Safety Info: Reduce pressures by 50% at maximum working temperature
Recommended Couplings: Cam and groove or short shank

BLUE LAYFLAT ASSEMBLY



PART #	ASSEMBLY DESCRIPTION	WEIGHT#	LIST PRICE
BLAY-150-CASS	1-1/2" X 50' BLUE LAYFLAT +C/E CAMLOCK	7.00	---
BLAY-200-CASS	2"X50'BLUE LAYFLAT+C/E CAMLOCK	12.20	---
*BLAY-300-CASS	3"X50'BLUE LAYFLAT+C/E CAMLOCK	20.63	---
*BLAY-400-CASS	4"X50'BLUE LAYFLAT+C/E CAMLOCK	29.49	---
BLAY-600-CASS	6"X50'BLUE LAYFLAT+C/E CAMLOCK	51.08	---

WATER SUCTION & DISCHARGE HOSE

HOSE ACCESSORIES

BROWN LAYFLAT - HEAVY DUTY



APPLICATION:Heavy duty layflat hose for portable pump and irrigation use.
COVER:Brown PVC impregnation.
REINFORCEMENT:Woven high tensile synthetic yarns.
TUBE:Brown heavy PVC impregnation.
TEMPERATURE:-10C to +60C(15F to +140F)

PART #	NOM. ID"	NOM.OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
BRLAYHD-200	2	2.15	150	300'	0.26	---
BRLAYHD-300	3	3.19	150	300'	0.52	---
BRLAYHD-400	4	4.27	135	300'	0.74	---
BRLAYHD-600	6	6.26	115	300'	1.21	---

DURAFLEX - RUBBER LAYFLAT



APPLICATION:SPECIFICALLY MANUFACTURED TO COMPETE WITH OROFLEX IMITATION HOSE. THIS IS A LIGHTWEIGHT HIGH PRESSURE, EXTREMELY STRONG HOSE FOR GENERAL WATER DISCHARGE SERVICE. IDEAL FOR RENTAL SERVICE WHERE LONG LIFE AND
competitive pricing is paramount. Its compact characteristics make this an ideal hose for use with portable pumps. Especially suited for pumping oily contaminated water. COVER:Black abrasion, weather and oil resistant nitrile rubber. REINFORCEMENT:Circular woven synthetic yarns.
TUBE:Black abrasion and oil resistant nitrile rubber.
TEMPERATURE:-20C to +80C(0F to +180F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
DURFL-200	2	2.18	200	300	0.31	---
*DURFL-300	3	3.22	175	300	0.59	---
*DURFL-400	4	4.24	150	300	0.65	---
*DURFL-600	6	6.26	150	300	1.10	---

Standard Length: 50'/100'
Product Info: 200 Lengths Will Be Shipped Unless Otherwise Specified On Duraflex
Recommended Couplings: Cam and groove, combination nipples or short shank. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases, the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

DURAFLEX - RUBBER LAYFLAT ASSEMBLY



PART #	ASSEMBLY DESCRIPTION	WEIGHT#	LIST PRICE
DURFL-200-CASSP	2"x50' DURAFLEX + C/E CAMLOCK	14.20	---
DURFL-300-CASSP	3"x50' DURAFLEX + C/E CAMLOCK	21.63	---
DURFL-400-CASSP	4"x50' DURAFLEX + C/E CAMLOCK	28.99	---
DURFL-600-CASSP	6"x50' DURAFLEX + C/E CAMLOCK	51.67	----
DURFL-400-CCASSP	4" x 50' DURAFLEX + C/E CAMLOCK	28.99	----

WATER SUCTION & DISCHARGE HOSE

HOSE ACCESSORIES

HIGH PRESSURE CONTRACTORS WATER DISCHARGE



APPLICATION:For use on construction sites and general water service. High pressure allows pumping against greater vertical heads
COVER:Black abrasion and weather resistant synthetic rubber, with embossed brand and pressure.
REINFORCEMENT:Multiple layers of synthetic yarn.
TUBE:Black synthetic rubber compounded for water service.
TEMPERATURE:-35C to +80C(-30F to +180F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
HPCWB-150	1-1/2	1.77	150	100'	0.49	---
HPCWB-200	2	2.28	150	100'	0.48	---
HPCWB-300	3	3.35	150	100'	1.08	---
HPCWB-400	4	4.37	150	100'	1.38	---
HPCWB-600	6	6.46	150	100'	2.62	---

Standard Length: 50'/100'
Recommended Couplings: Cam and groove, combination nipples or short shank. Crimplok camd and groove, Crimplok nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

HIGH PRESSURE WATER DISCHARGE 250



APPLICATION:For use on construction sites and general water service. High pressure allows pumping against greater vertical heads
COVER:Black abrasion and weather resistant synthetic rubber, with embossed brand and pressure.
REINFORCEMENT:Multiple layers of synthetic yarn.
TUBE:Black synthetic rubber compounded for water service.
TEMPERATURE:-35C to +80C(-30F to +180F)

PART #	NOM. ID"	NOM. OD"	PSI	STD PACK	WEIGHT#	LIST PRICE
HPCWB200-150	1-1/2			100'		---
HPCWB250-200	2	2.40	250	100'	1.15	---
HPCWB250-300	3	3.46	250	100'	1.60	---
HPCWB200-400	4	4.48	200	100'	2.15	---

Standard Length: 100'
Recommended Couplings: Cam and groove, combination nipples or short shank. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

SATURN GREEN PVC WATER S&D



APPLICATION:An economical, flexible hose for construction pumps, septic tank & marine pump-out service. Resistant to some chemicals, mild acids & alkalis. Consult us for recommendations.
COVER:Clear abrasion and weather resistant PVC.
REINFORCEMENT:Green PVC helix.
TUBE:Smooth clear PVC.
TEMPERATURE:-20C to +65C(-5F to +150F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
SATG-075	3/4	0.95	29	90	2.00	100	0.16	---
*SATG-100	1	1.24	29	85	3.00	100	0.26	---
*SATG-125	1-1/4	1.54	29	80	4.00	100	0.34	---
*SATG-150	1-1/2	1.81	29	70	6.00	100	0.44	---
*SATG-200	2	2.29	29	65	5.00	100	0.57	---
SATG-250	2-1/2	2.85	29	60	6.00	100	0.87	---
*SATG-300	3	3.43	29	60	12.00	100	1.21	---

Standard Length: 100'
Safety Info: Reduce pressures by 50% at maximum working temperature
Recommended Couplings: Cam and groove, combination nipple or short shank. Crimplok cam and groove, Crimplok nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

SATURN OLIVE GREEN PVC WATER S&D



APPLICATION:AN ECONOMICAL, FLEXIBLE HOSE FOR CONSTRUCTION PUMPS, SEPTIC TANK & MARINE PUMP-OUT SERVICE. RESISTANT TO SOME CHEMICALS, MILD ACIDS & ALKALIS. CONSULT US FOR RECOMMENDATIONS.
COVER:Green abrasion and weather resistant PVC.
REINFORCEMENT:Green PVC helix
TUBE:Smooth green PVC
TEMPERATURE:-20C to +65C(-5F to +150F)

PART #	NOM. ID"	NOM. OD"	VACUUM	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
*SATO-200	2	2.34	29	5.00	100	0.66	---
*SATO-300	3	3.46	29	12.00	100	1.24	---

Standard Length: 100'
Safety Info: Suction and Pressure ratings are based on a temperature of 20C (68F), reduce by 50% at maximum working temperature
Recommended Couplings: Cam and groove, combination nipple or short shank. Crimplok cam and groove, Crimplok nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

WATER SUCTION & DISCHARGE HOSE

HOSE ACCESSORIES

SATURN PVC WATER S&D



APPLICATION:An economical, flexible hose for construction pumps, septic tank & marine pump-out service. Resistant to some chemicals, mild acids & alkalis. Consult us for recommendations. Specially formulated compounds and a slightly corrugated cover allow for increased flexibility at low temperatures.
COVER:Clear abrasion and weather resistant extra soft PVC.
REINFORCEMENT:Blue PVC helix. SAT-XXX-BLK - Black helix
TUBE:Smooth clear extra soft PVC.
TEMPERATURE:-40C to +65C(-40F to +150F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
SAT-200	2	2.35	26	35	5.00	100'	0.49	---
SAT-300	3	3.42	24	30	7.50	100'	0.81	---
SAT-400	4	4.50	22	25	10.00	100'	1.52	---

Standard Length: 100'
Safety Info: Suction and Pressure ratings are based on a temperature of 20C (68F), reduce by 50% at maximum working temperature Recommended Couplings: Cam and groove, combination nipple or short shank. Crimplok cam and groove, Crimplok nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

SATURN WHITE PVC WATER SUCTION AND DISCHARGE HOSE



APPLICATION:An economical, flexible hose for construction pumps, septic tank & marine pump-out service. Resistant to some chemicals, mild acids & alkalis. Consult us for recommendations.
COVER:Clear abrasion and weather resistant PVC.
REINFORCEMENT:White PVC helix.
TUBE:Smooth clear PVC.
TEMPERATURE:-20C to +65C(-5F to +150F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
SATW-100	1	1.18	29	85	3.00	100'	0.19	---
SATW-125	1-1/4	1.47	29	80	3.00	100'	0.29	---
SATW-150	1-1/2	1.72	29	70	4.00	100'	0.35	---
SATW-200	2	2.29	29	65	5.00	100'	0.57	---
SATW-300	3	3.35	29	55	8.00	100'	1.03	---
SATW-400	4	4.45	29	50	10.00	100'	1.78	---

Standard Length: 100'
Safety Info: Suction and Pressure ratings are based on a temperature of 20C (68F), reduce by 50% at maximum working temperature Recommended Couplings: Cam and groove, combination nipple or short shank. Crimplok cam and groove, Crimplok nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

WATER SUCTION & DISCHARGE HOSE

HOSE ACCESSORIES

SUPERFLEX PVC SUCTION



APPLICATION:Specially designed for use in the installation of pool, spa and hot tubs. Can also be used in a variety of water transfer applications where flexible lines are needed to replace rigid piping.
COVER:Soft white PVC
REINFORCEMENT:White PVC helix
TUBE:Smooth white PVC
TEMPERATURE:-20C to +65C(-5F to +150F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
SUPER-200	2	2.39	29	70	7.00	100'	0.75	---

Standard Length: 100'
Product Info: Our warranty does not cover damage caused by rodents or any insect. Not for underground use in areas infested by termites.
Safety Info: Suction and Pressure ratings are based on a temperature of 20C (68F), reduce by 50% at maximum working temperature
Recommended Couplings: SCH40

RUBBER WATER S&D



APPLICATION:A heavy duty wire reinforced rubber suction hose for construction, quarries and general use.
COVER:Black smooth abrasion and weather resistant synthetic rubber. REINFORCEMENT:High tensile wire helix embedded between layers of textile cords. TUBE:Smooth black synthetic rubber.
TEMPERATURE:-30C to +80C(-22F to +180F)


PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST PRICE
WSB-125	1-1/4	1.65	29	150	4.00	100	0.77	---
*WSB-150	1-1/2	1.93	29	150	4.00	100	1.00	---
*WSB-200	2	2.48	29	150	5.00	100	1.37	---
*WSB-300	3	3.50	29	150	10.00	100	2.23	---
*WSB-400	4	4.64	29	150	14.00	100	3.73	---

Standard Length: 3/4" to 4" - 50'/100' -- 5" and 6" - 20'/100' -- 8" - 20'/60' -- 10" - 40' -- 12" - 20'
Recommended Couplings: Cam and groove, combination nipple or short shank. Crimplok cam and groove, Crimplok nipple. Cam and groove,
combination nipple. Crimplok cam and groove, Crimplok combination nipple. All coupling recommendations are to be used as guidelines and are
derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working
pressure of the lowest rated component in the assembly.

WATER SUCTION & DISCHARGE HOSE

HOSE ACCESSORIES

TEXTILE REINFORCED S&D



APPLICATION:GOOD FOR BOTH SUCTION AND DISCHARGE APPLICATIONS, THIS HEAVY DUTY HOSE CAN BE USED FOR RENTAL/CONSTRUCTION PUMPING AS WELL AS FISH SUCTION HOSE.
COVER:Clear abrasion and weather resistant PVC. REINFORCEMENT:Orange PVC helix with high tensile synthetic textile yarn. TUBE:Smooth clear PVC.
TEMPERATURE:-23C to +65C(-10F to +150F)

PART #	NOM. ID"	NOM. OD"	VACUUM	PSI	BEND RADIUS"	STD PACK	WEIGHT#	LIST
*RSPVC -200	2	2.59	29	110	4.00	100	0.65	----
*RSPVC-300	3	3.71	29	100	6.00	100	1.12	---
*RSPVC-400	4	4.78	29	80	7.00	100	1.74	---
*RSPVC-600	6	7.17	28	70	10.50	100	3.87	---

Standard Length: 100'
Safety Info: Reduce pressures by 50% at maximum working temperature
Recommended Couplings: Cam and groove, combination nipple or short shank. Crimplok cam and groove, Crimplok nipple. All coupling recommendations are to be used as guidelines and are derived from past user preference. In some cases the preferred coupling is of a lesser pressure rating than the hose. Never exceed the working pressure of the lowest rated component in the assembly.

CRIMPLOK FERRULES PLATED
HOSE ACCESSORIES



CRIMPLOK FERRULES STEEL PLATED FOR 3/4" HOSE - LD FOR UNIVERSAL

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CFT-08106T-SP	3/4	FLPS075112	1.1875"	2.14"	0.04	---
CFT-08107T-SP	3/4	FLPS075114	1.2188"	2.14"	0.04	---
CFT-08108T-SP	3/4	FLPS075116	1.2500"	2.14"	0.04	---
CFT-08109T-SP	3/4	FLPS075118	1.2812	2.14"	0.04	---

Project Information: For use with CRIMPLOK Universal Crimp fittings (HE-XXXCR-SP). Ferrule thickness is .040"

CRIMPLOK FERRULES STEEL PLATED FOR 3/4" HOSE - HD FOR UNIVERSAL

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-05101S-SP	3/4	FPS050104S	1.0625"	1.41"	0.06	---

Project Information: For use with CRIMPLOK crimp ground joints (GJM/GJS-XXXCR-SP) I.D Tolerance = +/-0.012

CRIMPLOK FERRULES STEEL PLATED FOR 3/4" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-08105-SP	3/4	FPS075120	1.3125"	2.14"	0.06	---

Project Information: For use with CRIMPLOK Universal Crimp fittings (HE-XXXCR-SP). Ferrule thickness is .040"

CRIMPLOK FERRULES STEEL PLATED FOR 1" HOSE - LD FOR UNIVERSAL

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CFT-10114T-SP	1	FLPS100128	1.4375"	2.29"	0.04	---
CFT-10115T-SP	1	FLPS100130	1.4687"	2.29"	0.04	---
CFT-10117T-SP	1	FLPS100134	1.5000"	2.29"	0.04	---
CFT-10118T-SP	1	FLPS100136	1.5312"	2.29"	0.04	---

Project Information: For use with CRIMPLOK Universal Crimp fittings (HE-XXXCR-SP). Ferrule thickness is .040"

CRIMPLOK FERRULES STEEL PLATED FOR 1" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-10109-SP	1	FPS100136	1.5625"	2.29"	0.06	---
CF-10110-SP	1	FPS100140	1.6250"	2.29"	0.06	---
CF-10111-SP	1	FPS100144	1.6875"	2.29"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGC/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 1-1/4" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-13113-SP	1-1/4	FPS125152	1.8125"	2.32"	0.06	---
CF-13114-SP	1-1/4	FPS125156	1.8750"	2.32"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGC/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES PLATED

HOSE ACCESSORIES



CRIMPLOK FERRULES STEEL PLATED FOR 1-1/2" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-15115-SP	1-1/2	FPS150160	1.9375"	2.36"	0.06	---
CF-15201-SP	1-1/2	FPS150204	2.0625"	2.36"	0.06	---
CF-15202-SP	1-1/2	FPS150208	2.1250"	2.36"	0.06	---
CF-15203-SP	1-1/2	FPS150212	2.1875"	2.36"	0.06	---
CF-15205-SP	1-1/2	FPS150220	2.3125	2.36"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 1-1/2" HOSE - LONG

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-15202L-SP	1-1/2	FPS150208L	2.1250"	2.91	0.06	---

Project Information: For use with CRIMPLOK ground joint fittings (GJM/GJS-XXXCR-SP) and CRIMPLOK long crimp combination nipples (CNL-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 2" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-20208-SP	2	FPS200232	2.5000"	2.79"	0.06	---
CF-20209-SP	2	FPS200236	2.5625"	2.79"	0.06	---
CF-20210-SP	2	FPS200240	2.6250"	2.79"	0.06	---
CF-20211-SP	2	FPS200244	2.6875"	2.79"	0.06	---
CF-20212-SP	2	FPS200248	2.7500"	2.79"	0.06	---
CF-20213-SP	2	FPS200252	2.8125"	2.79"	0.06	---
CF-20214-SP	2	FPS200256	2.8750"	2.79"	0.06	---
CF-20215-SP	2	FPS200260	2.9375"	2.79"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 2" HOSE - LONG

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-20209L-SP	2	FPS200236L	2.5625"	3.41"	0.06	---
CF-20211L-SP	2	FPS200244L	2.6875"	3.41"	0.06	---
CF-20212L-SP	2	FPS200248L	2.7500"	3.41"	0.06	---
CF-20213L-SP	2	FPS200252L	2.8125"	3.41"	0.06	---

Project Information: For use with CRIMPLOK ground joint fittings (GJM/GJS-XXXCR-SP) and CRIMPLOK long crimp combination nipples (CNL-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES PLATED

HOSE ACCESSORIES

CRIMPLOK FERRULES STEEL PLATED FOR 2-1/2" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-25303-SP	2-1/2	FPS250312	3.1875"	3.11"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 2-1/2" HOSE - LONG

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-25303L-SP	2-1/2	FPS250312L	3.1875"	3.88"	0.06	---

Project Information: For use with CRIMPLOK ground joint fittings (GJM/GJS-XXXCR-SP) and CRIMPLOK long crimp combination nipples (CNL-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 3" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-30309-SP	3	FPS300336	3.5625"	3.94"	0.09	---
CF-30310-SP	3	FPS300340	3.6250"	3.94"	0.09	---
CF-30311-SP	3	FPS300344	3.6875"	3.94"	0.09	---
CF-30312-SP	3	FPS300348	3.7500"	3.94"	0.09	---
CF-30313-SP	3	FPS300352	3.8125"	3.94"	0.09	---
CF-30314-SP	3	FPS300356	3.8750"	3.94"	0.09	---
CF-30315-SP	3	FPS300360	3.9375"	3.94"	0.09	---
CF-30400-SP	3	FPS300400	4.000"	3.94"	0.09	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 3" HOSE - LONG

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-30310L-SP	3	FPS300340L	3.6250"	4.36"	0.09	---
CF-30311L-SP	3	FPS300344L	3.6875"	4.36"	0.09	---
CF-30312L-SP	3	FPS300348L	3.7500"	4.36"	0.09	---
CF-30313L-SP	3	FPS300352L	3.8125"	4.36"	0.09	---
CF-30314L-SP	3	FPS300356L	3.8750"	4.36"	0.09	---
CF-30315L-SP	3	FPS300360L	3.9375"	4.36"	0.09	---
CF-30400L-SP	3	FPS300400L	4.000"	4.36"	0.09	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES PLATED

HOSE ACCESSORIES



CRIMPLOK FERRULES STEEL PLATED FOR 4" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-40409-SP	4	FPS400436	4.5625"	4.19"	0.09	---
CF-40410-SP	4	FPS400440	4.6250"	4.19"	0.09	---
CF-40411-SP	4	FPS400444	4.6875"	4.19"	0.09	---
CF-40412-SP	4	FPS400448	4.7500"	4.19"	0.09	---
CF-40413-SP	4	FPS400452	4.8125"	4.19"	0.09	---
CF-40414-SP	4	FPS400456	4.8750"	4.19"	0.09	---
CF-40415-SP	4	FPS400460	4.9375"	4.19"	0.09	---
CF-40500-SP	4	FPS400500	5.000"	4.19"	0.09	---
CF-40501-SP	4	FPS400504	5.0625"	4.19"	0.09	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 4" HOSE - LONG

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-40410L-SP	4	FPS400440L	4.6250"	5.20"	0.09	---
CF-40411L-SP	4	FPS400444L	4.6875"	5.20"	0.09	---
CF-40412L-SP	4	FPS400448L	4.7500"	5.20"	0.09	---
CF-40413L-SP	4	FPS400452L	4.8125"	5.20"	0.09	---
CF-40414L-SP	4	FPS400456L	4.8750"	5.20"	0.09	---
CF-40415L-SP	4	FPS400460L	4.9375"	5.20"	0.09	---
CF-40500L-SP	4	FPS400500L	5.000"	5.20"	0.09	---
CF-40501L-SP	4	FPS400504L	5.0625"	5.20"	0.09	---

Project Information: For use with CRIMPLOK ground joint fittings (GJM/GJS-XXXCR-SP) and CRIMPLOK long crimp combination nipples (CNL-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STEEL PLATED FOR 6" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-60610-SP	6	FPS600640	6.6250"	5.67"	0.12	---
CF-60612-SP	6	FPS600648	6.7500"	5.67"	0.12	---
CF-60614-SP	6	FPS600656	6.8750"	5.67"	0.12	---
CF-60702-SP	6	FPS600708	7.1250"	5.67"	0.12	---
CF-60704-SP	6	FPS600716	7.2500"	5.67"	0.12	---

Project Information: For use with CRIMPLOK ground joint fittings (GJM/GJS-XXXCR-SP) and CRIMPLOK long crimp combination nipples (CNL-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STAINLESS

HOSE ACCESSORIES



CRIMPLOK FERRULES STAINLESS 304 FOR 1/2" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-05101-SS304	1/2	FSS050104	1.0625"	2.14"	0.06	---
CF-05102-SS304	1/2	FSS050108	1.1250"	2.14"	0.06	---

Project Information: For use with CRIMPLOK crimp ground joints (GJM/GJS-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STAINLESS 304 FOR 3/4" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-08105-SS304	3/4	FSS075120	1.3125"	2.14"	0.06	---
CF-08106-SS304	3/4	FSS075124	1.3750"	2.14"	0.06	---
CF-08108-SS304	3/4	FSS075132	1.5000"	2.14"	0.06	---

Project Information: For use with CRIMPLOK crimp ground joints (GJM/GJS-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STAINLESS 304 FOR 3/4" HOSE - LD FOR UNIVERSAL

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CFT-08104T-SS304	3/4	FLSS075108	1.1250"	2.14"	0.04	---
CFT-08106T-SS304	3/4	FLSS075112	1.1875"	2.14"	0.04	---
CFT-08107T-SS304	3/4	FLSS075114	1.2188"	2.14"	0.04	---
CFT-08108T-SS304	3/4	FLSS075116	1.2500"	2.14"	0.04	---
CFT-08109T-SS304	3/4	FLSS075118	1.2812"	2.14"	0.04	---

Project Information: For use with CRIMPLOK Universal crimp fittings (HE-XXXCR-SP) Ferrule thickness is .040"

CRIMPLOK FERRULES STAINLESS 304 FOR 1" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-10108-SS304	1	FSS100132	1.5000"	2.29"	0.06	---
CF-10109-SS304	1	FSS100136	1.5625"	2.29"	0.06	---
CF-10110-SS304	1	FSS100140	1.6250"	2.29"	0.06	---
CF-10111-SS304	1	FSS100144	1.6875"	2.29"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STAINLESS 304 FOR 1" HOSE - LD FOR UNIVERSAL

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CFT-10117T-SS304	1	FLSS100134	1.5312"	2.29"	0.04	---

Project Information: For use with CRIMPLOK Universal crimp fittings (HE-XXXCR-SP) Ferrule thickness is .040"

CRIMPLOK FERRULES STAINLESS

HOSE ACCESSORIES



CRIMPLOK FERRULES STAINLESS 304 FOR 1-1/4" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-13114-SS304	1-1/4	FSS125156	1.8750"	2.32"	0.06	---
CF-13115-SS304	1-1/4	FSS125160	1.9375"	2.32"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SP) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STAINLESS 304 FOR 1-1/2" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-15115-SS304	1-1/2	FSS150160	1.9375"	2.36"	0.06	---
CF-15200-SS304	1-1/2	FSS150200	2.000"	2.36"	0.06	---
CF-15201-SS304	1-1/2	FSS150204	2.0625"	2.36"	0.06	---
CF-15202-SS304	1-1/2	FSS150208	2.1250"	2.36"	0.06	---
CF-15203-SS304	1-1/2	FSS150212	2.1875"	2.36"	0.06	---
CF-15204-SS304	1-1/2	FSS150216	2.2500"	2.36"	0.06	---
CF-15205-SS304	1-1/2	FSS150220	2.3125"	2.36"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SS316) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STAINLESS 304 FOR 2" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-20208-SS304	2	FSS200232	2.5000"	2.79"	0.06	---
CF-20209-SS304	2	FSS200236	2.5625"	2.79"	0.06	---
CF-20210-SS304	2	FSS200240	2.6250"	2.79"	0.06	---
CF-20211-SS304	2	FSS200244	2.6875"	2.79"	0.06	---
CF-20212-SS304	2	FSS200248	2.7500"	2.79"	0.06	---
CF-20213-SS304	2	FSS200252	2.8125"	2.79"	0.06	---
CF-20214-SS304	2	FSS200256	2.8750"	2.79"	0.06	---

Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SS316) I.D. Tolerance = +/-0.012"

CRIMPLOK FERRULES STAINLESS 304 FOR 3" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-30309-SS304	3	FSS300336	3.5625"	3.94"	0.10	---
CF-30310-SS304	3	FSS300340	3.6250"	3.94"	0.10	---
CF-30311-SS304	3	FSS300344	3.6875"	3.94"	0.10	---
CF-30312-SS304	3	FSS300348	3.7500"	3.94"	0.10	---
CF-30313-SS304	3	FSS300352	3.8125"	3.94"	0.10	---
CF-30314-SS304	3	FSS300356	3.8750"	3.94"	0.10	---
CF-30315-SS304	3	FSS300360	3.9375"	3.94"	0.10	---
CF-30400-SS304	3	FSS300400	4.000"	3.94"	0.10	---


Project Information: For use with CRIMPLOK crimp cam and groove fitting (CGE/CGE-XXXCR-A1) and CRIMPLOK crimp combination nipples (CNT-XXXCR-SS316) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES ALUMINUM
HOSE ACCESSORIES

CRIMPLOK FERRULES STAINLESS 304 FOR 4" HOSE

PART#	SIZE	CAMPBELL PART	FERRULE ID"	FERRULE LENGTH"	WALL THICKNESS	LIST PRICE
CF-40410-SS304	4	FSS400440	4.6250"	4.19"	0.10	---
CF-40411-SS304	4	FSS400444	4.6875"	4.19"	0.10	---
CF-40412-SS304	4	FSS400448	4.7500"	4.19"	0.10	---
CF-40413-SS304	4	FSS400452	4.8125"	4.19"	0.10	---
CF-40414-SS304	4	FSS400456	4.8750"	4.19"	0.10	---
CF-40415-SS304	4	FSS400500	5.000"	4.19"	0.10	---

Project Information: For use with crimp cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"



CRIMPLOK SLEEVES ALUMINUM FOR 2" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-20209-A	2	SAL200236	2.5625"	2.79"	0.12	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES ALUMINUM FOR 2" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-20210-A	2	SAL200240	2.6250"	2.79"	0.12	---
CSL-20211-A	2	SAL200244	2.6875"	2.79"	0.12	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES ALUMINUM FOR 3" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-30310-A	3	SAL300340	3.6250"	3.94"	0.12	---
CSL-30313-A	3	SAL300352	3.8125"	3.94"	0.12	---
CSL-30314-A	3	SAL300356	3.8750"	3.94"	0.12	---
CSL-30315-A	3	SAL300360	3.9375"	3.94"	0.12	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES ALUMINUM FOR 4" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-40411-A	4	SAL400444	4.6875"	4.19"	0.12	---
CSL-40412-A	4	SAL400448	4.7500"	4.19"	0.12	---
CSL-40413-A	4	SAL400452	4.8125"	4.19"	0.12	---
CSL-40414-A	4	SAL400456	4.8750"	4.19"	0.12	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES PLATED

HOSE ACCESSORIES



CRIMPLOK SLEEVES STEEL PLATED FOR 2" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-08106-SP	3/4	SPS075124	1.3750"	2.14"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 3/4" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-05100S-SP	1/2	SPS050100S	1.0000"	0.91"	0.06	---
CSL-08102S-SP	3/4	SPS075108S	1.1250"	1.10"	0.06	---
CSL-08105S-SP	3/4	SPS075120S	1.3125"	1.10"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-S/SP) and short shank fittings (PL-XXX-AD) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 1" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-10107-SP	1	SPS100128	1.4375"	2.29"	0.06	---
CSL-10108-SP	1	SPS100132	1.5000"	2.29"	0.06	---
CSL-10109-SP	1	SPS100136	1.5625"	2.29"	0.06	---
CSL-10110-SP	1	SPS100140	1.6250"	2.29"	0.06	---
CSL-10111-SP	1	SPS100144	1.6875"	2.29"	0.06	---
CSL-10112-SP	1	SPS100148	1.7500"	2.29"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 1" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-10107S-SP	1	SPS100128S	1.4375"	2.26"	0.06	---
CSL-10108S-SP	1	SPS100132S	1.5000"	2.26"	0.06	---
CSL-10109S-SP	1	SPS100136S	1.5625"	2.26"	0.06	---
CSL-10111S-SP	1	SPS100144S	1.6875"	2.26"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-S/SP) and short shank fittings (PL-XXX-AD) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 1-1/4" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-13113S-SP	1-1/4	SPS125152S	1.8125"	1.26"	0.06	---
CSL-13114S-SP	1-1/4	SPS125156S	1.8750"	1.26"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-S/SP) and short shank fittings (PL-XXX-AD) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES PLATED

HOSE ACCESSORIES

CRIMPLOK SLEEVES STEEL PLATED FOR 1-1/2" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-15112-SP	1-1/2	SPS150148	1.7500"	2.36"	0.06	---
CSL-15115-SP	1-1/2	SPS150160	1.9375"	2.36"	0.06	---
CSL-15200-SP	1-1/2	SPS150200	2.0000"	2.36"	0.06	---
CSL-15201-SP	1-1/2	SPS150204	2.0625"	2.36"	0.06	---
CSL-15202-SP	1-1/2	SPS150208	2.1250"	2.36"	0.06	---
CSL-15203-SP	1-1/2	SPS150212	2.1875"	2.36"	0.06	---
CSL-15204-SP	1-1/2	SPS150216	2.2500"	2.36"	0.06	---
CSL-15205-SP	1-1/2	SPS150220	2.3125"	2.36"	0.06	---
CSL-15206-SP	1-1/2	SPS150224	2.3750"	2.36"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 1-1/2" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-15202S-SP	1-1/2	SPS150208S	2.1250"	1.46"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-S/SP) and short shank fittings (PL-XXX-AD) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 2" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-20204-SP	2	SPS200216	2.2500"	2.79"	0.06	---
CSL-20206-SP	2	SPS200224	2.3750"	2.79"	0.06	---
CSL-20207-SP	2	SPS200228	2.4375"	2.79"	0.06	---
CSL-20208-SP	2	SPS200232	2.5000"	2.79"	0.06	---
CSL-20209-SP	2	SPS200236	2.5625"	2.79"	0.06	---
CSL-20210-SP	2	SPS200240	2.6250"	2.79"	0.06	---
CSL-20211-SP	2	SPS200244	2.6875"	2.79"	0.06	---
CSL-20212-SP	2	SPS200248	2.7500"	2.79"	0.06	---
CSL-20213-SP	2	SPS200252	2.8125"	2.79"	0.06	---
CSL-20214-SP	2	SPS200256	2.8750"	2.79"	0.06	---
CSL-20215-SP	2	SPS200260	2.9375"	2.79"	0.06	---
CSL-20300-SP	2	SPS200300	3.0000"	2.79"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 2" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-20206S-SP	2	SPS200224S	2.3750"	1.81"	0.06	---
CSL-20207S-SP	2	SPS200228S	2.4375"	1.81"	0.06	---
CSL-20209S-SP	2	SPS200236S	2.5625"	1.81"	0.06	---
CSL-20210S-SP	2	SPS200240S	2.6250"	1.81"	0.06	---
CSL-20211S-SP	2	SPS200244S	2.6875"	1.81"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-S/SP) and short shank fittings (PL-XXX-AD) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES PLATED

HOSE ACCESSORIES



CRIMPLOK SLEEVES STEEL PLATED FOR 2-1/2" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-25302-SP	2-1/2	SPS250308	3.1250"	3.11"	0.06	---
CSL-25306-SP	2-1/2	SPS250324	3.3750"	3.11"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 3" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-30304-SP	3	SPS300316	3.2500"	3.94"	0.09	---
CSL-30306-SP	3	SPS300324	3.3750"	3.94"	0.09	---
CSL-30307-SP	3	SPS300328	3.4375"	3.94"	0.09	---
CSL-30308-SP	3	SPS300332	3.5000"	3.94"	0.09	---
CSL-30309-SP	3	SPS300336	3.5625"	3.94"	0.09	---
CSL-30310-SP	3	SPS300340	3.6250"	3.94"	0.09	---
CSL-30311-SP	3	SPS300344	3.6875"	3.94"	0.09	---
CSL-30312-SP	3	SPS300348	3.7500"	3.94"	0.09	---
CSL-30313-SP	3	SPS300352	3.8125"	3.94"	0.09	---
CSL-30314-SP	3	SPS300356	3.8750	3.94"	0.09	---
CSL-30400-SP	3	SPS300400	4.000"	3.94"	0.09	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 3" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-30306S-SP	3	SPS300324S	3.3750"	2.44"	0.09	---
CSL-30308S-SP	3	SPS300332S	3.5000"	2.44"	0.09	---
CSL-30309S-SP	3	SPS300336S	3.5625"	2.44"	0.09	---
CSL-30310S-SP	3	SPS300340S	3.6250"	2.44"	0.09	---
CSL-30311S-SP	3	SPS300344S	3.6875"	2.44"	0.09	---
CSL-30312S-SP	3	SPS300348S	3.7500"	2.44"	0.09	---
CSL-30313S-SP	3	SPS300352S	3.8125"	2.44"	0.09	---
CSL-30314S-SP	3	SPS300356S	3.8750"	2.44"	0.09	---

Project Information: For use with regular combination nipples (CNT-XXX-S/SP) and short shank fittings (PL-XXX-AD) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 4" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-40406-SP	4	SPS400424	4.3750"	4.19"	0.09	---
CSL-40408-SP	4	SPS400432	4.5000"	4.19"	0.09	---
CSL-40409-SP	4	SPS400436	4.5625"	4.19"	0.09	---
CSL-40410-SP	4	SPS400440	4.6250"	4.19"	0.09	---
CSL-40411-SP	4	SPS400444	4.6875"	4.19"	0.09	---
CSL-40412-SP	4	SPS400448	4.7500"	4.19"	0.09	---
CSL-40413-SP	4	SPS400452	4.8125"	4.19"	0.09	---
CSL-40414-SP	4	SPS400456	4.8750"	4.19"	0.09	---
CSL-40415-SP	4	SPS400460	4.9375"	4.19"	0.09	---
CSL-40500-SP	4	SPS400500	5.0000"	4.19"	0.09	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 4" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-40410S-SP	4	SPS400440S	4.6250"	3.31"	0.09	---
CSL-40411S-SP	4	SPS400444S	4.6875"	3.31"	0.09	---
CSL-40412S-SP	4	SPS400448S	4.7500"	3.31"	0.09	---
CSL-40413S-SP	4	SPS400452S	4.8125"	3.31"	0.09	---
CSL-40414S-SP	4	SPS400456S	4.9375"	3.31"	0.09	---
CSL-40500S-SP	4	SPS400500S	5.0000"	3.31"	0.09	---

Project Information: For use with regular combination nipples (CNT-XXX-S/SP) and short shank fittings (PL-XXX-AD) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 6" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-60604-SP	6	SPS600616	6.2500"	5.67"	0.12	---
CSL-60606-SP	6	SPS600624	6.3750"	5.67"	0.12	---
CSL-60608-SP	6	SPS600632	6.5000"	5.67"	0.12	---
CSL-60610-SP	6	SPS600640	6.6250"	5.67"	0.12	---
CSL-60612-SP	6	SPS600648	6.7500"	5.67"	0.12	---
CSL-60614-SP	6	SPS600656	6.8750"	5.67"	0.12	---
CSL-60700-SP	6	SPS600700	7.0000"	5.67"	0.12	---
CSL-60702-SP	6	SPS600708	7.1250"	5.67"	0.12	---
CSL-60704-SP	6	SPS600716	7.2500"	5.67"	0.12	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STEEL PLATED FOR 8" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-80812-SP	8	SPS800848	8.7500"	6.50"	0.12	---
CSL-80900-SP	8	SPS800900	9.0000"	6.50"	0.12	---
CSL-80904-SP	8	SPS800916	9.2500"	6.50"	0.12	---
CSL-80908-SP	8	SPS800932	9.5000"	6.50"	0.12	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS

HOSE ACCESSORIES

CRIMPLOK SLEEVES STEEL PLATED FOR 10" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-100108-SP	10	SPS100132	10.5000"	7.25"	0.12	---
CSL-100114-SP	10	SPS100156	10.8750"	7.25"	0.12	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXXCR-A1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"



CRIMPLOK SLEEVES STAINLESS 304 FOR 1/2" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-05100S-SS304	1/2	SSS050100S	1.000"	0.91"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-SS/SS316) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 3/4" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-08104-SS304	3/4	SSS075116	1.2500"	2.14"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-SS1), CRIMPLOK crimp long combination nipples (CNL-XXXCR-SP) and CRIMPLOK (CNT/G-XXXCS-S/P) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 3/4" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-08104S-SS304	3/4	SSS075116S	1.2500"	1.10"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-SS/SS316) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 1" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-10108-SS304	1	SSS100132	1.5000"	2.29"	0.06	---
CSL-10110-SS304	1	SSS100140	1.6250"	2.29"	0.06	---
CSL-10112-SS304	1	SSS100148	1.7500"	2.29"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-SS1) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 1" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-10109S-SS304	1	SSS100136S	1.5625"	1.26"	0.06	---
CSL-10110S-SS304	1	SSS100140S	1.6250"	1.26"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-SS/SS316) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 1-1/4" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-13114-SS304	1-1/4	SSS125156	1.8750"	2.32"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-SS1) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 1-1/4" HOSE - SHORT

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-13113S-SS304	1-1/4	SSS125152S	1.8125"	1.26"	0.06	---

Project Information: For use with regular combination nipples (CNT-XXX-SS/SS316) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 1-1/2" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-15201-SS304	1-1/2	SSS150204	2.0625"	2.36"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-SS1) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 2" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-20206-SS304	2	SSS200224	2.3750"	2.79"	0.06	---
CSL-20207-SS304	2	SSS200228	2.4375"	2.79"	0.06	---
CSL-20208-SS304	2	SSS200232	2.5000"	2.79"	0.06	---
CSL-20209-SS304	2	SSS200236	2.5625"	2.79"	0.06	---
CSL-20210-SS304	2	SSS200240	2.6250"	2.79"	0.06	---
CSL-20211-SS304	2	SSS200244	2.6875"	2.79"	0.06	---
CSL-20212-SS304	2	SSS200248	2.7500"	2.79"	0.06	---
CSL-20214-SS304	2	SSS200256	2.8750"	2.79"	0.06	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-SS1) I.D. Tolerance = +/-0.012"

CRIMPLOK SLEEVES STAINLESS 304 FOR 3" HOSE

PART#	SIZE	CAMPBELL PART	SLEEVE ID"	SLEEVE LENGTH"	WALL THICKNESS	LIST PRICE
CSL-30309-SS304	3	SSS300336	3.5625"	3.94"	0.10	---
CSL-30310-SS304	3	SSS300340	3.6250"	3.94"	0.10	---
CSL-30311-SS304	3	SSS300344	3.6875"	3.94"	0.10	---
CSL-30312-SS304	3	SSS300348	3.7500"	3.94"	0.10	---
CSL-30313-SS304	3	SSS300352	3.8125"	3.94"	0.10	---
CSL-30314-SS304	3	SSS300356	3.8750"	3.94"	0.10	---

Project Information: For use with cam and groove fitting (CGE/CGE-XXX-SS1) I.D. Tolerance = +/-0.012"

HOSE CLAMPS





WORM GEAR



QUICK RELEASE



MEGA & MAXI T-BOLT CLAMPS



SPRING LOADED T-BOLT



CONSTANT TORQUE & V-BAND



DOUBLE BOLT CLAMP





SPIRAL CLAMP
MAXI CLAMP



MUFFLER & EXHAUST



1 EAR, 2 EAR, GAPLESS



HAMMERLOCK & PUNCH-LOK



TOOLS



NON-PERFORATED OR LINED BAND MARINE CLAMPS



RUBBER LINED



HOSE FERRULES

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

WORM GEAR CLAMPS

MINIATURE CLAMPS - 5/16" BAND



300 Series
- 1/4" Hex Slotted Carbon Steel Screw
- 5/16" Wide 301 Stainless Steel Band
- Carbon Steel Housing

Applications: For marine, agricultural, industrial and automotive uses. Corrosion resistance varies with stainless components.

Mechanically interlocked, 3 piece construction for service sealing pressure without spot welding.

Stainless Steel band with Carbon Steel Housing and Screw

5/16" band, 1/4" screw

PART #	DIA. RANGE		BOX/CASE	LIST PRICE
	MIN.	MAX.		
3000004	7/32"	5/8"	200/2400	---
300005	7/16"	11/16"	200/2400	---
3000006	5/16"	7/8"	200/2400	---
3000008	7/16"	1"	200/1200	---
300010	1/2"	1-1/16"	200/1200	---
300012	9/16"	1-1/4"	200/1200	---
300016	11/16"	1-1/2"	200/1200	---
3000020	7/8"	1-3/4"	200/1200	---

1/2" BAND CLAMPS



600 Series
- 5/16" Hex Slotted Carbon Steel Screw
- 1/2" Wide 201 Stainless Steel Band
- Carbon Steel Housing

Applications: A general purpose clamp for automobiles, plumbing, home and garden general clamping applications, with anti-corrosive properties varying with the number of components made from stainless steel.

- No PSI Rating
- 50lb/ Inch Torque Rating Die Set Function

Stainless Steel band with Carbon Steel Housing and Screw

1/2" band, 5/16" screw

PART #	#	DIA. RANGE		BAG/CASE	LIST PRICE
		MIN.	MAX.		
600006	6	3/8"	7/8"	100/600	---
600008	8	7/16"	1"	100/600	---
600010	10	9/16"	1-1/16"	100/600	---
600012	12	9/16"	1-1/4"	100/600	---
600016	16	11/16"	1-1/2"	100/600	---
600020	20	3/4"	1-3/4"	100/300	---
600024	24	1-1/16"	2"	100/300	---
600028	28	1-5/16"	2-1/4"	100/300	---
600032	32	1-9/16"	2-1/2"	100/300	---
600036	36	1-13/16"	2-3/4"	50/200	---
600040	40	2-1/16"	3"	50/200	---
600044	44	2-5/16"	3-1/4"	50/200	---
600048	48	2-9/16"	3-1/2"	50/200	---
600052	52	2-13/16"	3-3/4"	25/100	---
600056	56	3-1/16"	4"	25/100	---
600060	60	3-5/16"	4-1/4"	25/100	---
600064	64	2-1/2"	4-1/2"	25/100	---
600072	72	3"	5"	25/100	---
600080	80	3-1/2"	5-1/2"	10/100	---
600088	88	4"	6"	10/100	---
600096	96	4-1/2"	6-1/2"	10/100	---
600104	104	5"	7"	10/100	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

325 & 611 WORM GEAR CLAMPS

HOSE CLAMPS

MINIATURE CLAMPS - 5/16" BAND



325 Series
- 1/4" Hex Slotted Carbon Steel Screw
- 5/16" Wide 301 Stainless Steel Band
- 301 Stainless Steel Housing

Stainless Steel band and housing with Carbon Steel Screw

5/16" band, 1/4" screw

PART #	DIA. RANGE		BOX/CASE	LIST PRICE
	MIN.	MAX.		
325004	7/32"	5/8"	200/2400	---
325005	7/16"	11/16"	200/2400	---
325006	5/16"	7/8"	200/2400	---
325008	7/16"	1"	200/1200	---
325010	1/2"	1-1/16"	200/1200	---
325012	9/16"	1-1/4"	200/1200	---
325016	11/16"	1-1/2"	200/1200	---
325020	7/8"	1-3/4"	200/1200	---

Applications: For agricultural, industrial and automotive uses. Corrosion resistance varies with stainless components.

Mechanically interlocked, 3 piece construction for service sealing pressure without spot welding.

1/2" BAND CLAMPS



611 Series
- 5/16" Hex Slotted Carbon Steel Screw
- 1/2" Wide 201 Stainless Steel Band
- 301 Stainless Steel Housing

Applications: The perfect clamp for automobiles, plumbing, home and garden general clamping applications, with anti-corrosive properties varying with the number of components made from stainless steel.

- No PSI Rating
- 50lb/ Inch Torque Rating Die Set Function

Stainless Steel band and housing with Carbon Steel Screw

1/2" band, 5/16" screw

PART #	#	DIA. RANGE		BAG/CASE	LIST PRICE
		MIN.	MAX.		
611006	6	3/8"	7/8"	100/600	---
611008	8	7/16"	1"	100/600	---
611010	10	9/16"	1-1/16"	100/600	---
611012	12	9/16"	1-1/4"	100/600	---
611016	16	11/16"	1-1/2"	100/600	---
611020	20	3/4"	1-3/4"	100/300	---
611024	24	1-1/16"	2"	100/300	---
611028	28	1-5/16"	2-1/4"	100/300	---
611032	32	1-9/16"	2-1/2"	100/300	---
611036	36	1-13/16"	2-3/4"	50/200	---
611040	40	2-1/16"	3"	50/200	---
611044	44	2-5/16"	3-1/4"	50/200	---
611048	48	2-9/16"	3-1/2"	50/200	---
611052	52	2-13/16"	3-3/4"	25/100	---
611056	56	3-1/16"	4"	25/100	---
611060	60	3-5/16"	4-1/4"	25/100	---
611064	64	2-1/2"	4-1/2"	25/100	---
611072	72	3"	5"	25/100	---
611080	80	3-1/2"	5-1/2"	10/100	---
611088	88	4"	6"	10/100	---
611096	96	4-1/2"	6-1/2"	10/100	---
611104	104	5"	7"	10/100	---
611116	116	5-3/4"	7-3/4"	100/100	---
611128	128	6-1/2"	8-1/2"	100/100	---
611152	152	2"	10"	100/100	---
611164	164	1-3/4"	10-3/4"	100/100	---
611176	176	9-1/4"	11-1/4"	100/100	---
611188	188	2-1/16"	12-1/4"	100/100	---
611200	200	11"	13"	100/100	---
611212	212	11-3/4"	13-3/4"	100/100	---
611224	224	12-1/2"	14-1/2"	100/100	---
611248	248	10-3/4"	16"	100/100	---
611270	270	15-3/8"	17-3/8"	100/100	---
611312	312	18"	20"	100/100	---
611332	332	19-1/8"	21-1/4"	100/100	---
611390	390	22-7/8"	24-7/8"	100/100	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

350 & 620 WORM GEAR CLAMPS

HOSE CLAMPS

MINIATURE CLAMPS - 5/16" BAND



350 Series
- 1/4" Hex Slotted 410 Stainless Steel Screw
- 5/16" Wide 301 Stainless Steel Band
- 301 stainless Steel Housing
- 6mm thick

All Stainless Steel
5/16" band, 1/4" screw

PART #	DIA. RANGE		BOX/CASE	LIST PRICE
	MIN.	MAX.		
350004	7/32"	5/8"	200/2400	---
350005	7/16"	11/16"	200/2400	---
350006	5/16"	7/8"	200/2400	---
350008	7/16"	1"	200/1200	---
350010	1/2"	1-1/16"	200/1200	---
350012	9/16"	1-1/4"	200/1200	---
350016	11/16"	1-1/2"	200/1200	---
350020	7/8"	1-3/4"	200/1200	---

Applications: For agricultural, industrial and automotive uses. Corrosion resistance varies with stainless components.

Mechanically interlocked, 3 piece construction for service sealing pressure without spot welding.

1/2" WIDE BAND CLAMPS (12.70MM)



620 Series
- 5/16" Hex Slotted 305 Stainless Steel Screw
- 1/2" Wide 301 Stainless Steel Band
- 301 Stainless Steel Housing

- 60mm Thickness
- Use for underground and other high corrosive applications.
- For a sure grip application.
- Especially suited to industrial applications

All Stainless Steel
1/2" band, 5/16" screw

PART #	#	DIA. RANGE		BOX/CASE	LIST PRICE
		MIN.	MAX.		
620006	6	3/8"	7/8"	100/600	---
620008	8	7/16"	1"	100/600	---
620010	10	9/16"	1-1/16"	100/600	---
620012	12	9/16"	1-1/4"	100/600	---
620016	16	11/16"	1-1/2"	100/600	---
620020	20	3/4"	1-3/4"	100/300	---
620024	24	1-1/16"	2"	100/300	---
620028	28	1-5/16"	2-1/4"	100/300	---
620032	32	1-9/16"	2-1/2"	100/300	---
620036	36	1-13/16"	2-3/4"	50/200	---
620040	40	2-1/16"	3"	50/200	---
620044	44	2-5/16"	3-1/4"	50/200	---
620048	48	2-9/16"	3-1/2"	50/200	---
620052	52	2-13/16"	3-3/4"	25/100	---
620056	56	3-1/16"	4"	25/100	---
620060	60	3-5/16"	4-1/4"	25/100	---
620064	64	2-1/2"	4-1/2"	25/100	---
620072	72	3"	5"	25/100	---
620080	80	3-1/2"	5-1/2"	10/100	---
620088	88	4"	6"	10/100	---
620096	96	4-1/2"	6-1/2"	10/100	---
620104	104	5"	7"	10/100	---
620116	116	5-3/4"	7-3/4"	100/100	---
620128	128	6-1/2"	8-1/2"	100/100	---
620152	152	2"	10"	100/100	---
620164	164	1-3/4"	10-3/4"	100/100	---
620176	176	9-1/4"	11-1/4"	100/100	---
620188	188	9.9"	12-1/4"	100/100	---
620200	200	11"	13"	100/100	---
620212	212	11-3/4"	13-3/4"	100/100	---
620224	224	12-1/2"	14-1/2"	100/100	---
620248	248	10-3/4"	16"	100/100	---
620270	270	15-3/8"	17-3/8"	100/100	---
620312	312	18"	20"	100/100	---
620332	332	19-1/8"	21-1/4"	100/100	---
620390	390	22-7/8"	24-7/8"	100/100	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

#316 MARINE WORM GEAR CLAMPS

HOSE CLAMPS

MINIATURE CLAMPS - 5/16" BAND



All #316 SS for Marine Environments

5/16" band, 1/4" screw

PART #	DIA. RANGE		BOX/CASE	LIST PRICE
	MIN.	MAX.		
350004SS	7/32"	5/8"	200/2400	---
350005SS	7/16"	11/16"	200/2400	---
350006SS	5/16"	7/8"	200/2400	---
350008SS	7/16"	1"	200/1200	---
350010SS	1/2"	1-1/16"	200/1200	---
350012SS	9/16"	1-1/4"	200/1200	---
350016SS	11/16"	1-1/2"	200/1200	---
350020SS	7/8"	1-3/4"	200/1200	---

350SS Series

- 1/4" Hex Slotted 316 Stainless Steel Screw
- 316 Stainless Steel Band
- 8mm wide
- 60 mm thick
- 316 stainless Steel Housing

Applications: For marine, agricultural, industrial and automotive uses. Corrosion resistance varies with stainless components.

Mechanically interlocked, 3 piece construction for service sealing pressure without spot welding.

1/2" WIDE BAND CLAMPS (12.70MM)



All #316 SS for Marine Environments

1/2" band, 5/16" screw

ALL 316SS PART #	#	DIA. RANGE		BOX/CASE	LIST PRICE
		MIN.	MAX.		
620006SS	6	3/8"	7/8"	100/600	---
620008SS	8	7/16"	1"	100/600	---
620010SS	10	9/16"	1-1/16"	100/600	---
620012SS	12	9/16"	1-1/4"	100/600	---
620016SS	16	11/16"	1-1/2"	100/600	---
620020SS	20	3/4"	1-3/4"	100/300	---
620024SS	24	1-1/16"	2"	100/300	---
620028SS	28	1-5/16"	2-1/4"	100/300	---
620032SS	32	1-9/16"	2-1/2"	100/300	---
620036SS	36	1-13/16"	2-3/4"	50/200	---
620040SS	40	2-1/16"	3"	50/200	---
620044SS	44	2-5/16"	3-1/4"	50/200	---
620048SS	48	2-9/16"	3-1/2"	50/200	---
620052SS	52	2-13/16"	3-3/4"	25/100	---
620056SS	56	3-1/16"	4"	25/100	---
620060SS	60	3-5/16"	4-1/4"	25/100	---
620064SS	64	2-1/2"	4-1/2"	25/100	---
620072SS	72	3"	5"	25/100	---

620SS Series

- 5/16" Hex Slotted 316 Stainless Steel Screw
- 1/2" Wide 316 Stainless Steel Band
- 316 Stainless Steel Housing

- 60mm Thickness
- Use for marine, underground and other high corrosive applications.

QUICK RELEASE

500/550 SERIES

These clamps feature a unique quick release design between the one piece housing and band allowing for quick and easy installation in restricted or difficult areas.

Applications: Quick release action permits easy installation in applications where clamp must be opened to be applied. Quick release clamps are used extensively in the telecommunications industry on cable enclosures where open air application demands durability.



Open/Close design allows easy installation.



500 Series
- 5/16" Hex Slotted Carbon Steel Screw
- 1/2" 301 Stainless Steel band
- 301 Stainless Steel Housing
- 410 Stainless Steel Bridge

550 Series
- 5/16" Hex Slotted 410 Stainless Steel Screw
- 1/2" 301 Stainless Steel band
- 301 Stainless Steel Housing
- 410 Stainless Steel Bridge

PART #	LIST PRICE	#	DIA. RANGE		PART #	LIST PRICE
			MIN.	MAX.		
500012	---	12	1/2"	1-1/4"	550012	---
500020	---	20	3/4"	1-3/4"	550020	---
500028	---	28	1"	2-1/4"	550028	---
500036	---	36	1"	2-3/4"	550036	---
500048	---	48	1-1/2"	3-1/2"	550048	---
500056	---	56	1"	4"	550056	---
500072	---	72	2"	5"	550072	---
500088	---	88	2-1/16"	6"	550088	---
500104	---	104	1-3/4"	7"	550104	---
500128	---	128	1-3/4"	8-9/16"	550128	---
500152	---	152	2"	10"	550152	---
500188	---	188	2-1/16"	12-5/16"	550188	---
500216	---	216	10-3/16"	14"	550216	---
500248	---	248	10-3/4"	16"	550248	---
500280	---	280	14-1/4"	18"	550280	---
		312	14"	20"	550312	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

T-Bolt Clamps

- All designs meet SAE J1508 specifications.
- .025" Band Thickness
- 3/4" Wide Band
- Band Material: 301 Series Stainless Steel
- Bolt Material: 304 Series Stainless Steel
- Nut Material: 304 Series Stainless Steel
- Nuts are Self-locking
- Torque Rating 75 in/lb



Opens 1/16" above and tightens 1/8" smaller
then nominal I.D. for a total of 3/16" range for clamps sizes 150 through 250. Opens 1/16" above and tightens 7/32" smaller then nominal I.D. for clamps sizes 256 through 750.

Purpose: To provide a quick, yet effective means of clamping a variety of fittings to a wide range of hose. T-Bolts can be applied with a standard 7/16" socket wrench. They provide 3600 sealing surface by using a shoe or formed bridge.

Services: The T-Bolt clamp is a high strength, reliable clamp with numerous applications in both the commercial and industrial markets including hose and duct-twork connections for air, oil, water, other types of low pressure fluid lines, engine air intake, exhaust, hose and filters.

ALL STAINLESS STEEL

NOMINAL SIZE	O.D. RANGE		PART#	LIST PRICE
	FROM:	TO:		
1-1/4	1-5/32"	1-15/32"	840131	---
1-1/2	1-3/8"	1-9/16"	840150	---
1-3/4	1-5/8"	1-13/16"	840175	---
1-7/8	1-3/4"	1-15/16"	840188	---
2	1-7/8"	2-1/16"	840200	---
2-1/4	2-1/8"	2-5/16"	840225	---
2-3/8	2-1/4"	2-7/16"	840238	---
2-1/2	2-3/8"	2-9/16"	840250	---
2-9/16	2-11/32"	2-5/8"	840256	---
2-5/8	2-13/32"	2-11/16"	840263	---
2-3/4	2-17/32"	2-13/16"	840275	---
2-7/8	2-21/32"	2-15/16"	840288	---
3	2-25/32"	3-1/16"	840300	---
3-1/8	2-29/32"	3-3/16"	840312	---
3-1/4	3-1/32"	3-5/16"	840325	---
3-1/2	3-9/32"	3-9/16"	840350	---
3-3/4	3-17/32"	3-13/16"	840375	---
3-53/64	3-19/32"	3-7/8"	840382	---
4	3-25/32"	4-1/16"	840400	---
4-1/4	4-1/32"	4-5/16"	840425	---
4-1/2	4-9/32"	4-9/16"	840450	---
4-3/4	4-17/32"	4-13/16"	840475	---
5	4-25/32"	5-1/16"	840500	---
5-1/4	5-1/32"	5-5/16"	840525	---
5-1/2	5-9/32"	5-9/16"	840550	---
5-3/4	5-17/32"	5-13/16"	840575	---
6	5-25/32"	6-1/16"	840600	---
6-1/4	6-1/32"	6-5/16"	840625	---
6-1/2	6-9/32"	6-9/16"	840650	---
6-3/4	6-17/32"	6-13/16"	840675	---
7	6-25/32"	7-1/16"	840700	---
7-1/2	7-9/32"	7-9/16"	840750	---
8	7-25/32"	8-1/16"	840800	---
8-1/4	8-9/32"	8-9/16"	840850	---
8-7/8	8-21/32"	8-15/16"	840888	---
10-7/8	10-21/32"	10-15/16"	8401088	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

mega clamps

Rugged heavy duty wide band clamps for use in medium duty air and water, general industrial, automotive, food and agricultural applications.

MEGAKLAMP



IMPORT

Megaklamp Series
Clamp sizes for hose O.D. from 17 mm to 252 mm
Yellow zinc plated steel Band/Bridge/Trunnion/Sleeve/Bolt
Band gauge from 0.6 mm to 1.7 mm depending upon clamp size
Band width from 18 mm to 26 mm depending upon clamp size
Bolt size from 5 mm to 10 mm depending upon clamp size

PART #	SIZE MM	DECIMAL MIN"	DECIMAL MAX"	WIDTH	LIST PRICE
MKL-019-SP	17-19	0.67	0.75	1.02	---
MKL-022-SP	20-22	0.79	0.87	1.02	---
MKL-025-SP	23-25	0.87	0.98	1.02	---
MKL-028-SP	26-28	1.02	1.10	1.02	---
MKL-031-SP	29-31	1.14	1.22	1.02	---
MKL-035-SP	32-35	1.26	1.38	1.02	---
MKL-039-SP	36-39	1.42	1.54	1.02	---
MKL-043-SP	40-43	1.57	1.69	0.87	---
MKL-047-SP	44-47	1.73	1.85	0.87	---
MKL-051-SP	48-51	1.89	2.01	0.87	---
MKL-055-SP	52-55	2.05	2.17	0.87	---
MKL-059-SP	56-59	2.20	2.32	0.87	---
MKL-063-SP	60-63	2.36	2.48	0.87	---
MKL-067-SP	64-67	2.52	2.64	0.94	---
MKL-073-SP	68-73	2.68	2.87	0.94	---
MKL-079-SP	74-79	2.91	3.11	0.94	---
MKL-085-SP	80-85	3.15	3.35	0.94	---
MKL-091-SP	86-91	3.39	3.58	0.94	---
MKL-097-SP	92-97	3.62	3.82	0.94	---
MKL-103-SP	98-103	3.86	4.06	0.94	---
MKL-112-SP	104-112	4.09	4.41	0.94	---
MKL-121-SP	113-121	4.45	4.76	0.94	---
MKL-130-SP	122-130	4.80	5.12	0.94	---
MKL-139-SP	131-139	5.16	5.47	1.02	---
MKL-148-SP	140-148	5.51	5.83	1.02	---
MKL-161-SP	149-161	5.87	6.34	1.02	---
MKL-174-SP	162-174	6.38	6.85	1.02	---
MKL-187-SP	175-187	6.89	7.36	1.02	---
MKL-200-SP	188-200	7.40	7.87	1.02	---
MKL-213-SP	201-213	7.91	8.39	1.02	---
MKL-226-SP	214-226	8.43	8.90	1.02	---
MKL-239-SP	227-239	8.94	9.41	1.02	---

M6 MAXI CLAMP LIGHT



IMPORT

M6 Maxiclamp Series
Clamp sizes for hose O.D. from 23 mm to 43 mm
Silver (clear) zinc plated steel Band/Bridge/Trunnion/Sleeve/Bolt
Band gauge from 0.6 mm to 0.8 mm depending upon clamp size
Band width from 18 mm to 20 mm depending upon clamp size
Bolt size from 5 mm to 6 mm depending upon clamp size

PART #	SIZE MM	DECIMAL MIN"	DECIMAL MAX"	WIDTH	LIST PRICE
M6-23	23-25	0.87	1.01	0.71	---
M6-26	26-28	1.02	1.13	0.71	---
M6-29	29-31	1.14	1.25	0.79	---
M6-32	32-35	1.26	1.41	0.79	---
M6-36	36-39	1.42	1.56	0.79	---
M6-40	40-43	1.57	1.72	0.79	---

M6 STAINLESS MAXI CLAMP LIGHT

PART #	SIZE MM	DECIMAL MIN"	DECIMAL MAX"	WIDTH	LIST
M6S-23	23-25	0.87	1.01	0.71	---
M6S-26	26-28	1.02	1.13	0.71	---
M6S-29	29-31	1.14	1.25	0.79	---
M6S-32	32-35	1.26	1.41	0.79	---
M6S-36	36-39	1.42	1.56	0.79	---
M6S-40	40-43	1.57	1.72	0.79	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

HOSE CLAMPS

HOSE CLAMPS

M8 MAXI CLAMP STANDARD


IMPORT



M8 Maxiclamp Series
Clamp sizes for hose O.D. from 44 mm to 130 mm
Silver (clear) zinc plated steel Band/Bridge/Trunnion/Sleeve
8 mm silver zinc plated bolt
Band gauge from 1.2 mm to 1.5 mm depending upon clamp size
Band width from 22 mm to 24 mm depending upon clamp size

PART #	SIZE MM	DECIMAL MIN"	DECIMAL MAX"	WIDTH	LIST PRICE
M8-44	44-47	1.73	1.88	0.87	---
M8-48	48-51	1.89	2.04	0.87	---
M8-52	52-55	2.05	2.17	0.87	---
M8-56	56-59	2.20	2.35	0.87	---
M8-60	60-63	2.36	2.51	0.87	---
M8-64	64-67	2.52	2.67	0.87	---
M8-68	68-73	2.68	2.90	0.94	---
M8-74	74-79	2.91	3.14	0.94	---
M8-80	80-85	3.15	3.38	0.94	---
M8-86	86-91	3.39	3.61	0.94	---
M8-92	92-97	3.62	3.85	0.94	---
M8-98	98-103	3.86	4.08	0.94	---
M8-104	104-112	4.09	4.44	0.94	---
M8-113	113-121	4.45	4.79	0.94	---
M8-122	122-130	4.80	5.15	0.94	---

M8 MAXI CLAMP STANDARD



IMPORT

M8S Maxiclamp Series
Clamp sizes for hose O.D. from 44 mm to 130 mm
301 Stainless steel Band/Bridge/Trunnion/Sleeve
8 mm A2-70 Stainless steel bolt
0.8 mm thick band
Band width from 22 mm to 24 mm depending upon clamp size

PART #	SIZE MM	DECIMAL MIN"	DECIMAL MAX"	WIDTH	LIST PRICE
M8S-44	44-47	1.73	1.88	0.87	---
M8S-48	48-51	1.89	2.04	0.87	---
M8S-52	52-55	2.05	2.17	0.87	---
M8S-56	56-59	2.20	2.35	0.87	---
M8S-60	60-63	2.36	2.51	0.87	---
M8S-64	64-67	2.52	2.67	0.87	---
M8S-68	68-73	2.68	2.90	0.94	---
M8S-74	74-79	2.91	3.14	0.94	---
M8S-80	80-85	3.15	3.38	0.94	---
M8S-86	86-91	3.39	3.61	0.94	---
M8S-92	92-97	3.62	3.85	0.94	---
M8S-98	98-103	3.86	4.08	0.94	---
M8S-104	104-112	4.09	4.44	0.94	---
M8S-113	113-121	4.45	4.79	0.94	---
M8S-122	122-130	4.80	5.15	0.94	---
M8S-131	131-139	5.16	5.50	1.02	---
M8S-140	140-148	5.51	5.86	1.02	---
M8S-149	149-161	5.87	6.37	1.02	---
M8S-162	162-174	6.38	6.88	1.02	---

M10 MAXI CLAMP HEAVY

IMPORT



M10S Maxiclamp Series
Select sizes available
301 Stainless steel Band/Bridge/Trunnion/Sleeve
10 mm A2-70 Stainless steel bolt
1.7 mm thick x 26 mm wide band

PART #	SIZE MM	DECIMAL MIN"	DECIMAL MAX"	WIDTH	LIST PRICE
M10-131	131-139	5.16	5.50	1.02	---
M10-140	140-148	5.51	5.86	1.02	---
M10-149	149-161	5.87	6.37	1.02	---
M10-162	162-174	6.38	6.88	1.02	---
M10-175	175-187	6.89	7.39	1.02	---
M10-188	188-200	7.40	7.86	1.02	---
M10-201	201-213	7.91	8.42	1.02	---
M10-214	214-226	8.43	8.90	1.02	---
M10-227	227-239	8.94	9.44	1.02	---
M10-240	240-252	9.45	9.92	1.02	---

SPRING LOADED T-BOLT
HOSE CLAMPS

SPRING LOADED T-BOLT HOSE CLAMP

- Per SAE standard J1508 Type "SLTB"
- .025 Band Thickness
- 3/4 (19mm) band width
- Heavy duty springs
- Band Material: 300 stainless
- T-bolt: Carbon steel w/ zinc plating
- Housing (Bridge): 300 Stainless
- Hex nut: Carbon Steel, Nylon insert
- Torque rating: 150 in-lbs (8.5 mm)



Purpose: To provide constant tension performance to compensate for the expansion and contraction when temperatures fluctuate. Provides high strength and a 360° seal. Tighten with a 7/16" wrench or hex nutdriver.

Services: Designed for use in high vibration and large diameter applications common in heavy trucks, industrial machinery, off road equipment, agricultural irrigation and machinery, for air intake and coolant adapter

PART #	SAE #	MIN - MAX	WGT	BOX QTY	LIST PRICE
844213	40	2.13 - 2.44	0.170	100	---
844225	44	2.25 - 2.56	0.174	100	---
844238	48	2.38 - 2.69	0.179	100	---
844250	52	2.50 - 2.81	0.181	100	---
844263	56	2.63 - 2.94	0.183	100	---
844275	60	2.75 - 3.06	0.185	100	---
844300	68	3 - 3.31	0.187	100	---
844306	70	3.06 - 3.38	0.190	100	---
844313	72	3.13 - 3.44	0.192	100	---
844325	76	3.25 - 3.56	0.194	100	---
844338	80	3.38 - 3.69	0.196	100	---
844350	84	3.50 - 3.81	0.196	100	---
844356	86	3.56 - 3.88	0.196	100	---
844363	88	3.63 - 3.94	0.198	100	---
844375	92	3.75 - 4.06	0.198	100	---
844406	102	4.06 - 4.38	0.203	100	---
844413	104	4.13 - 4.44	0.209	100	---
844425	108	4.25 - 4.56	0.214	100	---
844456	118	4.56 - 4.88	0.216	100	---
844500	132	5 - 5.31	0.218	100	---
844525	140	5.25 - 5.56	0.220	100	---
844600	164	6 - 6.31	0.223	100	---
844625	172	6.25 - 6.56	0.225	100	---

Automatically adjust diameter for hose expansion and contraction due to temperature changes.

Constant Torque Hose Clamps

- All designs meet SAE J1508 specifications type "SLHD"
- .028 Band thickness
- Band material: 304 thickness
- Band width: 9/16" for 45in-lb
  5/8" for 90in-lb
- Band material: 304 stainless
- Housing: 304 stainless steel
- Bridge: 410 stainless steel
- Hex screw: 410 stainless steel




Purpose: To eliminate leaks by automatically incerasing or decreasing the clamps diameter, decreasing the need for retightening. Constant torque clamps have an extended tail on the band to protect soft hose or tube from being cut.

Services: Constant torque clamps are an excellent choice for fluctuating and extreme temperature applications and thermal compensation.

PART #	CLAMPING RANGE	BAND WIDTH	TORQUE	SCREW SIZE	WGT	BOX QTY	LIST PRICE
842010	9/16" - 1 1/16"	9/16"	72 in-lb	5/16"	0.106	100	---
842012	11/16" - 1 1/4"	9/16"	72 in-lb	5/16"	0.108	100	---
842016	13/16" - 1 1/2"	9/16"	72 in-lb	5/16"	0.112	100	---
842020	13/16" - 1 3/4"	9/16"	72 in-lb	5/16"	0.119	100	---
842024	1 1/16" - 2"	9/16"	72 in-lb	5/16"	0.121	100	---
842200	1 1/4" - 2 1/8"	5/8"	130 in-lb High	3/8"	0.207	100	---
842250	1 3/4" - 2 5/8"	5/8"	130 in-lb High	3/8"	0.216	100	---
842300	2 1/4" - 3 1/8"	5/8"	130 in-lb High	3/8"	0.220	100	---
842350	2 3/4" - 3 5/8"	5/8"	130 in-lb High	3/8"	0.225	100	---
842400	3 1/4" - 4 1/8"	5/8"	130 in-lb High	3/8"	0.231	100	---
842450	3 3/4" - 4 5/8"	5/8"	130 in-lb High	3/8"	0.238	100	---
842500	4 1/4" - 5 1/8"	5/8"	130 in-lb High	3/8"	0.256	100	---
842550	4-3/4"-5-5/8"	5/8"	130 in-lb High	3/8"	0.284	100	

V-BAND HOSE CLAMPS

- Band thickness: see chart
- Band width: see chart
- Band material: 300 stainless
- Trunnion: 300 stainless
- 1/4" T-bolt: 300 Ziac plated steel





Purpose: to provide a fast, secure cupling for connecting flanged joints.

Services: V-Band clamps feature high strength and positive sealing integrity for applications including: heavy duty diesel engine exhaust and turbochargers, filter housings, emissions and general industrial applications.

PART#	NOMINAL DIAMETER	V-INSERT SECTIONS			BANDS		WGT	BOX QTY	LIST PRICE
		A	B	C	D	E			
843321	3.21	0.050	0.262	0.141	0.035	0.750	0.525	100	---
843382	3.82	0.077	0.207	0.281	0.040	0.875	0.531	100	---
843388	3.88	0.050	0.400	0.281	0.040	0.875	0.536	100	---
843450	4.50	0.077	0.207	0.281	0.040	0.875	0.547	100	---
843461	4.61	0.050	0.156	0.281	0.035	0.750	0.549	100	---
843475	4.75	0.050	0.400	0.281	0.040	0.875	0.553	100	---
843525	5.25	0.050	0.262	0.141	0.035	0.750	0.567	100	---
843588	5.88	0.050	0.400	0.281	0.040	0.875	0.575	100	---

HOSE CLAMPS
HOSE CLAMPS

DOUBLE BOLT CLAMPS



IMPORT

DBC Series

Rugged, heavy duty two bolt clamps with saddles
Zinc plated ductile iron clamps and saddles
Zinc plated carbon steel bolt and nuts

PART #	SIZE	SIZE RANGE	MAX TORQUE FT LBS	LIST PRICE
DBC-40-DP	1-5/16	1-5/16" - 1-19/32"	20	---
DBC-60-DP	1-7/8	1-7/8" - 2-3/8"	25	---
DBC-76-DP*	2-3/8	2-3/8" - 3-1/16"	25	---
DBC-94-DP*	3-1/2	3-1/2" - 3-11/16"	40	---
DBC-400-DP*	3-1/2	3-1/2" - 4"	40	---
DBC-431-DP	3-13/16	3-13/16" - 4-1/16"	40	---
DBC-463-DP	4-1/16	4-1/16" - 4-7/16"	40	---
DBC-525-DP*	4-3/16	4-3/16" - 5"	60	---
DBC-550-DP*	5	5" - 5-1/2"	60	---
DBC-600-DP*	5-1/2	5-1/2" - 5-15/16"	60	---
DBC-639-DP	5-11/16	5-11/16" - 5-15/16"	60	---
DBC-675-DP*	6-1/8	6-1/8" - 6-7/8"	60	---
DBC-769-DP*	6-15/16	6-15/16" - 7-5/8"	60	---
DBC-818-DP	7-11/16	7-11/16" - 8-3/16"	125	---
DBC-875-DP*	8-1/4	8-1/4" -8-7/8"	125	---
DBC-988-DP*	8-15/16	8-15/16" - 9-7/8"	125	---
DBC-1125-DP*	9-15/16	9-15/16" - 11-3/8"	125	---
DBC-1275-DP*	11-3/16	11-3/16" - 13"	125	---
DBC-1360-DP	12-3/16	12-3/16" - 14"	200	---



R88 Series

IMPORT

Rugged, heavy duty two bolt clamps without saddles
Zinc plated ductile iron clamp
Zinc plated carbon steel bolt and nuts

PART #	SIZE	SIZE RANGE	MAX TORQUE FT LBS	LIST PRICE
R88DB-12-DP*	1-1/8	1-1/8" - 1-1/4"	15	---
R88DB-16-DP*	1-3/8	1-3/8" - 1-1/2"	20	---
R88DB-20-DP*	1-5/8	1-5/8" - 1-3/4"	25	---
R88DB-24-DP*	2	2" - 2-1/8"	25	---
R88DB-32-DP*	2-1/4	2-1/4" - 2-3/8"	30	---

HOSE CLAMPS
HOSE CLAMPS

SC SPIRAL CLAMP SERIES

IMPORT





Spiral wound clamps specifically designed for use
on heavily corrugated suction hoses.
Available in left hand (counter clock-wise) and right hand (clockwise) spiral.
Zinc plated steel construction.

PART #	LIST	HOSE ID	O.D. RANGE MM	PART #	LIST PRICE
SC-200R-SP*	---	2"	51 - 56	SC-200L-SP	---
SC-250R-SP	---	2-1/2"	61 - 76	SC-250L-SP	---
SC-300R-SP*	---	3"	76 - 90	SC-300L-SP	---
SC-400R-SP*	---	4"	106 - 118	SC-400L-SP	---
SC-500R-SP	---	5"	129 - 140	SC-500L-SP	---
SC-600R-SP*	---	6"	151 - 170	SC-600L-SP	---
SC-800R-SP	---	8"	198 - 217	SC-800L-SP	---
SC-1000R-SP	---	10"	274 - 290	SC-1000L-SP	---
SC-1200R-SP	---	12"	304 - 329	SC-1200L-SP	---



IMPORT

M10DC MAXICLAMP SERIES

Clamp sizes for hose O.D. from 131 mm to 252 mm
Silver (clear) zinc plated steel Band/ Bridge/Trunnion/Sleeve/Bolt
10 mm silver zinc plated steel bolts
1.7 mm thick x 30 mm wide band
Suggested installation torque 30 Nm (22 Ft lbs)
Minimum breaking torque 40 Nm (29.5 ft.lbs.)

PART #	SIZE MM	RANGE	LIST PRICE
M10DC-86	86 - 91	3.38" - 3.58"	---
M10DC-92	92 - 97	3.62" - 3.82"	---
M10DC-104	104 - 112	4.09" - 4.41"	---
M10DC-113	113 - 121	4.45" - 4.76"	---
M10DC-122	122 - 130	4.80" - 5.12"	---
M10DC-131	131 - 139	5.16" - 5.47"	---
M10DC-140	140 - 148	5.51" - 5.83"	---
M10DC-149	149 - 161	5.87" - 6.34'	---
M10DC-162	162 - 174	6.38" - 6.85"	---
M10DC-175	175 - 187	6.89" - 7.36"	---
M10DC-188	188 - 200	7.40" - 7.87"	---
M10DC-200	200 - 220	7.87" - 8.66"	---
M10DC-220	220 - 240	8.66" - 9.45"	---
M10DC-240	240 - 260	9.45" - 10.24"	---
M10DC-260	260 - 280	10.24" - 11.02"	---
M10DC-280	280 - 300	11.02" - 11.81"	---
M10DC-300	300 - 325	11.81" - 12.80"	---
M10DC-325	325 - 350	12.80" - 13.78"	---
M10DC-350	350 - 375	13.78" - 14.76"	---
M10DC-375	375 - 400	14.76" - 15.75"	---
M10DC-400	400 - 425	15.75" - 16.73"	---
M10DC-425	425 - 450	17.73" - 17.72"	---
M10DC-450	450 - 475	17.72" - 18.70"	---

MUFFLER Clamps

Muffler Clamps are designed with elongated and tapered holes that pulls the legs around the pipe as the nuts tighten, making a tight seal. Other clamps legs do not wrap around the pipe, they stay straight and the clamp only connects at two points.

- Carbon steel band, housing and bridge
- All muffler clamps are zinc plated for superior corrosion resistance
- Heavy duty U-Bolt and band construction
- 3/8 U-bolt
- Base 2.4mm

SADDLE



PART #	SIZE	WGT	BOX QTY	LIST PRICE
841175	1-3/4"	0.335	50	---
841200	2"	0.410	50	---
841250	2-1/2"	0.448	50	---
841300	3"	0.582	50	---
841350	3-1/2"	0.741	50	---
841400	4"	0.847	25	---
841450	4-1/2"	1.023	25	---
841500	5"	1.067	25	---

FLAT BAND



PART #	SIZE	WGT	BOX QTY	LIST PRICE
841004	4"	0.847	25	---
841005	5"	1.093	25	---

GUILLOTINE - PROVIDES A COMPLETE 360° HEAVY DUTY SEAL



PART #	SIZE	WGT	BOX QTY	LIST PRICE
841040	4"	0.820	25	---
841045	4-1/2"	0.847	25	---
841050	5"	0.988	25	---

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

EXHAUST Clamps

Complete with:
- One metal band - 76mm width
- One spacer
- Two bolts
- Two reaction blocks
- Individually boxed

- Pre-attached hardware for easy and accurate installation.

- Conforms to pipe and flex tubing to create the best seal available without distorting any pipes.

ALUMINIZED STEEL BUTT CLAMPS

- .7mm band thickness
- 76mm band width



PART #	SIZE	WGT	BOX QTY	LIST PRICE
845200	2"	0.970	50	---
845300	3"	1.058	50	---
845350	3.50"	1.102	50	---
845400	4"	1.146	50	---
845500	5"	1.235	50	---
845600	6"	1.323	50	---

*Light pattern .5mm band thickness

ALUMINIZED STEEL LAP CLAMPS

- .7mm band thickness
- 76mm band width



PART #	SIZE	WGT	BOX QTY	LIST PRICE
846200	2"	0.970	50	---
846250	2.50"	1.014	50	---
846275	2.75"	1.036	50	---
846300	3"	1.058	50	---
846350	3.50"	1.102	50	---
846400	4"	1.146	50	---
846500	5"	1.235	50	---

STAINLESS STEEL LAP CLAMPS

- .5mm band thickness
- 76mm band width



PART #	SIZE	WGT	BOX QTY	LIST PRICE
847200	2"	0.926	50	---
847250	2.50"	0.970	50	---
847275	2.75"	0.992	50	---
847300	3"	1.014	50	---
847350	3.50"	1.058	50	---
847400	4"	1.102	50	---
847500	5"	1.190	50	---
847600	6"	1.279	50	---

STAINLESS STEEL EASY-FORM CLAMPS

- .5mm band thickness
- 76mm band width



PART #	SIZE	WGT	BOX QTY	LIST PRICE
848200	2"	0.926	50	---
848225	2.25"	0.948	50	---
848250	2.50"	0.970	50	---
848275	2.75"	0.992	50	---
848300	3"	1.014	50	---
848350	3.50"	1.058	50	---
848400	4"	1.102	50	---
848500	5"	1.190	50	---
848600	6"	1.279	50	---
848700	7"	1.367	50	---

WARNING: This product can expose you to chemicals, including chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

CARBON STEEL 1-EAR CLAMPS

1-Ear Clamps are intended for low pressure applications such as automotive (not fuel lines), appliances, industrial machinery, underground irrigation systems and beverage dispensing equipment. They are specifically designed for mass production applications where inexpensive clamps are needed.

Pressure:
As a guideline, 1-Ear Clamps have held
30 bar - 441 psi.
This was done using a static water pressure test.

- 100 PER BAG



Material:
Hot dipped galvanized carbon steel band - G90

PART #	REF#	NOMINAL SIZE	INCHES		LIST PRICE
			CLOSE	OPEN	
1050000	105	3/8"	0.350	0.414	---
1050001	113	7/16"	0.381	0.444	---
1050002	123	15/32"	0.394	0.486	---
1050003	133	1/2"	0.453	0.524	---
1050006	140	35/64"	0.472	0.551	---
1050007	145	9/16"	0.496	0.571	---
1050008	157	5/8"	0.543	0.618	---
1050009	170	11/16"	0.594	0.669	---
1050010	185	23/32"	0.618	0.728	---
1050011	198	3/4"	0.669	0.779	---
1050012	210	13/16"	0.716	0.827	---
1050013	226	7/8"	0.779	0.890	---
1050014	241	15/16"	0.839	0.949	---
1050015	256	1"	0.898	1.008	---
1050016	271	1-1/16"	0.945	1.067	---
1050017	286	1-1/8"	1.004	1.126	---
1050018	301	1-3/16"	1.063	1.185	---
1050020	331	1-5/16"	1.181	1.303	---
1050021	346	1-3/8"	1.240	1.362	---
1050023	376	1-15/32"	1.358	1.480	---
1050025	396	1-9/16"	1.437	1.559	---
1050026	410	1-5/8"	1.492	1.614	---
1050029	455	1-3/4"	1.669	1.791	---
1050030	470	1-16/16"	1.728	1.850	---
1050032	500	1-15/16"	1.846	1.968	---
1050033	515	2"	1.905	2.028	---

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

EAR CLAMPS

2-EAR PINCH CLAMPS

Robust, durable one-piece design offers positive, tamper resistant seal for air and fluid media lines smooth edges prevent damage to hose designed for one time use only

CIRCLE CLAMP 2 EAR

White zinc plated carbon steel



PART #	SIZE	CLOSED	OPEN	LIST PRICE
CC-1113	1/2	0.433	0.512	---
CC-1315	9/16	0.512	0.591	---
CC-1517	19/32	0.591	0.669	---
CC-1518	5/8	0.591	0.709	---
CC-1720	3/4	0.669	0.787	---
CC-2023	7/8	0.787	0.906	---
CC-2225	15/16	0.866	0.984	---
CC-2327	1	0.906	1.063	---
CC-2528	1-1/16	0.984	1.102	---
CC-2731	1-1/8	1.063	1.220	---
CC-3134	1-5/16	1.220	1.339	---
CC-3437	1-7/16	1.339	1.457	---

GAPLESS EAR CLAMPS



Features
- Assured clamping seal
- For low durometer and/ or thin-walled hose/ tubing
- Perfect for silicon, vinyl, polyurethane or other high tech materials used in all industries.
- Once installed, smooth inner band circumference prevents damage to the hose while the unique tongue-in-groove design provides a 360° seal
- There are no steps or gaps inside clamp
  Material
  - Stainless steel tubing UNS S30400 or DIN 1.4301
- 100 PER BAG

PART #	NOMINAL SIZE	BAND WIDTH	INCHES CLOSE	INCHES OPEN	LIST PRICE
16700001	9/32"	5mm	0.228	0.276	---
16700004	3/8"	5mm	0.307	0.374	---
16700007	7/16"	5mm	0.378	0.445	---
16700010	1/2"	7mm	0.425	0.524	---
16700012	35/64"	7mm	0.453	0.551	---
16700013	9/16"	7mm	0.472	0.571	---
16700016	5/8"	7mm	0.520	0.618	---
16700017	11/16"	7mm	0.571	0.669	---
16700022	3/4"	7mm	0.654	0.780	---
16700024	13/16"	7mm	0.701	0.827	---

hammerlock CLAMPS

HAMMERLOCK CPHL SERIES

Double wrapped galvanized steel band preformed to a given diameter and ready for application.

IMPORT



PART #	SIZE	WIDTH	LIST PRICE
CPHL-03	1-3/16"	3/8"	---
CPHL-04	1"	5/8"	---
CPHL-05*	1-1/4"	5/8"	---
CPHL-06	1-1/2"	5/8"	---
CPHL-07*	1-3/4"	5/8"	---
CPHL-08*	2"	5/8"	---
CPHL-09	2-1/4"	5/8"	---
CPHL-10*	2-1/2"	5/8"	---
CPHL-11*	2-3/4"	5/8"	---
CPHL-12	3"	5/8"	---
CPHL-14*	3-1/2"	5/8"	---
CPHL-16*	4"	5/8"	---
CPHL-18	4-1/2"	5/8"	---
CPHL-20*	5"	5/8"	---
CPHL-24*	6"	5/8"	---
CPHL-26	6-1/2"	5/8"	---
CPHL-28*	7"	5/8"	---
CPHL-32	8"	5/8"	---

HAMMERLOCK CPHLS SERIES

Double wrapped stainless steel band preformed to a given diameter and ready for application. Stainless steel lok for strength.

IMPORT



PART #	SIZE	WIDTH	LIST PRICE
CPHLS-04*	1"	5/8"	---
CPHLS-05*	1-1/4"	5/8"	---
CPHLS-06*	1-1/2"	5/8"	---
CPHLS-07*	1-3/4"	5/8"	---
CPHLS-08*	2"	5/8"	---
CPHLS-09*	2-1/4"	5/8"	---
CPHLS-10*	2-1/2"	5/8"	---
CPHLS-11*	2-3/4"	5/8"	---
CPHLS-12*	3"	5/8"	---
CPHLS-14*	3-1/2"	5/8"	---
CPHLS-16*	4"	5/8"	---
CPHLS-18*	4-1/2"	5/8"	---
CPHLS-20*	5"	5/8"	---
CPHLS-24*	6"	5/8"	---
CPHLS-28*	7"	5/8"	---
CPHLS-32	8"	5/8"	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

CLAMPING TOOLS
HOSE CLAMPS

MODEL 1098 I STANDARD JAW PINCERS

Domestic

PART #	LIST PRICE
OETP-1098	---

Import

PART #	LIST PRICE
CCP-1098	---



PART #	LIST PRICE
1410118	---

SIDE JAW PINCERS

This dual purpose, side jaw design allows clamps to be applied or removed in confined areas with pincers held parallel to the hose. Also used like standard Pincers.

Domestic



PART #		LIST PRICE
1410083	Model 10991	---

TPT TOOLS AND PARTS



PART #	LIST PRICE
TPT-1	---

HOSE CRIMPER



HOSE CRIMPER COMES WITH 5 DIES

Die Sizes = 5/8", 37/64", 12/32", 31/64", 11/16"

PART #		LIST PRICE
308070	Hose Crimper	---

LOKING TOOL



PART #	LIST PRICE
F38	---

Portable hand tool used to apply punch Type 3/8 & 5/8 Clamps

BUCHANAN TYPE



LOKING TOOL



PART #	LIST PRICE
F40	---

Used to apply Punch Type 3/8 & 5/8 clamps. Order mallet separately

LOKING TOOL



Used to apply Punch Type 3/8 & 5/8 clamps. Order mallet separately

PART #	LIST PRICE
F100	---

LOKING TOOL HD



PART #		LIST PRICE
P1	HEAVY DUTY	---

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

LINED BAND CLAMPS

HOSE CLAMPS





Features unique one-piece housing, rolled-up band edges and a non-perforated (embossed) band that protects the hose. For added corrosion resistance, the band in the 12mm Standard is made of Aluzinc which gives three times the protection offered by conventional galvanized steel.

- Features high clamping force and high durability torque.
- Stainless: All parts in AISI 304 Stainless Steel.

A non-perforated band with rolled up edges eliminates hose damage while increasing clamping force.
Per SAE standard J1508 Type "FEO"

GENERAL PURPOSE EMBOSSED WORM-GEAR HOSE CLAMPS

- Minimum Qty may apply

Part # Aluzinc	List Price	SAE Size	Clamping Range		Bag	Part# 304 SS	List Price
			Inches	mm			
88024	------	8	5/8-1	15-24	1000	89024	------
88028	------	10	3/4-1-1/8	19-28	500	89028	------
88032	------	12	7/8-1-1/4	22-32	500	89032	------
88038	------	16	1-1/16-1-1/2	26-38	500	89038	------
		20	1-1/4-1-3/4	32-44	500	89044	------
88050	------	24	1-1/2-2	38-50	500	89050	------
88056	------	28	1-3/4-2-1/4	44-56	500	89056	------
88065	------	32	2-2-9/16	50-65	200	89065	------
88075	------	40	2-5/16-3	58-75	200	89075	------
88085	------	44	2-11/16-3-3/8	68-85	200	89085	------
88095	------	52	3-3-3/4	77-95	200	89095	------
88112	------	64	3-7/16-4-7/16	87-112	200	89112	------

MINI CLAMPS

Sure seal for small, thin walled hoses. The nut is secured to the clamp, making installation easier and the hexagonal head can be tightened with a socket wrench or screw driver. Bandwidth is 9mm.

PAINTED ALUZINC STANDARD MINI CLAMPS



PART # ALUZINC	CLAMPING RANGE		QTY PER BAG	LIST PRICE
	INCHES	MM		
92010	.36-.41	9-10.5	1000	------
92011	.37-.45	9.5-11.5	900	------
92012	.41-.49	10.5-12.5	800	------
92013	.45-.53	11.5-13.5	800	------
92014	.49-.57	12.5-14.5	700	------
92015	.53-.61	13.5-15.5	600	------
92016	.55-.65	14-16.5	500	------
92017	.59-.69	15-17.5	500	------



MARINE - EMBOSSED

NON-PERFORATED WORM GEAR CLAMPS

- Meets the DIN 3017 Standard
- Replaces the Ultra Clamps 316 stainless steel
- 12mm band widths
- Installation torque 60lbs
- General purpose non perforated band especially suited for most hoses and soft silicone hoses.
- Band edges rolled to protect soft hoses from shearing and fraying
- Common applications include: vehicular, industrial, mechanical engineering, plumbing and marine.
- ROLLED EDGES
- BAND WILL NOT DAMAGE SOFT HOSES

ALL #316 SS MATERIAL

12MM WIDE EMBOSSED ALL 316 BAND CLAMPS

PART #	RANGE OF ADJUST (IN MM)	RANGE OF ADJUST (INCHES)	LIST PRICE
96022	12-22	.469-.859	----
96027	16-27	.625-1.06	------
96032	20-32	.787-1.26	------
96040	25-40	.984-1.575	------
96050	35-50	1.26-1.969	------
96060	40-60	1.575-2.362	------
96070	50-70	1.969-2.756	------
96080	60-80	2.362-3.15	------
96090	70-90	2.756-3.543	------
96100	80-100	3.15-3.937	------
96110	90-110	3.543-4.33	------
96120	100-120	3.937-4.724	------
96130	110-130	4.33-5.118	------
96140	120-140	4.72-5.512	------
96150	130-150	5.118-5.906	------
96160	140-160	5.512-6.299	------

MINI CLAMPS

304 SS MINI CLAMPS



PART # 304 SS	CLAMPING RANGE		QTY PER BAG	LIST PRICE
	INCHES	MM		
93008	.30-.34	7.5-8.5	1000	---
93009	.34-.37	8.5-9.5	1000	---
93011	.41-.47	10.5-12	900	---
93013	.49-.55	12.5-14	800	---
93017	.63-.71	16-18	500	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LINED, MINI/ RUBBER LINED
HOSE CLAMPS



RUBBER LINED CLAMPS

Multiple uses for holding cable, wire, pipe and hose. The rubber cushion absorbs vibration, provides protection against scratching and is made of black EPDM type rubber.

Rubber cushion clamps are used in a variety of industries and applications including automotive, truck, hydraulics and pneumatics, ship building, refrigeration, large equipmetnt packaging etc.

Bandwidths and mounting hose sizes vary by diameter and material.

- Aluzinc clamps have a .26 hole diameter
- Stainless Steel .20 diameter

PART # ALUZ-INC	QTY PER BAG	LIST PRICE	CLAMPING RANGE		PART# 304 SS	QTY PER BAG	LIST PRICE
			INCHES	MM			
95300	100	------	1/8	3			
95301	100	------	3/16	5	96301	1000	---
95302	100	------	1/4	6	96302	200	---
95303	100	------	5/16	8	96303	1000	---
95304	100	------	3/8	10	96304	100	---
95305	100	------	7/16	11	96305	1000	---
95306	100	------	1/2	13	96306	100	---
95307	100	------	9/16	14	96307	100	---
95308	100	------	5/8	16	96308	100	---
95309	50	------	11/16	18			
95310	50	------	3/4	19	96310	500	---
95311	50	------	13/16	21			
95312	50	------	7/8	22	96312	500	---
95313	50	------	15/16	24			
95314	50	------	1	25	96314	500	---
95315	50	------	1-1/16	27			
95316	50	------	1-1/8	29	96316	500	---
95317	50	------	1-3/16	30			
95318	50	------	1-1/4	32	96318	500	---
95319	50	------	1-5/16	33			
95320	50	------	1-3/8	35	96320	500	---
95321	50	------	1-7/16	36			
95322	500	------	1-1/2	38	96322	100	---
95326	50	------	1-5/8	41			
95323	25	------	1-3/4	45	96323	500	---
95328	25	------	1-7/8	47			
95324	25	------	2	51			
95325	25	------	2-1/8	54			
95329	25	------	2-3/8	60			
95327	25	------	2-1/2	65			
95330	15	------	2-15/16	74			
95331	10	------	4-5/16	110			



RUBBER CUSHIONED CLAMP, ZINC PLATED STEEL

PART #	MOUNTING DIA	CLAMP DIA	LIST PRICE
95402	3/8"	1/4"	------
95404	3/8"	3/8"	------
95406	3/8"	1/2"	------
95408	3/8"	5/8"	------
95410	3/8"	3/4"	------
95414	3/8"	1"	------
95418	3/8"	1 1/4"	------
95422	3/8"	1 1/2"	------
95424	3/8"	2"	------
95427	3/8"	2 1/2"	------
95432	3/8"	3"	------
95433	3/8"	4"	------



GALVANIZED STEEL VINYL COATED CLAMP

PART #	MOUNTING DIA	CLAMP DIA	LIST PRICE
95504	1/4"	3/8"	------
95506	1/4"	1/2"	------
95508	1/4"	5/8"	------
95510	1/4"	3/4"	------
95512	1/4"	7/8"	------
95514	1/4"	1"	------
95516	1/4"	1 1/8"	------
95518	1/4"	1 1/4"	------
95522	1/4"	1 1/2"	------
95523	1/4"	1 3/4"	------
95524	1/4"	2"	------

HOSE FERRULES

Brass Hose Ferrules offer an alternative to hose clamps. After crimping, the ferrule will provide a permanent clamping force on both the hose and fitting.



- ASTMB36 Alloy 268

PART #	FERRULE #	I.D.	LENGTH	PIERCE	GAUGE	LIST
32500	6231	0.330	0.49	0.250	0.020	---
32501	833	0.358	0.500	0.265	0.020	---
32503	833B	0.375	0.718	0.265	0.025	---
32502	622	0.380	0.500	0.265	0.020	---
32550	619	0.400	0.47	0.27	0.020	---
32504	620	0.410	0.500	0.265	0.020	---
32551	769R	0.450	0.562	0.343	0.020	---
32552	4750	0.478	0.687	0.328	0.025	---
32553	624R	0.500	0.500	0.343	0.020	---
32506	7322A	0.500	1.000	0.343	0.025	---
32554	7322	0.500	1.000	0.328	0.025	---
32555	625	0.525	0.47	0.36	0.020	---
32517	625A	0.525	0.56	0.360	0.020	---
32556	7323	0.525	1.000	0.375	0.025	---
32521	9974	0.525	1.000	0.437	0.025	---
32557	7324	0.531	1.000	0.375	0.025	---
32558	626	0.550	0.484	0.375	0.020	---
32507	3588	0.56	0.75	0.375	0.020	---
32559	7325	0.56	1.000	0.437	0.025	---
32561	7326	0.593	1.000	0.437	0.025	---
32563	JJ	0.600	0.500	0.500	0.020	---
32526	II	0.625	0.500	0.500	0.020	---
32564	7327	0.625	1.000	0.437	0.025	---
32565	HH	0.650	0.500	0.500	0.020	---
32566	7328	0.656	1.000	0.437	0.025	---
32567	GG	0.675	0.515	0.500	0.020	---
32568	7329	0.69	1.000	0.500	0.025	---

PART #	FERRULE #	I.D.	LENGTH	PIERCE	GAUGE	LIST
32570	7330	0.718	1.000	0.500	0.025	---
32508	7330A	0.718	1.000	0.625	0.025	---
32571	EE	0.725	0.530	0.500	0.020	---
32572	DD	0.750	0.531	0.500	0.020	---
32510	7331B	0.75	1.00	0.500	0.025	---
32573	7331	0.750	1.000	0.625	0.025	---
32574	CC	0.775	0.531	0.500	0.020	---
32533	7332B	0.781	1.000	0.500	0.025	---
32575	7332	0.781	1.000	0.625	0.025	---
32576	BB	0.800	0.546	0.562	0.020	---
32577	7333	0.812	1.000	0.625	0.025	---
32578	AA	0.825	0.546	0.562	0.020	---
32535		0.85	0.968	0.687	0.025	---
32579	7244	0.875	0.843	0.687	0.025	---
32539	5029A	0.900	0.875	0.687	0.025	---
32580	7113	0.925	0.968	0.750	0.025	---
32543	5028A	0.975	0.843	0.687	0.025	---
32545	5235A	1.000	0.843	0.687	0.025	---
32549	7145A	1.050	0.843	0.687	0.025	---
32584	5027	1.100	0.843	0.812	0.025	---
32586	7104A	1.15	0.843	0.875	0.025	---
32588	7088A	1.175	0.875	0.875	0.025	---
32590	875L	1.200	0.843	0.875	0.025	---
32591	7291	1.225	0.968	0.875	0.025	---
32592	7255	1.25	0.968	1.000	0.04	---
32596	8000	1.425	0.875	1.062	0.025	---
32597	1500	1.50	0.875	1.125	0.025	---



STAINLESS STEEL FERRULES


PART #	CROSS #	I.D.	LENGTH	HOLE	METAL THICKNESS	LIST PRICE
32552SS	x4750	.478	.687	.328	.020	---
32557SS	7324	.531	1.00	.438	.020	---
32559SS	7325	.56	1.00	.437	.020	---
32561SS	7326	.593	1.00	.437	.020	---
32564SS	7327	.625	1.00	.437	.020	---
32566SS	7328	.656	1.00	.437	.020	---
32568SS	7329	.69	1.00	.50	.020	---
32570SS	7330	.718	1.00	.625	.020	---
32575SS	7332	.781	1.00	.625	.020	---
32577SS	7333	.812	1.00	.625	.020	---
32588SS	7088A	1.175	.844	.875	.020	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

TUBING



POLYURETHANE



POLYETHYLENE

Sold individually boxed



Natural, Black, Blue, Green, Red, Yellow, Orange

NYLON


Sold individually boxed



PVC

• Clear

Sold individually boxed



COPPER AND ALUMINUM






TYPE L AND REFRIGERATION

ALUMINUM



POLYURETHANE NSF 51®



NSF 51® polyurethane (PUR) Shore A 98 tubing is made from the highest quality raw materials available. it is etherbased to provide excellent hydrolysis, oil and cold resistance. Polyurethane NSF 51® is strong and flexible and offers superior kink resistance compared to other tubing. It is 5 to 10 times more wear resistant and lighter in weight than any rubber hose.

Polyurethane NSF 51® tubing has an outside diameter made to extremely tight tolerances. It is ideal for use with push-to-connect fittings, as well as barb-type and compression fittings for simple installation.

Features

- Strong
- Lightweight
- Flexible
- Abrasion Resistant
- Heat & Cold Resistant
- Chemical Resistant
- Kink Resistant
- NSF 51® Certified
- Meets NSF 61® Requirements

Specifications


Temperature Range: -40°F to +160°F
Hardness: Shore A 98
Vacuum Rating:
To 28" Hg
Tolerances:
1/8"-1/2" O.D. +/- .005
9/16"-3/4" O.D. +/- .006
RoHS Compliant

Applications

Pneumatic Tools
Pneumatic Piping
Vacuum
Laboratories
Robotics
Motion Control
Instrumentation
Agriculture
Lube Lines
Painting Systems
Food & Beverages

100' FOOT LENGTHS

CLEAR



PART #	O.D. (IN)	I.D. (IN)	WALL THICK-NESS (IN)	BEND RADIUS (IN)	W.P. @70°F (PSI)	W.P. @150°F (PSI)	3:1 BURST PRES-SURE	PACKAGE WEIGHT (LBS)	LIST PRICE
973341	4mm, 5/32	.093	.031	.250	200	85	600	.70	---
973343	.250	.156	.047	.476	180	70	540	1.50	---
973345	.375	.250	.063	1.000	150	70	450	3.40	---

BLACK



PART #	O.D. (IN)	I.D. (IN)	WALL THICKNESS (IN)	BEND RADIUS (IN)	W.P. @70°F (PSI)	W.P. @150°F (PSI)	3:1 BURST PRES-SURE	PACK-AGE WEIGHT (LBS)	LIST PRICE
73341B	4mm, 5/32	.093	.031	.250	200	85	600	.70	---
73343B	.250	.156	.047	.476	180	70	540	1.50	---
73345B	.375	.250	.063	1.000	150	70	450	3.40	---
73346B	.500	.328	.086	1.102	150	70	450	5.60	---

BLUE



PART #	O.D. (IN)	I.D. (IN)	WALL THICK-NESS (IN)	BEND RA-DIUS (IN)	W.P. @70°F (PSI)	W.P. @150°F (PSI)	3:1 BURST PRES-SURE	PACK-AGE WEIGHT (LBS)	LIST PRICE
73341U	4mm, 5/32	.093	.031	.250	200	85	600	.70	---
73343U	.250	.156	.047	.476	180	70	540	1.50	---
73345U	.375	.250	.063	1.000	150	70	450	3.40	---

RED



PART #	O.D. (IN)	I.D. (IN)	WALL THICK-NESS (IN)	BEND RA-DIUS (IN)	W.P. @70°F (PSI)	W.P. @150°F (PSI)	3:1 BURST PRES-SURE	PACK-AGE WEIGHT (LBS)	LIST PRICE
73341R	4mm, 5/32	.093	.031	.250	200	85	600	.70	---
73343R	.250	.156	.047	.476	180	70	540	1.50	---
73345R	.375	.250	.063	1.000	150	70	450	3.40	---
73346R	.562	.375	.093	1.142	140	60	420	5.60	---

OD Sizes Available

.125, .187, 1/4(1/8), 8mm(5/16)
.562, .625 and .750

POLYETHYLENE

LINEAR LOW DENSITY POLYETHYLENE TUBING (LLDPE)

Features

- Chemically Inert
- Chemical Resistant
- Lightweight & Flexible
- Good Dielectric Properties
- Impermeable to Gases
- Meets FDA Requirements
- Multiple Colors Available
- Vacuum rating to 28" Hg

Polyethylene is made from 100% non-toxic ingredients. It's inert nature and FDA compliant status makes it perfect for food, water and beverage piping. It is ideal for use in pneumatic, drain piping, lab use and chemical transfer applications which require an inexpensive tubing

Polyethylene is highly-resistant to stress cracking from chemicals, aging and ultraviolet exposure. For use with barb-type, push-to-connect or compression-style fittings.

Specifications

Temperature Range: -50°F to +140°F

Hardness: Shore A 93A
Shore D 45D

Applications

Food & Beverage
Pneumatic Tools
Pneumatic Piping
Electrical Jacketing
Drain Lines
Instrumentation
Chemical Transfer
Process Control
Laboratories



100' LENGTH



500' LENGTH



1000' LENGTH

100' LENGTH - Natural

PART #	TUBE O.D.	TUBE ID	TUBE WALL	WORKING PRESSURE	LIST PRICE
973200	1/8"	0.08	0.022	250	---
973201	5/32"				---
973203	1/4"	0.17	0.040	150	---
973204	1/4"	0.125	0.0625	350	---
973205	8mm/5/16"	0.236	0.038	150	---
973206	3/8"	0.25	0.0625	150	---
973207	1/2"	0.375	0.0625	125	---
973208	5/8"	0.50	0.0625	100	---
973211	3/4"				---

500' LENGTH

PART #	TUBE O.D.	TUBE ID	TUBE WALL	WORKING PRESSURE	LIST PRICE
73200N5	1/8"	0.085	0.020	250	---
73203N5	1/4"	0.17	0.040	150	---
73204N5	1/4"	0.125	0.0625	350	---
73206N5	3/8"	0.25	0.0625	150	---
73207N5	1/2"	0.375	0.0625	125	---

1000' LENGTH

PART #	TUBE O.D.	TUBE ID	TUBE WALL	WORKING PRESSURE	LIST PRICE
73203N1	1/4"	0.17	0.040	150	---
73206N1	3/8"	0.25	0.0625	150	---

POLYETHYLENE
TUBING

LLDPE POLYETHYLENE TUBING - COLORS

BLACK



- 100'
- 500'
- 1000'

PART #	COLOR	LENGTH	NOMINAL O.D.	LIST PRICE
73203B	Black	100'	1/4"	---
73204B	Black	100'	1/4"	---
73205B	Black	100'	5/16"	---
73206B	Black	100'	3/8"	---
73207B	Black	100'	1/2"	---
73208B	Black	100'	5/8"	---
73203B5	Black	500'	1/4"	---
73205B5	Black	500'	5/16"	---
73206B5	Black	500'	3/8"	---
73207B5	Black	500'	1/2"	---
73203B1	Black	1000'	1/4"	---
73206B1	Black	1000'	3/8"	---

GREEN



- 100'
- 500'
- 1000'

PART #	COLOR	LENGTH	NOMINAL O.D.	LIST PRICE
73203G	Green	100'	1/4"	---

RED



- 100'
- 500'
- 1000'

PART #	COLOR	LENGTH	NOMINAL O.D.	LIST PRICE
73203R	Red	100'	1/4"	---
73206R	Red	100'	3/8"	---
73203R5	Red	500'	1/4"	---
73206R5	Red	500'	3/8"	---
73203R1	Red	1000'	1/4"	---

BLUE



- 100'
- 500'
- 1000'

PART #	COLOR	LENGTH	NOMINAL O.D.	LIST PRICE
73203U	Blue	100'	1/4"	---
73206U	Blue	100'	3/8"	---
73207U	Blue	100'	1/2"	---
73203U5	Blue	500'	1/4"	---
73206U5	Blue	500'	3/8"	---
73203U1	Blue	1000'	1/4"	---

NYLON 12 TUBING

Nylon 12 tubing is recognized as an industry standard for applications which require higher working pressures and higher heat and/or chemical resistance. It is ideal for outdoor use applications because of its superior stress crack resistance. Nylon 12 is strong, lightweight and has a very low moisture absorption rate compared to other nylons. By not absorbing moisture, Nylon 12 remains more flexible, which in turn extends it's service life. Nylon 12 tubing can be used with standard push-to-connect fittings and compression fittings for simple installation.

Because of it's semi-rigid properties, a thinner tube wall provides higher flow rates and working pressure.

Features

- Strong
- Lightweight
- Flexible
- Abrasion Resistant
- Heat Resistant
- Chemical Resistant
- Heat/ Light Stabilized
- Black - UV Rated

Specifications

Temperature Range: -60°F to +200°F
Hardness: Rockwell 78 R
Shore D 70
Vacuum Rating: To 28" Hg
Higher Flow Rates & Working Pressure
Tolerances: 1/8'-1/4" +/- .004
3/4"-1/2" +/- .006

Applications

Pneumatic Tools
Pneumatic Piping
Instrumentation
Lube Lines
Coolants
Refrigeration
Chemical Transfer
Vacuum
Process Control
Fuel Lines
Paint Supply Lines
Laboratories

Part #'s shown are for natural. 500' and 1000' reels available on request.



100' LENGTH



BLACK TUBING & MISC.



METRIC LENGTH

100' LENGTH

PART #	TUBE O.D.	TUBE ID	TUBE WALL	WORKING PRESSURE	LIST PRICE
973230	1/8"	0.08	.022	420	---
973231	5/32"	0.106	.025	350	---
973232	1/4"	0.18	.035	290	---
973238	1/4"	0.15	.05	800	---
973226	5/16"	0.236	.039	250	---
973233	3/8"	0.275	.050	250	---
973234	1/2"	0.375	.062	240	---

BLACK TUBING & MISC.


PART #	O.D.	TUBE ID	WALL	WORKING PRESSURE	LIST PRICE
73230B	1/8	0.08	0.022	420	---
73231B	5/32	0.106	0.025	350	---
73232B	1/4	0.18	0.035	290	---
73238B	1/4	0.15	0.05	800	---
73233B	3/8	0.275	0.05	250	---
73232N5*	1/4	0.18	0.035	290	---
73238U**	1/4	0.15	0.075	800	---

• 500' Natural **Blue

*METRIC LENGTH - 100 ft. coils • available in natural color only

PART #	MM O.D.	MM I.D.	MM WALL	WORKING PRESSURE	LIST PRICE
973323	4	2.7	0.65	350	---
973326	6	3.5	1.25	350	---
973325	6	4	1	340	---
973327	8	6	1	250	---
973329	10	8	1	225	---
973332	12	10	1	200	---
973334	14	11	1.5	175	---

PVC POLYVINYLCHLORIDE TUBING – NSF61



PVC is suited for general, low-pressure, industrial applications for the conveyance of liquids and solids of suitable granular size. Made from a PVC compound that complies with FDA regulations. Although it is primarily intended for applications where pressure is not essential, it will withstand the pressures shown.

The clear PVC Tubing provides good chemical resistance, is lightweight, flexible and economically priced.

Features
- Lightweight
- Flexible
- Food Grade
- Clear Color/ Blue tint

Specifications
Temperature Range: +25°F to +150°F
Hardness: Shore A 75 PVC
Meets FDA requirements
NSF 61 Certified
USP Class VI rated materials
RoHS Compliant

Applications
Beverage Dispensing
Drain Tubing
Potable Water
Laboratory Tubing
Wine Transfer
Low Pressure Air Line
Distilled Water Transfer
Light Vacuum
Wire Harness
3:1 Burst Pressure

Colors Available: Clear

Package Lengths: 100'

100' LENGTH

PART #	TUBE I.D.	TUBE O.D.	TUBE WALL	WORKING PRESSURE	LIST PRICE
973224	1/8 (.125)	1/4 (.25)	1/16 (.032)	50	---
973223	3/16 (.187)	5/16 (.313)	1/16 (.062)	55	---
973215	1/4 (.25)	3/8 (.375)	1/16 (.062)	55	---
973252	5/16 (.312)	7/16 (.438)	1/16 (.062)	50	---
973253	5/16 (.312)	1/2 (.500)	3/32 (.094)	55	---
973216	3/8 (.375)	1/2 (.500)	1/16 (.062)	45	---
973255	3/8 (.375)	5/8 (.625)	1/8 (.125)	55	---
973262	3/8 (.375)	9/16 (.563)	3/32 (.094)	50	---
973217	1/2 (.500)	5/8 (.625)	1/16 (.062)	30	---
973219	3/4 (.750)	1 (1.00)	1/8 (.125)	35	---
973221	1 (1.00)	1-1/4 (1.25)	1/8 (.125)	25	---

TUBE CUTTERS

MINI-TUBING CUTTER

• Great for tight places



Part #	Size	List Price
990571	3mm-22mm (1/8"-7/8")	---

TUBING CUTTER



PART #	SIZE	LIST PRICE
990570	1/8"-1-1/8"	---


PLASTIC TUBE CUTTER

Range: 1/8" - 3/8" I.D. (3mm-10mm)



PART #	DESCRIPTION	LIST PRICE
91707	Cutter w/Blade	---

MOUNTING RACKS



- Route and secure multiple tubing lines
- Mounting versatility
  - Racks can be easily hand separated down to single holders.
  - Thru holes provided (all sizes)
- Standard color is BLACK.


Other colors available on special request.

NOTE: MOUNTING SCREWS NOT PROVIDED

PART #	TUBING OD	DESCRIP.	CHANNELS	LIST
28988	1/4	non-adhesive	10	---
28989	1/4	adhesive	10	---
28990	3/8	non-adhesive	7	---
28991	1/2	non-adhesive	5	---

ALUMINUM TUBING – EASY BEND

Alloy 3003-0 ASTM B-483



Material to ASTM B-483

900 PSI max
3700 Burst PSI

Bend this tubing into the shape you need without special tools or elbow fittings. It is also known as Alloy 3003. Tubing has seamless construction, which provides a smooth interior and allows it to be flared without splitting. Use with water, air, alcohol and oil. Tubing meets ASTM B483 and has a soft (annealed) temper. OD tolerance is ±0.004"

ALUMINUM VERSATUBE 50' COILS

PART #	O.D.	WALL THICK	ID	MAX PSI @ 100°F	CASE	50' COILS
972190	1/8	.025	.075"	2,300	10 coils	---
972191	3/16	.028	.132"	1,600	10 coils	---
972192	1/4	.032	.186"	1,400	10 coils	---
972193	5/16	.035	.243"	1,200	10 coils	---
972194	3/8	.035	.305"	1,000	10 coils	---
972195	1/2	.035	.43"	740	10 coils	---

COPPER TUBING – REFRIGERATION TUBING

ASTMB280



- Temp range: 32° to 400°F
- Bend with a bending tool

This copper Alloy 122 tube comes cleaned and capped to prevent moisture and dirt from contaminating the inside. It's often called refrigeration and air conditioning tubing. Use with water, natural gas, oil and R22 refrigerant. Tubing meets ASTM B280. It has seamless construction, which provides a smooth interior. Tubing has a soft (annealed) temper.

REFRIGERATION COPPER TUBE 50' COILS

PART #	TUBE SIZE	OD	WALL	ID	MAX PSI @ 100°F	WEIGHT PER 50' COIL	50' COILS
972180	-	1/8	.030	.065"	3,000	1.74	---
972181	-	3/16	.030	.128"	1,900	2.88	---
972182	1/8	1/4	.030	.19"	1,400	4..02	---
972183	-	5/16	.032	.248"	1,100	5.45	---
972184	1/4	3/8	.032	.311"	980	6.70	---
972185	3/8	1/2	.032	.436"	720	9.10	---
972186	1/2	5/8	.035	.555"	610	12.55	---
972187	5/8	3/4	.035	.68'	510	15.25	---

COPPER TUBING - DRINKING WATER

For residential water lines



- Temp range: 32° to 180°F
- Bend with a bending tool

NSF 61 certified for drinking (potable) water, this copper Alloy 122 tubing is also called type L. Tubing meets ASTM B88. It has seamless construction, which porovides a smooth interior. Coils - Have a soft (annealed) temper.

• Water service • Natural, liquified and petroleum gases • Fire protection • Solar • Fuel/ Fuel oil • HVAC • Snow melting - Air Brake

TYPE L SOFT COPPER TUBING 60' COILS

PART #	TUBE SIZE	OD	WALL	ID	MAX PSI @ 100°F	WEIGHT PER 60' COIL	60' COILS
972171	1/4	3/8"	.03"	.315"	910	7.56	---
972172	3/8	1/2	.035"	.43"	770	11.88	---
972173	1/2	5/8"	.04"	.545"	720	17.10	---

WARNING: This product can expose you to chemicals, including Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


HIGH PRESSURE SPRAYERS



STRAIGHT THROUGH QDS



FITTINGS AND SWIVELS



NOZZLES



SPRAY GUNS AND WANDS



WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm.
For more information, visit www.P65Warnings.ca.gov

NOZZLES

QUICK DISCONNECT NOZZLE

0-degree red tip nozzle, 15-degree yellow tip nozzle, 25-degree green tip nozzle, 40-degree white tip nozzle, and 65-degree black tip detergent nozzle. All nozzles are 4000 PSI and stainless steel, except for detergent nozzle, which is 600 PSI and brass. All Nozzles are rated for temperatures up to 300°F. Nozzles attach with ¼" quick disconnect plug.



PART #	DEGREE OF SPRAY	GPM @ 4000PSI	LIST PRICE
DX250030	0	3.0	---
DX251530	15	3.0	---
DX252530	25	3.0	---
DX254030	40	3.0	---
DX250040	0	4.0	---
DX251540	15	4.0	---
DX252540	25	4.0	---
DX254040	40	4.0	---
DX250050	0	5.0	---
DX251550	15	5.0	---
DX252550	25	5.0	---
DX254050	40	5.0	---
DX250060	0	6.0	---
DX251560	15	6.0	---
DX252560	25	6.0	---
DX254060	40	6.0	---
DX256500	65		---

MEG NOZZLE

Available in 0-degree nozzle, 15-degree nozzle, 25-degree nozzle, or 40-degree nozzle. Nozzle sizes 3.0, 4.0, 5.0, 6.0 or 7.0. All nozzles are 7250 PSI 300°F, stainless steel and ¼" male pipe thread.



PART #	DEGREE OF SPRAY	GPM @ 4000PSI	LIST PRICE
DX140030MG	0	3.0	---
DX141530MG	15	3.0	---
DX142530MG	25	3.0	---
DX144030MG	40	3.0	---
DX140040MG	0	4.0	---
DX141540MG	15	4.0	---
DX142540MG	25	4.0	---
DX144040MG	40	4.0	---
DX140050MG	0	5.0	---
DX141550MG	15	5.0	---
DX142550MG	25	5.0	---
DX144050MG	40	5.0	---
DX140060MG	0	6.0	---
DX141560MG	15	6.0	---
DX142560MG	25	6.0	---
DX144060MG	40	6.0	---
DX140070MG	0	7.0	---
DX141570MG	15	7.0	---
DX142570MG	25	7.0	---
DX144070MG	40	7.0	---

QUICK DISCONNECT NOZZLE 5-PIECE KIT

PART #	GPM @ 4000PSI	LIST PRICE
DX259520	2.0	---
DX259530	3.0	---
DX259540	4.0	---
DX259550	5.0	---
DX259560	6.0	---
DX259570	7.0	---



WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SWIVELS

RUBBER-TIP TURBO NOZZLE

Rubber tip, rotating turbo nozzle, ¼" NPT with steel male quick disconnect plug adaptor, rated for temperatures up to 300°F.



PART #	PSI	GPM @ 4000PSI	LIST PRICE
DX722530	2500	3.0	---
DX722540	2500	4.0	---
DX722550	2500	5.0	---
DX722560	2500	6.0	---
DX723230	3200	3.0	---
DX723240	3200	4.0	---
DX723250	3200	5.0	---
DX723260	3200	6.0	---
DX724030	4000	3.0	---
DX724040	4000	4.0	---
DX724050	4000	5.0	---
DX724060	4000	6.0	---
DX725030	5000	3.0	---
DX725040	5000	4.0	---
DX725050	5000	5.0	---
DX725060	5000	6.0	---

THERMAL RELIEF VALVE

140F Thermal Relief Valve, Brass, 300 PSI

- Attaches directly to pump



PART #	SIZE	LIST PRICE
DX35TR25	1/4"	---
DX35TR38	3/8"	---

90° BOOM SWIVEL

Male x Female 90° Boom swivel, Stainless Steel, 5000 PSI, 7GPM, 300°F




PART #	SIZE	LIST PRICE
DX60092	3/8"	---

SPRAYERS

CHROMED STEEL WAND

1/4" MNPT x 1/4" Extension Wands, 10.5 GPM, 300F



PART #	SIZE	GRIP	LIST PRICE
DX4324	24"	No Grip	---
DX4336	36"	No Grip	---
DX4424	24"	Molded Grip	---
DX4436	36"	Molded Grip	---
DX4524VG	24"	Vented Grip	---
DX4536VG	36"	Vented Grip	---

SPRAY GUN

Rear entry spray gun, 4000 PSI, 7 GPM, 212F max, inlet 3/8", outlet 1/4"



PART #	PRESSURE	FLOW	TEMPERATURE	LIST PRICE
DX5090	4000	7	212	---
DX5022	4000	6.6	300	---
DX5005	5075	10.5	300	---

WEEPING SPRAY GUN

Rear entry spray gun, weeping, 5000 PSI, 10.5 GPM, 300F, , inlet 3/8", outlet 1/4"

Weep style spray guns allow for a continuous flow of water by way of a small hole in the bottom of the gun that produces a slight leak, or a weeping effect. This helps prevent lines freezing in cold weather or scalding water temperatures in hot weather that could damage the pumps.



PART #	LIST PRICE
DX5006	---

SPRAY GUN WITH EXTENSION*

Rear entry spray gun with 12" extension, 4000psi, 7gpm, 300F max, inlet 3/8", outlet M22



PART #	LIST PRICE
DX5190	---

SPRAY GUN WITH EXTENSION*

Rrear entry spray gun with 12" extension, 5075psi, 10.5gpm, 300F max, inlet 3/8", outlet M22



PART #	LIST PRICE
DX5197	---

*Requires a 86-005 for MEG Nozzle and a 86-005 & 86-030 for QD Nozzle

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COUPLERS/ PLUGS
HIGH PRESSURE SPRAYER

QUICK DISCONNECTS

- Brass couplers have brass bodies and brass valves, 8 steel locking balls, Buna-N seal, and stainless steel springs
- Stainless steel couplers have stainless steel bodies, 8 stainless steel locking balls, Buna-N seal, and stainless steel springs
- Plugs are steel with green blue zinc plating or stainless steel
- Straight through design means there is no positive shut-off after disconnect
- Fully interchangeable with Parker, Hansen, Foster and Adams
- Use with liquids, hydraulic service, compressed air, gases, water and vacuum
- Ideal for applications such as high pressure water, steam washers, and carpet cleaners
- Max. Temp. 212°F for Couplers/ 300°F for Plugs
- Max Flow: 10.5 GPM

STRAIGHT THROUGH STYLE

MALE BRASS COUPLERS



PART #	BODY SIZE	THREAD SIZE	PSI	LIST PRICE
86030	1/4	1/4	4000	---
86031	3/8	3/8	4000	---
86032	1/2	1/2	4000	---

FEMALE BRASS COUPLERS



PART #	BODY SIZE	THREAD SIZE	PSI	LIST PRICE
86035	1/4	1/4	4000	---
86036	3/8	3/8	4000	---
86037	1/2	1/2	4000	---

MALE STAINLESS STEEL COUPLERS



PART #	BODY SIZE	THREAD SIZE	PSI	LIST PRICE
86030SS	1/4	1/4	6000	---
86031SS	3/8	3/8	6000	---

FEMALE STAINLESS STEEL COUPLERS




PART #	BODY SIZE	THREAD SIZE	PSI	LIST PRICE
86035SS	1/4	1/4	6000	---
86036SS	3/8	3/8	6000	---

MALE STEEL PLUGS




PART #	BODY SIZE	THREAD SIZE	PSI	LIST PRICE
86040	1/4	1/4	4000	---
86041	3/8	3/8	4000	---
86042	1/2	1/2	4000	---

FEMALE STEEL PLUGS




PART #	BODY SIZE	THREAD SIZE	PSI	LIST PRICE
86045	1/4	1/4	4000	---
86046	3/8	3/8	4000	---
86047	1/2	1/2	4000	---

MALE STAINLESS STEEL PLUGS



PART #	BODY SIZE	THREAD SIZE	PSI	LIST PRICE
86040SS	1/4	1/4	6000	---
86041SS	3/8	3/8	6000	---

FEMALE STAINLESS STEEL PLUGS



PART #	BODY SIZE	THREAD SIZE	PSI	LIST PRICE
86045SS	1/4	1/4	6000	---
86046SS	3/8	3/8	6000	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MOLDED GRIP MALE BRASS COUPLER



PART #	THREAD SIZE	THREAD SIZE	PSI	LIST PRICE
86030RG	1/4	1/4	4000	---
86031RG	3/8	3/8	4000	---

MOLDED GRIP FEMALE BRASS COUPLER



PART #	THREAD SIZE	PLUG	PSI	LIST PRICE
86035RG	1/4	1/4	4000	---
86036RG	3/8	3/8	4000	---

M22 SCREW TYPE X MNPT



PART #	THREAD SIZE	MALE	PSI	LIST PRICE
86001	M22	1/4	4000	---
86002	M22	3/8	4000	---

M22 SCREW TYPE X FNPT



PART #	THREAD SIZE	FEMALE SIZE	PSI	LIST PRICE
86005	M22	1/4	4000	---
86006	M22	3/8	4000	---


INSULATED KNOB

M22 INSULATED KNOB X MNPT



PART #	THREAD SIZE	MALE SIZE	PSI	LIST PRICE
86012	M22	1/4	4000	---
86013	M22	3/8	4000	---

M22 INSULATED KNOB X FNPT




PART #	THREAD SIZE	FEMALE SIZE	PSI	LIST PRICE
86017	M22	1/4	4000	---
86018	M22	3/8	4000	---

M22 X M22 FNPT



PART #	THREAD SIZE	THREAD SIZE	PSI	LIST PRICE
86022	M22	M22	4000	---

M22 INSULATED KNOB X QC PLUG



PART #	THREAD SIZE	PLUG	PSI	LIST PRICE
86020	M22	3/8	4000	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

PNEUMATICS



1/4"	3/8"	1/2"	1/4"	1/4"	3/8"	1/4"	1/4"	3/8"
INDUSTRIAL INTERCHANGE			ARO	AUTO	AUTO	LINCOLN	STRAIGHT THRU	STRAIGHT THRU

QUICK DISCONNECTS



- Universal
- ARO 210
- Lincoln
- Industrial
- Automotive
- ST Series - High Flow

BREATHER VENTS, MUFFLERS



- Mufflers
- Snubbers
- In-line filters
- Breather vents
- Control valves
- Manifolds

PNEUMATIC ACCESSORIES



- Kits NEW
- Tire gauge
- Tank and vent valves
- Blow guns
- Air chucks
- Inflators

GAUGES



- Liquid filled & Dry
- Lower mount & center mount
- Water test
- Syphons

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

INDUSTRIAL INTERCHANGE

- Couplers are brass or plated steel body with brass or steel valves, 6 steel locking balls, NBR seal and stainless steel springs

6 Steel locking balls (1/2" body size has 8 steel locking balls)

- Plugs are brass or steel with green blue zinc plating
- Industry standard design for compressed air, water, grease, paint, limited vacuum and limited gases
- Manual retract for connecting and disconnecting
- Maximum working pressure is 250 PSI

BRASS FEMALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28540	1/4"	1/4"	---
28541	1/4"	3/8"	---

BRASS MALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28552	1/4"	1/4"	---
28553	1/4"	3/8"	---

STEEL FEMALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28540S	1/4"	1/4"	---
28541S	1/4"	3/8"	---
98810	3/8"	1/4"	---
98811	3/8"	3/8"	---
98812	3/8"	1/2"	---
99812	1/2"	1/2"	---

STEEL MALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28552S	1/4"	1/4"	---
28553S	1/4"	3/8"	---
98823	3/8"	1/4"	---
98824	3/8"	3/8"	---
98825	3/8"	1/2"	---
99825	1/2"	1/2"	---
99826	1/2"	3/4"	---

BRASS HOSE ID COUPLER




PART#	BODY SIZE	BARB SIZE	LIST PRICE
28562	1/4"	1/4"	---
28564	1/4"	3/8"	---

STEEL HOSE ID COUPLER



PART#	BODY SIZE	BARB SIZE	LIST PRICE
28562S	1/4"	1/4"	---
28564S	1/4"	3/8"	---
98840	3/8"	1/4"	---
98841	3/8"	3/8"	---
99841	1/2"	3/8"	---
99843	1/2"	1/2"	---

BRASS PUSH-ON HOSE COUPLER



PART#	BODY SIZE	BARB SIZE	LIST PRICE
28565	1/4"	1/4"	---
28566	1/4"	3/8"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

INDUSTRIAL
PNEUMATICS

STEEL PUSH-ON HOSE COUPLER




PART#	BODY SIZE	BARB SIZE	LIST PRICE
28565S	1/4"	1/4"	---
28566S	1/4"	3/8"	---
98842	3/8"	3/8"	---

STEEL MALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28545	1/4"	1/8"	---
28546	1/4"	1/4"	---
28547	1/4"	3/8"	---
98814	3/8"	1/4"	---
98815	3/8"	3/8"	---
99816	1/2"	1/2"	---
99817	1/2"	3/4"	---

STEEL FEMALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28533	1/4"	1/8"	---
28534	1/4"	1/4"	---
28535	1/4"	3/8"	---
98801	3/8"	1/4"	---
98802	3/8"	3/8"	---
99803	1/2"	1/2"	---
99804	1/2"	3/4"	---

BRASS MALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28546B	1/4"	1/4"	---

BRASS FEMALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28534B	1/4"	1/4"	---

STEEL HOSE ID PLUG



PART#	BODY SIZE	BARB SIZE	LIST PRICE
28557	1/4"	1/4"	---
28559	1/4"	3/8"	---
98828	3/8"	3/8"	---
99828	1/2"	3/8"	---
99830	1/2"	1/2"	---

STEEL PUSH-ON HOSE PLUG



PART#	BODY SIZE	BARB SIZE	LIST PRICE
28558	1/4"	1/4"	---
28561	1/4"	3/8"	---
98830	3/8"	3/8"	---

STEEL SWIVEL MALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
320065	1/4"	1/4"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

UNIVERSAL SERIES COUPLERS

- Automatic Coupler means flow will cut off automatically at time of disconnect
- Brass Couplers have brass body and brass sleeve with brass valve, 6 steel locking balls, NBR seal and 6 stainless steel springs.
- Stainless Steel Couplers have stainless steel body and stainless steel sleeve with stainless steel valve, 6 steel locking balls, FKM seal, and stainless steel springs
- Coupler compatible with ARO 210, Parker Interchange and Industrial Interchange plugs
- Maximum working pressure is 250 PSI

BRASS MALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28579	1/4"	1/4"	---
28589	1/4"	3/8"	---

BRASS FEMALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28560	1/4"	1/4"	---

BRASS HOSE ID COUPLER



PART#	BODY SIZE	BARB SIZE	LIST PRICE
28690	1/4"	1/4"	---
28691	1/4"	3/8"	---

STAINLESS STEEL MALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28579SS	1/4"	1/4"	---

STAINLESS STEEL FEMALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28560SS	1/4"	1/4"	---

STAINLESS STEEL INDUSTRIAL MALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28546SS	1/4"	1/4"	---

STAINLESS STEEL INDUSTRIAL FEMALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28534SS	1/4"	1/4"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

ARO 210 INTERCHANGE

- Couplers have brass bodies and brass valves, 6 steel locking balls, NBR seal, and stainless steel springs
- Plugs are steel with green blue zinc plating
- Couplers have a full opening tubular valve for maximum flow and a built-in sleeve guard to minimize accidental disconnect
- Maximum working pressure is 250 PSI

MALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28592	1/4"	1/8"	---
28593	1/4"	1/4"	---
28594	1/4"	3/8"	---

MALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28586	1/4"	1/8"	---
28587	1/4"	1/4"	---

FEMALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28583	1/4"	1/8"	---
28584	1/4"	1/4"	---

FEMALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28578	1/4"	1/4"	---

HOSE ID COUPLER



PART#	BODY SIZE	BARB SIZE	LIST PRICE
28601	1/4"	1/4"	---
28603	1/4"	3/8"	---

HOSE ID PLUG




PART#	BODY SIZE	BARB SIZE	LIST PRICE
28595	1/4"	1/4"	---
28597	1/4"	3/8"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

AUTOMOTIVE/ PARKER INTERCHANGE (Tru-Flate)

- Brass couplers are brass bodies with brass valves, 6 steel locking balls, NBR seal, and stainless steel springs. Steel couplers are steel bodies with steel valves, 6 stainless steel locking balls, NBR seal, and stainless steel springs.
- Plugs are brass or steel with green blue zinc plating
- Unique design has been field proven as a long-lasting, high performance coupling especially when used with pneumatic tools
- Maximum working pressure is 300 PSI

BRASS MALE COUPLER




PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28515	1/4"	1/8"	---
28516	1/4"	1/4"	---
28517	1/4"	3/8"	---

BRASS FEMALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28507	1/4"	1/4"	---
28508	1/4"	3/8"	---

STEEL MALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28516S	1/4"	1/4"	---
28514S	3/8"	1/4"	---
28519S	3/8"	3/8"	---

STEEL FEMALE COUPLER




PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28507S	1/4"	1/4"	---
28525S	3/8"	1/4"	---

BRASS MALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28510B	1/4"	1/4"	---

BRASS FEMALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28501B	1/4"	1/4"	---

STEEL MALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28509	1/4"	1/8"	---
28510	1/4"	1/4"	---
28511	1/4"	3/8"	---
28512	3/8"	1/4"	---
28513	3/8"	3/8"	---

STEEL FEMALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28500	1/4"	1/8"	---
28501	1/4"	1/4"	---
28502	1/4"	3/8"	---
28503	3/8"	1/4"	---
28504	3/8"	3/8"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

AUTOMOTIVE/ PARKER INTERCHANGE

PNEUMATICS

HOSE ID COUPLER



PART#	BODY SIZE	BARB SIZE	LIST PRICE
28528	1/4"	1/4"	---
28530	1/4"	3/8"	---
28536	3/8"	1/4"	---

HOSE ID PLUG




PART#	BODY SIZE	BARB SIZE	LIST PRICE
28518	1/4"	1/4"	---
28520	1/4"	3/8"	---
28523	3/8"	1/4"	---
28524	3/8"	3/8"	---

PUSH-ON HOSE COUPLER



PART#	BODY SIZE	BARB SIZE	LIST PRICE
28531	1/4"	1/4"	---
28532	1/4"	3/8"	---

PUSH-ON HOSE PLUG




PART#	BODY SIZE	BARB SIZE	LIST PRICE
28521	1/4"	1/4"	---
28522	1/4"	3/8"	---

LINCOLN INTERCHANGE

- Couplers have brass bodies with steel sleeves, Acetal valves, 6 steel locking balls, Nitrile seal and stainless steel springs
- Plugs are steel with green blue zinc plating
- Manual style
- Unique design includes long nose and short ball groove
- Maximum working pressure is 250 PSI

MALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28683	1/4"	1/4"	---

STEEL MALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28685	1/4"	1/8"	---
28686	1/4"	1/4"	---

FEMALE COUPLER



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28684	1/4"	1/4"	---

STEEL FEMALE PLUG



PART#	BODY SIZE	THREAD SIZE	LIST PRICE
28687	1/4"	1/4"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

ST SERIES...HIGH FLOW

SPECIFICATIONS

Brass - Coupler & Steel Plug	
Temperature Range	-40° to 250°

- Non-valved couplings for applications where maximum flow is required. Ideal for applications such as high pressure water and steam washers, carpet cleaners and mold coolant lines. They are often used in food processing, on fluid and dye transfer lines.
- Standard seals are Buna-N (Nitrile).

MALE PIPE COUPLER

BRASS



PART #	BODY & THREAD SIZE	LIST
28667	1/8"	---
28665	1/4"	---
28666	3/8"	---
28668	1/2"	---
28669	3/4"	---
28670	1"	---

FEMALE PIPE COUPLER

BRASS



PART #	BODY & THREAD SIZE	LIST
28671	1/8"	---
28651	1/4"	---
28652	3/8"	---
28672	1/2"	---
28673	3/4"	---
28674	1"	

MALE PLUG

STEEL



PART #	SIZE	LIST PRICE
28675	1/8"	---
28639	1/4"	---
28640	3/8"	---
28676	1/2"	---
28677	3/4"	---

FEMALE PLUG

STEEL





PART #	SIZE	LIST PRICE
28688	1/8"	---
28619	1/4"	---
28620	3/8"	---
28679	1/2"	---
28680	3/4"	---
28681	1"	---

MOLD COOLANT-LINE QUICK COUPLERS

OPERATING PRESSURE:
200 PSIG (14.06 Kg/sq. cm)
Standard Seal:
SILICONE: -90°F to 400°F (-68°C to +

- coolant couplers are engineered for optimum speed and performance in connecting coolant lines to molds used for thermoplastic, thermosetting, blow molding, diecasting and on other types of tooling and equipment utilizing a constant fluid flow pumped through cooling







MALE PLUG (BRASS)

1/4" BASIC SIZE

PART #	SIZE	A	B	LIST PRICE
29900	1/8"	0.69	0.69	---
29901	1/4"	0.84	0.94	---
29902	3/8"	1.00	0.97	---

3/8" BASIC SIZE

PART #	SIZE	A	B	LIST PRICE
29906	1/4"	1.00	0.94	----
29907	3/8"	1.00	1.13	----
29908	1/2"	1.81	1.25	----

1/2" BASIC SIZE

PART #	SIZE	A	B	LIST PRICE
29911	1/2"	1.25	1.50	---
29912	3/4"	1.50	1.56	---

FEMALE PLUG (STEEL)

1/4" BASIC SIZE

PART #	SIZE	LIST PRICE
29903	1/8"	---
29904	1/4"	---
29905	3/8"	---

3/8" BASIC SIZE

PART #	SIZE	LIST PRICE
29909	1/4"	---
29910	3/8"	---

1/2" BASIC SIZE

PART #	SIZE	LIST PRICE
29913	1/2"	---
29914	3/4"	---

MINI TYPE QUICK DISCONNECTS

MALE COUPLER



PART #	SIZE	LIST PRICE
28605	1/8"	---

FEMALE PLUG



PART #	SIZE	LIST PRICE
28608	1/8"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MUFFLERS/ VENTS
PNEUMATICS

BRASS MUFFLERS


Materials:
Body: Brass
Element: Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 300°F
• Application: Designed to diffuse Air & Muffler noise to acceptable levels within OSHA noise requirements.
• Used on exhaust ports, valves, cylinders and air tools.
• Construction: Porous sintered bronze 40 micron filter element secured to a brass body



PART #	SIZE	LIST PRICE
300020	10/32"	---
300021	1/8"	---
300022	1/4"	---
300023	3/8"	---
300024	1/2"	---
300026	3/4"	---
300028	1"	---

40 Micron element

STAINLESS MUFFLERS





Materials:
Body: 303 Grade Stainless Steel
Element: 316 Grade Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 392°F

PART #	SIZE	LIST PRICE
300031	10/32"	---
300032	1/8"	---
300033	1/4"	---
300034	3/8"	---
300035	1/2"	---
300036	3/4"	---
300037	1"	---

BRASS BREATHER VENT




Materials:
Body: Brass
Element: Sintered Bronze
Max Operating Pressure: 150PSI
Temperature: 35° to 300°F
• Application: Prevents Dirt and Foreign Particles from Entering Ports Open to Atmosphere. Typically used on Acting Cylinders
• Additional Use is Vacuum Relief or Pressure Equalization on Storage Vessels or Tanks
• Construction: Porous Sintered Bronzed 40 Micron Filter Element Secured to a brass body

PART #	SIZE	LIST PRICE
300000	10-32"	---
300001	1/8"	---
300002	1/4"	---
300003	3/8"	---
300004	1/2"	---
300006	3/4"	---
300008	1"	---

40 Micron element

STAINLESS BREATHER VENT







Materials:
Body: 303 Grade Stainless Steel
Element:316 Grade Stainless Steel
Max Operating Pressure: 150PSI
Temperature: 35° to 390°F

PART #	SIZE	LIST PRICE
300014	1/8"	---
300015	1/4"	---
300017	3/8"	---
300018	1/2"	---
300019	3/4"	---
300007	1"	---

PRESSURE SNUBBER






Materials:
Body: Brass
Element: Sintered Bronze
Max Operating Pressure: 9000PSI
Temperature: 35° to 300°F
• Applications: Protect pressure instruments from sudden pressure surges and fluctuations providing more accurate gauge readings
• Construction: Solid brass housing with porous bronze element
• Can be used for mini in-line filters
• 5 different porosity elements per package, allows each user to adjust snubbing capacity for the specific application

PART #	SIZE	POROSITY	LIST
28354	1/4"	40 um	---
28353	1/4"	30 um	---
28352	1/4"	25 um	---
28351	1/4"	20 um	---
28350	1/4"	10 um	---

Recommended Element Porosity Rating		
Rating	Color	Recommended Application
40 um	None	Viscous Fluids (over 500 ssu)

SPEED CONTROL VALVE






Materials:
Body: Brass
Element: 40 Micron Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 300°F
• Application: Provide infinite variation of metering air flow at acceptable sound levels on air valve exhaust ports with complete safety
• The speed of an operating cylinder or air tool may be increased or decreased with the adjusting screw, the final position is locked in place by a lock nut
• Objectionable exhaust air noise is eliminated by the surrounding sleeve - 40 µm sintered bronze
• Brass Body
• Max operating pressure: 300PSI
• Operating temperature: 35° F to 300° F

PART #	SIZE	LIST PRICE
940800	1/8"	---
940801	1/4"	---
940803	3/8"	---
940804	1/2"	---
940805	3/4"	---
940806	1"	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STAINLESS SPEED CONTROL VALVE




70 Micron filter element

Materials:
Body: 303 Grade Stainless Steel
Element: 316 Grade Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 392°F

PART #	SIZE	LIST PRICE
940810	1/8"	---
940811	1/4"	---
940812	3/8"	---
940813	1/2"	---
940814	3/4"	---
940815	1"	---

MUFFLER W/ FLOW ADJUSTMENT




Materials:
Body: Brass
Element: Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 300°F

PART #	SIZE	LIST PRICE
28379	1/8"	---
28380	1/4"	---
28381	3/8"	---
28382	1/2"	---

HIGH FLOW ALUMINUM MUFFLER


• hole pattern



Materials:
Body: Aluminum
Element: 50 Mesh Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 160°F

PART #	SIZE	LIST PRICE
940822	1/8"	---
940823	1/4"	---
940824	3/8"	---
940825	1/2"	---
940826	3/4"	---
940827	1"	---


HIGH FLOW STEEL MUFFLER



Materials:
Body: Steel
Element: 50 Mesh Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 160°F

PART #	SIZE	LIST PRICE
28373	1/8"	---
28374	1/4"	---
28375	3/8"	---
28376	1/2"	---
28377	3/4"	---
28378	1"	---

ALUMINUM HIGH FLOW MUFFLER



Materials:
Body: Aluminum
Element: 50 Mesh Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 160°F
• Slit pattern
• Application: Used exhaust ports of Pneumatic valves or manifolds to reduce work area noise
• Construction: Aluminum body, 50 mesh self cleaning stainless steel screen corrosion resistant aluminum shell
• High flow & minimal back pressure

PART #	SIZE	LIST PRICE
28367	1/8"	---
28368	1/4"	---
28369	3/8"	---
28370	1/2"	---
28371	3/4"	---
28372	1"	---


PLASTIC HIGH FLOW MUFFLER



Materials:
Body: Black Nylon
Element:50 Mesh Stainless Steel
Max Operating Pressure: 150PSI
Temperature: 35° to 120°F

PART #	SIZE	LIST PRICE
28363	1/8"	---
28364	1/4"	---
28365	3/8"	---
28366	1/2"	---

NIPPLE INLINE FILTER



Materials:
Body: Brass
Element: 40 Micron Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 300°F

PART #	SIZE	LIST PRICE
940845	1/8"	---
940846	1/4"	---
940847	3/8"	---
940848	1/2"	---

REPAIRABLE AIR/ OIL INLINE FILTER



Materials:
Body: Anodized Aluminum
Element: 40 Micron Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 200°F
• Application: Protect small air tools i.e. impact wrench grinders, screwdrivers and low pressure hydraulic applications
• Construction: All anodized, lightweight aluminum housing
• Can be installed directly before the air tool
• Features cleanable or replaceable 40 micron filter element

PART #	SIZE	LIST PRICE
940840	1/8"	---
940841	1/4"	---
940842	3/8"	---
940843	1/2"	---
940844	3/4"	---


WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

MANIFOLDS

MANIFOLDS - ALUMINUM WITH BLACK ANODIZING

Materials:
Aluminum with black anodizing for corrosion resistance.
Specifications:
Max Operating Pressure: 1000PSI
Temperature: -10° to 200°F
Media: Air and liquids compatible with materials of construction.
• Ports column = # of ports in top of manifold





THREADED PORTS

Part #	Ports	List Price	A - out NPT	B - in NPT	C	D	E	F	G	H	J	K	M	R
28450	4	----	1/8"	1/4"	1.00	0.50	0.75	1.5	0.17	3.25	0.70	0.50	0.88	0.15
28452	6	---						3.00		4.75				
28456	10	---						6.00		7.75				
			1/4"	3/8"	1.25	0.63	0.88		0.20		0.89	0.63	1.06	0.18
28458	3	----						0.88		3.00				
28460	5	---						2.63		4.75				
28464	9	----						6.13		8.25				
28465	10	----						7.00		9.13				
28467	3	----	3/8"	3/8"	1.25	1.00	1.13	1.13	0.20	4.25	0.89	0.63	1.56	0.18
28468	4	----						2.25		5.38				
28469	5	----						3.38		6.50				
28470	6	---						4.50		7.63				

3 IN 1 ALUMINUM AIR MANIFOLD

No need to connect and disconnect every time you want to change tools. Supply 3 air tools from one outlet. These manifolds have one inlet with three 1/4 outlets.



PART #	SIZE	LIST PRICE
320120	1/4" Inlet	---
320121	3/8" Inlet	---
320122	1/2" Inlet	---
three 1/4" Outlets		

AIR REGULATOR

- Rated for Inlet Pressrue up to 140PSI(10bar).
- Ambient and Fluid Tempreature:5~60°C(41~140°F)
- Port Threads:NPT
- Flow Capacity:See Below,at 0.7Mpa Inlet Pressure and set at 0.5Mpa.
- Assembly Bracket is included.



PART #	SIZE	GAUGE PORT	REGULATING RANGE	LIST PRICE
AR2	1/4"	1/8	0.05~0.85Mpa(0.5~8.5kgf/cm2)(7.25psi~123psi)	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SAFETY VALVES

ASME CODED

- Valves are manufactured to ASME standards and certified by the national board of boiler and pressure vessel inspectors.
- Bubble tight to 10% of set pop-off pressure.
- ASME safety valves are interchangeable with all other ASME valves of same size and pressure.
- Brass construction. Marked ASME, NB
- 1/ Blister card.



PART #	MALE NPT	POP-OFF PRESSURE	AIR FLOW	LIST PRICE
87001	1/4"	70 PSI	70 CFM	---
87002	1/4"	125 PSI	120 CFM	---
87003	1/4"	150 PSI	140 CFM	---
87004	1/4"	200 PSI	170 CFM	---

Note: Valve resets after pressure drops 50%

NON-CODED SAFETY RELIEF VALVES

- Non-coded safety valves are constructed of the same materials as the AMSE safety valves but are not national board certified and cannot be used on applications requiring ASME components.
- Valves are equipped with a lift ring for instant relief and are staked at the factory at the pre set pop-off pressure.
- Marked ASME, UV, NB




PART #	MALE NPT	POP-OFF PRESSURE	LIST PRICE
87008	1/4"	125 PSI	---
87009	1/4"	150 PSI	---

Warning: These valves are not to be used on compressors with a capacity over 15 CFM or 3 HP or 12 gallon storage tank.

COMPRESSOR TANK CHECK VALVES

- Used in compressor tanks to prevent air volume and pressure from escaping back into compressor heads while the compressor is not operating.
- Brass body with Teflon poppet.
- 1/8" Female NPT side port for pressure switch application.
- Maximum working pressure: 450 PSI
- Maximum temperature: 400°F





PART #	TANK BUNG HOLE SIZE	COMPRESSOR AIR LINE SIZE	SCFM	LIST PRICE
87020	1/2" NPT Male	3/8" Tube Compression male	20	---
87021	1/2" NPT Male	1/2" Tube Compression male	20	---
87023	1/2" NPT Male	1/2" NPT Female	20	---


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

tank valves

BRASS BICYCLE PUMP FITTING

Screw on swivel chuck for most hand operated tire pumps.
Buna-N-Seal • Deflator

INT x 3/16 Barb



PART #	SIZE	LIST PRICE
32782	3/16"	---

INFLATOR

INT x 3/16



PART #	SIZE	LIST PRICE
32783	3/16"	---

PNEUMATIC SLIDE VALVE

- Max Operating Pressure: 200 psig
- Temperatures:-20°F to +200°F

Manually operated slide valves provide simple on/off airflow control. They can be mounted horizontally, vertically or at any angle.

Open Position



MALE X FEMALE

PART #	SIZE	L	HEX	LIST PRICE
20780	1/8"	2.15	9/16"	---

INT = Inflation needle thread .305 in. OD x 32 threads per inch

TANK & VENT VALVES

Three standard styles of valve bodies, complete with short core, for air lifts, water pumps, vacuum, pressurized containers, air jacks, and other pneumatic devices.
REGULAR: 300 PSI and cracking pressure 80 PSI

1/8" NPT - .9" LONG SPRING CORE

7/16" Hex

1/8 x INT



PART #	SIZE	LIST PRICE
46620	1/8	---

1/8" NPT 1.207"LONG SPRING CORE

7/16" Hex

1/8 x INT



PART #	SIZE	LIST PRICE
46621	1/8	---

1/4" NPT 1.46" LONG SPRING CORE

9/16" Hex

w/ Black cap

1/4 x INT



PART #	SIZE	LIST PRICE
46622	1/4	---

TANK VALVE ACCESSORIES

BLACK PLASTIC CAP

No gasket



Inflation needle theads

PART #	LIST PRICE
46630	---

SHORT NICKEL PLATED DOME CAP

Dome skirted type



Inflation needle thead

PART #	LIST PRICE
46631	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

COMPACT BLOW GUN W/RUBBER TIP

- Includes One Rubber Tip and One Safety Tip
- Zinc Alloy Body
- 1/4" FPT Inlet
- Maximum 150 psi (Recommended Working Pressure 90-120 psi)
- Safety Tip Limits Air Pressure to 30 psi When Dead-Ended per OSHA requirement
- Maximum 87 dba
- 1/8" Outlet



PART #	SIZE	LIST PRICE
320053	1/4"	---

SAFETY BLOW GUN

- Heavy-Duty Design
- Internal Safety Valve that Limits Air Pressure to Less than 30 psi When dead-ended per OSHA
- Aluminium Alloy Body
- 1/4" FPT Inlet
- Maximum 150 psi (Recommended Working Pressure 90-120 psi)
- Safety Tip Limits Air Pressure to 30 psi When Dead-Ended per OSHA Requirement
- Maximum 87 dba
- 1/8" Outlet



PART #	SIZE	LIST PRICE
320054	1/4"	---

SAFETY BLOW GUN

- N/P steel handle with plastic sleeve
- Brass Valve
- Zinc body
- Aluminum nozzle

90 PSI



1/8" Outlet

PART #	SIZE	LIST PRICE
320050	1/4" Inlet	---

5114 **51-124** 401 **20430AD** S148 **D204-30** 6475

COMPACT BLOW GUN

- With standard tip and safety tip
- Zinc Alloy Body
- 1/4" FPT Inlet
- Maximum 150 psi (Recommended Working Pressure 90-120 psi)
- Safety Tip Limits Air Pressure to 30 psi When Dead-Ended per OSHA Requirement
- Maximum 87 dba



PART #	SIZE	LIST PRICE
320055	1/4"	---

PISTOL GRIP BLOW GUN

- Lightweight, Ergonomic Design
- Delrin® Body
- Trigger Air Flow Control
- 1/4" FPT Inlet
- 3" Nozzle Ideal for Tight Spaces
- Recommended Working Pressure 90-120 psi
- Maximum 87 Dba



PART #	SIZE	LIST PRICE
320036	1/4"	---

PISTOL GRIP BLO-GUN

150 PSI

Material
- Body: POM (engineering plastic)
- Nozzle: nickel plated carbon steel
- Blue Handle Color

Features
- Simple construction, economic
- Global thread connection
- Durable and versatile applications
- 4 inch nozzle



PART #	SIZE	LIST PRICE
320035	1/4"	---

RUBBER TIPPED NOZZLE



MAKES POSITIVE SEAL BETWEEN GUN AND FUEL LINE OR OTHER OPENINGS. USE ONLY ON AIR LINE REGULATED TO 30 PSI OR LESS

PART #	THREAD SIZE	LIST PRICE
320070	1/8 - 27	---

51-521 **2058** D201RT **411R**

HIGH FLOW SAFETY NOZZLE



MEETS OSHA REGULATIONS OF 30 PSI MAXIMUM OUTLET PRESSURE WHEN LINE PRESSURE IS 150 PSI OR LESS. HAS AN AIR PRESSURE BYPASS WHICH PREVENTS BUILD UP OF TIP PRESSURE EVEN IF NOZZLE IS BLOCKED. ADAPTS TO ANY BLOW GUN WITH A 1/8"

PART #	SIZE	LIST PRICE
320075	1/8 MIP x Female Neelde Thread	---

51-338 **SST10** 411BT **2056**

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

tire gauges

M - TIRE GAUGE

320-021



HEAVY DUTY DUAL FOOT TIRE GAUGE

320-022



DUAL ANGLE FOOT TRUCK PENCIL GAUGE

320-023



PART #	PRESSURE RANGE	INCREMENT	HEAD	BODY	BAR(PSI/KPA)	LIST PRICE
320021	20-120psi	2 psi	Metal	Metal	4 sided plastic	---
320022	10-120psi	2 psi	Plastic	Metal	4 sided plastic	---
320023	20-120psi	2 psi	Metal	Metal	4 sided plastic	---

INFLATION NEEDLE



• See thread note below

PART #	LIST PRICE
320095	---

1 PIECE BLOW GUN TAPERED NOZZLE




PART #	SIZE	LIST PRICE
320076	NT	---

1 PIECE BLOW GUN STANDARD NOZZLE



PART #	SIZE	LIST PRICE
320077		---

VOLUME REGULATOR





PART #	FIP X MIP	LIST PRICE
46615	1/4	---

What size thread is an inflation needle (INT)?
Metric: 7.7mm OD, thread reoot diameter is 6.9mm x 0.794 pitch
English: 0.305 OD, threadroot diameter 0.302 in x 32 tpi (threads per inch)

1 PIECE DIAL TIRE GAUGE



PART #	LIST PRICE
320410	---

1 PIECE EXTENSION



PART #	SIZE	LIST PRICE
320080	NT	---

1 PIECE BLOW GUN ADAPTER



PART #	SIZE	LIST PRICE
320078	Female NT x 1/8 MPT	---

NYLON COIL AIR HOSE

- 200 psi working pressure
- 4:1 Safety factor (burst vs working pressure)
- Spring end sleeves to prevent kinking
- 1/4 MPT Brass fittings on both ends
- Temperature range 32°F to 120°F
- Packaged for retail sale





PART #	DESCRIPTION	SIZE	LIST PRICE
307030	25'	1/4" NPT	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

foot chucks

HEX BALL FOOT CHUCK



PART #		LIST PRICE
46600	1/4 FPT Live Air	---

MALE BALL FOOT CHUCK



PART #		LIST PRICE
46605	1/4 MIP Live Air	---

BALL FOOT CHUCK W/ 1/4 ID HOSE BARB



PART #		LIST PRICE
46607	1/4 ID Live Air	---

DUAL HEAD STRAIGHT AIR CHUCK



DUAL HEAD AIR CHUCK 1/4"FNPT,THE LENGTH IS 6.08",THE HEAD IS ZINC-ALLOY,AND THE NUT IS BRASS WITH CHROME PLATED.

PART #		LIST PRICE
320000	1/4	---

DUAL HEAD ANGLE FOOT AIR CHUCK



DUAL HEAD STRAIGHT FOOT AIR CHUCK 1/4"FNPT FOR INNER DUALS;BOTH ENDS LOCK ON VALVE CORE THREADS,THE LENGTH IS 6.66",THE HEAD IS ZINC-ALLOY,AND THE NUT IS BRASS WITH CHROME PLATED.

PART #		LIST PRICE
320005	1/4	---

INFLATORS WITH GAUGE

INFLATOR/ GAUGE

- RUGGED ZINC CAST BODY WITH BRASS INTERNALS FOR LONG LIFE
- SOLID BRASS GAUGE BAR
- BUILT-IN AIR RELIEF VALVE
- 6"DUAL-FOOT AIR CHUCK



320-010

INFLATOR/ GAUGE

- RUGGED ZINC CAST BODY WITH BRASS INTERNALS FOR LONG LIFE
- EASY TO VIEW BUILT-IN SIGHT GAUGE
- FULL SWIVEL HOSE FITTINGS
- PROTECTIVE RUBBER BUMPER
- BUILT-IN AIR RELIEF VALVE
- 6"DUAL-FOOT AIR CHUCK



320-011

PART #	PRESSURE RANGE	INCREMENT	INLET	HOSE LENGTH	LIST PRICE
320010	10-120 psi	2 psi	1/4 FPT	12"	---
320011	10-120 psi	2 psi	1/4 FPT	12"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

AIR ACCESSORY SET

PNEUMATICS

16PCS-AIR ACCESSORY SET

PART# 87-400



LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-1/4"FNPT industrial coupler	28540
2pcs-1/4"FNPT industrial plugs	28534
2pcs-1/4"MNPT industrial plugs	28546
1pc-1/4" male connector	28212
1pc-1/4" double female connector	28059
1pc-ball foot chuck	46600
1pc-blow gun	320050
1pc-dial tire gauge	320410
1pc-tapered rubber tip	320070
1pc-blow gun safety nozzle	320075
1pc-blow gun tapered nozzle	320076
2pcs-inflation needles	320095
1pc-25ft. nylon recoil hose	307030

10PCS-AIR ACCESSORY SET

PART# 87-402



LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-1/4"female connector	28059
1pc-blow gun safety nozzle	320075
1pc-blow gun tapered nozzle	320076
1pc-ball foot chuck	46605
1pc-blow gun	320050
1pc-1/4"FNPT industrial coupler	28540
1pc-1/4" FNPT industrial plug	28534
1pc-1/4"MNPT industrial plug	28546
2pcs-inflation needles	320095

7PCS-AIR ACCESSORY SET

PART# 87-404



LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-blow gun rubber tip	320070
1pc-blow gun safety nozzle	320075
1pc-blow gun tapered nozzle	320076
1pc-extension	320080
1pc-blow gun	320050
2pcs-inflation needles	320095

11PCS-AIR ACCESSORY SET

PART# 87-406



LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-blow gun rubber tip	320070
1pc-blow gun safety nozzle	320075
1pc-blow gun tapered nozzle	320076
1pc-blow gun standard nozzle	320077
1pc-blow gun adapter	320078
1pc-hose&chuck assembly	320414
1pc-blow gun	320050
1pc-inflation needle	320095
1pc-1/4"FNPT industrial coupler	28540
1pc-1/4" FNPT industrial plug	28534
1pc-1/4"MNPT industrial plug	28546

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

AIR ACCESSORY SET

PNEUMATICS

17PCS-AIR ACCESSORY SET

PART# 87-408



LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-1/4" double female connector	50004
2pcs-1/4" double male connectors	54044
1pc-blow gun safety nozzle	320075
1pc-blow gun tapered nozzle	320076
1pc-dual-foot tire chuck	320005
1pc-tire gauge	320021
1pc-blow gun	320050
1pc-1/4" FNPT industrial coupler	28540S
2pcs-1/4" FNPT industrial plug	28534
4pcs-1/4" MNPT industrial plug	28546
2pcs-inflation needles	320095

12PCS-AIR ACCESSORY SET

PART# 87-410



LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-blow gun safety nozzle	320075
1pc-blow gun tapered nozzle	320076
1pc-blow gun rubber nozzle	320070
1pc-ball foot tire chuck	46600
1pc-blow gun	320050
1pc-1/4"FNPT industrial coupler	28540
1pc-1/4" MNPT industrial coupler	28552
2pcs-1/4"FNPT industrial plug	28534B
2pcs-1/4"MNPT industrail plug	28546B
1pc-inflation needle	320095

20PCS-AIR ACCESSORY SET

PART# 87-412



LIST PRICE: ---



CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-dual-foot tire chuck	320005
1pc-tire gauge	320021
1pc-blow gun rubber nozzle	320070
1pc-blow gun adapter	320078
1pc-1/4" double male connector	54044
1pc-1/4" double female connector	50004
1pc-blow gun safety nozzle	320075
1pc-blow gun tapered nozzle	320076
1pc-thread seal tape	982107
1pc-blow gun	320050
2pcs-1/4"FNPT industrial coupler	28540S
2pcs-1/4"FNPT industrial plug	28534
3pcs-1/4"MNPT industrial plug	28546
2pcs-inflation needles	320095
1pc-1/4"x 25Ft coil Nylon hose	307030

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

QUICK DISCONNECT KITS
PNEUMATICS

1/4" X 1/4" NPT INDUSTRIAL 7PCS

PART# 87-414





LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
2pc-1/4"x1/4" FNPT T I/M coupler	28540S
2pc-1/4"x1/4" FNPT I/M plugs	28534
2pcs-1/4"x1/4"MNPT I/M plugs	28546
1pc-double 1/4" MNPT fitting	54044

1/4" X 1/4" NPT INDUSTRIAL 5PCS

PART# 87-416





LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-1/4"x1/4"FNPT I/M coupler	28540S
4pc-1/4"X1/4" MNPT I/M plug	28546

1/4" X 1/4" NPT INDUSTRIAL 5PCS

PART# 87-418





LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-1/4"x1/4"FNPT I/M coupler	28540S
1pc-1/4"x1/4"FNPT I/M plug	28534
1pc-1/4"X1/4" MNPT I/M plug	28546
1pc-double 1/4" MNPT fitting	54044

1/4" X 1/4" NPT INDUSTRIAL 3PCS

PART# 87-420





LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-1/4"x1/4" FNPT I/M coupler	28540S
1pc-1/4"x1/4" FNPT I/M plug	28534
1pc-1/4"x1/4" MNPT I/M plug	28546

3/8" X 1/4" NPT AUTOMOTIVE 5PCS KIT

PART# 87-422





LIST PRICE: ---

CONTENTS OF BLISTER CARD PACKAGE

COMPONENTS AND PART#'S	
1pc-3/8"x1/4" FNPT Automotive coupler	28525S
2pcs-3/8"x1/4"MNPT Automotive plugs	28512
1pc-double 1/4"MNPT fitting	28212
1pc-double 1/4"FNPT fitting	28059

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

GAUGES

STANDARD DRY GAUGES

STEEL CASE

All the gauges supplied by us are designed for long, reliable service under rugged conditions.
Typical applications include compressors, filter regulators, water pumps, beverage dispensing equipment, hydraulic and pneumatic systems, and other applications, where the media does not corrode brass. ALL CONNECTIONS ARE BRASS.



1-1/2" FACE
1/8" NPT LOWER MOUNT

PART #	PSI	LIST PRICE
80501	0-15	---
80502	0-30	---
80503	0-60	---
80504	0-100	---
80505	0-160	---
80506	0-200	---

LOWER MOUNT
- Plastic lens (win-



2" FACE
1/4" LOWER MOUNT

PART #	PSI	LIST PRICE
80001	0-15	---
80002	0-30	---
80003	0-60	---
80004	0-100	---
80005	0-160	---
80006	0-200	---
80007	0-300	---



2-1/2" FACE
1/4" LOWER MOUNT

PART #	PSI	LIST PRICE
80031	0-15	---
80032	0-30	---
80033	0-60	---
80034	0-100	---
80035	0-160	---
80036	0-200	---



1-1/2" FACE
1/8" NPT CENTER BACK MOUNT

PART #	PSI	LIST PRICE
80511	0-15	---
80512	0-30	---
80513	0-60	---
80514	0-100	---
80515	0-160	---
80516	0-200	---

CENTER BACK MOUNT



2" FACE
1/4" CENTER BACK MOUNT

PART #	PSI	LIST PRICE
80301	0-15	---
80302	0-30	---
80303	0-60	---
80304	0-100	---
80305	0-160	---
80306	0-200	---



2-1/2" FACE
1/4" CENTER BACK MOUNT

PART #	PSI	LIST PRICE
80331	0-15	---
80332	0-30	---
80333	0-60	---
80334	0-100	---
80335	0-160	---
80336	0-200	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

LIQUID FILLED GAUGES

STAINLESS CASE

Liquid filled gauges enhance the reliability and integrity of the measuring system for long periods. The glycerine filling helps dampen the effects of vibration and pulsation. It also lubricates the movement which extends the life of the gauge.



1-1/2" FACE
1/8" LOWER MOUNT

PART #	PSI	LIST PRICE
80601	0-15	---
80602	0-30	---
80603	0-60	---
80604	0-100	---
80605	0-160	---



- Liquid Filled Gauges with a stainless case are used for protection in harsh environments.
- Stainless Steel Case
- Copper Alloy Wetted parts
- Polycarbonate window
- ± 1.5% of span accuracy
- Temp. Range -104°F to 158°F

2-1/2" FACE
1/4" LOWER MOUNT

PART #	PSI	LIST PRICE
80061	0-15	---
80062	0-30	---
80063	0-60	---
80064	0-100	---
80065	0-160	---
80066	0-200	---
80067	0-300	---
80068	0-400	---
80069	0-600	---
80100	0-1000	---
80101	0-1500	---
80102	0-2000	---
80103	0-3000	---
80104	0-5000	---
80105	0-10000	---
80080	30-0 Vacuum	---
80081	-30 to +30	---



4" FACE
1/4" LOWER MOUNT

PART #	PSI	LIST PRICE
80463	0-100	---

CENTER BACK MOUNT



1-1/2" FACE
1/8" CENTER BACK MOUNT

PART #	PSI	LIST PRICE
80611	0-15	---
80612	0-30	---
80613	0-60	---
80614	0-100	---
80615	0-160	---



2-1/2" FACE
1/4" CENTER BACK MOUNT

PART #	PSI	LIST PRICE
80201	0-15	---
80202	0-30	---
80204	0-60	---
80203	0-160	---
80205	0-100	---
80206	0-200	---
80207	0-300	---
80208	0-400	---
80209	0-600	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

Water Test Gauge

0-300 PSI DIAL
3/4" FEMALE HOSE CONNECTION



PART #	FACE SIZE	LIST PRICE
991249	2"	---
991250	2-1/2"	---

Water Test Gauge w/Lazy Hand (Maximum pointer)

2-1/2" GAUGE
0-300 PSI DIAL
3/4" FEMALE HOSE CONNECTION



Regular pressure hand pushes LAZY hand to peak operating or surge pressure point where it remains until you manually reset it. Excellent to determine if P/T valve is leaking from failure or if leaking is caused by surge of excessive pressures. (Attach gauge to Boiler Drain Valve overnight.) LAZY hand operates over entire gauge range of 0-300psi

PART #	LIST PRICE
991251	---

GAS TEST GAUGE

Pressure test residential and commerical pipe systems



PART #	FACE SIZE	LIST PRICE
GT15	0-15	---
GT30	0-30	---
GT60	0-60	---

BODY ONLY



PART #	FACE SIZE	LIST PRICE
991259	3/4" FIP x 1/4" TAP	---

SYPHON

BRASS

Syphons protect instruments from effects of hot pressure media commonly used in steam applications



PART #	SIZE	LIST PRICE
995210	1/4" 90°	---
995211	1/4" 180°	---
995212	1/4" 270°	---
995213	1/4" 360°	---

STEEL

Syphons protect instruments from effects of hot pressure media commonly used in steam applications



PART #	SIZE	LIST PRICE
995214	1/4" 90°	---
995215	1/4" 180°	---
995216	1/4" 270°	---
995217	1/4" 360°	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

TAPES/ SEALANT

PNEUMATICS

PTFE THREAD SEAL TAPE

- Density 0.4
- Thickness 3.5 MIL
- Meets MIL specs T-27730A



PART #	SIZE	CASE QTY	LIST PRICE
982107	1/2" x 260"	500	---
982108	1/2" x 520"	500	---
982109	3/4" x 260"	350	---
982110	3/4" x 520"	350	---

POP OUT COVERED SPOOL

GREY STAINLESS STEEL

- Density 1.2
- Thickness 4MIL
- Meets MIL specs T-27730A & CID A-A 58092



PART #	SIZE	CASE QTY	LIST PRICE
982135	1/2" x 260"	250	---
982136	1/2" x 520"	150	---
982137	3/4" x 260"	150	---
982138	3/4" x 520"	150	---

GREEN OXYGEN TAPE

- Density 1.2
- Thickness 3.5MIL
- Meets MIL specs T-27730A & CID A-A 58092



PART #	SIZE	CASE QTY	LIST PRICE
982130	1/2" x 260"	250	---
982131	1/2" x 520"	150	---
982132	3/4" x 520"	150	---

PTFE BLUE SEAL TAPE

- Professional grade top -450 to +450°F
- Super long roll
- Twice the density of standard tape for less passes, lasts longer
- Density 0.8
- Thickness 3.5 MIL
- Meets MIL Spec T-27730A



PART #	SIZE	CASE QTY	LIST PRICE
982120	1/2" x 1368"	250	---
982121	3/4" x 1368"	150	---
982122	1" x 1296"	150	---

YELLOW GAS LINE TAPE

- Density 0.9
- Thickness 4MIL
- Meets MIL specs T-27730A



PART #	SIZE	CASE QTY	LIST PRICE
982125	1/2" x 260"	250	---
982126	1/2" x 520"	150	---

PVC ELECTRICAL TAPE

Rated to 176 degrees fahrenheit
Suitable for use up to 600V
UL Listed
Individually wrapped in cellophane



PART #	SIZE	LIST PRICE
982140	3/4" X 60' Black	---

THREAD SEALANT

GASOILA SOFT-SET THREAD

WITH PTFE



PART#	SIZE	UNITS PER CASE	LIST
983100	1/4 pt. Brush	24	---
983101	1/2 pt. Brush	24	---

PLS 2 PREMIUM THREAD

AND GASKET SEALER



PART#	SIZE	UNITS PER CASE	LIST
983110	1/4 pt. Brush	12	---
983111	1 pt. Brush	6	---

GASOILA NT NON-PTFE

THREAD SEALANT



PART#	SIZE	UNITS PER CASE	LIST PRICE
983120	1/2 pt. Brush	12	---
983121	1 pt. Brush	6	---

JC-30 GASOILA HIGH-FILL



PART#	SIZE	UNITS PER CASE	LIST PRICE
983115	1/4 pt. Brush	12	---
983116	1 pt. Brush	6	---

FREE ALL DEEP PENETRATING OIL



PART#	SIZE	UNITS PER CASE	LIST
983125	6 oz. Aerosol	12	---
983126	11 oz. Aerosol	12	---

LUBE-IT ALL DEEP LUBRI-




PART#	SIZE	UNITS PER CASE	LIST
983130	6 oz. Aerosol	12	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

TRUCK AND TRAILER





INDUSTRY GRADE NYLON AIR COIL ASSEMBLY - SET

- Each kit contains one Emergency (Red) and one service (Blue) 1/2" O.D. nylon tubing assembly.
- 1/2" -14 NPTF end fitting with heavy gauge spring.
- Assemblies meet SAE J844 and DOT FMVSS 106 requirements.
- Temp rating -40° - +208°

PART #	LENGTH	PIGTAIL LENGTH TRACTOR END	PIGTAIL LENGTH TRAILER END	LIST PRICE
39404	12'	6"	6"	---
39400	15'	12"	12"	---
39402	15'	40"	12"	---
39406	20'	12"	12"	---



FIFTH WHEEL SLIDER COIL

- Temperatures range -40 to 208°F
- 150 psi max pressure rating
- Meets SAE J844 and DOT FMVSS 106 requirements.
- (2) ¼" OD fittings assembled

PART #	DESCRIPTION	LENGTH	FITTINGS	LIST PRICE
39839	5th Wheel slider coil	up to 54"	(2) 1/4" MPT	---
39838	5th Wheel slider coil	up to 72"	(2) 1/4" MPT	---

3-IN-1 AND 4-IN-1 COMBINATION AIRLINE CABLE

- (2) 3/8" ID SAE J1402 rubber service and emergency with blue (service) and red (emergency) gladhand grip handle
- Color-coded grip helps to minimize incorrect tractor/trailer connections have glad handle with Vibraseal
- ABS power line (green) – meets SAE J2222 requirements
- Auxiliary power line (yellow) – fitted with SAESS60 plugs that have an inverted (male) ground pin 4-in-1 only
- SAE J560 Plugs with sleeves for superior corrosion protection and strain relief
- Corrosion resistant all brass fittings 1/2" male NPT w/ Vibraseal
- Tapered grip flexes with airline during tight turns for kink protection
- Temp rating -40 - 208°F



PART #	DESCRIPTION	LIST PRICE
39825	Combo 3 in 1 assembly 15 ft.	---
39962	Combo 4 in 1 assembly 15 ft.	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

hose support



AIRBRAKE HOSE REPAIR KIT

- Fittings to repair hose with a minimum 3/4" OD
- Meets DOT 106 SAE j1402
- Brass sleeve and barb
- Pre-applied sealant

PART #	DESCRIPTION	LIST PRICE
39855	3/8" Quick fix hose fitting	---
*39856	3/8" Quick fix hose kit- clam pack	---
39857	1/2" Quick fix hose fitting	---

*Supplied with hex tool



39425 39426

POGO STICKS CANNISTER STYLE

- Large diameter housing eliminates spring binding
- Increased resistance to sagging and bending
- Thick gauge heavy duty spring
- Used for all nylon and rubber air brake hose
- Forged steel mounting stud 7/16-20 thread
- All Pogo Sticks include Eyebolt and Nut

PART #	SIZE	DESCRIPTION	LIST PRICE
39425	40"	Chrome finish	---
39426	40"	Zinc Plated Steel	---



39409 39410



39411 39413




39416 39412

HOSE HOLDERS

- ABS Plastic
- 2, 3 and 4 Hold

PART #	SIZE	DESCRIPTION	LIST PRICE
39409	1/2"	2-Hose Holder Hex Head	---
39410	1/2"	2-Hose Holder	---
39411	1/2"	3-Hose Holder	---
39413	1/2"	3-Hose Hex Head w Cable tie	---
39416	1/2"	4-Hose V Bolt w Cable Tie	---
39412	1/2"	4-Hose Holder	---



39415 39418

HOSE SEPARATORS

- ABS Plastic

PART #	SIZE	DESCRIPTION	LIST PRICE
39414	3/8"	2-Hose Separator	---
39415	3/8"	4-Hose Separator	---
39418	1/2"	2-Hose Separator	---
39419	1/2"	4-Hose Separator	---


WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov



TENDER KIT COMPONENTS

PART #	DESCRIPTION	LIST PRICE
39411	3 hole holder	---
39469	Clip Carabiner	---
39472	1-1/2" ID Hanger Bracket	---
39473	Yoke	---

• Sold individually



SPRING WITH TANDEM FRAME CLIP

- Steel spring and clip - yellow dichromate finish
- 3/4" OD
- Beam clip

PART #	DESCRIPTION	LIST PRICE
39477	Frame Clip with Cable Tie	---

PART #	LENGTH	DESCRIPTION	LIST PRICE
39463	6" Spring	Tandem frame clip	---
39464	3" Spring	Tandem frame clip	---
39471	Frame clip only		---



CLIPS

PART #	DESCRIPTION	LIST PRICE
95631	ABS Clip for 1/2" Air Hose	---
95640	5" Axle Clip	---
95641	5-3/4" Axle Clip	---

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

HOSE SUPPORT
TRUCK AND TRAILER



TENDER KIT

Complete Tender Kit includes:
- Large snap Clip
- Heavy duty spring
- Protective tube

PART #	SPRING & TUBE LENGTH/ #PCS	ONE CLIP	3 HOLE CLAMP	YOKE	LIST PRICE
39442	16" / 1pc	1pc	1pc		---
39444	16" / 2 pcs	1pc	1pc	2pcs	---
39446	20"/ 1pc	1pc	1pc		---
39448	20"/ 2pcs	1pc	1pc	2pcs	---
39452	25" / 1pc	1pc	1pc		---
39453	25" / 2pcs	1pc	1pc	2pcs	---

HYDRAULIC TENDER KIT

PART #	SPRING & TUBE LENGTH/ #PCS	LARGE CLIP	HANGER BRACKET	YOKE	LIST PRICE
39457	25" / 2pcs	1pcs	1pc	2pcs	---



SLIDER BAR KITS

PART #	SPRING & TUBE LENGTH/ #PCS	LARGE CLIP	3 HOLE CLAMP	SLIDER BAR LENGTH	YOKE	LIST PRICE
39437	16" / 1pc	1pc	1pc	43"		---
39438	16" / 2pcs	1pc	1pc	43"	2pcs	---
39459	20"/ 2pcs	1pc	1pc	43"	2pcs	---
39460	25" / 1pc	1pc	1pc	43"		---
39461	25" / 2pcs	1pc	1pc	43"	2pcs	---
39470	16" / 1pc	1pc	1pc	38"		---
39462	16" / 2pcs	1pc	1pc	38"	2pcs	---
39451	25" / 1pc	1pc	1pc	38"		---
39454	25" / 2pcs	1pc	1pc	38"	2pcs	---



Spring & Tube



Slider Bar

BARS, SPRINGS, TUBES

PART #	SPRING & TUBE LENGTH/ #PCS	LIST PRICE
39443	16" Tube only	---
39447	20" Tube only	---
39436	25" Tube only	---
39466	16" Spring only	----
39467	20" Spring only	----
39468	25" Spring only	---
39474	38" Slider Bar	---
39475	43" Slider Bar	---

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

gladhands

ALUMINUM GLADHANDS



PORT A

- **½ " FPT port**
- Aluminum Casting
- Permanent Clamp Screw
- Black rubber seals
- Stainless Steel filter
- Meet SAE J318 requirements


PART #	DESCRIPTION	MATERIAL	SEAL	FILTER	PORT A	LIST PRICE
39870	Universal	Aluminum	Blk Rubber	No	1/2"	---
39871	Universal with filter	Aluminum	Blk Rubber	Yes	1/2"	---
39877	Emergency Red	Aluminum	Blk Rubber	No	1/2"	---
39878	Emergency with filter	Aluminum	Blk Rubber	Yes	1/2"	---
39874	Service Blue	Aluminum	Blk Rubber	No	1/2"	---
39875	Service with filter	Aluminum	Blk Rubber	Yes	1/2"	---

PLATED ALUMINUM GLADHANDS



PART #	DESCRIPTION	MATERIAL	SEAL	FILTER	PORT A	LIST PRICE
39832	Universal Standard	Plated Aluminum	Blk Rubber	No	1/2"	---
39833	Service - Blue	Plated Aluminum	Blk Rubber	No	1/2"	---
39834	Emergency - Red	Plated Aluminum	Blk Rubber	No	1/2"	---
39828	Service 38 degree	Plated Aluminum	Blk Rubber	No	1/2"	---
39829	Emergency 38 drgree	Plated Aluminum	Blk Rubber	No	1/2"	---
39830	Service 38 degree	Plated Aluminum	Blk Rubber	No	3/8"	---

CAST IRON GLADHANDS



PORT A

- **½ " FPT port**
- One-piece casting eliminates problems with clamp separation
- "Positive-stop" post, assures a perfect connection
- Polyurethane seal resist oils, chemicals & provide improved sealing & service life
- Gladhands meet SAE J318 requirements including breakaway requirement.

PART #	DESCRIPTION	MATERIAL	SEAL	FILTER	PORT A	LIST
39506	Universal	Cast Iron	Black Polyurethane	No	1/2"	---
39507	Emergency	Cast Iron	Red Polyurethane	No	1/2"	---
39508	Service	Cast Iron	Blue Polyurethane	No	1/2"	---

ANGLE MOUNT ALUMINUM GLADHANDS



PORT A

PORT B

- For use in trailer mounting locations
- Dual port provides connection options
- Powder-coated clamp plates are color coded for easy identification
- Port "A" comes standard as unplugged
- (2) 3/8 inch FPT Ports (one plugged).
- (2) 11/32 inch diameter mounting holes.
- Available with Port "B" plugged or unplugged (plug is included, loose in bag)
- Meet SAE J318

PART #	TYPE	MATERIAL	SEAL	FILTER	PORT A	PORT B	LIST
39511	Emergency	Aluminum	Blk Rubber	No	Unplugged	Plugged	---
39512	Service	Aluminum	Blk Rubber	No	Unplugged	Plugged	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

POWDER COATED IRON GLADHAND



- Tough powder coating improves wear & corrosion resistance
- Vividly colored to provide improved identification of service & emergency lines
- Stainless steel plate eliminates corrosion of the mating surface
- Polyurethane seal resist oil, chemicals, provide improved sealing & service life
- Meet or exceeds SAE J318 standard

PART #	DESCRIPTION	FILTER	PORT A	LIST PRICE
39509	Service with blue poly seal	Yes	1/2"	---
39510	Emergency with red poly seal	Yes	1/2"	---

BRACKET MOUNT SWING AWAY GLADHAND



- Bracket allows 180° rotation allowing for easy hookups, eliminating the need to twist lines during connections
- Helps protect rear-trailer gladhands when not in use
- Filter and closed seal are recommended
- Spring design provides consistent tension throughout rotation
- Design provides both back port and bottom port capabilities
  Gladhand mount - 1/2" Male Thread

PART #	DESCRIPTION	MATERIAL	SEAL	FILTER	LIST PRICE
39515	Service (Blue)	Aluminum	Blk Rubber	yes	---

KNOB STYLE SHUTOFF GLADHAND



- Economical trailer shutoff gladhand
- Centered low-profile “snap-stop” knob
- Full face rubber seal
- Available with assembled or separate fittings.
- Meets SAE J318

PART #	DESCRIPTION	MATERIAL	SEAL	FILTER	LIST PRICE
39520	1/2" Service (Blue)	Aluminum	Blk Rubber	No	---
39521	3/8" Service (Blue)	Aluminum	Blk Rubber	No	---
39522	1/2" Emergency (Red)	Aluminum	Blk Rubber	No	---
39524	3/8" Emergency (Red)	Aluminum	Blk Rubber	No	---

LEVER STYLE SHUTOFF GLADHAND



- Flange mount
- Metel handle shutoff
- Full face rubber seal
- Tough metal Ball valve
- Color coded
- Meets SAE J318

PART #	DESCRIPTION	MATERIAL	SEAL	FILTER	PORT A NPT	PORT B NPT	LIST
39531	Emergency (Red)	Aluminum	Blk Rubber	No	3/8"	1/4"	---
39530	Service (Blue)	Aluminum	Blk Rubber	No	3/8"	1/4"	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm.
For more information, visit www.P65Warnings.ca.gov



GLADHAND GRIPS

1/2" NPTF.

- Comes with hardware and sealant
- Color-coded red and blue for easy air line identification - clamshell
- Handles are heat, oil and UV-resistant.
- Meet SAE J318

PART #	DESCRIPTION	LIST PRICE
39535	Poly grip hardware	---



ALUMINUM GLADHAND GRIPS

- 1/2" NPTF
- Each pack contains (1) red and (1) blue - clamshell
- One piece design
- No screws or plastic parts
- Easy to install
- Class II anodized coating provides greater corrosion resistance

PART #	DESCRIPTION	LIST PRICE
39537	Sure grip	---



GLADHAND PACIFIER SEAL

- Seals Gladhand from moisture, dirt and debris

PART #	DESCRIPTION	LIST PRICE
39566	Gladhand pacifier	---




GLADHAND SEALS

Seal Options:

- Rubber
- Polyurethane
- With screen filter
- Double lip
- Filter screen only

PART #	DESCRIPTION	LIST PRICE
39541	Blue, Polyurethane	---
39542	Red, Polyurethane	---
39543	Black, Polyurethane	---
39556	Blue with a screen filter Polyurethane	---
39557	Red with a screen filter Polyurethane	---
39558	Black with a screen filter Polyurethane	---
39550	Blue Double lip, Polyurethane	---
39551	Red Double Lips, Polyurethane	---
39552	Double Lip, Polyurethane	---
39544	Grey, Closed Style, Polyurethane	---
39560	Filter, Screen, Gladhand	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov



39565

DUMMY GLADHAND COUPLING KIT

- 6 ½" coupling length

PART #	CONNECTION	VENT	MATERIAL	LIST PRICE
39563	Chain	Yes	Steel Yellow Zinc plated	---
39564	Chain	No	Steel Yellow Zinc plated	---




39574 39575

NYLON GLADHAND AND PLUG HOLDER

- Stores Gladhand and electrical hook ups at a 45° angle.
- Can accept heavy ABS plug
- Standard mounting holes to install on back of cab.
- Glass-filled nylon, non-corrosive construction.

PART #	DESCRIPTION	LIST PRICE
39574	1 plug slot	---
39575	2 plug slot	---



GLADHAND HOLDER KIT

- Steel - Zinc Yellow Dichromate
- Holds gladhands when disconnected

PART #	DESCRIPTION	LIST PRICE
39573	Holder Kit	---
39572	Bracket only	---



GLADHAND LOCK

- Red molded plastic
- Prevents unwanted connections with trailers
- Protects idle units
- Universal for Aluminum and Iron Gladhands
- Supplied with 2-keys

PART #	DESCRIPTION	LIST PRICE
39570	Gladhand Lock w/ 2 keys	---

**** Not an Anti theft device***



KING PIN LOCK-ANTI HOOK UP

- Cast, Zinc plated
- Anti-tractor, trailer hook-up
- Supplied with 2 keys

PART #	DESCRIPTION	LIST PRICE
39860	King Pin Lock w/ 2 keys	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

AIR CYLINDER



- 300 series stainless steel cylinder shafts provide excellent corrosion resistance and extended cycle life -cylinders tested to over 500,000 cycles.
- Lightweight, corrosion resistant aluminum tube with die cast aluminum end caps.
- Rear clevis cast as integral part of the rear cover for improved durability and mounting integrity.
- Double acting, Emralon-coated piston cup assures smooth long lasting operation even in cold weather conditions to (- 40°F).
- Front end cap assembly includes pressure seal, dirt seal and oil impregnated bronze bushing.
- Cylinder tube imprinted with part number and date code for quick identification.
- All cylinders are factory pressure and leak tested prior to shipping.
- Front Cover Kit-Includes front cover with bushing and seals installed and two cylinder gaskets.
- Rear Cover Kit-Includes rear cover with two cylinder gaskets.
- Piston Cup Kit-Includes piston cup, lock nut and two cylinder gaskets.
- Shaft Kit-Includes shaft, lock nut and two cylinder gaskets.

PART #	SIZE	STROKE	RETRACTED	EXTENDED	TYPE	LIST PRICE
39672	2 1/2"	4.0"	9.89"	13.89"	push/pull	---
39673	2 1/2"	6.0"	11.89"	17.89"	push/pull	---
39674	2 1/2"	8.0"	13.89"	21.89"	push/pull	---
39675	2 1/2"	6.0"	13.75"	19.75"	Spring return	---
39676	3 1/2"	8.0"	15.60"	24.28"	push/pull	---
39677	3 1/2"	10.0"	16.92"	26.95"	push/pull	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

TAILGATE AIR CYLINDERS

- Die cast aluminum with mount hole for ½" pin and ¼" NPT port
- Molded piston cup
- Stainless steel piston rod with 5/8" – 18 thread
- 10 PSI – 120 PSI
- 10 psi min-120 psi max



39657 39660

PART #	DIA.	STROKE	LENGTH	TYPE	LIST PRICE
39655	2-1/2"	4.0"	13.37	Push/Pull	---
39656	2-1/2"	6.0"	17.37	Push/Pull	---
39657	2-1/2"	8.0"	21.37	Push/Pull	---
39658	2-1/2"	4.0"	14.71	Spring Ret	---
39659	2-1/2"	6.0"	19.75	Spring Ret	---
39660	3-1/2"	6.0"	20.23	Push/Pull	---
39661	3-1/2"	8.0"	24.23	Push/Pull	---
39662	3-1/2"	8.0"	26.98	Push/Pull	---
39663	3-1/2"	10.0"	28.98	Push/Pull	---

TAILGATE AIR CYLINDERS

- Machined aluminum, 5/8" diameter ,stainless steel shaft with 5/8" - 18 threads, "O" rings and a UHMW polyethylene wear band
- Direct replacements to Haldex and MGM
- Standard operating pressure 100 psi
- 90psi min to 150 psi max



39665 39667

PART #	DIA.	STROKE	BRACKET	TYPE	LIST PRICE
39665	6"	3"	Yes	Spring Ret	---
39667	6"	4.38"	No	Spring Ret	---

FIFTH WHEEL AIR CYLINDER



- 1/4" FPT port cast aluminum front and rear
- 2-1/2" Bore
- 6-3/4" stroke
- Front and rear mounting hole for 17/32" clevis,
- 100 psi
- Gold anodized tube for corrosion resistance

PART #	DESCRIPTION	LIST PRICE
39669	Fifth Wheel Air Cylinder	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

AIR TANK DRAIN PULL VALVE



PART #	SIZE	DESCRIPTION	LIST PRICE
39595	1/4" male	5ft nylon coated pull cable	---
39596	1/4" male	4ft nylon coated pull cable	---
39597	1/4" male	3ft nylon coated pull cable	---
39600	1/4" male	Air valve only	---

AIR TANK CHECK VALVE



- Single check valves allow air to pass from a single source to its destination, and prevent air travel in the opposite direction.

PART #	MALE X FEMALE	LIST PRICE
39604	1/4"	---
39605	3/8"	---
39606	1/2"	---

D-2 STYLE AIR BRAKE GOVERNOR



- Opening and closing pressures of 100 to 120 psi
- High temperature O-ring construction
- Gasket and plugs included
- Replaces Bendix 275491 & KN18530

PART #	THREAD	DESCRIPTION	LIST PRICE
39592	6-1/8" NPT	Air Brake Governors D-2 style	---

IN-LINE QUICK RELEASE VALVE



- Quick release for the air brake system
- 3/8” female exhaust port
- 2-3/8” female delivery port
- Cracking pressure: 1 PSI
- Helps meet the FMVSS -121 requirement for timing

PART #	DESCRIPTION	LIST PRICE
39610*	3/8" NPT In-Line quick release valve	---
39611**	1/2" NPT In-Line quick release valve	---

* Replaces Bendix 229859, 288351 & KN32005
** Replaces Bendix 229860 & KN32011

R-12 RELAY VALVE



- ¼” Relay Valve with multiple delivery ports

Replaces Bendix 102166, 102626, 103009

PART #	SUPPLY PORT	DELIVERY PORT	DESCRIPTION	LIST PRICE
39613	1/2" NPT	4, 1/2"NPT	4 psi no Bracket	---
39614	1/2" NPT	4, 1/2"NPT	4 psi Relay Valve	---
39615	3/4" NPT	2, 1/2" NPT	4 psi Relay Valve	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov



R-14 RELAY VALVE

- ¼" Relay Valve with two delivery and supply ports
- Replaces Bendix 103010

PART #	SUPPLY PORT	DELIVERY PORT	DESCRIPTION	LIST PRICE
39616	2-3/4"NPT	2-1/2"NPT	4 psi Relay Valve	---



THREE WAY SOLENOID

- Operates a minimum GF 50,000 cycles
- Inlet port normally closed
- Must be mounted vertically with the air inlet port facing up
- 1/4" female NPT ports
- 12 Volts
- 100-120 psi operating pressure
- Attached mounting bracket with two 9/32" diameter mounting holes on 2-1/2" centers

PART #	SUPPLY PORT	DESCRIPTION	LIST PRICE
39684	2, 1/4" FPT	Three way Solenoid	---



UNIVERSAL SOLENOID

- Operates a minimum of 50,000 cycles.
- 125 amps at 12 volts.
- Continuous voltage.
- One on/off circuit
- 5/16 inch side studs, No. 10 top stud(s).
- 2 1/8 on Center
- 5/16 x 19/32
- Hardware included.
- Normally open

PART #	DESCRIPTION	LIST PRICE
39687	4 stud Solenoid	---
39688	3 stud Solenoid	---



AIR SOLENOID VALVE

- Operates a minimum of 50,000 cycles.
- 100 psi max pressure.
- 1/4" Thread
- 10 Watts, 12 VDC
- Replaces Neway 90054075

PART #	DESCRIPTION	LIST PRICE
39689	12V Closed	---
39690	12V Open	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


coiled cable



SEVEN-WAY COILED CABLE ASSEMBLIES

- ABS assemblies are heavy duty to power trailers
- HD Green gives clear ABS identification
- Resists abrasion, great coil retention
- Heavy duty plugs with spring guards
- ABS Cable meets SAE J2394
- Operating temperature range of -55° to +185°F

PIN LOCATION	COLOR CODE	GAUGE	CIRCUIT
1	White	8	Ground
2	Black	12	Clearance, side and ID lamps
3	Yellow	12	Left turn and Hazard
4	Red	10	Stop lamp and Anti-lock
5	Green	12	Right turn and Hazard
6	Brown	12	Tail and Plate lamp



ABS


PART #	LENGTH	DESCRIPTION	LIST PRICE
39736	12'	Coiled Electrical Cord, ABS w/12 in lead, w/plugs, Green	---
39737	15'	Coiled Electrical Cord, ABS w/12 in lead, w/plugs, Green	---

SEVEN-WAY COILED CABLE BLACK

- This high quality, durable construction is recommended for single-trailer configurations using standard lighting on non-ABS vehicles.
- Durable black outer jacket with heavy duty zinc die cast plugs and two spring guards included.



PIN	COLOR CODE	HD GAUGE	ECO GAUGE	CIRCUIT
1	White	10	12	Ground
2	Black	12	14	Clearance, side and ID lamps
3	Yellow	12	14	Left turn and Hazard
4	Red	12	14	Stop lamp and Anti-lock
5	Green	12	14	Right turn and Hazard
6	Brown	12	14	Tail and Plate lamp
7	Blue	12	14	ABS Power Aux



STANDARD - HEAVY DUTY

PART #	LENGTH	DESCRIPTION	LIST PRICE
39738	12'	Coiled Electrical Cord, w/12 in lead, w/plugs, Black	---
39739	15'	Coiled Electrical Cord, w/15 in lead, w/plugs, Black	---

STANDARD - ECONOMY

PART #	LENGTH	DESCRIPTION	LIST PRICE
39740	12'	Coiled Electrical Cord, w/12 in lead, w/plugs, Black	---
39741	15'	Coiled Electrical Cord, w/12 in lead, w/plugs, Black	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

SIX WAY COILED ELECTRIC CABLE ASSEMBLY



- 6', 8', 12' Length
- Includes 2 Thermoseal 6-way plugs
- For light duty towing applications such as boats and utility trailers
- Plugs are molded for moisture and corrosion resistance
- 4/14 Gauge cable
- Flexible from -55°F to 150°F (-66°C to 66°C)

PART #	DESCRIPTION	LIST PRICE
39752	6ft, 14awg w/12" Lead at 2 ends	---
39753	8 ft, 14awg w/12" Lead at 2 ends	---
39754	12ft,14awg w/12" Lead at 2 ends	---

FOUR WAY COILED ELECTRIC CABLE ASSEMBLY



- 4/14 Gauge cable
- 12' & 15' length
- Includes 2 Thermoseal 4-way plugs
- For light duty towing applications such as boats and utility trailers
- Plugs are molded for moisture and corrosion resistance
- Flexible from -55°F to 150°F (-66°C to 66°C)

PART #	DESCRIPTION	LIST PRICE
39748	12' with 12" Lead, both ends 4/14awg	---
39749	15' with 12" Lead, both ends 4/14awg	---

DUEL POLE COILED ELECTRIC CABLE ASSEMBLY



- Black Jacket
- 12' & 15' length
- 200 Amp at 12 VDC.
- Zinc die cast plugs.
- 4 gauge cable.

PART #	DESCRIPTION	LIST PRICE
39744	12' Coil With 12" Lead at 2 ends 4awg	---
39745	15' Coil With 12" Lead at 2 ends 4awg	---

SINGLE POLE COILED ELECTRIC CABLE ASSEMBLY



- Black Jacket
- 12' & 15' length
- For applications that require direct electrical power to trailer lift gates.
- Rated at 265 amps on/off service (30 seconds on/50 seconds off).
- Zinc die cast plugs with spring guards included.
- 4 gauge cable.

PART #	DESCRIPTION	LIST PRICE
39742	12' Coil With 12" Lead both ends 4awg	---
39743	15' Coil With 12" Lead both ends 4awg	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

7 WAY PLUGS AND SOCKETS



39758



39757



39772











- Heavy-duty, nickel-plated zinc die cast housings
- Brass terminal pins for maximum current carrying ability
- Field repairable with standard tools
- Fully interchangeable with other SAE-type, 7-way connectors
- ATA marked wire terminals.
- Internal clamp holds cable securely in place.
- Standard seven-way plugs meet ATA and SAE J560 requirements
- ISO plugs meet ISO 3731:1997 requirements.
- ISO socket prevents connections with Non-ISO plugs - Used in tractor/ trailer systems
- ISO color-coded yellow, non-corrosive reinforced nylon housing.

PLUGS

PART #	DESCRIPTION	LIST PRICE
39757	7-Way Single Grip Plug w/Spring Guard	---
39758	7-Way Single Grip Plug NO Spring.	---
39772	7-Way Double Grip Plug w/Spring.	---
39773	7-Way Double Grip Plug NO Spring Guard	---
39788	7-way ISO plug	---

SOCKETS

PART #	DESCRIPTION	LIST PRICE
39774	Solid Pin 7-Way Metal Socket	---
39775	Split Pin 7-Way Metal Socket	---
39789	7-way, ISO socket	---

7 WAY DOUBLE GRIP PLUG

- T-Grip weather guard
- Plastic grip

PART #	DESCRIPTION	LIST PRICE
39818	7-Way Double Grip Plug, Plastic	---

6 AND 7 WAY ADAPTER

PART #	DESCRIPTION	LIST PRICE
39786	Seven way plug to Six Way Socket Adapter	---
39787	Six way plug to Seven Way socket Adapter	---

RV 7-WAY PLUG

- Primarily used in RV applications.
- Constructed of molded PVC for impact resistance
- Blade Style Pin


PART #	DESCRIPTION	LIST PRICE
39819	7-way Plastic plug	---

RV 7-WAY SOCKET

- RV Screw-type socket
- 6-24 VDC.
- Mounting 2-1/4" inch on center .
- Constructed of molded PVC

PART #	DESCRIPTION	LIST PRICE
39820	7-way socket	---


WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



6 - WAY PLUGS AND SOCKETS

PART #	DESCRIPTION	LIST PRICE
39782	6-Way Double Grip Metal Plug w/Spring Guard.	---
39783	6-Way Metal Socket.	---

4 WAY PLUGS AND SOCKETS



- Heavy-duty zinc die cast housings on plugs and sockets.
- Plug locking system works with socket door to ensure proper hookup and prevent unintentional disconnections.
- Spring guard supports and protects cable.

4 - WAY

PART #	DESCRIPTION	LIST PRICE
39778	4-Way Double Grip Metal Plug w/Spring Guard.	---
39779	4-Way Metal Socket.	---

2 POLE PLUGS AND SOCKETS



- 200 amp 4 gauge wire capacity.
- Heavy-duty zinc die cast housing.
- Internal ground.
- Spring guard supports and protects cable.

PART #	DESCRIPTION	LIST PRICE
39768	2 Pole Double Grip Metal Plug w/Spring Guard.	---
39769	2 Pole Metal Socket	---

SINGLE POLE PLUGS AND SOCKETS



- Used to provide power to heavy draw auxiliary trailer equipment.
- Heavy-duty zinc die cast housings.
- Power and ground terminals hold up to 1/0 gauge wire.

PART #	DESCRIPTION	LIST PRICE
39764	1-Way Double Grip Plug w/Spring Guard.	---
39765	1-Way Double Grip Plug w/Spring Guard and Ground Kit	---
39766	1-Way Metal Socket	---
39767	1-Way Metal Socket and Ground Kit	---

GROUND KIT



PART #	DESCRIPTION	LIST PRICE
39809	Ground Kit (Bolt, Nut and Wire Lug) for 1-Way Plug or Socket	---

PROTECTOR BOOT FOR PLUG



- Protective rubber boot seals out moisture and contaminants

PART #	DESCRIPTION	LIST PRICE
39807	Protector Boot	---

WARNING: This product can expose you to chemicals, including Nickel, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov


7 WAY SOCKET WITH CIRCUIT BREAKER



- Non-corrosive, reinforced nylon housing for added durability.
- Designed for No. 8 ring terminals.
- ATA color-coded contacts.
- Solid brass split pins are zinc-plated for corrosion resistance.
- Each socket includes automatic reset circuit breakers with positive snap action to eliminate arcing (unless otherwise noted).
- Mounting holes are 4 1/2 inch on center and include steel bushings for added housing protection.
- Adhesive-backed mounting gasket included.
- Circuit breaker sockets meet SAE J560 requirements.

PART #	DESCRIPTION	LIST PRICE
39792	No circuit breakers	---
39793	15amp Plastic with circuit breakers	---
39794	20amp Plastic with circuit breakers	---
39795	30amp Plastic with circuit breakers	---

7 WAY CIRCUIT CHASER



- Instantly finds short or faulty circuits
- Portable

PART #	DESCRIPTION	LIST PRICE
39805	7 way circuit	---

CIRCUIT BREAKERS - PLASTIC



- Colored Battery molded Stud
- 12 Volt
- Meets SAE j553 requirements
- Nuts included

PART #	DESCRIPTION	LIST PRICE
39800	15 AMP	---
39801	20 AMP	---
39802	25 AMP	---
39803	30 AMP	---

NOSE BOX - DEEP



- Zinc - extra deep

PART #	DESCRIPTION	LIST PRICE
39814	Deep Nose Box	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

BATTERY GROUND STRAP



- 4 gauge wire.
- Molded zinc-plated steel lugs and tin-plated copper stranding.
- 7/16 inch diameter bolt hole.
- 12" Long

PART #	DESCRIPTION	LIST PRICE
39712	12", 4 Gauge ground strap	---

STAINLESS STEEL BATTERY NUT



PART #	TYPE	LIST PRICE
39713	3/8"	---

RUBBER GROMMET

- Black Rubber



PART #	ID	OD	LIST PRICE
95450	5/16"	9/16"	---
95451	5/8"	1 1/4"	---
95452	3/4"	1 3/4"	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm.
For more information, visit www.P65Warnings.ca.gov

ACCESSORIES



CABLE TIE STRAPS - NYLON

- Used to secure and bundle
- CSA Certified
- RoHs Compliant
- UV or Standard


STANDARD

PART #	LENGTH	STRENGTH	PACKAGE QTY	LIST PRICE
95601	7 1/2"	50lb	100	---
95602	11"	50 lb	100	---
95603	14.5"	50 lb	100	---
95604	24"	175 lb	50	---
95605	36"	175lb	50	---
95606	48"	175 lb	50	---


UV BLACK


PART #	LENGTH	STRENGTH	PACKAGE QTY	LIST PRICE
95610	7 1/2"	50lb	100	---
95611	14"	50 lb	100	---
95612	24"	175lb	50	---
95613	36"	175lb	50	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov



95620







CONSPICUITY TAPE

Tape is designed for trucks, trailers, and other vehicles for easy nighttime vehicle recognition and increased road safety. It is a high quality, durable microprismatic retroreflective material with a pressure sensitive adhesive. The solid construction does not require edge sealing. Conspicuity tape provides superior reflectivity and may help reduce accidents.

- DOT -C2 Certified
- Meets or exceeds NHTSA, FMVSS 108 & ASTM D4956
- Meets Canada TSD 108
- 10 year durability

PART #	DESCRIPTION	APP. WT.	LIST PRICE
95620	2" x 150' Roll of 11" Red / 7" White	0.32	---
95621	2" x 150' Roll of 6" Red / 6" White	0.32	---
95622	2" x 150' Roll of solid white	0.32	---
95623	2" x 18", kiss cut strip, white	0.03	---
95624	2" x 18" kiss cut strip of 11" Red / 7" White	0.03	---



95625



95627

- Meets or exceeds ANSI/ASAE S279, ANSI/ASAE S276 & ASTM D-4956
- 7 year durability

PART #	DESCRIPTION	APP. WT.	LIST PRICE
95625	1" X 150' Roll of solid yellow	0.17	---
95626	2" X 150' Roll of solid yellow	0.32	---
95627	3" round all plastic reflector, Red	0.06	---
95628	3 3/4" x 6 1/2" American flag, type IV HIP	0.02	---



95628

TARP STRAPS



- Heavy Duty EPDM tarp straps
- Longer lasting than rubber
- Greater stretch length
- Ozone and weather resilient
- Made in the USA

PART #	STRAP LENGTH	MATE-RIAL	DESCRIPTION	QTY	LIST PRICE
990790	10"	EPDM	Tarp strap with S hook	50	---
990791	15"	EPDM	Tarp strap with S hook	50	---
990792	21"	EPDM	Tarp strap with S hook	50	---
990793	31"	EPDM	Tarp strap with S hook	50	---
990794	41"	EPDM	Tarp strap with S hook	50	---

NYLON DOT AIR BRAKE TUBING

TRUCK AND TRAILER







- Air Brake Tubing available from inventory in a large variety of colors and sizes
- Superior cold weather flexibility and abrasion resistance
- UV and ozone resistant nylon
- Meets or exceeds SAEJ844 (Type A - non-reinforced & Type B - reinforced)
- Meets or exceeds DOT requirements for use with compression fittings (NOTE: SAE does not recognize 1/8", 5/32" or 3/16" O.D. tubing for use with air brake systems)
- Air Brake Tubing identified per SAE J844 & FMVSS No. 106 Brake Hoses, 49 CFR 571.106
- Conforms to our own rigorous qualification and inspection testing which exceeds SAE and DOT requirements
- Designed to operate at up to 150 psi in air brake systems
- Resistant to attack by gasoline, diesel fuel and commonly used road and cleaning chemicals
- Air Brake Tubing available on bulk spools or by packages
- Operating range: -40°- 200°F - Not made for fuel

PART NUMBER	COLOR	LENGTH	NOMINAL O.D.	NOMINAL WALL	LIST PRICE
38950B2	Black	2000'	1/8"	0.023"	---
38950	Black	100'	1/8"	0.023"	---
3895BA	Black	50'	1/8"	0.023"	---
38951B1	Black	1000'	5/32"	0.032"	---
38951	Black	100'	5/32"	0.032"	---
38951BA	Black	50'	5/32"	0.032"	---
38953B1	Black	1000'	3/16"	0.035"	---
38953	Black	100'	3/16"	0.035"	---
38953BA	Black	50'	3/16"	0.035"	---
389523	Black	1000'	1/4"	0.040"	---
389522	Black	500'	1/4"	0.040"	---
38952	Black	100'	1/4"	0.040"	---
38952BA	Black	50'	1/4"	0.040"	---
38952U1	Blue	1000'	1/4"	0.040"	---
38952U	Blue	100'	1/4"	0.040"	---
38952UA	Blue	50'	1/4"	0.040"	---
38952O	Orange	100'	1/4"	0.040"	---
38952OA	Orange	50'	1/4"	0.040"	---
38952G1	Green	1000'	1/4"	0.040"	---
38952G	Green	100'	1/4"	0.040"	---
38952GA	Green	50'	1/4"	0.040"	---
38952R1	Red	1000'	1/4"	0.040"	---
38952R	Red	100'	1/4"	0.040"	---
38952RA	Red	50'	1/4"	0.040"	---
38952Y1	Yellow	1000'	1/4"	0.040"	---
38952Y	Yellow	100'	1/4"	0.040"	---
38952YA	Yellow	50'	1/4"	0.040"	---
38954B5	Black	500'	5/16"	0.040"	---
38954	Black	100'	5/16"	0.040"	---
38954BA	Black	50'	5/16"	0.040"	---
38960B5	Black	500'	3/8"	0.062"	---
38960	Black	100'	3/8"	0.062"	---
38960BA	Black	50'	3/8"	0.062"	---
38960U5	Blue	500'	3/8"	0.062"	---
38960U	Blue	100'	3/8"	0.062"	---
38960UA	Blue	50'	3/8"	0.062"	---
38960O5	Orange	500'	3/8"	0.062"	---
38960O	Orange	100'	3/8"	0.062"	---
38960OA	Orange	50'	3/8"	0.062"	---
38960G5	Green	500'	3/8"	0.062"	---
38960G	Green	100'	3/8"	0.062"	---
38960GA	Green	50'	3/8"	0.062"	---
38960R5	Red	500'	3/8"	0.062"	---
38960R	Red	100'	3/8"	0.062"	---

PART NUMBER	COLOR	LENGTH	NOMINAL O.D.	NOMINAL WALL	LIST PRICE
38960RA	Red	50'	3/8"	0.062"	---
38960Y5	Yellow	500'	3/8"	0.062"	---
38960Y	Yellow	100'	3/8"	0.062"	---
38960YA	Yellow	50'	3/8"	0.062"	---
38965B5	Black	500'	1/2"	0.062"	---
38965	Black	100'	1/2"	0.062"	---
38965BA	Black	50'	1/2"	0.062"	---
38965U5	Blue	500'	1/2"	0.062"	---
38965U	Blue	100'	1/2"	0.062"	---
38965UA	Blue	50'	1/2"	0.062"	---
38965O5	Orange	500'	1/2"	0.062"	---
38965O	Orange	100'	1/2"	0.062"	---
38965OA	Orange	50'	1/2"	0.062"	---
38965G5	Green	500'	1/2"	0.062"	---
38965G	Green	100'	1/2"	0.062"	---
38965GA	Green	50'	1/2"	0.062"	---
38965R5	Red	500'	1/2"	0.062"	---
38965R	Red	100'	1/2"	0.062"	---
38965RA	Red	50'	1/2"	0.062"	---
38965Y5	Yellow	500'	1/2"	0.062"	---
38965Y	Yellow	100'	1/2"	0.062"	---
38965YA	Yellow	50'	1/2"	0.062"	---
38970BC	Black	250'	5/8"	0.092"	---
38970	Black	100'	5/8"	0.092"	---
38970BA	Black	50'	5/8"	0.092"	---
38970GC	Green	250'	5/8"	0.092"	---
38970G	Green	100'	5/8"	0.092"	---
38970GA	Green	50'	5/8"	0.092"	---
38970RC	Red	250'	5/8"	0.092"	---
38970R	Red	100'	5/8"	0.092"	---
38970RA	Red	50'	5/8"	0.092"	---
38975BC	Black	250'	3/4"	0.092"	---
38975	Black	100'	3/4"	0.092"	---
38975BA	Black	50'	3/4"	0.092"	---
38975GC	Green	250'	3/4"	0.092"	---
38975G	Green	100'	3/4"	0.092"	---
38975GA	Green	50'	3/4"	0.092"	---

FUEL LINE AND AIR BRAKE HOSE

TRUCK AND TRAILER

FUEL LINE AND VAPOR EMISSION



•SAE 30R7
•Nitrile tube w/ spiral synthetic cord, hypalon cover.
•50 p.s.i. working pressure. 1/2 -35 PSI
•-40^0 F to + 257^0 F temperature range.
•Low pressure/ high temperature fuel for cars, light trucks, and small engines.
• Meets SAE J1402

PART #	ID	OD	LENGTH	LIST PRICE
38920	3/16	13/32	25'	---
38926	5/16	9/16	25'	---
38923	1/4	1/2	25'	---
38927	3/8	5/8	50'	---

AIR BRAKE HOSE



• BLACK

•Spiral synthetic cord reinforcement with neoprene cover.
•-40^0 F to +200^0 F temperature range.
•Max opperating pressure 255 psi
•Max burst pressure 900 psi
• Meets SAE J1402

PART #	ID	OD	LENGTH	LIST PRICE
38910	3/8	3/4	50'	---
38915	1/2	7/8	50'	---

HYDRAULIC ADAPTERS & ACCESSORIES



STEEL ADAPTERS

Technical information
Profile size chart
Steel Pipe Swivels
37° JIC Flare Straights
37° JIC Flare Shapes
Bulkhead Adapters
Steel Pipe Fittings
O-Ring Adapters Straight
JIC Swivels
O-Ring Adapters
O-Ring Face Seal
BSPT/ BSPP Adapters
Metric Adapters
Flange Adapters
Stainless Steel Adapters
SS Hose Fittings

HYDRAULIC QUICK DISCONNECTS

Thread to Connect - Wing
ISO A Interchange
ISO B Interchange
Flush Face ISO
VEP Series
AG Interchange
Hydraulic Jack Q/D

HYDRAULIC VALVES & ACCESSORIES

Flow Control Valve
Variable Flow Control
Air Breathers

PLATING SPECIFICATION

We standard Trivalent, Cr^{+3} plating performs at nearly double the S.A.E. corrosion resistance requirement. The plating meets ASTM B633, Fe/Zn 5. The thickness is 5um-13um. This plating is silver in appearance and has been testing at 96 hours to white rust and 120 hours to red rust.

TECHNICAL INFORMATION

WORKING PRESSURE

The tables on the following pages list the recommended working pressure for a variety of hydraulic fittings made in accordance with certain industry standards. Many factors such as impulse, vibration, mechanical shock, and improper assembly may affect the integrity of the fitting connection.

We recommends sufficient testing be conducted to ensure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. Working pressure ratings are capable of a 4 to 1 minimum burst. All steel fittings meet or exceed the minimum SAE pressure ratings. Always consider application and maximum pressure requirements when selecting fittings.

METHODS FOR INSTALLING FITTINGS

There are three methods for installing a fitting:

- Torque wrench
- Flats From Wrench Resistance
- Turns From Finger Tight

For Flare and NPSM Fittings, we recommend the flats from wrench resistence method be used whenever possible.

The differences in material, plating, and surface finish impacts the coefficient of friction when installing or connecting fittings. To minimize these variances, We recommend that fitting connections are lubricated when installed. Connections that are lubricated provide a more accurate installation torque, which results in fewer leaks.

USING A TORQUE WRENCH

The torque values given in the tables on the following pages are for reference purposes only based on industry standard practice and for low carbon steel mating with steel/iron components. Actual torque values may need to be adjusted due to variances described above.

SAE recommends always making a wet (lubricated) installation or connection to reduce friction on moving parts, O-rings, and variances in material and plating. The torque values in these tables are based off SAE values using a .17 coefficient of friction as per SAE J2593. Many hydraulic leaks are a result of over-torque, which causes excessive deformation of material or exceeds the yield strength of the material, which may reduce the load or clamping force between seal contacts.


If more than one value or range is given, use the lower value first and increase only if required. Over-torquing can damage a fitting or mating component.

SAE O-Ring Boss Port Specifications


O-ring Boss ports (ORB) provide a seal by trapping the fitting's O-ring inside a port cavity. When a fitting is installed into the port, the O-ring is trapped between the fitting body hex or washer and port cavity.

Straight fittings include a hex, and sometimes an additional cylindrical shoulder below the hex and above the threads, to trap the O-ring in the port cavity.

Elbow and Tee fittings require a backup washer and a locknut above the O-ring on the threaded stud to permit a 360° orientation of the fitting around the port.



Straight SAE ORB



Adustable SAE ORB

The following table lists the specifications for SAE O-Ring Boss Ports.

SAE O-Ring Boss Specifications								
Dash Size	Tube Size	Thread	SAE-ORB to JIC and Pipe Fittings*			SAE-ORB to ORFS Fittings**		
			Torque	Working Pressure		Torque	Working Pressure	
			Adjustable & Non- Adjustable	Adjustable	Non-Adjustable	Adjustable & Non- Adjustable	Adjustable	Non- Adjustable
			(ft-lbs) +25% -0%	*(psi)*	*(psi)*	*(ft-lbs) +25% -0%*	*(psi)*	*(psi)*
02	*1/8*	*5/16-24*	*6*	*4500*	*4500*	-	-	-
03	*3/16*	*3/8-24*	*7*	*4500*	*4500*	*7*	*5800*	*9100*
04	*1/4*	*7/16-20*	*13*	*4500*	*4500*	*15*	*5800*	*9100*
05	*5/16*	*1/2-20*	*18*	*4500*	*4500*	*18*	*5800*	*9100*
06	*3/8*	*9/16-18*	*22*	*3600*	*4500*	*26*	*5800*	*9100*
08	*1/2*	*3/4-16*	*37*	*3600*	*4500*	*52*	*5800*	*9100*
10	*5/8*	*7/8-14*	*44*	*2900*	*3600*	*74*	*5800*	*9100*
12	*3/4*	*1-1/16-12*	*70*	*2900*	*3600*	*125*	*5800*	*5800*
14	*7/8*	*1-3/16-12*	*92*	*2300*	*2900*	*158*	*5800*	*5800*
16	*1*	*1-5/16-12*	*111*	*2300*	*2900*	*199*	*4500*	*5800*
20	*1 1/4*	*1-5/8-12*	*147*	*1800*	*2300*	*210*	*3600*	*3600*
24	*1 1/2*	*1-7/8-12*	*155*	*1800*	*2300*	*273*	*2900*	*3600*
32	*2*	*2-1/2-12*	*221*	*1450*	*1800*	-	-	-


* = Light duty studs included on JIC, NPTF and NPSM fittings per SAE J1926/3 & J514
** = Heavy duty studs included on ORFS fittings per SAE J1926/2 & J1453

Note: Torque values are for wet torque and are allowed up to 25% the listed value according to SAE J2593.

JIC Adapter Specifications

Male flared fittings include a conical nose with external threads for clamping.

A flared fitting or tube assembly is tightened against the cone with a swivel nut. By forcing the flare against the cone during the torquing process, the nose cone is slightly deformed and meshes to create a metal to metal seal between the flare and the cone.



The following table lists the specifications for JIC adapters.

JIC Specifications							
Dash Size	Tube Size	Thread	Working Pressure		Torque		
			Male	Female Swivel Nut	JIC Rigid	JIC Swivel	Bulkhead Locknut
			(psi)	(psi)	(FFWR)	(FFWR)	(ft-lbs) +25% -0%
02	1/8	5/16-24	5000	5000	1/4 - 1/2	2	4
03	3/16	3/8-24	5000	5000	1/4 - 1/2	2	6
04	1/4	7/16-20	5000	4500	1/4 - 1/2	2	10
05	5/16	1/2-20	5000	4000	1/4 - 1/2	2	13
06	3/8	9/16-18	5000	4000	1/4 - 1/2	2	16
08	1/2	3/4-16	4500	4000	1/4 - 1/2	2	27
10	5/8	7/8-14	3500	3000	1/4 - 1/2	1 1/2	32
12	3/4	1-1/16-12	3500	3000	1/4 - 1/2	1 1/2	52
14	7/8	1-3/16-12	3000	2500	1/4 - 1/2	1 1/2	66
16	1	1-5/16-12	3000	2500	1/4 - 1/2	1 1/2	85
20	1 1/4	1-5/8-12	2500	2000	1/4 - 1/2	1	111
24	1 1/2	1-7/8-12	2000	1500	1/4 - 1/2	1	114
32	2	2-1/2-12	1500	1125	1/4 - 1/2	1	162
Values are per SAE J514							

It has been my observation that most people get ahead during the time that others waste. -*Henry Ford*

Pipe & Pipe Swivel Adapter Specifications

NPSM fittings include an inverted 60° cone inside an internally threaded swivel union nut. Male NPTF fittings that have a 30° internal chamfer that make a 60° inverted cone, will mate with NPSM swivel unions.

NOTE: THE MATING MALE THREADS MUST INCLUDE AN INSIDE CHAMFER ON THE END OF THE FITTING THAT MATES WITH THE INVERTED CONE. THREADS ARE FOR CLAMPING FORCE ONLY AND THE SEALING OCCURS ON A SMALL RADIAL SECTION BETWEEN THE MALE FITTING INTERNAL CHAMFER AND THE SWIVEL UNION INVERTED CONE.




Figure 7 : NPTF & NPSM Union




Figure 8: NPT & NPTF Assembly

NPT and NPTF pipe threads seal by wedging the tapered threads through deformation into each other. Both of these threads require thread sealants to complete a seal.

The following table lists the specifications for NPT, NPTF, and NPSM Pipe adapters.

NPT, NPTF, and NPSM Pipe Specifications						
Dash Size	Thread Size	Major OD* (inch)	Working Pressure		Torque	
			NPT, NPTF Male and Female	NPSM Female Swivel Nut	NPT, NPTF	NPSM Swivel Union
			(psi)	(psi)	(TFFT)	(FFWR)
02	1/8-27	.405	5000	5000	2-3	2
04	1/4-18	.540	4000	5000	2-3	2
06	3/8-18	.675	3000	4000	2-3	2
08	1/2-14	.84	3000	3500	2-3	2
12	3/4-14	1.050	2500	2250	2-3	2
16	1-11 1/2	1.315	2000	2000	1 1/2 - 2 1/2	1 1/2
20	1 1/4-11 1/2	1.660	1150	1625	1 1/2 - 2 1/2	1 1/2
24	1 1/2-11 1/2	1.900	1000	1250	1 1/2 - 2 1/2	1 1/2
32	2-11 1/2	2.375	1000	1125	1 1/2 - 2 1/2	1 1/2
Values are per SAE J514 & J2593						

Table 3: NPT, NPTF, and NPSM Pipe Specifications


Folks who never do any more than they are paid for, never get paid for any more than they do.

-Elebert Hubbard


O-ring Face Seal Adapter Specifications

O-ring face seal fittings include a precision groove in the face of the male fitting. Sealing occurs when an O-ring is trapped in the groove by a smooth flat flange that is clamped against the face with a nut or nut and sleeve. The flat flange may be formed or brazed onto the end of a tube, or is machined on a fitting.


There are two SAE groove types:
- Type A: The original style A O-ring has no retaining ledge.
- Type B: The Type B groove has a retaining ledge (half dovetail) that improves O-ring retention. The Type B style is more commonly found and is a design improvement over the Type A.



e 9 : ORFS Fitting Assembly



: 10: Detail View of Cross Section of Groove Type A



11 : View of Groove Type B

The following table lists the specifications for O-ring Face Seal adapters.

ORFS Specifications								
Dash Size	Tube Size	Thread Size	Working Pressure		Torque			
			Male	Female Swivel Nut	Male & Female	Bulkhead Locknut	Tube Nuts	Swivel Nuts
			(psi)	*(psi)*	*(ft-lbs) +25% -0%*	*(ft-lbs) +25% -0%*	*FWR*	*FWR*
04	*1/4*	*9/16-18*	*6000*	*6000*	*18*	*16*	*1/4-1/2*	*1/2-3/4*
06	*3/8*	*11/16-16*	*6000*	*6000*	*29*	*22*	*1/4-1/2*	*1/2-3/4*
08	*1/2*	*13/16-16*	*6000*	*6000*	*41*	*29*	*1/4-1/2*	*1/2-3/4*
10	*5/8*	*1-14*	*6000*	*6000*	*44*	*44*	*1/4-1/2*	*1/2-3/4*
12	*3/4*	*1-3/16-12*	*6000*	*6000*	*66*	*66*	*1/4-1/2*	*1/3-1/2*
16	*1*	*1-7/16-12*	*6000*	*5000*	*92*	*92*	*1/4-1/2*	*1/3-1/2*
20	*1 1/4*	*1-11/16-12*	*4000*	*4000*	*125*	*111*	*1/4-1/2*	*1/3-1/2*
24	*1 1/2*	*2-12*	*4000*	*3000*	*147*	*125*	*1/4-1/2*	*1/3-1/2*
Note: Values are per SAE J2593 & J1453								
Torque values are for wet installation of steel components. Reduce torque values for softer material components.								

Table 4 : ORFS Specifications

BSPT, BSPP and Metric Adapter Specifications

BSPT and Metric tapered threads install and work in the same manner as NPT and NPTF.

Male BSPP fittings include an inverted 60° cone inside an internally threaded swivel union nut. Male BSPP fittings that have a 30° internal chamfer that make a 60° inverted cone, will mate with Female BSPP swivel unions.

NOTE: THE MATING MALE THREADS MUST INCLUDE AN INSIDE CHAMFER ON THE END OF THE FITTING THAT MATES WITH THE INVERTED CONE. THREADS ARE FOR CLAMPING FORCE ONLY AND THE SEALING OCCURS ON A SMALL RADIAL SECTION BETWEEN THE MALE FITTING INTERNAL CHAMFER AND THE SWIVEL UNION INVERTED CONE.

DIN swivel unions have a 24° inverted cone and may be installed into DIN bite-ring compression fittings. To provide enhanced performance, an O-ring is sometimes included in the cone of some DIN swivel unions.

British Standard Pipe Parallel (BSPP) and Metric Parallel threaded ports do not include a port cavity like the O-ring Boss or ISO 6149 port. Instead, an O-ring sits on top of the spot face or external surface and is surrounded by a metal retaining ring or other retaining component to trap the O-ring between the fitting hex, body, and spot face.

Elbow and Tee fittings have a locknut, backup washer, O-ring and retaining washer to permit 360° orientation around the axis of the port.

The following table lists the specifications for **BSPP & BSPT Adapters**


BSPP & BSPT Specifications				
Dash Size	BSPT & BSPP		Torque	
	THREAD SIZE	MAJOR OD* (inch)	BSPP Swivel Union	BSPT
02	1/8-28	0.383	2	2-3
04	1/4-19	0.518	2	2-3
06	3/8-19	0.656	2	2-3
08	1/2-14	0.825	2	2-3
10	5/8-14	0.929	2	2-3
12	3/4-14	1.041	2	2-3
16	1-11	1.309	1 1/2	1 1/2 - 2 1/2
20	1 1/4-11	1.650	1 1/2	1 1/2 - 2 1/2
24	1 1/2-11	1.882	1 1/2	1 1/2 - 2 1/2
32	2-11	2.347	1 1/2	1 1/2 - 2 1/2

The following table lists the specifications for **Metric Adapters**


Metric DIN 3852-1 Threads	
Dash Size	THREAD SIZE (mm)
08	8 x 1.0
10	10 x 1.0
12	12 x 1.5
14	14 x 1.5
16	16 x 1.5
18	18 x 1.5
20	20 x 1.5
22	22 x 1.5
24	24 x 1.5
26	26 x 1.5
27	27 x 2.0
30	30 x 2.0
33	33 x 2.0
39	39 x 2.0
42	42 x 2.0
48	48 x 2.0
60	60 X 2.0
Values are from DIN 3852-1	

PROFILE SIZE CHART


MALE JIC/ MALE O-RING BOSS




O-RING FACE SEAL




MALE PIPE







AG INTERCHANGE - NV SERIES



ISO 7241 - 1 - ISO A - ANV SERIES



ISO 16028 - FF SERIES



ISO 7241 - 1 ISO B - HNV SERIES

STEEL PIPE SWIVEL ADAPTERS

HYDRAULIC ADAPTERS

MALE PIPE SWIVEL ADAPTER

SAE 140130

1



2

PART #	MALE PIPE 1	FEMALE NPSM 2	LIST PRICE
140422	1/8	1/8	---
140442	1/4	1/8	---
140444	1/4	1/4	---
140464	3/8	1/4	---
140466	3/8	3/8	---
140468	3/8	1/2	---
140484	1/2	1/4	---
140486	1/2	3/8	---
140488	1/2	1/2	---
1404812	1/2	3/4	---
1404126	3/4	3/8	---
1404128	3/4	1/2	---
14041212	3/4	3/4	---
14041216	3/4	1	---
14041612	1	3/4	---
14041616	1	1	---
14041620	1	1-1/4	---
14042024	1-1/4	1-1/2	---
14042016	1-1/4	1	---
14042020	1-1/4	1-1/4	---
14042424	1-1/2	1-1/2	---
14043232	2	2	---

1404 **2045R** 1210 **9205R** 0107

FEMALE PIPE SWIVEL ADAPTER

SAE 140131

1



2

PART #	FEMALE PIPE 1	FEMALE NPSM 2	LIST PRICE
140522	1/8	1/8	---
140542	1/4	1/8	---
140544	1/4	1/4	---
140546	1/4	3/8	---
140564	3/8	1/4	---
140566	3/8	3/8	---
140586	1/2	3/8	----
140568	3/8	1/2	---
140584	1/2	1/4	---
140588	1/2	1/2	---
1405812	1/2	3/4	---
1405128	3/4	1/2	---
14051212	3/4	3/4	---
14051216	3/4	1	---
14051612	1	3/4	---
14051616	1	1	---
14052020	1-1/4	1-1/4	---
14052424	1-1/2	1-1/2	---
14053232	2	2	---

1405 **2046R** 1212 **9255** C207

MALE PIPE ELBOW SWIVEL ADAPTER

1

SAE 140230



2

PART #	MALE PIPE 1	FEMALE NPSM 2	LIST PRICE
150122	1/8	1/8	---
150124	1/8	1/4	---
150142	1/4	1/8	---
150144	1/4	1/4	---
150146	1/4	3/8	---
150148	1/4	1/2	---
150164	3/8	1/4	---
150166	3/8	3/8	---
1501612	3/8	3/4	---
150184	1/2	1/4	---
150186	1/2	3/8	---
150188	1/2	1/2	---
1501126	3/4	3/8	---
1501128	3/4	1/2	---
15011212	3/4	3/4	---
15011216	3/4	1	---
1501168	1	1/2	---
15011612	1	3/4	---
15011616	1	1	---
15012016	1-1/4	1	---
15012020	1-1/4	1-1/4	---
15013232	2	2	---

1501 **2047R** 1218 **9405** 2107

FEMALE UNION ELBOW SWIVEL ADAPTER

SAE 140231

1



2

PART #	FEMALE PIPE 1	FEMALE NPSM 2	LIST PRICE
150222	1/8	1/8	---
150242	1/4	1/8	---
150244	1/4	1/4	---
150246	1/4	3/8	---
150264	3/8	1/4	---
150266	3/8	3/8	---
150268	3/8	1/2	---
150284	1/2	1/4	---
150286	1/2	3/8	---
150288	1/2	1/2	---
1502812	1/2	3/4	---
1502128	3/4	1/2	---
15021212	3/4	3/4	---
15021616	1	1	---
15022020	1-1/4	1-1/4	---
15022424	1-1/2	1-1/2	---

1502 **2207** 1216 **94SSR**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

FEMALE PIPE SWIVELS
HYDRAULIC ADAPTERS

MALE 45° PIPE ELBOW SWIVEL ADAPTER
SAE 140330



PART #	MALE PIPE 1	FEMALE NPSM 2	LIST PRICE
150322	1/8	1/8	---
150344	1/4	1/4	---
150346	1/4	3/8	---
150364	3/8	1/4	---
150366	3/8	3/8	---
150368	3/8	1/2	---
150384	1/2	1/4	---
150386	1/2	3/8	---
150388	1/2	1/2	---
1503812	1/2	3/4	---
1503128	3/4	1/2	---
15031212	3/4	3/4	---
15031216	3/4	1	---
15031612	1	3/4	---
15031616	1	1	---
15031620	1	1-1/4	---
15032020	1-1/4	1-1/4	---

1503 **2049R** 3107 **1214** 9355R

FEMALE 45° UNION ELBOW SWIVEL ADAPTER
SAE 140331



PART #	FEMALE PIPE 1	FEMALE NPSM 2	LIST PRICE
150422	1/8	1/8	---
150444	1/4	1/4	---
150466	3/8	3/8	---
150488	1/2	1/2	---
15041212	3/4	3/4	---
15041616	1	1	---

1504 **2050R** 1249 **9385R**

MALE SWIVEL BRANCH TEE



PART #	FEMALE NPSM 1 & 2	MALE PIPE 3	LIST PRICE
160122	1/8	1/8	---
160144	1/4	1/4	---
160166	3/8	3/8	---
160188	1/2	1/2	---
16011212	3/4	3/4	---
16011616	1	1	---

1601 **2254R** 1258 **9406R**

FEMALE SWIVEL TEE



PART #	FEMALE NPSM 1 & 2	FEMALE PIPE 3	LIST PRICE
160244	1/4	1/4	---
160266	3/8	3/8	---
160288	1/2	1/2	---
16021212	3/4	3/4	---
16021616	1	1	---

1602 **2253R** 1259 **9456R**

FEMALE SWIVEL UNION TEE



PART #	FEMALE NPSM 1,2 & 3	LIST PRICE
160344	1/4	---
160366	3/8	---
160388	1/2	---
16031212	3/4	---
16031616	1	---

1603 **2255** 1223 **9705R**

STRAIGHTS STEEL JIC FLARE 37°

HYDRAULIC ADAPTERS

LONG JIC TUBE NUT

SAE 070111




PART #	TUBE O.D	JIC THREAD SIZE	LIST PRICE
03044	1/4	7/16-20	---
03046	3/8	9/16-18	---
03048	1/2	3/4-16	---
030410	5/8	7/8-14	---
030412	3/4	1-1/16-12	---
030416	1	1-5/16-12	---

304 **221000** 0304 **C5115**

CAP

SAE 070112
MS 51532



PART #	TUBE O.D.	JIC THREAD SIZE	LIST PRICE
0304C2	1/8	5/16-24	---
0304C3	3/16	3/8-24	---
0304C4	1/4	7/16-20	---
0304C5	5/16	1/2-20	---
0304C6	3/8	9/16-18	---
0304C8	1/2	3/4-16	---
0304C10	5/8	7/8-14	---
0304C12	3/4	1-1/16-12	---
0304C14	7/8	1-3/16-12	---
0304C16	1	1-5/16-12	---
0304C20	1-1/4	1-5/8-12	---
0304C24	1-1/2	1-7/8-12	---
0304C32	2	2-1/2-12	---

820 **304** 210292 **FNTX** 1329 **C5129**

JIC TUBE NUT

(SLEEVE REQUIRED)

SAE 070110
MS 51531



PART #	TUBE O.D	JIC THREAD SIZE	LIST PRICE
03182	1/8	5/16-24	---
03183	3/16	3/8-24	---
03184	1/4	7/16-20	---
03185	5/16	1/2-20	---
03186	3/8	9/16-18	---
03188	1/2	3/4-16	---
031810	5/8	7/8-14	---
031812	3/4	1-1/16-12	---
031814	7/8	1-3/16-12	---
031816	1	1-5/16-12	---
031820	1-1/4	1-5/8-12	---
031824	1-1/2	1-7/8-12	---

318 **1290** BTX **1311** C5105

JIC TUBE SLEEVE

SAE 070115
MS 51533



PART #	TUBE O.D	LIST PRICE
03192	1/8	---
03193	3/16	---
03194	1/4	---
03195	5/16	---
03196	3/8	---
03198	1/2	---
031910	5/8	---
031912	3/4	---
031914	7/8	---
031916	1	---
031920	1-1/4	---
031924	1-1/2	---
031932	2	---

319 **900605** TX **1253** C5165

JIC TUBE UNION

SAE 070101
MS 51501

1



2

PART #	JIC THREAD SIZE 1	JIC THREAD SIZE 2	LIST PRICE
240322	5/16-24	5/16-24	---
240333	3/8-24	3/8-24	---
240344	7/16-20	7/16-20	---
240355	1/2-20	1/2-20	---
240366	9/16-18	9/16-18	---
240364	9/16-18	7/16-20	---
240384	3/4-16	7/16-20	---
240388	3/4-16	3/4-16	---
240386	3/4-16	9/16-18	---
24031010	7/8-14	7/8-14	---
2403108	7/8-14	3/4-16	---
24031212	1-1/16-12	1-1/16-12	---
2403126	1-1/16-12	9/16-18	----
2403128	1-1/16-12	3/4-16	---
24031210	1-1/16-12	7/8-14	---
24031414	1-3/16-12	1-3/16-12	---
24031616	1-5/16-12	1-5/16-12	---
24031612	1-5/16-12	1-1/16-12	---
24032016	1-5/8-12	1-5/16-12	---
24032020	1-5/8-12	1-5/8-12	---
240324	1-7/8-12	1-7/8-12	---
240332	2-1/2-12	2-1/2-12	---

2403 **2027** HTX **1204** C5305

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

JIC MALE CONNECTOR

SAE 070102
MS 51500



PART #	JIC THREAD SIZE 1	MALEPIPE THREAD 2	LIST PRICE
240422	5/16-24	1/8	---
240432	3/8-24	1/8	---
240434	3/8-24	1/4	---
240442	7/16-20	1/8	---
240444	7/16-20	1/4	---
240446	7/16-20	3/8	---
240448	7/16-20	1/2	---
240462	9/16-18	1/8	---
240464	9/16-18	1/4	---
240466	9/16-18	3/8	---
240468	9/16-18	1/2	---
2404612	9/16-18	3/4	---
240484	3/4-16	1/4	---
240486	3/4-16	3/8	---
240488	3/4-16	1/2	---
2404812	3/4-16	3/4	---
2404816	3/4-16	1	---
2404104	7/8-14	1/4	---
2404106	7/8-14	3/8	----
2404108	7/8-14	1/2	---
24041012	7/8-14	3/4	---
2404126	1-1/16-12	3/8	---
2404128	1-1/16-12	1/2	---
24041212	1-1/16-12	3/4	---
24041216	1-1/16-12	1	---
24041612	1-5/16-12	3/4	---
24041616	1-5/16-12	1	---
24041620	1-5/16-12	1-1/4	----
24041624	1-5/16-12	1-1/2	---
24042012	1-5/8-12	3/4	---
24042016	1-5/8-12	1	---
24042020	1-5/8-12	1-1/4	---
24042024	1-5/8-12	1-1/2	---
24042416	1-7/8-12	1	---
24042420	1-7/8-12	1-1/4	---
24042424	1-7/8-12	1-1/2	---
24042432	1-7/8-12	2	---
24043224	2-1/2-12	1-1/2	---
24043232	2-1/2-12	2	---

2404 **2021R** FTX **1202R** C5205 **816**

JIC FEMALE CONNECTOR



SAE 070103
MS 51503

PART #	JIC THREAD SIZE 1	FEMALE PIPE SIZE 2	LIST PRICE
240522	5/16-24	1/8	---
240532	3/8-24	1/8	---
240542	7/16-20	1/8	---
240544	7/16-20	1/4	---
240546	7/16-20	3/8	---
240564	9/16-18	1/4	---
240566	9/16-18	3/8	---
240584	3/4-16	1/4	---
240586	3/4-16	3/8	---
240588	3/4-16	1/2	---
2405812	3/4-16	3/4	---
2405106	7/8-14	3/8	---
2405108	7/8-14	1/2	---
2405128	1-1/16-12	1/2	---
24051212	1-1/16-12	3/4	---
24051216	1-1/16-12	1	---
24051612	1-5/16-12	3/4	---
24051616	1-5/16-12	1	---
24052020	1-5/8-12	1-1/4	---

2405 **2022R** GTX **1230R** C5255

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STRAIGHTS STEEL JIC FLARE 37°

HYDRAULIC ADAPTERS

JIC REDUCER/ EXPANDER

SAE 070123 1



2

PART #	FEMALE JIC THREAD SIZE 1	MALE JIC THREAD SIZE 2	LIST PRICE
240664	9/16-18	7/16-20	---
240665	9/16-18	1/2-20	---
240668	9/16-18	3/4-16	---
240684	3/4-16	7/16-20	---
240686	3/4-16	9/16-18	---
2406812	3/4-16	1-1/16-12	---
2406104	7/8-14	7/16-20	---
2406106	7/8-14	9/16-18	---
2406108	7/8-14	3/4-16	---
2406124	1-1/16-12	7/16-20	---
2406126	1-1/16-12	9/16-18	---
2406128	1-1/16-12	3/4-16	---
24061210	1-1/16-12	7/8-14	---
24061216	1-1/16-12	1-5/16-12	----
2406164	1-5/16-12	7/16-20	---
2406166	1-5/16-12	9/16-18	---
2406168	1-5/16-12	3/4-16	---
24061612	1-5/16-12	1-1/16-12	---
24061620	1-5/16-12	1-5/8-12	---
2406208	1-5/8-12	3/4-16	---
24062012	1-5/8-12	1-1/16-12	---
24062012	1-5/8-12	1-1/16-12	---
24062016	1-5/8-12	1-5/16-12	---
24062416	1-7/8-12	1-5/16-12	---
24062420	1-7/8-12	1-5/8-12	---
24063224	2-1/2-12	1-7/8-12	---

2406 **C5015** 2215 **TRTX** 1246

PLUG

SAE 070109
MS 51518



PART #	TUBE O.D.	JIC THREAD SIZE	LIST PRICE
24082	1/8	5/16-24	---
24083	3/16	3/8-24	---
24084	1/4	7/16-20	---
24085	5/16	1/2-20	---
24086	3/8	9/16-18	---
24088	1/2	3/4-16	---
240810	5/8	7/8-14	---
240812	3/4	1-1/16-12	---
240814	7/8	1-3/16-12	---
240816	1	1-5/16-12	---
240820	1-1/4	1-5/8-12	---
240824	1-1/2	1-7/8-12	---
240832	2	2-1/2-12	---

2408 **430549** PNTX **1254** C5229

STEEL 37° JIC FLARE SHAPES

JIC UNION ELBOW

SAE 070201
MS 51505

1



2

PART #	JIC THREAD SIZE 1	JIC THREAD SIZE 2	LIST PRICE
250022	5/16-24	5/16-24	---
250044	7/16-20	7/16-20	---
250055	1/2-20	1/2-20	---
250066	9/16-18	9/16-18	---
250064	9/16-18	7/16-20	---
250088	3/4-16	3/4-16	---
250086	3/4-16	9/16-18	---
25001010	7/8-14	7/8-14	---
25001212	1-1/16-12	1-1/16-12	---
25001612	1-5/16-12	1-1/16-12	---
25001616	1-5/16-12	1-5/16-12	---
25002020	1-5/8-12	1-5/8-12	---
25002424	1-7/8-12	1-7/8-12	---
25003232	2-1/2-12	2-1/2-12	---

2500 **2039** 1234 **C5505** 821

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

STRAIGHTS STEEL JIC FLARE 37°

HYDRAULIC ADAPTERS

JIC MALE ELBOW

SAE 070202
MS 51504




PART #	JIC THREAD SIZE 1	MALE PIPE SIZE 2	LIST PRICE
250122	5/16-24	1/8	---
250142	7/16-20	1/8	---
250144	7/16-20	1/4	---
250146	7/16-20	3/8	---
250148	7/16-20	1/2	---
250162	9/16-18	1/8	---
250164	9/16-18	1/4	---
250166	9/16-18	3/8	---
250168	9/16-18	1/2	---
2501612	9/16-18	3/4	---
250184	3/4-16	1/4	---
250186	3/4-16	3/8	---
250188	3/4-16	1/2	---
2501812	3/4-16	3/4	---
2501816	3/4-16	1	---
2501106	7/8-14	3/8	---
2501108	7/8-14	1/2	---
2501128	1-1/16-12	1/2	---
25011212	1-1/16-12	3/4	---
25011216	1-1/16-12	1	---
25011612	1-5/16-12	3/4	---
25011616	1-5/16-12	1	---
25011620	1-5/16-12	1-1/4	---
25012016	1-5/8-12	1	---
25012020	1-5/8-12	1-1/4	---
25012024	1-5/8-12	1-1/2	---
25012420	1-7/8-12	1-1/4	---
25012424	1-7/8-12	1-1/2	---
25013232	2-1/2-12	2	---

1208R **C5405** 2501 **2024R** CTX **822**

JIC FEMALE ELBOW

SAE 070203
MS 51506



PART #	JIC THREAD SIZE 1	FEMALE PIPE SIZE 2	LIST PRICE
250242	7/16-20	1/8	---
250244	7/16-20	1/4	---
250246	7/16-20	3/8	---
250262	9/16-18	1/8	---
250264	9/16-18	1/4	---
250266	9/16-18	3/8	---
250268	9/16-18	1/2	---
250284	3/4-16	1/4	---
250286	3/4-16	3/8	---
250288	3/4-16	1/2	---
2502128	1-1/16-12	1/2	---
25021212	1-1/16-12	3/4	---
25021612	1-5/16-12	3/4	---
25021616	1-5/16-12	1	---
25022020	1-5/8-12	1-1/4	---

2502 **2025R** DTX **1240R** C5455

JIC MALE 45° ELBOW

SAE 070302
MS 51508



PART #	JIC THREAD SIZE 1	MALE PIPE SIZE 2	LIST PRICE
250322	5/16-24	1/8	---
250342	7/16-20	1/8	---
250344	7/16-20	1/4	---
250346	7/16-20	3/8	---
250362	9/16-18	1/8	---
250364	9/16-18	1/4	---
250366	9/16-18	3/8	---
250368	9/16-18	1/2	---
2503612	9/16-18	3/4	---
250384	3/4-16	1/4	---
250386	3/4-16	3/8	---
250388	3/4-16	1/2	---
2503106	7/8-14	3/8	---
2503108	7/8-14	1/2	---
25031012	7/8-14	3/4	---
25031212	1-1/16-12	3/4	---
25031216	1-1/16-12	1	---
25031616	1-5/16-12	1	---
25031620	1-5/16-12	1-1/4	---
25032016	1-5/8-12	1	---
25032020	1-5/8-12	1-1/4	---

2503 **2023R** VTX **1206R** C5355 **823**

SHAPES STEEL JIV FLARE 37°
HYDRAULIC ADAPTERS

JIC MALE BRANCH TEE



PART #	JIC THREAD SIZE 1&2	PIPE THREAD SIZE 3	LIST PRICE
260144	7/16-20	1/4	---
260166	9/16-18	3/8	---
260188	3/4-16	1/2	---
26011212	1-1/16-12	3/4	---

2601 **2030R** STX **1221R** C5605

JIC FEMALE BRANCH TEE

SAE 070427
MS 51513



PART #	JIC THREAD SIZE 1 & 2	FEMALE PIPE SIZE 3	LIST PRICE
260244	7/16-20	1/4	---
260266	9/16-18	3/8	---
260288	3/4-16	1/2	---

2602 **2031R** OTX **1228R** C6566

JIC UNION TEE

SAE 070401
MS 51510



PART #	JIC THREAD SIZE 1 & 2	JIC THREAD SIZE 3	LIST PRICE
260322	5/16-24	5/16-24	---
260333	3/8-24	3/8-24	---
260344	7/16-20	7/16-20	---
260366	9/16-18	9/16-18	---
260388	3/4-16	3/4-16	---
26031010	7/8-14	7/8-14	---
26031212	1-1/16-12	1-1/16-12	---
26031616	1-5/16-12	1-5/16-12	---

2603 **2033** JTX **1220** C5705

STEEL BULKHEAD FITTINGS

LOCK NUT

SAE 070118
MS 51860



*** Lock Nut no longer included on fittings**

PART #	THREAD SIZE	LIST PRICE
03062	5/16-24	---
03064	7/16-20	---
03065	1/2-20	---
03066	9/16-18	---
03068	3/4-16	---
030610	7/8-14	---
030612	1-1/16-12	---
030614	1-3/16-12	---
030616	1-5/16-12	---
030620	1-5/8-12	---

1306 **894** 210212 **WLN** 1332 **C5624**

JIC BULKHEAD UNION

SAE 070601
MS 51520



PART #	JIC THREAD SIZE 1	JIC THREAD SIZE 2	LIST PRICE
270022	5/16-24	5/16-24	----
270044	7/16-20	7/16-20	---
270055	1/2-20	1/2-20	---
270066	9/16-18	9/16-18	---
27008	3/4-16	3/4-16	---
270010	7/8-14	7/8-14	---
270012	1-1/16-12	1-1/16-12	---
270014	1-3/16-12	1-3/16-12	---
270016	1-5/16-12	1-5/16-12	---

2700 **2041R** WTX **1260** C5325

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

JIC BULKHEAD UNION ELBOW

SAE 070701
MS 51507



PART #	JIC THREAD SIZE 1	JIC BULKHEAD THREAD 2	LIST PRICE
27014	7/16-20	7/16-20	---
27015	1/2-20	1/2-20	---
27016	9/16-18	9/16-18	---
27018	3/4-16	3/4-16	---
270110	7/8-14	7/8-14	---
270112	1-1/16-12	1-1/16-12	---
270116	1-5/16-12	1-5/16-12	---
270120	1-5/8-12	1-5/8-12	---

2701 **2043R** WETX **1262** C5525

JIC BULKHEAD UNION 45° ELBOW

SAE 070801
MS 51509



PART #	JIC THREAD SIZE 1	JIC THREAD SIZE 2	LIST PRICE
27024	7/16-20	7/16-20	---
27026	9/16-18	9/16-18	---
27028	3/4-16	3/4-16	---
270210	7/8-14	7/8-14	---
270212	1-1/16-12	1-1/16-12	---
270216	1-5/16-12	1-5/16-12	---

2702 **2042** WNTX **1261** C5375

JIC BULKHEAD BRANCH TEE

SAE 070959
MS 51515




PART #	JIC THREAD SIZE 1&2	JIC THREAD SIZE 3	LIST PRICE
27034	7/16-20	7/16-20	---
27036	9/16-18	9/16-18	---
27038	3/4-16	3/4-16	---
270310	7/8-14	7/8-14	---
270312	1-1/16-12	1-1/16-12	---
270316	1-5/16-12	1-5/16-12	---

2703 **203002** WJT 1283 **C5725**

JIC BULKHEAD RUN TEE

SAE 070958
MS 51516



PART #	JIC THREAD SIZE 1&3	JIC THREAD SIZE 2	LIST PRICE
27044	7/16-20	7/16-20	---
27046	9/16-18	9/16-18	---
27048	3/4-16	3/4-16	---
270410	7/8-14	7/8-14	---
270412	1-1/16-12	1-1/16-12	---
270416	1-5/16-12	1-5/16-12	---

2704 **203008** WJJT **1284** C5726

JIC TO FEMALE PIPE BULKHEAD



PART #	JIC THREAD SIZE 1	FEMALE PIPE SIZE 2	LIST PRICE
270544	7/16-20		---
270566	9/16-18	3/8	---
270588	3/4-16	1/2	---
27051212	1-1/16-12	3/4	---
27051616	1-5/16-12	1	---
27052020	1-5/8-12	1-1/4	---

2705 **2239** WGTX **C5275**

JIC TO MALE PIPE BULKHEAD



PART #	JIC THREAD SIZE 1	PIPE THREAD SIZE 2	LIST PRICE
270644	7/16-20	1/4	---
270666	9/16-18	3/8	---
270688	3/4-16	1/2	---
27061212	1-1/16-12	3/4	---
27061616	1-5/16-12	1	---

2706 **2240**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

**** Lock Nuts sold separately - pg. 403***

STEEL PIPE FITTINGS
HYDRAULIC ADAPTERS

PIPE COUPLING

SAE 140138



PART #	FEMALE PIPE 1	FEMALE PIPE 2	LIST PRICE
50002	1/8	1/8	---
500042	1/4	1/8	---
50004	1/4	1/4	---
500064	3/8	1/4	---
500066	3/8	3/8	---
500084	1/2	1/4	---
500086	1/2	3/8	---
50008	1/2	1/2	---
5000128	3/4	1/2	---
50001212	3/4	3/4	---
5000168	1	1/2	---
50001612	1	3/4	---
500016	1	1	---
50002020	1-1/4	1-1/4	---
500024	1-1/2	1-1/2	---
500032	2	2	---

910

5000 **2096** GG **1273** C3309

HEX PIPE NIPPLES

SAE 140137



PART #	MALE PIPE 1	MALE PIPE 2	LIST PRICE
54042	1/8	1/8	---
540442	1/4	1/8	---
54044	1/4	1/4	---
540462	3/8	1/8	---
540464	3/8	1/4	---
54046	3/8	3/8	---
540484	1/2	1/4	---
540486	1/2	3/8	---
54048	1/2	1/2	---
5404126	3/4	3/8	---
5404128	3/4	1/2	---
540412	3/4	3/4	---
5404166	1	3/8	---
5404168	1	1/2	---
54041612	1	3/4	---
540416	1	1	---
54042012	1-1/4	3/4	----
54042016	1-1/4	1	---
540420	1-1/4	1-1/4	---
54042412	1-1/2	3/4	---
54042416	1-1/2	1	---
54042420	1-1/2	1-1/4	---
540424	1-1/2	1-1/2	---

5404 **2083** FF **1252** C3069 **911**

EXPANDING PIPE ADAPTER

SAE 140139



PART #	MALE PIPE 1	FEMALE PIPE 2	LIST PRICE
540522	1/8	1/8	---
540524	1/8	1/4	---
540542	1/4	1/8	---
540544	1/4	1/4	---
540548	1/4	1/2	---
540564	3/8	1/4	---
540566	3/8	3/8	---
540568	3/8	1/2	---
5405612	3/8	3/4	---
540588	1/2	1/2	---
5405812	1/2	3/4	---
5405816	1/2	1	---
54051212	3/4	3/4	---
54051216	3/4	1	---
54051220	3/4	1-1/4	---
54051616	1	1	---
54051620	1	1-1/4	---
54052020	1-1/4	1-1/4	---
54052024	1-1/4	1-1/2	---
54052424	1-1/2	1-1/2	---

920 **5405** 2040 **FG-(R)** 1274 **C3209(R)**

5406 **2081** PTR **1250** C3109 **912**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

HEX REDUCER BUSHING

SAEF1
140140



PART #	MALE PIPE	FEMALE PIPE	LIST PRICE
540642	1/4	1/8	---
540662	3/8	1/8	---
540664	3/8	1/4	---
540682	1/2	1/8	---
540684	1/2	1/4	---
540686	1/2	3/8	---
5406124	3/4	1/4	---
5406126	3/4	3/8	---
5406128	3/4	1/2	---
5406164	1	1/4	---
5406166	1	3/8	---
5406168	1	1/2	---
54061612	1	3/4	---
5406206	1-1/4	3/8	---
5406208	1-1/4	1/2	---
54062012	1-1/4	3/4	---
54062016	1-1/4	1	---
5406248	1-1/2	1/2	---
54062412	1-1/2	3/4	---
54062416	1-1/2	1	---
54062420	1-1/2	1-1/4	---
54063212	2	3/4	---
54063216	2	1	---
54063220	2	1-1/4	---

HEX HEAD PLUG

SAE 130109E



PART #	MALE PIPE	LIST PRICE
5406P2	1/8	---
5406P4	1/4	---
5406P6	3/8	---
5406P8	1/2	---
5406P12	3/4	---
5406P16	1	---
5406P20	1-1/4	---
5406P24	1-1/2	---
5406P32	2	---

933 **5406P** 2082 **HP** 1251 **C3159**

HOLLOW HEX PLUG

SAE 130109



PART #	MALE PIPE	LIST PRICE
5406HHP2	1/8	---
5406HHP4	1/4	---
5406HHP6	3/8	---
5406HHP8	1/2	---
5406HHP12	3/4	---
5406HHP16	1	---
5406HHP20	1-1/4	---
5406HHP24	1-1/2	---

C3169 **2222**

FLUSH HOLLOW HEX PLUG W/ 7/8 TAPER



PART #	MALE PIPE	LIST PRICE
5406FLP2	1/8	---
5406FLP4	1/4	---
5406FLP6	3/8	---
5406FLP8	1/2	---
5406FLP12	3/4	---

SQUARE HEAD PLUG

SAE 130109A



PART #	MALE PIPE	LIST PRICE
5406SHP2	1/8	---
5406SHP4	1/4	---
5406SHP6	3/8	---
5406SHP8	1/2	---
5406SHP12	3/4	---
5406SHP16	1	---
5406SHP20	1-1/4	---
5406SHP24	1-1/2	---
5406SHP32	2	---

C3179

PIPE CAP



PART #	FEMALE PIPE	LIST PRICE
5406C2	1/8	---
5406C4	1/4	---
5406C6	3/8	---
5406C8	1/2	---
5406C12	3/4	---
5406C16	1	---

HPC

MALE ELBOW

SAE 140237



PART #	MALE PIPE 1	MALE PIPE 2	LIST PRICE
55002	1/8	1/8	---
550042	1/4	1/8	---
55004	1/4	1/4	---
550064	3/8	1/4	---
55006	3/8	3/8	---
550084	1/2	1/4	---
550086	1/2	3/8	---
55008	1/2	1/2	---
5500128	3/4	1/2	---
55001212	3/4	3/4	---
55001612	1	3/4	---
550016	1	1	---
55001612	1	3/4	---
55002016	1-1/4	1	---
55002020	1-1/4	1-1/4	---
550024	1-1/2	1-1/2	---
550032	2	2	---

919 **5500** 2085 **CR** 1275 **C3529**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer.
For more information, visit www.P65Warnings.ca.gov

STEEL PIPE FITTINGS
HYDRAULIC ADAPTERS

45° MALE ELBOW



PART #	MALE PIPE 1	MALE PIPE 2	LIST PRICE
550122	1/8	1/8	---
550144	1/4	1/4	---
550166	3/8	3/8	---
55018	1/2	1/2	---
55011212	3/4	3/4	---
55011616	1	1	---

5501 **2247**

90° STREET ELBOW

SAE 140239



PART #	MALE PIPE 1	FEMALE PIPE 2	LIST PRICE
55022	1/8	1/8	---
55024	1/4	1/4	---
550264	3/8	1/4	---
55026	3/8	3/8	---
550268	3/8	1/2	---
550284	1/2	1/4	---
550286	1/2	3/8	---
550288	1/2	1/2	---
550212	3/4	3/4	---
5502812	1/2	3/4	---
5502128	3/4	1/2	---
55021612	1	3/4	---
55021616	1	1	---
550220	1-1/4	1-1/4	---
550224	1-1/2	1-1/2	---

5502 **2089** CD **1234R** C3409 **914**

45° STREET ELBOW

SAE 140339



PART #	MALE PIPE 1	FEMALE PIPE 2	LIST PRICE
55032	1/8	1/8	---
55034	1/4	1/4	---
55036	3/8	3/8	---
55038	1/2	1/2	---
55031212	3/4	3/4	---

5503 **CD45** 1244

FEMALE ELBOW

SAE 140238



PART #	FEMALE PIPE 1	FEMALE PIPE 2	LIST PRICE
55042	1/8	1/8	---
550442	1/4	1/8	---
55044	1/4	1/4	---
55046	3/8	3/8	---
550484	1/2	1/4	---
550486	1/2	3/8	---
55048	1/2	1/2	---
5504128	3/4	1/2	---
550412	3/4	3/4	---
55041612	1	3/4	---
550416	1	1	---
550420	1-1/4	1-1/4	---
550424	1-1/2	1-1/2	---

5504 **2087** DD **1245** C3509 **916**

45° FEMALE ELBOW

SAE 140338



PART #	FEMALE PIPE 1	FEMALE PIPE 2	LIST PRICE
55054	1/4	1/4	---
55056	3/8	3/8	---
55058	1/2	1/2	---
550512	3/4	3/4	---
550516	1	1	---
550520	1-1/4	1-1/4	---

5505 **DD45** 1241 **C3559**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

MALE PIPE TEE

SAE 140437




PART #	MALE PIPE 1 & 2	MALE PIPE 3	LIST PRICE
560022	1/8	1/8	---
560044	1/4	1/4	---
560066	3/8	3/8	---
560088	1/2	1/2	---
560012	3/4	3/4	---
560016	1	1	---

5600 **2257** RRS

FEMALE RUN PIPE TEE

SAE 1404276




PART #	MALE PIPE 1 & 3	FEMALE PIPE 2	LIST PRICE
560322	1/8	1/8	---
560344	1/4	1/4	---
560366	3/8	3/8	---
560388	1/2	1/2	---
560312	3/4	3/4	---
560316	1	1	---

5603 **2093** MMO **1277**

FEMALE BRANCH PIPE TEE

SAE 140427



PART #	MALE PIPE 1 & 2	FEMALE PIPE 3	LIST PRICE
560122	1/8	1/8	---
560144	1/4	1/4	---
560166	3/8	3/8	---
560112	3/4	3/4	---
560116	1	1	---

901 **5601** 2256

MALE BRANCH PIPE TEE




PART #	FEMALE PIPE 1 & 2	MALE PIPE 3	LIST PRICE
560422	1/8	1/8	---
560444	1/4	1/4	---
560466	3/8	3/8	---
560488	1/2	1/2	---
560412	3/4	3/4	---
560416	1	1	---

904 **5604** 2091 **MMS** 1278 **C3609**

STREET PIPE TEE

SAE 140424



PART #	MALE PIPE 1	FEMALE PIPE 2 & 3	LIST PRICE
560222	1/8	1/8	---
560244	1/4	1/4	---
560266	3/8	3/8	---
560288	1/2	1/2	---
560212	3/4	3/4	---
560216	1	1	---

902 **5602** 2092 **MRO** 1276 **C3759**

FEMALE PIPE TEE

SAE 140438



PART #	FEMALE PIPE	LIST PRICE
560522	1/8	---
560544	1/4	---
560566	3/8	---
56058	1/2	---
560512	3/4	---
560516	1	---
560520	1-1/4	---

917 **5605** 2090 **1225** C3709

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL O-RING ADAPTERS

HYDRAULIC ADAPTERS

JIC TO O-RING CONNECTOR

SAE 070120
MS 51525



PART #	JIC THREAD SIZE 1	O-RING THREAD 2	LIST PRICE
64002	5/16-24	5/16-24	---
64003	3/8-24	3/8-24	---
64004	7/16-20	7/16-20	---
640042	7/16-20	5/16-24	---
640046	7/16-20	9/16-18	---
640048	7/16-20	3/4-16	---
64005	1/2-20	1/2-20	---
64006	9/16-18	9/16-18	---
640064	9/16-18	7/16-20	---
640068	9/16-18	3/4-16	---
6400610	9/16-18	7/8-14	---
6400612	9/16-18	1-1/16-12	---
6400616	9/16-18	1-5/16-12	---
64008	3/4-16	3/4-16	---
640084	3/4-16	7/16-20	---
640086	3/4-16	9/16-18	---
6400810	3/4-16	7/8-14	---
6400812	3/4-16	1-1/16-12	---
640010	7/8-14	7/8-14	---
6400106	7/8-14	9/16-18	---
6400108	7/8-14	3/4-16	---
64001012	7/8-14	1-1/16-12	---
640012	1-1/16-12	1-1/16-12	---
6400128	1-1/16-12	3/4-16	---
64001210	1-1/16-12	7/8-14	---
64001214	1-1/16-12	1-3/16-12	---
64001216	1-1/16-12	1-5/16-12	---
640016	1-5/16-12	1-5/16-12	---
64001612	1-5/16-12	1-1/16-12	---
64001620	1-5/16-12	1-5/8-12	---
64001624	1-5/16-12	1-7/8-12	---
640020	1-5/8-12	1-5/8-12	---
64002012	1-5/8-12	1-1/16-12	---
64002016	1-5/8-12	1-5/16-12	---
64002024	1-5/8-12	1-7/8-12	---
640024	1-7/8-12	1-7/8-12	---
64002420	1-7/8-12	1-5/8-12	---
64002432	1-7/8-12	2-1/2-12	---
640032	2-1/2-12	2-1/2-12	---
64003224	2-1/2-12	1-7/8-12	---

6400 **202702R** F50X **1231** C5315

O-RING TO PIPE ADAPTER



PART #	O-RING THREAD 1	MALE PIPE THREAD 2	LIST PRICE
640142	7/16-20	1/8	---
640144	7/16-20	1/4	---
640164	9/16-18	1/4	---
640166	9/16-18	3/8	---
640186	3/4-16	3/8	---
640188	3/4-16	1/2	---
6401812	3/4-16	3/4	---
6401108	7/8-14	1/2	---
6401128	1-1/16-12	1/2	---
64011212	1-1/16-12	3/4	---
64011616	1-5/16-12	1	---
64012020	1-5/8-12	1-1/4	---
64012020	1-5/8-12	1-1/4	---
64012424	1-7/8-12	1-1/2	---

6401 **F5X** 1264R **C3249**

0-RING TO 37° JIC - SWIVEL ADAPTER



PART #	O-RING THREAD 1	JIC THREAD SIZE 2	LIST PRICE
6402O44	7/16-20	7/16-20	---
6402O66	9/16-18	9/16-18	---
6402O68	9/16-18	3/4-16	---
6402O88	3/4-16	3/4-16	---
6402O86	3/4-16	9/16-18	---
6402O1010	7/8-14	7/8-14	---
6402O1212	1-1/16-12	1-1/16-12	---

6402 **2266** F65X **1213** 9316

O-RING HEX NIPPLE UNION



PART #	O-RING THRD 1	O-RING THRD 2	LIST PRICE
6403O4	7/16-20	7/16-20	---
6403O6	9/16-18	9/16-18	---
6403O8	3/4-16	3/4-16	---
6403O12	1-1/16-12	1-1/16-12	---

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL O-RING ADAPTERS
HYDRAULIC ADAPTERS

FEMALE O-RING TO MALE PIPE ADAPTER



PART #	O-RING THREAD 1	MALE PIPE THREAD 2	LIST PRICE
640442	7/16-20	1/8	---
640444	7/16-20	1/4	---
640464	9/16-18	1/4	---
640466	9/16-18	3/8	---
640468	9/16-18	1/2	---
640486	3/4-16	3/8	---
640488	3/4-16	1/2	---
6404108	7/8-14	1/2	---
64041212	1-1/16-12	3/4	---
64041616	1-5/16-12	1	---

6404 **2246R** 1267R **C3239** FHG5

O-RING TO FEMALE PIPE ADAPTER



PART #	O-RING THREAD 1	FEMALE PIPE THREAD 2	LIST PRICE
6405O22	5/16-24	1/8	---
6405O42	7/16-20	1/8	---
6405O32	3/8-24	1/8	---
6405O34	3/8-24	1/4	---
6405O44	7/16-20	1/4	---
6405O52	1/2-20	1/8	---
6405O54	1/2-20	1/4	---
6405O62	9/16-18	1/8	---
6405O64	9/16-18	1/4	---
6405O66	9/16-18	3/8	---
6405O68	9/16-8	1/2	---
6405O84	3/4-16	1/4	---
6405O86	3/4-16	3/8	---
6405O88	3/4-16	1/2	---
6405O812	3/4-16	3/4	---
6405O104	7/8-14	1/4	---
6405O106	7/8-14	3/8	---
6405O108	7/8-14	1/2	---
6405O126	1-1/16-12	3/8	---
6405O128	1-1/16-12	1/2	---
6405O1212	1-1/16-12	3/4	---
6405O1216	1-1/16-12	1	---
6405O1612	1-5/16-12	3/4	---
6405O1616	1-5/16-12	1	---
6405O2020	1-5/8-12	1-1/4	---
6405O2416	1-7/8-12	1	---
6405O2420	1-7/8-12	1-1/4	---
6405O2424	1-7/8-12	1-1/2	---
6405O3224	2-1/2-12	1-1/2	---
6405O3232	2-1/2-12	2	---

6405 **2216R** F50G **1268R** C3269

O-RING HEX HEAD PLUG

SAE 090109A



**** Not all sizes are solid***

PART #	O-RING THREAD	LIST PRICE
6408O2	5/16-24	---
6408O4	7/16-20	---
6408O5	1/2-20	---
6408O6	9/16-18	---
6408O8	3/4-16	---
6408O10	7/8-14	---
6408O12	1-1/16-12	---
6408O14	1-3/16-12	---
6408O16	1-5/16-12	---
6408O20	1-5/8-12	---
6408O24	1-7/8-12	---

6408 **900598** P50N **1265** 7237

O-RING HOLLOW - HEX HEAD PLUG

SAE 090109B



PART #	O-RING THREAD	LIST PRICE
6408HO2	5/16-24	---
6408HO4	7/16-20	---
6408HO5	1/2-20	---
6408HO6	9/16-18	---
6408HO8	3/4-16	---
6408HO10	7/8-14	---
6408HO12	1-1/16-12	---
6408HO14	1-3/16-12	---
6408HO16	1-5/16-12	---
6408HO20	1-5/8-12	---
6408HO24	1-7/8-12	---

6408HHP **FF2138** HP50N **1256** 7238 **6409**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

FEMALE SWIVELS JIC
HYDRAULIC ADAPTERS

O-RING PORT REDUCER/EXPANDER



PART #	O-RING THREAD 1	O-RING THREAD 2	LIST PRICE
6410O46	7/16-20	9/16-18	---
6410O64	9/16-18	7/16-20	---
6410O68	9/16-18	3/4-16	---
6410O84	3/4-16	7/16-20	---
6410O86	3/4-16	9/16-18	---
6410O88	3/4-16	3/4-16	---
6410O812	3/4-16	1-1/16-12	---
6410O124	1-1/16-12	7/16-20	---
6410O126	1-1/16-12	9/16-18	---
6410O128	1-1/16-12	3/4-16	---
6410O166	1-5/16-12	9/16-18	---
6410O168	1-5/16-12	3/4-16	---
6410O1612	1-5/16-12	1-1/16-12	---
6410O2012	1-5/8-12	1-1/16-12	---
6410O2016	1-5/8-12	1-5/16-12	---
6410O2412	1-7/8-12	1-1/16-12	---
6410O2416	1-7/8-12	1-5/16-12	---
6410O2420	1-7/8-12	1-5/8-12	---
6410O3216	2-1/2-12	1-5/16-12	---
6410O3220	2-1/2-12	1-5/8-12	---
6410O3224	2-1/2-12	1-7/8-12	---

6410 **FF1010** F50G5 **1270** 7033

JIC SWIVEL NUT ELBOW

SAE 070221
MS 51521



PART #	JIC THREAD SIZE 1	JIC THREAD SIZE 2	LIST PRICE
65004	7/16-20	7/16-20	---
65006	9/16-18	9/16-18	---
65008	3/4-16	3/4-16	---
650086	3/4-16	9/16-18	---
650010	7/8-14	7/8-14	---
6500108	7/8-14	3/4-16	---
650012	1-1/16-12	1-1/16-12	---
650016	1-5/16-12	1-5/16-12	---
650020	1-5/8-12	1-5/8-12	----
650024	1-7/8-12	1-7/8-12	---
650032	2-1/2-12	2-1/2-12	---

6500 **2071R** C6X **1236** G5506

JIC SWIVEL TO MALE PIPE ELBOW



PART #	JIC THREAD SIZE 1	MALE PIPE THREAD 2	LIST PRICE
650142	7/16-20	1/8	---
650144	7/16-20	1/4	---
650164	9/16-18	1/4	---
650166	9/16-18	3/8	---
650186	3/4-16	3/8	---
650188	3/4-16	1/2	---
6501108	7/8-14	1/2	---
65011212	1-1/16-12	3/4	---
65011616	1-5/16-12	1	---
65012020	1-5/8-12	1-1/4	---
65012424	1-7/8-12	1-1/2	---
65013232	2-1/2-12	2	---

6501 **2250** 1247R **TF5406**

JIC SWIVEL 45° ELBOW

SAE 070321
MS 51522



PART #	JIC THREAD SIZE 1	JIC THREAD SIZE 2	LIST PRICE
65024	7/16-20		---
65026	9/16-18	9/16-18	---
65028	3/4-16	3/4-16	---
650210	7/8-14	7/8-14	---
650212	1-1/16-12	1-1/16-12	---
650216	1-5/16-12	1-5/16-12	---

JIC SWIVEL TO FEMALE - PIPE ELBOW



PART #	JIC THREAD SIZE 1	FEMALE PIPE THREAD 2	LIST PRICE
650344	7/16-20	1/4	---
650364	9/16-18	1/4	---
650366	9/16-18	3/8	---
650386	3/4-16	3/8	---
650388	3/4-16	1/2	---
65031212	1-1/16-12	3/4	---

6502 **2070R** V6X **1237** C5356

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

FEMALE SWIVELS
HYDRAULIC ADAPTERS

JIC SWIVEL CONNECTOR



PART #	JIC THREAD SIZE 1	JIC THREAD SIZE 2	LIST PRICE
650444	7/16-20	7/16-20	---
650466	9/16-18	9/16-18	---
650488	3/4-16	3/4-16	---
65041010	7/8-14	7/8-14	---
65041212	1-1/16-12	1-1/16-12	---
65041616	1-5/16-12	1-5/16-12	---
65042020	1-5/8-12	1-5/8-12	---

6504 **1205**

JIC SWIVEL TO MALE - PIPE ADAPTER



PART #	JIC THREAD SIZE 1	MALE PIPE THREAD 2	LIST PRICE
650542	7/16-20	1/8	---
650544	7/16-20	1/4	---
650546	7/16-20	3/8	---
650564	9/16-18	1/4	---
650566	9/16-18	3/8	---
650586	3/4-16	3/8	---
650588	3/4-16	1/2	---
6505128	1-1/16-12	1/2	----
65051212	1-1/16-12	3/4	---
65051612	1-5/16-12	3/4	---
65051616	1-5/16-12	1	---
65052424	1-7/8-12	1-1/2	---

6505 **2018** F6X **1211** 9100R

JIC SWIVEL TO FEMALE PIPE ADAPTER



PART #	JIC THREAD SIZE 1	FEMALE PIPE THREAD 2	LIST PRICE
650642	7/16-20	1/8	---
650644	7/16-20	1/4	---
650664	9/16-18	1/4	---
650666	9/16-18	3/8	---
650668	9/16-18	1/2	---
650686	3/4-16	3/8	---
650688	3/4-16	1/2	---
6506106	7/8-14	3/8	---
6506128	1-1/16-12	1/2	---
65061212	1-1/16-12	3/4	---
65061616	1-5/16-12	1	---
65062020	1-5/8-12	1-1/4	---
65062424	1-7/8-12	1-1/2	---
65063232	2-1/2-12	2	---

6506 **2242** 1215

JIC SWIVEL BRANCH TEE

SAE 070433
MS 51524



PART #	JIC THREAD SIZE 1 & 2	JIC FEMALE THREAD 3	LIST PRICE
660044	7/16-20	7/16-20	---
660066	9/16-18	9/16-18	---
660088	3/4-16	3/4-16	---
660010	7/8-14	7/8-14	---
660012	1-1/16-12	1-1/16-12	---
660016	1-5/16-12	1-5/16-12	---
660020	1-5/8-12	1-5/8-12	---

6600 **203101R** 55X **1227** C5707

JIC SWIVEL RUN TEE

SAE 070432
MS 51523



PART #	JIC THREAD SIZE 1 & 3	JIC FEMALE THREAD 2	LIST PRICE
66024	7/16-20	7/16 -20	---
66025	1/2-20	1/2-20	---
66026	9/16-18	9/16-18	---
66028	3/4-16	3/4-16	---
660212	1-1/16-12	1-1/16-12	---
660216	1-5/16-12	1-5/16-12	---
660224	1-7/8-12	1-7/8-12	---

6602 **203102R** R6X **1248** C5706

JIC TO O-RING RUN TEE

SAE 070428
MS 51530



PART #	JIC THREAD SIZE 1 & 3	O-RING THREAD SIZE 2	LIST PRICE
6804NWO4	7/16-20	7/16-20	---
6804NWO6	9/16-18	9/16-18	---
6804NWO8	3/4-16	3/4-16	---
6804NWO10	7/8-14	7/8-14	---
6804NWO12	1-1/16-12	1-1/16-12	---
6804NWO16	1-5/16-12	1-5/16-12	---

6804 **203005R** R50X **1266R** C5716

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL O-RING ADAPTERS

HYDRAULIC ADAPTERS

JIC TO O-RING ELBOW CONNECTOR



SAE 070220
MS 51527

PART #	JIC THREAD SIZE 1	O-RING THREAD SIZE 2	LIST PRICE
6801NWO4	7/16-20	7/16-20	---
6801NWO46	7/16-20	9/16-18	---
6801NWO48	7/16-20	3/4-16	---
6801NWO6	9/16-18	9/16-18	---
6801NWO64	9/16-18	7/16-20	---
6801NW068	9/16-18	3/4-16	
6801NWO612	9/16-18	1-1/16-12	---
6801NWO8	3/4-16	3/4-16	---
6801NWO86	3/4-16	9/16-18	---
6801NWO810	3/4-16	7/8-14	---
6801NWO812	3/4-16	1-1/16-12	---
6801NWO816	3/4-16	1-5/16-12	---
6801NWO10	7/8-14	7/8-14	---
6801NWO106	7/8-14	9/16-18	---
6801NWO108	7/8-14	3/4-16	---
6801NWO1016	7/8-14	1-5/16-12	---
6801NWO12	1-1/16-12	1-1/16-12	---
6801NWO128	1-1/16-12	3/4-16	---
6801NWO1210	1-1/16-12	7/8-14	---
6801NWO1216	1-1/16-12	1-5/16-12	---
6801NWO16	1-5/16-12	1-5/16-12	---
6801NWO1612	1-5/16-12	1-1/16-12	---
6801NWO1620	1-5/16-12	1-5/8-12	---
6801NWO20	1-5/8-12	1-5/8-12	---
6801NWO2016	1-5/8-12	1-5/16-12	---
6801NWO2024	1-5/8-12	1-7/8-12	---
6801NWO24	1-7/8-12	1-7/8-12	---
6801NWO32	2-1/2-12	2-1/2-12	---

6801 **2062R** C50X **1238L** C5515

JIC TO O-RING - BRANCH TEE



SAE 070429
MS 51529

PART #	JIC THREAD SIZE 1 & 2	O-RING THREAD SIZE 3	LIST
6803NWO4	7/16-20	7/16-20	---
6803NWO6	9/16-18	9/16-18	---
6803NWO8	3/4-16	3/4-16	---
6803NWO10	7/8-14	7/8-14	---
6803NWO12	1-1/16-12	1-1/16-12	---
6803NWO16	1-5/16-12	1-5/16-12	---

6803 **203003X** S50X **1265R** C5715

JIC TO O-RING 45° ELBOW



SAE 070320
MS 51528

PART #	JIC THREAD SIZE 1	O-RING THREAD SIZE 2	LIST PRICE
6802NWO2	5/16-24	5/16-24	---
6802NWO4	7/16-20	7/16-20	---
6802NWO46	7/16-20	9/16-18	---
6802NWO6	9/16-18	9/16-18	---
6802NWO68	9/16-18	3/4-16	---
6802NWO8	3/4-16	3/4-16	---
6802NWO86	3/4-16	9/16-18	---
6802NWO810	3/4-16	7/8-14	---
6802NWO812	3/4-16	1-1/16-12	---
6802NWO10	7/8-14	7/8-14	---
6802NWO108	7/8-14	3/4-16	---
6802NWO1012	7/8-14	1-1/16-12	---
6802NWO12	1-1/16-12	1-1/16-12	---
6802NWO1216	1-1/16-12	1-5/16-12	---
6802NWO16	1-5/16-12	1-5/16-12	---
6802NWO1612	1-5/16-12	1-1/16-12	---
6802NWO1620	1-5/16-12	1-5/8-12	---
6802NWO20	1-5/8-12	1-5/8-12	---
6802NWO2016	1-5/8-12	1-5/16-12	---
6802NWO24	1-7/8-12	1-7/8-12	---
6802NWO32	2-1/2-12	2-1/2-12	---

6802 **2061** V50X **1240R** C5365

O-RING TO - FEMALE PIPE ELBOW



PART #	O-RING THREAD SIZE 1	PIPE THREAD SIZE 2	LIST PRICE
6805NWO42	7/16-20	1/8	---
6805NWO44	7/16-20	1/4	---
6805NWO64	9/16-18	1/4	---
6805NWO66	9/16-18	3/8	---
6805NWO86	3/4-16	3/8	---
6805NWO88	3/4-16	1/2	---
6805NWO108	7/8-14	1/2	---
6805NWO128	1-1/16-12	1/2	---
6805NWO1212	1-1/16-12	3/4	---
6805NWO1616	1-5/16-12	1	---
6805NWO2020	1-5/8-12	1-1/4	---
6805NWO2424	1-7/8-12	1-1/2	---

6805 **206801R** AE0G **1264** C3459

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL O-RINGS
HYDRAULIC ADAPTERS

O-RING TO MALE PIPE ELBOW



PART #	O-RING THREAD SIZE 1	PIPE THREAD SIZE 2	LIST PRICE
6806NWO44	7/16-20	1/4	---
6806NWO66	9/16-18	3/8	---
6806NWO88	3/4-16	1/2	---
6806NWO1212	1-1/16-12	3/4	---
6806NWO1616	1-5/16-12	1	---

6806 **1263** TF3569

O-RING TO 37° JIC SWIVEL NUT TO O-RING ELBOW



PART #	O-RING THREAD SIZE 1	JIC THREAD SIZE 2	LIST PRICE
6809NWO44	7/16-20	7/16-20	---
6809NWO66	9/16-18	9/16-18	---
6809NWO88	3/4-16	3/4-16	---
6809NWO1212	1-1/16-12	1-1/16-12	---

FEMALE O-RING TO MALE O-RING ELBOW



PART #	O-RING THREAD SIZE 1	O-RING THREAD SIZE 2	LIST PRICE
6815NWO44	7/16-20	7/16-20	---
6815NWO66	9/16-18	9/16-18	---
6815NWO88	3/4-16	3/4-16	---
6815NWO1010	7/8-14	7/8-14	---
6815NWO1212	1-1/16-12	1-1/16-12	---

MALE O-RING SWIVEL ADAPTER

SAE 140157



PART #	O-RING THREAD SIZE 1	FEMALE NPSM SIZE 2	LIST PRICE
6900O42	7/16-20	1/8	---
6900O44	7/16-20	1/4	---
6900O46	7/16-20	3/8	---
6900O48	7/16-20	1/2	---
6900O64	9/16-18	1/4	---
6900O66	9/16-18	3/8	---
6900O68	9/16-18	1/2	---
6900O84	3/4-16	1/4	---
6900O86	3/4-16	3/8	---
6900O88	3/4-16	1/2	---
6900O812	3/4-16	3/4	---
6900O104	7/8-14	1/4	---
6900O106	7/8-14	3/8	----
6900O108	7/8-14	1/2	---
6900O1012	7/8-14	3/4	---
6900O128	1-1/16-12	1/2	---
6900O1212	1-1/16-12	3/4	---
6900O1612	1-5/16-12	3/4	---
6900O1616	1-5/16-12	1	---

6900 **2066R** 1235 **9315**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

6401 **2068R** 1271 **9515**

STEEL SAE O-RING
HYDRAULIC ADAPTERS

90° O-RING SWIVEL ADAPTER

SAE 140257



PART #	O-RING THREAD SIZE 1	FEMALE NPSM SIZE 2	LIST PRICE
6901NWO42	7/16-20	1/8	---
6901NWO44	7/16-20	1/4	---
6901NWO64	9/16-18	1/4	---
6901NWO66	9/16-18	3/8	---
6901NWO68	9/16-18	1/2	---
6901NWO84	3/4-16	1/4	---
6901NWO86	3/4-16	3/8	---
6901NWO88	3/4-16	1/2	---
6901NWO812	3/4-16	3/4	---
6901NWO104	7/8-14	1/4	---
6901NWO106	7/8-14	3/8	---
6901NWO108	7/8-14	1/2	---
6901NWO126	1-1/16-12	3/8	---
6901NWO128	1-1/16-12	1/2	---
6901NWO1212	1-1/16-12	3/4	---
6901NWO1612	1-5/16-12	3/4	---
6901NWO1616	1-5/16-12	1	---
6901NWO2016	1-5/8-12	1	---
6901NWO2020	1-5/8-12	1-1/4	---
6901NWO2424	1-7/8-12	1-1/2	---
6901NWO3232	2-1/2-12	2	---

45° O-RING SWIVEL ADAPTER

SAE 140357



PART #	O-RING THREAD SIZE 1	FEMALE NPSM SIZE 2	LIST PRICE
6902NWO42	7/16-20	1/8	----
6902NWO44	7/16-20	1/4	---
6902NWO46	7/16-20	3/8	---
6902NWO64	9/16-18	1/4	---
6902NWO66	9/16-18	3/8	---
6902NWO68	9/16-18	1/2	---
6902NWO84	3/4-16	1/4	---
6902NWO86	3/4-16	3/8	---
6902NWO88	3/4-16	1/2	---
6902NWO108	7/8-14	1/2	---
6902NWO128	1-1/16-12	1/2	---
6902NWO1212	1-1/16-12	3/4	---
6902NWO1616	1-5/16-12	1	---

6902 **2067R** 1272 **9365**

O-RINGS

VITON 75 SAE BOSS O-RING

Fluorocarbon



PART #	O-RING THREAD	LIST PRICE
400122	5/16-24	---
400144	7/16-20	---
400166	9/16-18	---
400188	3/4-16	---
400110	7/8-14	---
400112	1-1/16-12	---
400116	1-5/16-12	---
400120	1-5/8-12	---
400124	1-7/8-12	---


NITRILE 90 SAE BOSS O-RING



PART #	O-RING THREAD	LIST PRICE
400022	5/16-24	---
400044	7/16-20	---
400066	9/16-18	---
400088	3/4-16	---
400010	7/8-14	---
400012	1-1/16-12	---
400014	1-3/16-12	---
400016	1-5/16-12	---
400020	1-5/8-12	---
400024	1-7/8-12	---
400032	2-1/2-12	---

BRAZE TUBE NUT
(SLEEVE REQUIRED)

SAE 520110



PART #	TUBE O.D.	BRAZE TUBE O.D.	LIST PRICE
FSO3184	1/4	.25	---
FSO3186	3/8	.38	---
FSO3188	1/2	.50	---
FSO31810	5/8	.62	---
FSO31812	3/4	.72	---
FSO31816	1	1.00	---
FSO31820	1 1/4	1.25	---

FF318 **FF1311**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

O-RING FACE SEAL ADAPTERS

HYDRAULIC ADAPTERS

BRAZE TUBE SLEEVE

SAE 520115



PART #	TUBE O.D.	LIST PRICE
FSO3194	1/4	---
FSO3196	3/8	---
FSO3198	1/2	---
FSO31910	5/8	---
FSO31912	3/4	---
FSO31916	1	---
FSO31920	1-1/4	---

FF319 **FF3019**

CAP

SAE 520112



• Two Piece Nut/ Insert

PART #	TUBE O.D.	FACE SEAL THREAD	LIST PRICE
FSO304C4	1/4	9/16-18	---
FSO304C6	3/8	11/16-16	---
FSO304C8	1/2	13/16-16	---
FSO304C10	5/8	1-14	---
FSO304C12	3/4	1-3/16-12	---
FSO304C16	1	1-7/16-12	---
FSO304C20	1-1/4	1-11/16-12	---
FSO304C24	1-1/2	2-12	---

FF304C

BULKHEAD LOCKNUT

SAE 520118



PART #	THREAD SIZE	LIST PRICE
FSO3064	9/16-18	---
FSO3066	11/16-16	---
FSO3068	13/16-16	---
FSO30612	1-3/16-12	---
FSO30616	1-7/16-12	---

FF403

MALE UNION CONNECTOR

SAE 520102

1



2

PART #	TUBE O.D.	FACE SEAL THREAD 1&2	LIST PRICE
FSO240344	1/4	9/16-18	---
FSO240366	3/8	11/16-16	---
FSO240388	1/2	13/16-16	---
FSO24031212	3/4	1-3/16-12	---
FSO24031616	1	1-7/16-12	---

FF2403 **FF1203**

MALE O-RING FACE SEAL ADAPTER

1




2

PART #	FACE SEAL THREAD 1	MALE PIPE SIZE 2	LIST PRICE
FSO240444	9/16-18	1/4-18	---
FSO240446	9/16-18	3/8	---
FSO240464	11/16-16	1/4-18	---
FSO240466	11/16-16	3/8-18	---
FSO240484	13/16-16	1/4-18	---
FSO240486	13/16-16	3/8	---
FSO240488	13/16-16	1/2-14	---
FSO2404108	1-14	1/2	---
FSO24041212	1-3/16-12	3/4-14	---
FSO24041616	1-7/16-12	1-11-1/2	---
FSO24042020	1-11/16-12	1-1/4	---
FSO24042424	2-12	1-1/2	---

FF2404 **4205** FLO

FEMALE ORFS TO MALE ORFS REDUCER

1



2

PART #	FEMALE FACE SEAL SIZE 1	MALE FACE SEAL THREAD 2	LIST PRICE
FSO240664	11/16-16	9/16-18	---
FSO240684	13/16-16	9/16-18	---
FSO2406106	1-14	11/16-16	---
FSO2406108	1-14	13/16-16	---
FSO2406126	1-3/16-12	11/16-16	---

FF2406 **TRLON**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

O-RING FACE SEAL ADAPTERS

HYDRAULIC ADAPTERS

PLUG

SAE 520109



PART #	TUBE O.D.	FACE SEAL THREAD	LIST PRICE
FSO24084	1/4	9/16-18	---
FSO24086	3/8	11/16-16	---
FSO24088	1/2	13/16-16	---
FSO240810	5/8	1-14	---
FSO240812	3/4	1-3/8-12	---
FSO240816	1	1-7/16-12	---
FSO240820	1-1/4	1-11/16-12	---
FSO240824	1-1/2	2-12	---

FF2408 **FF1254** 4229 **PNLO**

ORFS UNION ELBOW 90°



PART #	FACE SEAL THREAD 1	FACE SEAL THREAD 2	LIST PRICE
FS250044	9/16-18	9/16-18	---
FS250066	11/16-16	11/16-16	---
FS25001010	1-14	1-14	---
FS25001212	1-3/16-12	1-3/16-12	---
FS25001616	1-7/16-12	1-7/16-12	---

FF2500 **4505** ELO

ORFS TO MALE ELBOW

SAE 520202



PART #	FACE SEAL THREAD 1	MALE PIPE THREAD 2	LIST PRICE
FS250144	9/16-18	1/4	---
FS250164	11/16-16	1/4	---
FS250166	11/16-16	3/8	---
FS250186	13/16-16	3/8	---
FS250188	13/16-16	1/2	---
FS2501812	13/16-16	3/4	---
FS2501108	1-14	1/2	---
FS25011012	1-14	3/4	---
FS2501128	1-3/8-12	1/2	---
FS25011212	1-3/8-12	3/4	---
FS25011216	1-3/8-12	1	---
FS25011616	1-7/16-12	1	---
FS25012020	1-11/16-12	1-1/4	---
FS25012424	2-12	1-1/2	---

FF2501 **FF1208** 4405 **CLO**

ORFS TO PIPE ELBOW 45°



PART #	FACE SEAL THREAD 1	MALE PIPE THREAD 2	LIST PRICE
FS250344	9/16-18	1/4	---
FS250366	11/16-16	3/8	---
FS250388	13/16-16	1/2	---
FS25031212	1-3/16-12	3/4	---
FS25031616	1-7/16-12	1	---

FF2503 **4355** VLO

ORFS UNION TEE



PART #	FACE SEAL THREAD 1+2+3	LIST PRICE
FS260344	9/16-18	---
FS260366	11/16-16	---
FS260388	13/16-16	---
FS26031212	1-3/16-12	---

MALE FLAT FACE TO FEMALE 37 ° SWIVEL



PART #	FACE SEAL THREAD 1	JIC THREAD 2	LIST PRICE
FS640244	9/16-18	7/16-20	---
FS640266	11/16-16	9/16-18	---
FS640288	13/16-16	3/4-16	---
FS64021010	1-14	7/8-14	---
FS64021212	1-3/16-12	1-1/16-12	---

FF6402 **FF1294**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

O-RING FACE SEAL ADAPTERS

HYDRAULIC ADAPTERS

MALE ORFS TO ORB CONNECTOR

SAE 520120



PART #	FACE SEAL THREAD 1	O-RING THREAD 2	LIST PRICE
FS6400O44	9/16-18	7/16-20	---
FS6400O46	9/16-18	9/16-18	---
FS6400O64	11/16-16	7/16-20	---
FS6400O66	11/16-16	9/16-18	---
FS6400O68	11/16-16	3/4-16	---
FS6400O86	13/16-16	9/16-18	---
FS6400O88	13/16-16	3/4-16	---
FS6400O810	13/16-16	7/8-14	---
FS6400O108	1-14	3/4-16	---
FS6400O1010	1-14	7/8-14	---
FS6400O1012	1-14	1-1/16-12	---
FS6400O128	1-3/16-12	3/4-16	---
FS6400O1210	1-3/16-12	7/8-14	---
FS6400O1212	1-3/16-12	1-1/16-12	---
FS6400O1216	1-3/16-12	1-5/16-12	---
FS6400O1612	1-7/16-12	1-1/16-12	---
FS6400O1616	1-7/16-12	1-5/16-12	---
FS6400O1620	1-7/16-12	1-5/8-12	---
FS6400O2020	1-11/16-12	1-5/8-12	---
FS6400O2024	1-11/16-12	1-7/8-12	---
FS6400O2424	2-12	1-7/8-12	---

4315 **FF6400** FF1231

SWIVEL NUT ELBOW



PART #	FACE SEAL THREAD 1	FACE SEAL THREAD 2	LIST PRICE
FS650044	9/16-18	9/16-18	---
FS650066	11/16-16	11/16-16	---
FS650088	13/16-16	13/16-16	---
FS65001212	1-3/16-12	1-3/16-12	---

FF6500 **FF1236**

MALE JIC 37° FLARE TO FEMALE FLAT FACE SWIVEL



PART #	JIC THREAD SIZE 1	FACE SEAL THREAD 2	LIST PRICE
FS650444	7/16-20	9/16-18	---
FS650466	9/16-18	11/16-16	---
FS650488	3/4-16	13/16-16	---
FS65041010	7/8-14	1-14	---
FS65041616	1-5/16-12	1-7/16-12	---

FF6504 **FF1296**

O-RING ELBOW CONNECTOR



PART #	FACE SEAL THREAD 1	O-RING THREAD 2	LIST PRICE
FS680144	9/16-18	7/16-20	---
FS680146	9/16-18	9/16-18	---
FS680164	11/16-16	7/16-20	---
FS680166	11/16-16	9/16-18	---
FS680168	11/16-16	3/4-16	---
FS680186	13/16-16	9/16-18	---
FS680188	13/16-16	3/4-16	---
FS6801810	13/16-16	7/8-14	---
FS6801108	1-14	3/4-16	---
FS68011012	1-14	1-1/16-12	---
FS68011210	1-3/16-12	7/8-14	---
FS68011212	1-3/16-12	1-1/16-12	---
FS68011216	1-3/16-12	1-5/16-12	---
FS68011616	1-7/16-12	1-5/16-12	---
FS68011620	1-7/16-12	1-5/8-12	---
FS68012016	1-11/16-12	1-5/16-12	---
FS68012020	1-11/16-12	1-5/8-12	---
FS68012424	2-12	1-7/8-12	---

FF6801 **FF1238** 4515

ORFS TO O-RING ELBOW 45°



PART #	FACE SEAL THREAD 1	O-RING SIZE 2	LIST PRICE
FS680244	9/16-18	7/16-20	---
FS680266	11/16-16	9/16-18	---
FS680288	13/16-16	3/4-16	---
FS68021010	1-14	7/8-14	---
FS68021212	1-3/16-12	1-1/16-12	---
FS68021616	1-7/16-12	1-5/16-12	---
FS68022020	1-11/16-12	1-5/8-12	---

FF6802 **4365** V5OLO

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL BSPT ADAPTERS
HYDRAULIC ADAPTERS

STRAIGHT THREAD SWIVEL NUT ELBOW



PART #	O-RING THREAD 1	FACE SEAL THREAD 2	LIST PRICE
FS680944	7/16-20	9/16-18	---
FS680966	9/16-18	11/16-16	---
FS680988	3/4-16	13/16-16	---
FS68091212	1-1/16-12	1-3/16-12	---

FF6809 **FF1239** 4535 **AOELC**

STEEL BSPT ADAPTERS

JIC MALE CONNECTOR BSPT



PART #	JIC THREAD SIZE 1	MALE BSPT 2	LIST PRICE
700042	7/16-20	1/8-28	---
700044	7/16-20	1/4-19	---
700064	9/16-18	1/4-19	---
700066	9/16-18	3/8-19	---
700068	9/16-18	1/2-14	---
700086	3/4-16	3/8-19	---
700088	3/4-16	1/2-14	---
7000812	3/4-16	3/4-14	---
7000108	7/8-14	1/2-14	---
70001012	7/8-14	3/4-14	---
7000128	1-1/16-12	1/2-14	---
70001212	1-1/16-12	3/4-14	---
70001616	1-5/16-12	1-11	---

3404 **3O5**

JIC MALE ELBOW BSPT



PART #	JIC THREAD SIZE 1	MALE BSPT 2	LIST PRICE
720042	7/16-20	1/8-28	---
720044	7/16-20	1/4-19	---
720064	9/16-18	1/4-19	---
720066	9/16-18	3/8-19	---
720068	9/16-18	1/2-14	---
720086	3/4-16	3/8-19	---
720088	3/4-16	1/2-14	---
72001212	1-1/16-12	3/4-14	---

3501 **315**

BSPT HEX NIPPLE



PART #	MALE BSPT 1	MALE BSPT 2	LIST PRICE
752022	1/8-28	1/8-28	---
752044	1/4-19	1/4-19	---
752066	3/8-19	3/8-19	---
752088	1/2-14	1/2-14	---
75201010	5/8-14	5/8-14	---
75201212	3/4-14	3/4-14	---

3520 **MBT**

BSPT PLUG



PART #	BSPT	LIST PRICE
95082	1/8-28	---
95084	1/4-19	---
95086	3/8-19	---
95088	1/2-14	---
950812	3/4-14	---
950816	1-11	---

100B-Y **KA-RM** MHL **296**

STEEL BSPP ADAPTERS

BSPP HEX NIPPLE



PART #	MALE BSPP 1	MALE BSPP 2	LIST PRICE
742022	1/8-28	1/8-28	---
742042	1/4-19	1/8-28	---
742064	3/8-19	1/4-19	---
742066	3/8-19	3/8-19	---
742086	1/2-14	3/8-19	---
742088	1/2-14	1/2-14	---
7420108	5/8-14	1/2-14	---
7420128	3/4-14	1/2-14	---
74201212	3/4-14	3/4-14	---
74201612	1-11	3/4-14	---
74201616	1-11	1-11	---

3420 **MB** 9022

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL BSPP ADAPTERS
HYDRAULIC ADAPTERS

BSPP COUPLING



PART #	BSPP	LIST PRICE
74252	1/8-28	---
74254	1/4-19	---
74258	1/2-14	---
742510	5/8-14	---
742512	3/4-14	---
742516	1-11	---

3425 **FB**

JIC TO FEMALE BSPP STRAIGHT SWIVEL



PART #	JIC THREAD SIZE 1	FEMALE BSPP SWIVEL 2	LIST PRICE
72404	7/16-20	1/4-19	---
72406	9/16-18	3/8-19	---
72408	3/4-16	1/2-14	---
724010	7/8-14	5/8-14	---
724012	1-1/16-12	3/4-14	---
724016	1-5/16-12	1-11	---

3240 **MJFBS**

JIC TO BSPP MALE ELBOW



PART #	JIC THREAD SIZE 1	MALE BSPP 2	LIST PRICE
7202NWO42	7/16-20	1/8-28	---
7202NWO44	7/16-20	1/4-19	---
7202NWO64	9/16-18	1/4-19	---
7202NWO66	9/16-18	3/8-19	---
7202NWO68	9/16-18	1/2-14	---
7202NWO86	3/4-16	3/8-19	---
7202NWO88	3/4-16	1/2-14	---
7202NWO812	3/4-16	3/4-14	---
7202NWO108	7/8-14	1/2-14	---
7202NWO1212	1-1/16-12	3/4-14	---
7202NWO1216	1-1/16-12	1-11	---
7202NWO1616	1-5/16-12	1-11	---

3801 **315**

JIC TO BSPP 45° ELBOW



PART #	JIC THREAD SIZE 1	MALE BSPP 2	LIST PRICE
78024	7/16-20	1/4-19	---
78026	9/16-18	3/8-19	---
78028	3/4-16	1/2-14	---
780212	1-1/16-12	3/4-14	---
780216	1-5/16-12	1-11	---

3802 **35J**

BSPP TO MALE PIPE NIPPLE



PART #	MALE BSPP SIZE 1	MALE PIPE THREAD SIZE 2	LIST PRICE
78252	1/8-28	1/8	---
78254	1/4-19	1/4	---
78256	3/8-19	3/8	---
78258	1/2-14	1/2	---
782512	3/4-14	3/4	---
782516	1-11	1	---

MBMP **3825**

JIC TO BSPP MALE CONNECTOR



PART #	JIC THREAD SIZE 1	MALE BSPP 2	LIST PRICE
700242	7/16-20	1/8-28	---
700244	7/16-20	1/4-19	---
700246	7/16-20	3/8-19	---
700248	7/16-20	1/2-14	---
700264	9/16-18	1/4-19	---
700266	9/16-18	3/8-19	---
700268	9/16-18	1/2-14	---
700286	3/4-16	3/8-19	---
700288	3/4-16	1/2-14	---
7002812	3/4-16	3/4-14	---
7002108	7/8-14	1/2-14	---
70021212	1-1/16-12	3/4-14	---
70021216	1-1/16-12	1-11	---
70021616	1-5/16-12	1-11	---

30J **3800**

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

JIC TO BSPP STRAIGHT SWIVEL



PART #	JIC THREAD SIZE 1	MALE BSPP 2	LIST PRICE
702242	7/16-20	1/8-28	---
702244	7/16-20	1/4-19	---
702266	9/16-18	3/8-19	---
702288	3/4-16	1/2-14	---
7022108	7/8-14	1/2-14	---
70221212	1-1/16-12	3/4-14	---
70221616	1-5/16-12	1-11	---

3402 **3055**

HEX HEAD PLUG BSPP



PART #	MALE BSPP	LIST PRICE
9522P2	1/8-28	---
9522P4	1/4-19	---
9522P6	3/8-19	---
9522P8	1/2-14	---
9522P12	3/4-14	---
9522P16	1-11	---

3408

HOLLOW HEX PLUG BSPP



PART #	MALE BSPP	LIST PRICE
9522H2	1/8-28	---
9522H4	1/4-19	---
9522H6	3/8-19	---
9522H8	1/2-14	---
9522H12	3/4-14	---
9522H16	1-11	---

3408 HHP

FEMALE ADAPTER BSPP



PART #	FEMALE PIPE 1	MALE BSPP 2	LIST PRICE
704222	1/8	1/8-28	---
704242	1/4	1/8-28	---
704244	1/4	1/4-19	---
704266	3/8	3/8-19	---
704288	1/2	1/2-14	---
70421212	3/4	3/4-14	---
70421616	1	1-11	---

3455 **MMFP**

STEEL METRIC ADAPTERS

MALE CONNECTOR



PART #	JIC THREAD SIZE 1	METRIC THREAD 2	LIST PRICE
7005410	7/16-20	10x1.0	---
7005412	7/16-20	12x1.5	---
7005414	7/16-20	14x1.5	---
7005418	7/16-20	18x1.5	---
7005512	1/2-20	12x1.5	---
7005514	1/2-20	14x1.5	---
7005614	9/16-18	14x1.5	---
7005616	9/16-18	16x1.5	---
7005618	9/16-18	18x1.5	---
7005816	3/4-16	16x1.5	---
7005818	3/4-16	18x1.5	---
7005822	3/4-16	22x1.5	---
70051018	7/8-14	18x1.5	---
70051020	7/8-14	20x1.5	---
70051022	7/8-14	22x1.5	---
70051222	1-1/16-12	22x1.5	---

Port-seal crush washer and O-ring included 7400 **30J (R)** 7011

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

STEEL METRIC ADAPTERS
HYDRAULIC ADAPTERS

MALE ELBOW



PART #	JIC THREAD SIZE 1	METRIC THREAD 2	LIST PRICE
7205NWO410	7/16-20	10x1.0	---
7205NWO412	7/16-20	12x1.5	---
7205NWO414	7/16-20	14x1.5	---
7205NWO512	1/2-20	12x1.5	---
7205NWO614	9/16-18	14x1.5	---
7205NWO616	9/16-18	16x1.5	---
7205NWO816	3/4-16	16x1.5	---
7205NWO818	3/4-16	18x1.5	---
7205NWO822	3/4-16	22x1.5	---
7205NWO1018	7/8-14	18x1.5	---

Port-seal crush washer and O-ring included

7801 **315 (R)**



PART #	JIC THREAD SIZE 1	METRIC THREAD 2	LIST PRICE
7025410	7/16-20	10x1.0	---
7025412	7/16-20	12x1.5	---
7025512	1/2-20	12x1.5	---
7025614	9/16-18	14x1.5	---
7025616	9/16-18	16x1.5	---
7025816	3/4-16	16x1.5	---
70251022	7/8-14	22x1.5	---
70251227	1-1/16-12	27x2.0	---
70251633	1-5/16-12	33x2.0	---

7402 **30JS (R)**

HEX HEAD PLUG METRIC PARALLEL



PART #	METRIC THREAD	LIST PRICE
8555P10	10x1.0	---
8555P12	12x1.5	---
8555P14	14x1.5	---
8555P16	16x1.5	---
8555P18	18x1.5	---
8555P20	20x1.5	---
8555P22	22x1.5	---
8555P26	26x1.5	---
8555P30	30x1.5	---

7408

HOLLOW HEX HEAD PLUG



PART #	METRIC THREAD	LIST PRICE
8555H10	10x1.0	---
8555H12	12x1.5	---
8555H14	14x1.5	---
8555H16	16x1.5	---
8555H18	18x1.5	---
8555H20	20x1.5	---
8555H22	22x1.5	---
8555H26	26x1.5	---
8555H30	30x1.5	---

7408 HHP

FEMALE ADAPTER



PART #	FEMALE PIPE THREAD 1	METRIC THREAD 2	LIST PRICE
7045210	1/8	10x1.0	---
7045412	1/4	12x1.5	---
7045414	1/4	14x1.5	---
7045612	3/8	12x1.5	---
7045616	3/8	16x1.5	---
7045618	3/8	18x1.5	---
7045816	1/2	16x1.5	---
7045818	1/2	18x1.5	---
7045822	1/2	22x1.5	---
70451227	3/4	27x2.0	---
70451633	1	33x2.0	---

MMFP (R)

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

ISO A AND B INTERCHANGE

HYDRAULIC ADAPTERS

THREAD TO CONNECT, DRYBREAK NO-SPILL QUICK CONNECT



- Brass Body
- Steel Wing Nut
- Buna-Seal (-40° to +250°F)

Aeroquip 5100
Parker 6100
Snaptite B78



- Bonded Face Seal
- External ORing Alleviates Full Connection

PART #	BODY SIZE	FEMALE NPT	MAX PSI	LIST PRICE
61150	3/4	1/2	3000	---
61152	3/4	3/4	3000	---
61153	1	1	3000	---
61154	1-1/4	1-1/4	2750	---

PART #	BODY SIZE	FEMALE NPT	MAX PSI	LIST PRICE
61050	3/4	1/2	3000	---
61052	3/4	3/4	3000	---
61053	1	1	3000	---
61054	1-1/4	1-1/4	2750	---

FEATURES - **ISO A and ISO B**


- Poppet valves to prevent uncoupled leakage
- Critical parts are induction hardened for durability
- Dependable ball-locking mechanism holds the maling halves together
- Socket and plug are precision machined from solid barstock
- Standard nitrile seals temp range -40°F to +250°F

ISO 7241-1 ISO-A Interchange (Connected)				
Body Size	*Steel Coupler/ Plug*			
	Maximum Working		*Burst*	
	PSI	Bar	PSI	Bar
1/4"	5,000	345	18,270	1,200
3/8"	4,000	275	18,270	1,200
1/2"	4,000	275	16,500	1,100
3/4"	4,000	275	14,800	1,000
1"	4,000	275	12,400	850



INTERCHANGE DATA:

- Parker 6600, Aeroquip/ Eaton FD56, Dixon 'K' Series.
- Hansen HA 15000, Safeway S56



ISO-A FEMALE PIPE COUPLER

PART #	BODY SIZE	NPT	LIST PRICE
ANV14F	1/4"	1/4"	---
ANV38F	3/8"	3/8"	---
ANV12F	1/2"	1/2"	---
ANV34F	3/4"	3/4"	---
ANV1F	1"	1"	---

ISO-A FEMALE PIPE PLUG

PART #	BODY SIZE	NPT	LIST PRICE
ANV14M	1/4"	1/4"	---
ANV38M	3/8"	3/8"	---
ANV12M	1/2"	1/2"	---
ANV34M	3/4"	3/4"	---
ANV1M	1"	1"	---

ISO 7241-1 Series B ISO-B Interchange (Connected)								
Body Size	*Steel Coupler/ Plug*				*Brass Coupler/ Plug*			
	Max. Working		*Burst*		*Max. Working*		*Burst*	
	PSI	Bar	PSI	Bar	PSI	Bar	PSI	Bar
1/4"	5,000	345	22,500	1,550	3,000	200	15,000	1,000
3/8"	4,000	275	16,500	1,150	2,500	175	12,000	800
1/2"	4,000	275	16,000	1,100	2,500	175	11,500	750
3/4"	4,000	275	16,500	1,150	2,000	150	12,000	800
1"	4,000	275	16,000	1,100	1,500	100	8,500	800

INTERCHANGE DATA:

- Parker 60 Series, Snap-tite 72 series, Dixon 'H' series
- Hansen HK - series, Aeroquip/ Eaton FDH5

B=BRASS



BRASS - HNV SERIES PLUG



BRASS - HNV SERIES COUPLER



ISO-B
FEMALE PIPE COUPLER

PART #	BODY SIZE	NPT	LIST PRICE
HNV14F	1/4"	1/4"	---
HNV14FB	1/4"	1/4"	---
HNV38F	3/8"	3/8"	---
HNV38FB	3/8"	3/8"	---
HNV12F	1/2"	1/2"	---
HNV12FB	1/2"	1/2"	---
HNV34F	3/4"	3/4"	---
HNV34FB	3/4"	3/4"	---



ISO-B FEMALE PIPE PLUG

PART #	BODY SIZE	NPT	LIST PRICE
HNV14M	1/4"	1/4"	---
HNV14MB	1/4"	1/4"	---
HNV38M	3/8"	3/8"	---
HNV38MB	3/8"	3/8"	---
HNV12M	1/2"	1/2"	---
HNV12MB	1/2"	1/2"	---
HNV34M	3/4"	3/4"	---
HNV34MB	3/4"	3/4"	---

WARNING: This product can expose you to chemicals, including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

FLUSH FACE ISO
HYDRAULIC ADAPTERS

FEATURES
• Steel construction, zinc plated trivalent finish. Hardened Nipples and sleeves and solid barstock construction for maximum resistance to damage from hydraulic and mechanical shock.
• This Anti-Blowout Nitrile/ PTFE bonded seal is designed to prevent blow out or damage during servere service conditions.
• Durable ball-locking mechanism assures reliable connection everytime.
• Temp Range -65° to +250°

ISO 16028

FLUSH FACE

Body Size	Steel Coupler/ Plug Coupled			
	Maximum Working		Burst	
	PSI	Bar	PSI	Bar
1/4"	5,000	345	18,270	1,200
3/8"	4,000	275	18,270	1,200
1/2"	4,000	275	16,500	1,100
5/8"	4,000	275	14,800	1,000
3/4"	4,000	275	12,400	850
1"	3,000	200	12,600	850

FF Series
HTMC
74C



FEMALE PIPE COUPLER

PART #	BODY SIZE	NPT	LIST PRICE
FF14F	1/4"	1/4"	---
FF38F	3/8"	3/8"	---
FF12F	1/2"	1/2"	---
FF3812F	3/8"	1/2"	---
FF1234F	1/2"	3/4"	---
FF3416F	3/4"	1"	---
FF34F	3/4"	3/4"	---
FF-1-F	1"	1"	---

FF Series
HTMN
74N



FEMALE PIPE PLUG

PART #	BODY SIZE	NPT	LIST PRICE
FF14M	1/4"	1/4"	---
FF38M	3/8"	3/8"	---
FF12M	1/2"	1/2"	---
FF3812M	3/8"	1/2"	---
FF1234M	1/2"	3/4"	---
FF3416M	3/4"	1"	---
FF34M	3/4"	3/4"	---
FF1M	1"	1"	---

FLAT FACE THREAD LOCK - VEP QUICK COUPLING

SPECIFICATIONS

BODY SIZE (IN)	1/2(12)	3/4(34)	1(1)	1-1/2(24)
Rated Pressure (PSI)	7000	7000	6000	5000
Rated Flow (GPM)	12	50	88	152
Temperature Range	-20°C +120°C			

Standard seal material is **NBR**


Test Fluid-Oil = 200 SUS

APPLICATIONS
• Widely used in public equipment
• Portable construction equipment.
• Hydraulic tools
• Vehicles

FEATURES
• New valve design provides better resistance from high flow and the pressure of impulse, thus providing advanced performance.
• Special nipple design for connecting under pressure, allows connection and disconnection with high residual pressures.
• The LSQ-VEP series employs a threaded sleeve locking mechanism, mates with matching male threads on the coupler.
• New plating treatment provides advanced anti-rust performance.
• LSQ-VEP series couplings employ flush valving when connecting or disconnecting, therefore only a small amount of fluid can be lost during disconnecting or air inclusion during reconnection.
• The Anti-Blowout bonded seal is designed to prevent blow-out or damage during severe service conditions.
• Machined form solid steel barstock for durability. Compatible with most other VEP series.

• O-Ring SAE Boss Thread available with import lead time (same list price)






FEMALE COUPLER

PART #	LS	D	A	NPT	LIST PRICE
LSQVEP12SF	4.09	1.13	0.67	1/2	---
LSQVEP34SF	4.49	2.13	0.79	3/4	---
LSQVEP1SF	5.28	2.33	0.83	1	---
LSQVEP20SF	5.71	2.72	0.83	1-1/4	---





FEMALE PLUG

PART #	LS	D	A	NPT	LIST PRICE
LSQVEP12PF	4.09	1.13	0.67	1/2	---
LSQVEP34PF	4.49	2.13	0.79	3/4	---
LSQVEP1PF	5.28	2.33	0.83	1	---
LSQVEP20PF	5.71	2.72	0.83	1-1/4	---

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

QUICK DISCONNECT - HYDRAULIC JACK

HYDRAULIC ADAPTERS

AG - Series Agricultural Interchange (Connected)				
Nominal Size	*Steel Coupler/ Plug*			
	Maximum Working		*Burst*	
	PSI	Bar	PSI	Bar
1/4"	4,000	275	21,000	1,500
3/8"	4,000	275	23,100	1,600
1/2"	4,000	275	16,500	1,100
3/4"	3,000	200	10,300	700
1"	3,000	200	13,000	900

Snap-Tite 60 Series





FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
NV14F	1/4"	1/4"	---
NV38F	3/8"	3/8"	---
NV12F	1/2"	1/2"	---
NV34F	3/4"	3/4"	---
NV1F	1"	1"	---

FEMALE PIPE PLUG

Part #	Body Size	NPT	List Price
NV14M	1/4"	1/4"	---
NV38M	3/8"	3/8"	---
NV12M	1/2"	1/2"	---
NV34M	3/4"	3/4"	---
NV1M	1"	1"	---

FEATURES


- Heavy duty heat treated poppet: valves are standard with rugged, specially-designed seals made of nitrite for leak-free performance in the toughest application.
- High-strength steel valve guides designed for high flow rates and made extra tough for agricultural service.
- Dependable hardened chrome alloy steel locking balls. Heat treated plugs and sleeves.
- Standard seals temp range -40°F to +250°F

THREAD LOCK HYDRAULIC JACK COUPLING


APPLICATIONS

- Thread lock couplings with their threaded union locking system and precision ball-type check valves are designed for extreme high pressure applications such as portable hydraulic jacks.
- **Ball Type.**









SPECIFICATIONS

Body Size	1/4(14)	3/8(38)
Rated Pressure	10.000	
Rated Flow (GPM)	3	6
Temperature Range	-20°C +120°C	
Standard seal material is **NBR**		

MALE COUPLER

PART #	LS	D	HEX	A	NPT	LIST PRICE
KZEB14SM	2.40	1.14	0.87	0.55	1/4	---

FEMALE COUPLER

PART #	LS	D	HEX	A	NPT	LIST
KZEB14PF	1.30	0.44	0.75	0.51	1/4	---
KZEB38PF	1.38	0.63	1.26	0.55	3/8	---

WARNING: This product can expose you to chemicals, including Cobalt, which are known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

MM-FC SERIES FLOW CONTROL VALVES

FEATURES:
- Micrometer adjustment knob for accurate valve setting.
- Rugged construction.


TECHNICAL DATA:
- Materials

Body:	Carbon steel w/ black oxide plating
Handle:	Zinc Alloy
Set Screw:	Steel
Packing:	Buna O-Ring/ PTFE stem packing
Maximum Pressure:	5000PSI
Temperature Ratings:	-4°F to 176°F (-20°C to 80°C)
Flow Rate: 0-42 GPM	



INLET

<< FREE FLOW



Part#	B	D1	D2	D3	H1	H2	H3	L1	L2	WEIGHT (lbs)	List Price
MMFC4NPT	1.10	0.76	1.18	1/4 NPT	0.55	2.41	2.67	1.54	2.52	0.90	---
MMFC6NPT	1.10	0.76	1.18	3/8 NPT	0.55	2.41	2.67	1.69	2.75	0.90	---
MMFC8NPT	1.50	0.95	1.46	1/2 NPT	0.75	3.07	3.41	2.05	3.27	2.00	---
MMFC12NPT	1.50	0.95	1.46	3/4 NPT	0.75	3.08	3.41	2.19	3.50	2.00	---
MMFC16NPT	1.89	1.38	1.89	1 NPT	0.94	4.03	4.50	2.79	4.60	4.20	---
MMFC20NPT	2.38	1.96	2.28	1-1/4 NPT	1.18	5.25	5.88	3.39	6.07	9.55	---

MM-NV SERIES NEEDLE VALVES


FEATURES:
- Micrometer adjustment knob for accurate valve setting.
- Rugged construction.

TECHNICAL DATA:
- Materials

Body:	Carbon steel w/ black oxide plating
Handle:	Zinc Alloy
Set Screw:	Steel
Packing:	Buna O-Ring/ PTFE stem packing
Maximum Pressure:	5000PSI
Temperature Ratings:	-4°F to 176°F (-20°C to 80°C)
Flow Rate: 0-42 GPM	

▪ FULL SHUT-OFF





Part#	B	D1	D2	D3	H1	H2	H3	L1	L2	WEIGHT (lbs)	List Price
MMNV4NPT	1.10	0.76	1.18	1/4 NPT	0.55	2.41	2.67	1.07	2.13	0.90	---
MMNV6NPT	1.10	0.76	1.18	3/8 NPT	0.55	2.41	2.67	1.07	2.13	0.90	---
MMNV8NPT	1.50	0.95	1.46	1/2 NPT	0.75	3.07	3.41	1.34	2.38	2.00	---
MMNV12NPT	1.50	0.95	1.46	3/4 NPT	0.75	3.08	3.41	1.54	3.09	2.00	---
MMNV16NPT	1.89	1.38	1.89	1 NPT	0.94	4.03	4.50	1.81	3.62	4.20	---

WARNING: This product can expose you to chemicals, including cobalt, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov


PRESSURE COMPENSATING VARIABLE FLOW CONTROL


FEATURES:

MFC-51 model is a full range pressure compensating variable flow control. It is designed so that the orifice area varies as the lever is rotated. The outlet flw is smooth and constant regardless of the pressure on the control flow or excess flow ports. An adjustable ball spring relief allows for pressure compensated flow up to the pressure setting on the relief. Relief valves are preset at 1500 PSI and field adjustable from 750 to 3000 PSI.

- Materials: Cast Iron Body, Heat Treated Compensator Spool, Stainless Steel Rotary Spool, Buna N "O" Rings (Standard)
- **ALL ARE STANDARD FLOW CONTROL**
- **ALL HAVE ADJUSTABLE BALL SPRING RELIEF**
- **SAE PORT AVAILABLE. MINIMUM ORDER REQUIRED**







Part#	Size	Flow	List Price
MFC38N	3/8" - NPT	0-8 gpm	---
MFC12N	1/2" - NPT	0-16 gpm	---
MFC34N	3/4" - NPT	0-30 gpm	---

SCREW-ON TYPE AIR BREATHERS



• Chrome Plated Steel • 1/4 To 1 Inch NPT • 40 Micron Breather

PART NUMBER	FLOW CFM	NPT	LIST PRICE
MB4004	10	1/4	---
MB4006	10	3/8	---
MB4008	10	1/2	---
MB4012	25	3/4	---
MB4016	25	1	---

WARNING: This product can expose you to chemicals, including Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

STEEL FLANGE ADAPTERS

CONFORMANCE

- SAE J518

MATERIALS

- Steel per SAE J518 with either black phosphate finish or plated zinc finish or iridite dip. Stainless Steel available upon request.

WORKING PRESSURES

The following table lists the recommended working pressures for steel Four-bolt Solid and Split Flange Fititngs and Hose Ends manufactured in accordance with SAE standards J518 and J517. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using Flanged Fittings that have a threaded connection on one end, use the lower pressure rating of the two.

Caution: Although many Four-bolt Flanged Fittings have sufficient structural integrity to support the weight of many components, we recommend consulting with our technical support department for guidance in selection of parts for this purpose.

SAE J518 FOUR-BOLT CODE 61
FLANGE PRESSURE RATINGS

Dash Size	Flange Head OD Inches	4 TO 1 Minimum Burst PSI
-8	1-3/16 - 1.188	5000
-12	1-1/2 - 1.500	5000
-16	1-3/4 - 1.750	5000
-20	2 - 2.000	4000
-24	2-3/8 - 2.375	3000
-32	2-13/16 - 2.812	3000
-40	3-5/16 - 3.312	2500
-48	4 - 4.000	2000
-56	4-1/2 - 4.500	500
-64	5 - 5.000	500
-80	6 - 6.000	500

SAE J518 FOUR-BOLT CODE 62
FLANGE PRESSURE RATINGS

Dash Size	Flange Head OD Inches	4 TO 1 Minimum Burst PSI
-8	1-1/4 - 1.250	6000
-12	1-5/8 - 1.625	6000
-16	1-7/8 - 1.875	6000
-20	2-1/8 - 2.125	6000
-24	2-1/2 - 2.500	6000
-32	3-1/8 - 3.125	6000

STEEL FLANGE ADAPTERS
ASSEMBLY INSTRUCTIONS

RECOMMENDED SOLID FOUR-BOLT

Step 1. Inspect port area to be smooth and free of nicks, burrs, scratches, or contaminants.
Step2. Lubricate the o-ring and place in flange head groove.
Step 3. Lubricate screw threads, slip lock washers onto screws, and insert screws into flange
Step 4. Position flange on port and finger tighten all screws.
Step 5. Torque the screws in a figure eight sequence, incrementally until the appropriate torque value in the following table is achieved.

J518 CODE 61 AND CODE 62
FLANGE MINIMUM TORQUE VALUES

Dash Size	Port Size	Code 61 Foot/Lbs.	Code 62 Foot/Lbs.
-8	1/2”	15-19	15-19
-12	3/4”	20-29	25-33
-16	1”	27-35	41-50
-20	1-1/4”	35-46	62-75
-24	1-1/2”	46-58	116-133
-32	2”	53-67	200-217
-40	2-1/2”	79	NA
-48	3”	137	NA
-56	3-1/2”	116	NA
-64	4”	116	NA
-80	5”	116	NA

RECOMMENDED SPLIT FOUR-BOLT

Step1. Follow steps 1 through 3 above, then proceed to the following steps.
Step 2. Position both flanges on port and turn one screw in each flange about three turns.
Step 3. Rotate each flange away from the port for sufficient clearance to position hose or fitting flange head on port.
Step 4. Close each flange until it properly captures flange head. Insert remaining screws and finger tighten.
Step 5. Torque the screws in a figure eight sequence incrementally until the appropriate torque value in the preceeding table is achieved.

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.

FLANGE ADAPTERS
HYDRAULIC ADAPTERS

JIC FLANGE ADAPTER CODE 61

6840
503



3000 PSI

PART #	JIC THREAD SIZE 1	FLANGE SIZE 2	LIST PRICE
170088	3/4-16	1/2	---
1700812	3/4-16	3/4	---
17001212	1-1/16-12	3/4	---
17001216	1-1/16-12	1	---
17001616	1-5/16-12	1	---
17001620	1-5/16-12	1-1/4	---
17001624	1-5/16-12	1-1/2	---
17002016	1-5/8-12	1	---
17002020	1-5/8-12	1-1/4	---
17002032	1-5/8-12	2	---
17002424	1-7/8-12	1-1/2	---
17003232	2-1/2-12	2	---
17002024	1-5/8-12	1-1/2	---
17002420	1-7/8-12	1-1/4	---
17001612	1-5/16-12	3/4	---
17002432	1-7/8-12	2	---

6840 503

JIC FLANGE 450 ADAPTER CODE 61

6845
505



3000 PSI

Part #	JIC Thread Size 1	Flange Size 2	
170388	3/4-16	1/2	---
1703812	3/4-16	3/4	---
17031212	1-1/16-12	3/4	---
17031216	1-1/16-12	1	---
17031616	1-5/16-12	1	---
17031620	1-5/16-12	1-1/4	---
17032016	1-5/8-12	1	---
17032020	1-5/8-12	1-1/4	---
17032024	1-5/8-12	1-1/2	---
17033232	2-1/2-12	2	---
17032420	1-7/8-12	1-1/4	---
17032424	1-7/8-12	1-1/2	---
17032432	1-7/8-12	2	---
17031612	1-5/16-12	3/4	---

6845 505

JIC FLANGE 90° ADAPTER CODE 61



3000 PSI

Part #	JIC Thread Size 1	Flange Size 2	List Price
170488	3/4-16	1/2	---
1704812	3/4-16	3/4	---
17041016	7/8-14	1	---
17041212	1-1/16-12	3/4	---
17041216	1-1/16-12	1	---
17041220	1-1/16-12	1-1/4	---
17041612	1-5/16-12	3/4	---
17041616	1-5/16-12	1	---
17041620	1-5/16-12	1-1/4	---
17041624	1-5/16-12	1-1/2	---
17042016	1-5/8-12	1	---
17042020	1-5/8-12	1-1/4	---
17042024	1-5/8-12	1-1/2	---
17042420	1-7/8-12	1-1/4	---
17042432	1-7/8-12	2	---
17043232	2-1/2-12	2	---
17042032	1-5/8-12	2	---
17042424	1-7/8-12	1-1/2	---

6890 504

JIC FLANGE ADAPTER CODE 62



6000 PSI

Part #	JIC Thread Size 1	Flange Size 2	
180088	3/4-16	1/2	---
18001212	1-1/16-12	3/4	---
18001216	1-1/16-12	1	---
18001616	1-5/16-12	1	---
18001620	1-5/16-12	1-1/4	---
18002016	1-5/8-12	1	---
18002020	1-5/8-12	1-1/4	---
18002024	1-5/8-12	1-1/2	---
18002424	1-7/8-12	1-1/2	---
18003232	2-1/2-12	2	---
18001612	1-5/16-12	3/4	---
18001624	1-5/16-12	1-1/2	---
18002420	1-7/8-12	1-1/4	---

6842

FLANGE ADAPTERS
HYDRAULIC ADAPTERS

JIC FLANGE 45° ADAPTER
CODE 62



6000 PSI

PART #	JIC THREAD SIZE 1	FLANGE SIZE 2	LIST PRICE
18031212	1-1/16-12	3/4	---
18031216	1-1/16-12	1	---
18031616	1-5/16-12	1	---
18031620	1-5/16-12	1-1/4	---
18032016	1-5/8-12	1	---
18032020	1-5/8-12	1-1/4	---
18032024	1-5/8-12	1-1/2	---
18032424	1-7/8-12	1-1/2	---
18033232	2-1/2-12	2	---
18031612	1-5/16-12	3/4	---
18031624	1-5/16-12	1-1/2	---
18032420	1-7/8-12	1-1/4	---

6847 508

JIC FLANGE 90° ADAPTER - CODE 62



6000 PSI

PART #	JIC THREAD SIZE 1	FLANGE SIZE 2	LIST PRICE
18041212	1-1/16-12	3/4	---
18041216	1-1/16-12	1	---
18041616	1-5/16-12	1	---
18041620	1-5/16-12	1-1/4	---
18042016	1-5/8-12	1	---
18042020	1-5/8-12	1-1/4	---
18042024	1-5/8-12	1-1/2	---
18042424	1-7/8-12	1-1/2	---
18043232	2-1/2-12	2	---
18041612	1-5/16-12	3/4	---
18041624	1-5/16-12	1-1/2	---
18042420	1-7/8-12	1-1/4	---

6842

SPLIT FLANGE PLUG - CODE 61



3000 PSI

PART #	FLANGE SIZE	LIST PRICE
196112	3/4	---
196116	1	---
196120	1-1/4	---
196124	1-1/2	---
196132	2	---

6861P

SPLIT FLANGE PLUG
CODE 62

6862P



6000 PSI

PART #	FLANGE SIZE	LIST PRICE
196212	3/4	---
196216	1	---
196220	1-1/4	---
196224	1-1/2	---
196232	2	---

6862P

SPLIT FLANGE KIT
CODE 61

SFK



3000 PSI

PART #	FLANGE SIZE	FLANGE HEAD DIA.	LIST PRICE
190112	3/4	1.50	---
190116	1	1.75	---
190120	1-1/4	2.00	---
190124	1-1/2	2.38	---
190132	2	2.81	---

SPLIT FLANGE KIT
CODE 62

SFXK



6000 PSI

PART #	FLANGE SIZE	FLANGE HEAD DIAMETER	LIST PRICE
190212	3/4	1.63	---
190216	1	1.88	---
190220	1-1/4	2.12	---
190224	1-1/2	2.50	---
190232	2	3.12	---

FLANGE ADAPTERS
HYDRAULIC ADAPTERS

SPLIT FLANGE HALF
CODE 61

SF



3000 PSI

PART #	FLANGE SIZE	FLANGE HEAD DIAMETER	LIST PRICE
206112	3/4	1.50	---
206116	1	1.75	---
206120	1-1/4	2.00	---
206124	1-1/2	2.38	---
206132	2	2.81	---

SPLIT FLANGE HALF
CODE 62

SFX



6000 PSI

PART #	FLANGE SIZE	FLANGE HEAD DIAMETER	LIST PRICE
206212	3/4	1.63	---
206216	1	1.88	---
206220	1-1/4	2.12	---
206224	1-1/2	2.50	---
206232	2	3.12	---

PIPE THREAD FLANGE PAD
CODE 61

W43



3000 PSI

PART #	PIPE SIZE	LIST PRICE
226188	1/2	---
22611212	3/4	---
22611616	1	---
22612020	1-1/4	---
22612424	1-1/2	---
22613232	2	---

PIPE THREAD FLANGE PAD
CODE 62

W44



6000 PSI

PART #	PIPE SIZE	LIST PRICE
22621212	3/4	---
22621616	1	---
22622020	1-1/4	---
22622424	1-1/2	---
22623232	2	---

O-RING FLANGE PAD
CODE 61

W46



3000 PSI

PART #	O-RING THREAD SIZE	PAD SIZE	LIST PRICE
23611212	1-1/16-12	3/4	---
23611616	1-5/16-12	1	---
23612020	1-5/8-12	1-1/4	---
23612424	1-7/8-12	1-1/2	---

O-RING FLANGE PAD
CODE 62

W48



6000 PSI

PART #	O-RING THREAD SIZE	PAD SIZE	LIST PRICE
23621212	1-1/16-12	3/4	---
23621616	1-5/16-12	1	---
23622020	1-5/8-12	1-1/4	---
23622424	1-7/8-12	1-1/2	---

STAINLESS STEEL ADAPTERS

PIPE SWIVELS



JIC FITTINGS



BULKHEAD FITTINGS



PIPE FITTINGS



SAE O-RING BOSS



JIC FEMALE SWIVELS



HOSE CRIMP FITTINGS



ALL MALE THREADS SHIPPED WITH PROTCTIVE COVER



PRESSURE RATINGS

The hydraulic tube fittings represented by Stainless Adapters Inc. conform to the performance requirements specified in SAE J514, SAE J518, SAE J1453, SAE J1926/ISO 11926 and related standards.
The working pressure ratings listed below are based on a 4:1 design factor for minimum burst. As specified in SAE J514, these are dynamic pressure ratings and the fittings are capable of passing a cyclic endurance (impulse) test for one million cycles at 133 % of the corresponding working pressure.
The rated working pressure for any fitting is based on the lowest pressure rated fitting end. For example, a fitting may include one -4 (1/4") male 37-degree tube end and one -6 (3/8") male pipe end. From the tables below, the rated working pressure for the -4 male 37-degree tube end is 34.5 MPa (5,000 psi) and the rated working pressure of the -6 (3/8") male pipe end is 21 MPa (3,000 psi). The rated working pressure of the fitting would be 21 MPa (3,000 psi).
For proper performance, the design of any hydraulic system should take into consideration the rated working pressures for each of the components of the system, including standard ratings for hose and tubing components and assemblies. For any application, testing should be performed to assure safe and satisfactory performance.

Pressure Ratings for Fittings With NPTF Pipe Threads and Adapter Unions							
Nominal Pipe Size		Thread Size		Working Pressures			
Nom SAE Dash Size	Nom Inch Pipe O.D.	Dryseal Pipe Thread (NPTF[1]) Male and Female	Straight Pipe Thread (NPSM[2]) Female Swivels	Fittings With NPTF Pipe Threads		Adapter Unions	
				MPa	psi	MPa	psi
-2	1/8	1/8-27	1/8-27	34.5	5,000	34.5	5,000
-4	1/4	1/4-18	1/4-18	27.5	4,000	34.5	5,000
-6	3/8	3/8-18	3/8-18	21	3,000	27.6	4,000
-8	1/2	1/2-14	1/2-14	21	3,000	24.1	3,500
-12	3/4	3/4-14	3/4-14	17	2,500	15.5	2,250
-16	1	1-11-1/2	1-11-1/2	14	2,000	13.8	2,000
-20	1 1/4	1-1/4-11-1/2	1-1/4-11-1/2	8	1,150	11.2	1,625
-24	1 1/2	1-1/2-11-1/2	1-1/2-11-1/2	7	1,000	8.6	1,250
-32	2	2-11-1/2	2-11-1/2	7	1,000	7.8	1,125

1) Dryseal American Standard Taper Pipe Thread
2) American Standard Straight Pipe Thread for Mechanical Joints

■ Temperature Rating

Material	Identify	Max. Temperature °F(°C)
316 Stainless Steel	SS	1000(537)
Brass	B	400(204)
Carbon Steel	C	375(190)

Pressure Ratings

37° Flare SAE J514

Allowable Working Pressure Ratings (Capable of 4 to 1 Min. Burst)

Nom.SAE Dash Size	Nom.Tube O.D Inches	37°Flare Straight Thread	Nom.Pipe Size	SAE St. Threads Union and Bulkhead (psi)	Fittings with Pipe Threads (psi)
2	1/8	5/16" - 24	1/8"	5000	5000
3	3/16	3/8" - 24	1/8"	5000	5000
4	1/4	7/16" - 20	1/8"	5000	5000
5	5/16	1/2" - 20	1/8"	5000	5000
6	3/8	9/16" - 18	1/4"	5000	5000
8	1/2	3/4" - 16	3/8"	4500	4000
10	5/8	7/8" - 14	1/2"	3500	3000
12	3/4	1 1/16" - 12	3/4"	3500	3000
14	7/8	1 3/16" - 12	3/4"	3000	2500
16	1	1 5/16" - 12	1"	3000	2000
20	1 1/4	1 5/8" - 12	1 1/4"	2500	1150
24	1 1/2	1 7/8" - 12	1 1/2"	2000	1000
32	2	2 1/2" - 12	2"	1500	1000

JIC threads conform to SAE J514 specifications

NPT

Size Designator	NPT Size	316 Stainless Steel			
		Male		Female	
		psig	bar	psig	bar
1	1/16	11000	757	6700	461
2	1/8	10000	689	6500	447
4	1/4	8000	551	6600	454
6	3/8	7800	537	5300	365
8	1/2	7700	530	4900	337
12	3/4	7300	502	4600	316
16	1	5300	365	4400	303
20	1 1/4	6000	413	5000	344
24	1 1/2	5000	344	4600	316
32	2	3900	268	3900	268

NPT threads meet the requirements of ASME/ANSIB.1.20.1

FEMALE PIPE SWIVELS

316 STAINLESS STEEL ADAPTERS

MALE NPT X FEMALE NPSM SWIVEL



PART #	(A) MNPT SIZE	(B) FNPT SIZE	(A) MNPT THREAD	(B) FNPT THREAD	(L)	LIST PRICE
SS1404-04-04	1/4	1/4	1/4-18	1/4-18	1.440	---
SS1404-06-06	3/8	3/8	3/8-18	3/8-18	1.560	---
SS1404-08-08	1/2	1/2	1/2-14	1/2-14	1.940	---
SS1404-12-12	3/4	3/4	3/4-14	3/4-14	2.060	---
SS1404-16-16	1	1	1-11 1/2	1-11 1/2	2.380	---

SSP: PSX-XC / PARKER: 0107-X-X-SS / AEROQUIP: 259-2045-X-X

316 STAINLESS STEEL FEMALE NPT X FEMALE NPSM SWIVEL



PART	(A) FNPT SIZE	(B) FNPT SIZE	(A) FNPT THREAD	(B) FNPT THREAD	(L)	LIST PRICE
SS1405-04-04	1/4	1/4	1/4-18	1/4-18	1.440	---
SS1405-06-06	3/8	3/8	3/8-18	3/8-18	1.560	---
SS1405-08-08	1/2	1/2	1/2-14	1/2-14	1.830	---
SS1405-12-12	3/4	3/4	3/4-14	3/4-14	1.960	---
SS1405-16-16	1	1	1-11 1/2	1-11 1/2	2.300	---

SSP: PSX-XFC / PARKER: 0207-X-X-SS / AEROQUIP: 259-2046-X-X

JIC 37°
316 STAINLESS STEEL ADAPTERS

JIC TUBE SLEEVE



PART	(A) SIZE	(L)	LIST PRICE
SS319-04	1/4	.409	----
SS319-06	3/8	.500	---
SS319-08	1/2	.559	---
SS319-10	5/8	.661	---
SS319-12	3/4	.681	---
SS319-16	1	.779	---

SSP: JXS / PARKER: XTX-SS / AEROQUIP: 259-900605-X

JIC TUBE NUT



PART	(A) FJIC SIZE	(A) THREAD	HEX	(L)	LIST PRICE
SS318-04	1/4	7/16-20	9/16	.622	---
SS318-06	3/8	9/16-18	11/16	.728	---
SS318-08	1/2	3/4-16	7/8	.850	---
SS318-10	5/8	7/8-14	1	.980	---
SS318-12	3/4	1-1/16-12	1-1/4	1.031	---
SS318-16	1	1-5/16-12	1-1/2	1.129	---

SSP: JXN / PARKER: XBTX-SS / AEROQUIP: 259-1290-X

JIC CAP



PART	(A) FJIC SIZE	(A) THREAD	HEX	(L) LENGTH	LIST PRICE
SS304-C-04	1/4	7/16-20	9/16	.594	---
SS304-C-06	3/8	9/16-18	11/16	.625	---
SS304-C-08	1/2	3/4-16	7/8	.748	---
SS304-C-10	5/8	7/8-14	1	.842	---
SS304-C-12	3/4	1-1/16-12	1-1/4	.905	---
SS304-C-16	1	1-5/16-12	1-1/2	1.015	---

SSP: AJXZ / PARKER: X FNTX-SS / AEROQUIP: 259-210292-X

STRAIGHTS JIC FLARE 37°
316 STAINLESS STEEL ADAPTERS

MALE JIC UNION





PART	(A) MJIC SIZE	(B) MJIC SIZE	(A) MJIC THREAD	(B) MJIC THREAD	(L)	LIST PRICE
SS2403-04-04	1/4	1/4	7/16-20	7/16-20	1.370	---
SS2403-06-04	3/8	1/4	9/16-18	7/16-20	1.401	---
SS2403-06-06	3/8	3/8	9/16-18	9/16-18	1.409	---
SS2403-08-04	1/2	1/4	3/4-16	7/16-20	1.511	---
SS2403-08-06	1/2	3/8	3/4-16	9/16-18	1.519	---
SS2403-08-08	1/2	1/2	3/4-16	3/4-16	1.618	---
SS2403-10-08	5/8	1/2	7/8-14	3/4-16	1.779	---
SS2403-10-10	5/8	5/8	7/8-14	7/8-14	1.881	---
SS2403-12-04	3/4	1/4	1-1/16-12	7/16-20	1.850	---
SS2403-12-06	3/4	3/8	1-1/16-12	9/16-18	1.850	---
SS2403-12-08	3/4	1/2	1-1/16-12	3/4-16	1.948	---
SS2403-12-12	3/4	3/4	1-1/16-12	1-1/16-12	2.161	---
SS2403-16-12	1	3/4	1-5/16-12	1-1/16-12	2.318	---
SS2403-16-16	1	1	1-5/16-12	1-5/16-12	2.251	---

SSP: JX-XU / PARKER: HTX-SS / AEROQUIP: 259-2027-X-X

MALE JIC X MALE NPT ADAPTER



PART	(A) MJIC SIZE	(B) MNPT SIZE	(A) MJIC THREAD	(B) MNPT THREAD	(L)	LIST PRICE
SS2404-04-02	1/4	1/8	7/16-20	1/8-27	1.220	---
SS2404-04-04	1/4	1/4	7/16-20	1/4-18	1.421	---
SS2404-04-06	1/4	3/8	7/16-20	3/8-18	1.421	---
SS2404-04-08	1/4	1/2	7/16-20	1/2-14	1.681	---
SS2404-06-04	3/8	1/4	9/16-18	1/4-18	1.429	---
SS2404-06-06	3/8	3/8	9/16-18	3/8-18	1.440	---
SS2404-06-08	3/8	1/2	9/16-18	1/2-14	1.688	---
SS2404-08-04	1/2	1/4	3/4-16	1/4-18	1.519	---
SS2404-08-06	1/2	3/8	3/4-16	3/8-18	1.531	---
SS2404-08-08	1/2	1/2	3/4-16	1/2-14	1.712	---
SS2404-08-12	1/2	3/4	3/4-16	3/4-14	1.850	---
SS2404-08-16	1/2	1	3/4-16	1-11 1/2	2.050	---
SS2404-10-08	5/8	1/2	7/8-14	1/2-14	1.889	---
SS2404-12-08	3/4	1/2	1-1/16-12	1/2-14	2.059	---
SS2404-12-12	3/4	3/4	1-1/16-12	3/4-14	2.059	---
SS2404-12-16	3/4	1	1-1/16-12	1-11 1/2	2.250	---
SS2404-16-08	1	1/2	1-5/16-12	1/2-14	2.100	---
SS2404-16-12	1	3/4	1-5/16-12	3/4-14	2.110	---
SS2404-16-16	1	1	1-5/16-12	1-11 1/2	2.299	---

SWAGELOK: SS-X-AN-1-X / SSP: JXC / PARKER: X FTX-SS / AEROQUIP 259-2021-X-X

STRAIGHTS JIC FLARE 37°

316 STAINLESS STEEL ADAPTERS

MALE JIC X FEMALE NPT ADAPTER



PART	(A) MJIC SIZE	(B) FNPT SIZE	(A) MJIC THREAD	(B) FNPT THREAD	(L)	LIST PRICE
SS2405-04-04	1/4	1/4	7/16-20	1/4-18	1.389	---
SS2405-06-04	3/8	1/4	9/16-18	1/4-18	1.409	---
SS2405-06-06	3/8	3/8	9/16-18	3/8-18	1.470	---
SS2405-08-08	1/2	1/2	3/4-16	1/2-14	1.790	---
SS2405-12-12	3/4	3/4	1-1/16-12	3/4-14	2.059	---
SS2405-16-16	1	1	1-5/16-12	1-11 1/2	2.350	---

SSP: JX-XFC / PARKER: XXGTX-SS / AEROQUIP: 259-2022-X-X

FEMALE JIC X MALE JIC (REDUCER-EXPANDER)



PART	(A) FJIC SIZE	(B) MJIC SIZE	(A) FJIC THREAD	(B) MJIC THREAD	(L)	LIST PRICE
SS2406-06-04	3/8	1/4	9/16-18	7/16-20	1.118	---
SS2406-08-04	1/2	1/4	3/4-16	7/16-20	1.448	---
SS2406-08-06	1/2	3/8	3/4-16	9/16-18	1.311	---
SS2406-10-08	5/8	1/2	7/8-14	3/4-16	1.409	---
SS2406-12-04	3/4	1/4	1-1/16-12	7/16-20	1.500	---
SS2406-12-06	3/4	3/8	1-1/16-12	9/16-18	1.480	---
SS2406-12-08	3/4	1/2	1-1/16-12	3/4-16	1.559	---
SS2406-16-04	1	1/4	1-5/16-12	7/16-20	1.570	---
SS2406-16-06	1	3/8	1-5/16-12	9/16-18	1.578	---
SS2406-16-08	1	1/2	1-5/16-12	3/4-16	1.669	---
SS2406-16-12	1	3/4	1-5/16-12	1-1/16-12	1.877	---

SSP: PSX-XFC / PARKER: 0207-X-X-SS / AEROQUIP: 259-2046-X-X

JIC PLUG



PART	(A) MJIC SIZE	(A) MJIC THREAD	HEX	(L)	LIST PRICE
SS2408-04	1/4	7/16-20	1/2	.799	---
SS2408-06	3/8	9/16-18	5/8	.838	---
SS2408-08	1/2	3/4-16	13/16	.940	---
SS2408-10	5/8	7/8-14	15/16	1.098	---
SS2408-12	3/4	1-1/16-12	1-1/8	1.279	---
SS2408-16	1	1-5/16-12	1-3/8	1.330	---

SSP: JXP / PARKER: XRNTX-SS / AEROQUIP: 259-900599-X

BULKHEAD FITTINGS
316 STAINLESS STEEL ADAPTERS

JIC BULKHEAD NUT



PART	(A) BN SIZE	(A) THREAD	HEX	(L)	LIST PRICE
SS306-04	1/4	7/16-20	11/16	.279	---
SS306-06	3/8	9/16-18	13/16	.271	---
SS306-08	1/2	3/4-16	1	.311	---
SS306-10	5/8	7/8-14	1-1/8	.358	---
SS306-12	3/4	1-1/16-12	1-3/8	.409	---
SS306-16	1	1-5/16-12	1-5/8	.409	---

SSP: XBN / PARKER: XWLN-SS / AEROQUIP: 259-210212-X-X

MALE JIC BULKHEAD UNION



PART	(A) MJIC SIZE	(B) MJIC SIZE	(A) MJIC THREAD	(B) MJIC THREAD	(L)	LIST PRICE
SS2700-04-04	1/4	1/4	7/16-20	7/16-20	2.070	---
SS2700-06-06	3/8	3/8	9/16-18	9/16-18	2.181	---
SS2700-08-08	1/2	1/2	3/4-16	3/4-16	2.440	---
SS2700-12-12	3/4	3/4	1-1/16-12	1-1/16-12	3.090	---
SS2700-16-16	1	1	1-5/16-12	1-5/16-12	3.141	---

SSP: JXBU / PARKER: XWTX-SS / AEROQUIP: 259-2041-X-X

FEMALE NPT X MALE JIC BULKHEAD CONNECTOR



PART	(A) FNPT SIZE	(B) MJIC SIZE	(A) FNPT THREAD	(B) MJIC THREAD	(L)	LIST PRICE
SS2705-04-04	1/4	1/4	1/4-18	7/16-20	2.078	---
SS2705-06-06	3/8	3/8	3/8-18	9/16-18	2.220	---
SS2705-08-08	1/2	1/2	1/2-14	3/4-16	2.610	---
SS2705-12-12	3/4	3/4	3/4-14	1-1/16-12	2.992	---
SS2705-16-16	1	1	1-11 1/2	1-5/16-12	3.228	---

SSP: JX-XBFC / PARKER: X-XWGTX-SS / AEROQUIP: 259-2239-X-X

FEMALE PIPE BULKHEAD UNION



PART	(A) FNPT SIZE	(B) FNPT SIZE	(A) FNPT THREAD	(B) FNPT THREAD	(L)	LIST PRICE
SS2707-04-04	1/4	1/4	1/4-18	1/4-18	1.500	---
SS2707-06-06	3/8	3/8	3/8-18	3/8-18	1.311	---
SS2707-08-08	1/2	1/2	1/2-14	1/2-14	1.500	---

SSP: AXAC

PIPE FITTINGS
316 STAINLESS STEEL ADAPTERS

HEX PIPE COUPLING



PART	(A) FNPT SIZE	(B) FNPT SIZE	(A) FNPT THREAD	(B) FNPT THREAD	(L)	LIST PRICE
SS5000-02-02	1/8	1/8	1/8-27	1/8-27	.748	---
SS5000-04-04	1/4	1/4	1/4-18	1/4-18	1.129	---
SS5000-06-04	3/8	1/4	3/8-18	1/4-18	1.129	---
SS5000-06-06	3/8	3/8	3/8-18	3/8-18	1.129	---
SS5000-08-06	1/2	3/8	1/2-14	3/8-18	1.500	---
SS5000-08-08	1/2	1/2	1/2-14	1/2-14	1.500	---
SS5000-12-12	3/4	3/4	3/4-14	3/4-14	1.531	---
SS5000-16-08	1	1/2	1-11 1/2	1/2-14	1.889	---
SS5000-16-12	1	3/4	1-11 1/2	3/4-14	1.889	---
SS5000-16-16	1	1	1-11 1/2	1-11 1/2	1.889	---

SWAGELOK: SS-XHGG-X / SSP: XHC / PARKER: XGG-SS / AEROQUIP: 259-2096-X-X

HEX PIPE NIPPLE





PART	(A) MNPT SIZE	(B) MNPT SIZE	(A) MNPT THREAD	(B) MNPT THREAD	L	LIST PRICE
SS5404-02-02	1/8	1/8	1/8-27	1/8-27	1.059	---
SS5404-04-02	1/4	1/8	1/4-18	1/8-27	1.259	---
SS5404-04-04	1/4	1/4	1/4-18	1/4-18	1.448	---
SS5404-06-04	3/8	1/4	3/8-18	1/4-18	1.448	---
SS5404-06-06	3/8	3/8	3/8-18	3/8-18	1.448	---
SS5404-08-04	1/2	1/4	1/2-14	1/4-18	1.700	---
SS5404-08-06	1/2	3/8	1/2-14	3/8-18	1.700	---
SS5404-08-08	1/2	1/2	1/2-14	1/2-14	1.889	---
SS5404-12-04	3/4	1/4	3/4-14	1/4-18	1.771	---
SS5404-12-06	3/4	3/8	3/4-14	3/8-18	1.771	---
SS5404-12-08	3/4	1/2	3/4-14	1/2-14	1.960	---
SS5404-12-12	3/4	3/4	3/4-14	3/4-14	1.960	---
SS5404-16-08	1	1/2	1-11 1/2	1/2-14	2.090	---
SS5404-16-12	1	3/4	1-11 1/2	3/4-14	2.149	---
SS5404-16-16	1	1	1-11 1/2	1-11 1/2	2.338	---

SWAGELOK: SS-X-HN-X / SSP: XHN / PARKER: X-XFF-SS / AEROQUIP: 259-2083-X-X

PIPE NIPPLE



PART	(A) MNPT SIZE	(A) MNPT THREAD	(L)	LIST PRICE
SSCN-04	1/4	1/4-18	1.120	---
SSCN-06	3/8	3/8-18	1.125	---
SSCN-08	1/2	1/2-14	1.507	---
SSCN-12	3/4	3/4-14	1.500	---
SSCN-16	1	1-11 1/2	1.880	---

SWAGELOK: SS-X-CN / PARKER: X-X MCN-SS / AEROQUIP: 259-2083-X-X

STEEL PIPE FITTINGS

316 STAINLESS STEEL ADAPTERS

MALE NPT X FEMALE NPT EXPANDER



PART	(A) MNPT SIZE	(B) FNPT SIZE	(A) MNPT THREAD	(B) FNPT THREAD	(L)	LIST PRICE
SS5405-02-02	1/8	1/8	1/8-27	1/8-27	1.039	---
SS5405-02-04	1/8	1/4	1/8-27	1/4-18	1.208	---
SS5405-04-04	1/4	1/4	1/4-18	1/4-18	1.389	---
SS5405-04-06	1/4	3/8	1/4-18	3/8-18	1.440	---
SS5405-04-08	1/4	1/2	1/4-18	1/2-14	1.681	---
SS5405-06-06	3/8	3/8	3/8-18	3/8-18	1.440	---
SS5405-06-08	3/8	1/2	3/8-18	1/2-14	1.681	---
SS5405-06-12	3/8	1/2	3/8-18	3/4-14	1.740	---
SS5405-08-08	1/2	1/2	1/2-14	1/2-14	1.870	---
SS5405-08-12	1/2	3/4	1/2-14	3/4-14	1.929	---
SS5405-08-16	1/2	1	1/2-14	1-11 1/2	2.181	---
SS5405-12-12	3/4	3/4	3/4-14	3/4-14	1.929	---
SS5405-12-16	3/4	1	3/4-14	1-11 1/2	2.181	---
SS5405-16-16	1	1	1-11 1/2	1-11 1/2	2.370	---

SWAGELOK: SS-X-RA-X / SSP: XXXRA / PARKER: X-XFG-SS / AEROQUIP: 259-2040-X-X

MALE NPT X FEMALE NPT BUSHING/ REDUCER



PART	(A) MNPT SIZE	(B) FNPT SIZE	(A) MNPT THREAD	(B) FNPT THREAD	(L)	LIST PRICE
SS5406-04-02	1/4	1/8	1/4-18	1/8-27	.850	---
SS5406-06-04	3/8	1/4	3/8-18	1/4-18	.850	---
SS5406-08-04	1/2	1/4	1/2-14	1/4-18	1.098	---
SS5406-08-06	1/2	3/8	1/2-14	3/8-18	1.098	---
SS5406-12-04	3/4	1/4	3/4-14	1/4-18	1.169	---
SS5406-12-06	3/4	3/8	3/4-14	3/8-18	1.169	---
SS5406-12-08	3/4	1/2	3/4-14	1/2-14	1.169	---
SS5406-16-04	1	1/4	1-11 1/2	1/4-18	.940	---
SS5406-16-06	1	3/8	1-11 1/2	3/8-18	.940	---
SS5406-16-08	1	1/2	1-11 1/2	1/2-14	.940	---
SS5406-16-12	1	3/4	1-11 1/2	3/4-14	.940	---
SS5406-20-12	1-1/4	3/4	1-1/4-11 1/2	3/4-14	1.47	---

SWAGELOK: SS-XRB-X / SSP: XXXRA / PARKER: XXXPTR-SS / AEROQUIP: 259-2081-X-X

HEX PIPE PLUG





PART	(A) MNPT SIZE	(A) MNPT THREAD	HEX SIZE	(L)	(L)	LIST PRICE
SS5406-P-04	1/4	1/4-18	9/16	.751	.850	---
SS5406-P-06	3/8	3/8-18	11/16	.779	.850	---
SS5406-P-08	1/2	1/2-14	7/8	1.118	1.098	---
SS5406-P-12	3/4	3/4-14	1-1/8	1.169	1.098	---
SS5406-P-16	1	1-11 1/2	1-3/8	1.397	1.169	---

SWAGELOK: SS-X-P / SSP: XXXRA / PARKER: X-HHP-SS / AEROQUIP: 259-2082-X

HOLLOW HEX PIPE PLUG





PART	(A) MNPT SIZE	(A) MNPT THREAD	HEX SIZE	(L)	(L)	LIST PRICE
SS5406-HHP-04	1/4	1/4-18	1/4	.460	.850	---
SS5406-HHP-06	3/8	3/8-18	5/16	.460	.850	---
SS5406-HHP-08	1/2	1/2-14	3/8	.610	1.098	---
SS5406-HHP-12	3/4	3/4-14	9/16	.618	1.098	---
SS5406-HHP-16	1	1-11 1/2	5/8	.771	1.169	---

SWAGELOK: SS-X-HP / SSP: XCP / PARKER: X-HP-SS / AEROQUIP: 259-2222-X

STEEL PIPE FITTINGS
316 STAINLESS STEEL ADAPTERS

HEX PIPE CAP



PART	(A) FNPT SIZE	(A) FNPT THREAD	HEX	(L)	LIST PRICE
SS5406-C-04	1/4	1/4-18	3/4	.811	---
SS5406-C-06	3/8	3/8-18	7/8	.811	---
SS5406-C-08	1/2	1/2-14	1	1.000	---
SS5406-C-12	3/4	3/4-14	1-5/16	1.129	---
SS5406-C-16	1	1-11 1/2	1-5/8	1.500	---

SWAGELOK: SS-X-C / SSP: XMM / PARKER: XCR-SS / AEROQUIP: 259-2085-X-X

MALE PIPE ELBOW 90°



PART	(A) MNPT SIZE	(B) MNPT SIZE	(A) MNPT THREAD	(B) MNPT THREAD	(L)	LIST PRICE
SS5500-02-02	1/8	1/8	1/8-27	1/8-27	.748	---
SS5500-04-04	1/4	1/4	1/4-18	1/4-18	1.129	---
SS5500-06-06	3/8	3/8	3/8-18	3/8-18	1.129	---
SS5500-08-08	1/2	1/2	1/2-14	1/2-14	1.129	---
SS5500-12-12	3/4	3/4	3/4-14	3/4-14	1.500	----
SS5500-16-16	1	1	1-11 1/2	1-11 1/2	1.500	---

SWAGELOK: SS-X-ME / SSP: XMM / PARKER: XCR-SS / AEROQUIP: 259-2085-X-X

MALE NPT X FEMALE NPT STREET ELBOW 90°



PART	(A) MNPT SIZE	(B) FNPT SIZE	(A) MNPT THREAD	(B) FNPT THREAD	LIST PRICE
SS5502-02-02	1/8	1/8	1/8-27	1/8-27	---
SS5502-04-04	1/4	1/4	1/4-18	1/4-18	---
SS5502-06-06	3/8	3/8	3/8-18	3/8-18	---
SS5502-08-08	1/2	1/2	1/2-14	1/2-14	---
SS5502-12-12	3/4	3/4	3/4-14	3/4-14	---
SS5502-16-16	1	1	1-11 1/2	1-11 1/2	---

SWAGELOK: SS-X-ME / SSP: XMM / PARKER: XCR-SS / AEROQUIP: 259-2085-X-X

STEEL PIPE FITTINGS
316 STAINLESS STEEL ADAPTERS

FEMALE PIPE ELBOW 90°



PART	(A) FNPT SIZE	(B) FNPT SIZE	(A) FNPT THREAD	(B) FNPT THREAD	LIST PRICE
SS5504-02-02	1/8	1/8	1/8-27	1/8-27	---
SS5504-04-04	1/4	1/4	1/4-18	1/4-18	---
SS5504-06-06	3/8	3/8	3/8-18	3/8-18	---
SS5504-08-08	1/2	1/2	1/2-14	1/2-14	---
SS5504-12-12	3/4	3/4	3/4-14	3/4-14	---
SS5504-16-16	1	1	1-11 1/2	1-11 1/2	---

SWAGELOK: SS-X-E / SSP: XFF / PARKER: XDD-SS / AEROQUIP: 259-2087-X-X

MALE PIPE TEE



PART	(A) MNPT SIZE	(B) MNPT SIZE	(C) MNPT SIZE	(A) MNPT THREAD	(B) MNPT THREAD	(C) MNPT THREAD	LIST PRICE
SS5600-04-04-04	1/4	1/4	1/4	1/4-18	1/4-18	1/4-18	---
SS5600-06-06-06	3/8	3/8	3/8	3/8-18	3/8-18	3/8-18	---
SS5600-08-08-08	1/2	1/2	1/2	1/2-14	1/2-14	1/2-14	---
SS5600-12-12-12	3/4	3/4	3/4	3/4-14	3/4-14	3/4-14	---
SS5600-16-16-16	1	1	1	1-11 1/2	1-11 1/2	1-11 1/2	---

SWAGELOK: SS-X-MT / SSP: XMMM / PARKER: XRRS-SS / AEROQUIP: 259-2257-X-X

FEMALE PIPE TEE



PART	(A) FNPT SIZE	(B) FNPT SIZE	(C) FNPT SIZE	(A) FNPT THREAD	(B) FNPT THREAD	(C) FNPT THREAD	LIST PRICE
SS5605-02-02-02	1/8	1/8	1/8	1/8-27	1/8-27	1/8-27	---
SS5605-04-04-04	1/4	1/4	1/4	1/4-18	1/4-18	1/4-18	---
SS5605-06-06-06	3/8	3/8	3/8	3/8-18	3/8-18	3/8-18	---
SS5605-08-08-08	1/2	1/2	1/2	1/2-14	1/2-14	1/2-14	---
SS5605-12-12-12	3/4	3/4	3/4	3/4-14	3/4-14	3/4-14	---
SS5605-16-16-16	1	1	1	1-11 1/2	1-11 1/2	1-11 1/2	---

SWAGELOK: SS-X-T / SSP: XFF / PARKER: XMMO-SS / AEROQUIP: 259-2090-X-X

SAE O-RING BOSS (ORB)
316 STAINLESS STEEL ADAPTERS

MALE JIC X MALE SAE O-RING BOSS



PART	(A) MJIC SIZE	(B) MORB SIZE	(A) MJIC THREAD	(B) MORB THREAD	(L)	
SS6400-04-04	1/4	1/4	7/16-20	7/16-20	1.228	---
SS6400-04-06	1/4	3/8	7/16-20	9/16-18	1.291	---
SS6400-06-06	3/8	3/8	9/16-18	9/16-18	1.299	---
SS6400-06-08	3/8	1/2	9/16-18	3/4-16	1.377	---
SS6400-06-10	3/8	5/8	9/16-18	7/8-14	1.500	---
SS6400-08-06	1/2	3/8	3/4-16	9/16-18	1.440	---
SS6400-08-08	1/2	1/2	3/4-16	3/4-16	1.488	---
SS6400-08-10	1/2	5/8	3/4-16	7/8-14	1.598	---
SS6400-08-12	1/2	3/4	3/4-16	1-1/16-12	1.759	---
SS6400-12-08	3/4	1/2	1-1/16-12	3/4-16	1.940	---
SS6400-12-12	3/4	3/4	1-1/16-12	1-1/16-12	1.968	---
SS6400-12-16	3/4	1	1-1/16-12	1-5/16-12	1.988	---
SS6400-16-12	1	3/4	1-5/16-12	1-1/16-12	2.039	---
SS6400-16-16	1	1	1-5/16-12	1-5/16-12	2.039	---

SWAGELOK: SS-X-SAE-1-XAN / SSP: JXGC / PARKER: XF50X-SS / AEROQUIP: 259-202702-X-X

MALE SAE O-RING BOSS X FEMALE JIC SWIVEL



PART	(A) MORB SIZE	(B) FJIC SIZE	(A) MORB THREAD	(B) FJIC THREAD	(L)	
SS6402-04-04	1/4	1/4	7/16-20	7/16-20	1.625	---
SS6402-06-06	3/8	3/8	9/16-18	9/16-18	1.842	---
SS6402-08-08	1/2	1/2	3/4-16	3/4-16	2.078	---
SS6402-12-12	3/4	3/4	1-1/16-12	1-1/16-12	2.582	---
SS6402-16-16	1	1	1-5/16-12	1-5/16-12	2.807	---

SSP: JSX6C / PARKER: XF650X-SS / AEROQUIP: 259-2266-X-X

MALE SAE O-RING BOSS X FEMALE NPT



PART	(A) MORB SIZE	(B) FNPT SIZE	(A) MORB THREAD	(B) FNPT SIZE	(L)	LIST PRICE
SS6405-04-04	1/4	1/4	7/16-20	1/4-18	1.161	---
SS6405-06-04	3/8	1/4	9/16-18	1/4-18	1.090	---
SS6405-06-06	3/8	3/8	9/16-18	3/8-18	1.330	---
SS6405-08-08	1/2	1/2	3/4-16	1/2-14	1.468	---
SS6405-12-08	3/4	1/2	1-1/16-12	1/2-14	1.409	---
SS6405-12-12	3/4	3/4	1-1/16-12	3/4-14	1.590	---
SS6405-16-16	1	1	1-5/16-12	1-11 1/2	1.897	---

SWAGELOK: SS-X-SAE-7-X / SSP: XXXGCF / PARKER: XXX-F50G-SS / AEROQUIP: 259-2216-X-X

SAE O-RING BOSS (ORB)
316 STAINLESS STEEL ADAPTERS


MALE SAE O-RING BOSS HEX PLUG



PART	(A) MORB SIZE	(A) MORB THREAD	HEX	(L)	LIST PRICE
SS6408-04	1/4	7/16-20	9/16	.669	---
SS6408-06	3/8	9/16-18	11/16	.728	---
SS6408-08	1/2	3/4-16	7/8	.779	---
SS6408-10	5/8	7/8-14	1"	.929	---
SS6408-12	3/4	1-1/16-12	1-1/4	1.090	---
SS6408-16	1	1-5/16-12	1-1/2	1.118	---

SWAGELOK: SS-X-HPST / SSP: XCGP / PARKER: XHP50N-SS / AEROQUIP: 259-FF2138-X

MALE SAE O-RING BOSS HOLLOW HEX PLUG



PART	(A) MORB SIZE	(A) MORB THREAD	HEX SIZE	(L)	LIST PRICE
SS6408-HH-02	1/8	5/16-24	1/8	.401	---
SS6408-HH-04	1/4	7/16-20	3/16	.468	---
SS6408-HH-06	3/8	9/16-18	1/4	.500	---
SS6408-HH-08	1/2	3/4-16	5/16	.578	---
SS6408-HH-10	5/8	7/8-14	3/8	.649	---
SS6408-HH-12	3/4	1-1/16-12	9/16	.767	---
SS6408-HH-16	1	1-5/16-12	5/8	.767	---

SWAGELOK: SS-X-PST / SSP: XGP / PARKER: XP50N-SS / AEROQUIP: 259-900598-X

FEMALE JIC SWIVELS
316 STAINLESS STEEL ADAPTERS

MALE NPT X FEMALE JIC SWIVEL



PART	(A) MNPT SIZE	(B) FJIC SIZE	(A) MNPT THREAD	(B) FJIC THREAD	(L)	LIST PRICE
SS6505-04-04	1/4	1/4	1/4-18	7/16-20	1.807	---
SS6505-06-06	3/8	3/8	3/8-18	9/16-18	1.952	---
SS6505-08-08	1/2	1/2	1/2-14	3/4-16	2.358	---
SS6505-12-12	3/4	3/4	3/4-14	1-1/16-12	2.668	---
SS6505-16-16	1	1	1-11 1/2	1-5/16-12	3.055	---

SWAGELOK: JSX-XC / PARKER: XXXF6X-SS / AEROQUIP: 259-2018-X-X

FEMALE NPT X FEMALE JIC SWIVEL



PART	(A) FNPT SIZE	(B) FJIC SIZE	(A) FNPT THREAD	(B) FJIC THREAD	(L)	LIST PRICE
SS6506-04-04	1/4	1/4	1/4-18	7/16-20	1.862	---
SS6506-06-06	3/8	3/8	3/8-18	9/16-18	2.011	---
SS6506-08-08	1/2	1/2	1/2-14	3/4-16	2.389	---
SS6506-12-12	3/4	3/4	3/4-14	1-1/16-12	2.673	---
SS6506-16-16	1	1	1-11 1/2	1-5/16-12	3.114	---

SWAGELOK: JSX-XFC / PARKER: X-XG6X-SS / AEROQUIP: 259-2242-X-X

CRIMP HOSE FITTINGS
316 STAINLESS STEEL ADAPTERS

STRAIGHT MALE NPT PIPE - RIGID



PART	HOSE DASH SIZE	HOSE I.D. (INCHES)	THREAD DASH SIZE	MNPT THREAD	(L)	LIST PRICE
SS43-04-04MP	-04	1/4	-04	1/4-18	1.862	---
SS43-04-06MP	-04	1/4	-06	3/8-18	2.011	---
SS43-06-04MP	-06	3/8	-04	1/4-18	2.389	---
SS43-06-06MP	-06	3/8	-06	3/8-18	2.673	---
SS43-08-08MP	-08	1/2	-08	1/2-14	3.114	---
SS43-10-08MP	-10	5/8	-08	1/2-14	1.590	---
SS43-12-12MP	-12	3/4	-12	3/4-14	1.897	---
SS43-16-16MP	-16	1	-16	1-11-1/2		---

PARKER: 10143-X-XC

STRAIGHT FEMALE JIC - SWIVEL



PART	HOSE DASH SIZE	HOSE I.D. (INCHES)	THREAD DASH SIZE	FJIC THREAD	(L)	LIST PRICE
SS43-04-04FJ	-04	1/4	-04	7/16-20	1.862	---
SS43-04-06FJ	-04	1/4	-06	9/16-18	2.011	---
SS43-06-04FJ	-06	3/8	-04	7-16-20	2.389	---
SS43-06-06FJ	-06	3/8	-06	9/16-18	2.673	---
SS43-06-08FJ	-06	3/8	-08	3/4-16	3.114	---
SS43-08-08FJ	-08	1/2	-08	3/4-16	1.590	---
SS43-08-10FJ	-08	1/2	-10	7/8-14	1.897	---

PARKER: 10643-X-XC

90 DEGREE FEMALE JIC - SWIVEL



PART	HOSE DASH SIZE	HOSE I.D. (INCHES)	THREAD DASH SIZE	FJIC THREAD	LIST PRICE
SS43-04-04FJ90	-04	1/4	-04	7/16-20	---
SS43-04-06FJ90	-04	1/4	-06	9/16-18	---
SS43-06-06FJ90	-06	3/8	-06	9/16-18	---
SS43-08-08FJ90	-08	1/2	-08	3/4-16	---
SS43-12-12FJ90	-12	3/4	-12	1-1/16-12	---
SS43-16-16FJ90	-16	1	-16	1-5/16-12	---

PARKER: 10143-X-XC

STRAIGHT MALE NPT - API



PART	HOSE DASH SIZE	HOSE I.D. (INCHES)	THREAD DASH SIZE	MNPT THREAD	LIST PRICE
BW-16-16API-C	-16	1	-16	1-11 1/2	----

PRODUCT SPECIFICATIONS – BW SERIES MALE API BOP CRIMP FITTING

PART	O.D. (INCHES)	I.D. (INCHES)	LENGTH (INCHES)	LIST PRICE
BOPF-C	2.360	2.225	5.195	----

PRODUCT SPECIFICATIONS – BW SERIES MALE API BOP CRIMP FERRULE

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
46-200	164
46-201	164
46-202	164
59-200SMLS	331
59-201SMLS	331
59-202SMLS	331
59-203SMLS	331
59-204SMLS	331
59-205SMLS	331
59-206SMLS	331
59-207SMLS	331
59-208SMLS	331
59-209SMLS	331
59-210SMLS	331
59-211SMLS	331
59-212SMLS	331
59-213SMLS	331
59-320SMLS	331
59-322SMLS	331
59-324SMLS	331
59-326SMLS	331
59-328SMLS	331
65-319	340
0304C2	542
0304C3	542
0304C4	542
0304C5	542
0304C6	542
0304C8	542
0304C10	542
0304C12	542
0304C14	542
0304C16	542
0304C20	542
0304C24	542
0304C32	542
03044	542
03046	542
03048	542
03062	546
03064	546
03065	546
03066	546
03068	546
03182	542
03183	542
03184	542
03185	542
03186	542
03188	542
03192	542
03193	542
03194	542
03195	542
03196	542
03198	542
3895BA	529
5406C2	550
5406C4	550
5406C6	550
5406C8	550
5406C12	550
5406C16	550
5406FLP2	549
5406FLP4	549
5406FLP6	549
5406FLP8	549
5406FLP12	549
5406HHP2	549
5406HHP4	549
5406HHP6	549
5406HHP8	549
5406HHP12	549
5406HHP16	549
5406HHP20	549
5406HHP24	549
5406P2	549
5406P4	549
5406P6	549
5406P8	549
5406P12	549
5406P16	549
5406P20	549
5406P24	549
5406P32	549
5406SHP2	549
5406SHP4	549
5406SHP6	549
5406SHP8	549
5406SHP12	549
5406SHP16	549
5406SHP20	549
5406SHP24	549
5406SHP32	549
6402O44	553
6402O66	553
6402O68	553
6402O86	553
6402O88	553
6402O1010	553
6402O1212	553
6403O4	553
6403O6	553
6403O8	553
6403O12	553
6405O22	554
6405O32	554
6405O34	554
6405O42	554
6405O44	554
6405O52	554
6405O54	554
6405O62	554
6405O64	554
6405O66	554
6405O68	554
6405O84	554
6405O86	554
6405O88	554
6405O104	554
6405O106	554
6405O108	554
6405O126	554
6405O128	554
6405O812	554
6405O1212	554
6405O1216	554
6405O1612	554
6405O1616	554
6405O2020	554
6405O2416	554
6405O2420	554
6405O2424	554
6405O3224	554
6405O3232	554
6408HO2	554
6408HO4	554
6408HO5	554
6408HO6	554
6408HO8	554
6408HO10	554
6408HO12	554
6408HO14	554
6408HO16	554
6408HO20	554
6408HO24	554
6408O2	554
6408O4	554
6408O5	554
6408O6	554
6408O8	554
6408O10	554
6408O12	554
6408O14	554
6408O16	554
6408O20	554
6408O24	554
6410O46	555
6410O64	555
6410O68	555
6410O84	555
6410O86	555
6410O88	555
6410O124	555
6410O126	555
6410O128	555
6410O166	555
6410O168	555
6410O812	555
6410O1612	555
6410O2012	555
6410O2016	555
6410O2412	555
6410O2416	555
6410O2420	555
6410O3216	555
6410O3220	555
6410O3224	555
6801NW068	557
6801NWO4	557
6801NWO6	557
6801NWO8	557
6801NWO10	557
6801NWO12	557
6801NWO16	557
6801NWO20	557
6801NWO24	557
6801NWO32	557
6801NWO46	557
6801NWO48	557
6801NWO64	557
6801NWO86	557
6801NWO106	557
6801NWO108	557
6801NWO128	557
6801NWO612	557
6801NWO810	557
6801NWO812	557
6801NWO816	557
6801NWO1016	557
6801NWO1210	557
6801NWO1216	557
6801NWO1612	557
6801NWO1620	557
6801NWO2016	557
6801NWO2024	557
6802NWO2	557
6802NWO4	557
6802NWO6	557
6802NWO8	557
6802NWO10	557
6802NWO12	557
6802NWO16	557
6802NWO20	557
6802NWO24	557
6802NWO32	557
6802NWO46	557
6802NWO68	557
6802NWO86	557
6802NWO108	557
6802NWO810	557
6802NWO812	557
6802NWO1012	557
6802NWO1216	557
6802NWO1612	557
6802NWO1620	557
6802NWO2016	557
6803NWO4	557
6803NWO6	557
6803NWO8	557
6803NWO10	557
6803NWO12	557
6803NWO16	557
6804NWO4	556
6804NWO6	556
6804NWO8	556
6804NWO10	556
6804NWO12	556
6804NWO16	556
6805NWO42	557
6805NWO44	557
6805NWO64	557
6805NWO66	557
6805NWO86	557
6805NWO88	557
6805NWO108	557
6805NWO128	557
6805NWO1212	557
6805NWO1616	557
6805NWO2020	557
6805NWO2424	557
6806NWO44	558
6806NWO66	558
6806NWO88	558
6806NWO1212	558
6806NWO1616	558
6809NWO44	558
6809NWO66	558
6809NWO88	558
6809NWO1212	558
6815NWO44	558
6815NWO66	558
6815NWO88	558
6815NWO1010	558
6815NWO1212	558
6900O42	558
6900O44	558
6900O46	558
6900O48	558
6900O64	558
6900O66	558
6900O68	558
6900O84	558
6900O86	558
6900O88	558
6900O104	558
6900O106	558
6900O108	558
6900O128	558
6900O812	558
6900O1012	558
6900O1212	558
6900O1612	558
6900O1616	558
6901NWO42	559
6901NWO44	559
6901NWO64	559
6901NWO66	559
6901NWO68	559
6901NWO84	559
6901NWO86	559
6901NWO88	559
6901NWO104	559
6901NWO106	559
6901NWO108	559
6901NWO126	559
6901NWO128	559
6901NWO812	559
6901NWO1212	559
6901NWO1612	559
6901NWO1616	559
6901NWO2016	559
6901NWO2020	559
6901NWO2424	559
6901NWO3232	559
6902NWO42	559
6902NWO44	559
6902NWO46	559
6902NWO64	559
6902NWO66	559
6902NWO68	559
6902NWO84	559
6902NWO86	559
6902NWO88	559
6902NWO108	559
6902NWO128	559
6902NWO1212	559
6902NWO1616	559
7202NWO42	564
7202NWO44	564
7202NWO64	564
7202NWO66	564
7202NWO68	564
7202NWO86	564
7202NWO88	564
7202NWO108	564
7202NWO812	564
7202NWO1212	564
7202NWO1216	564
7202NWO1616	564
7205NWO410	566
7205NWO412	566
7205NWO414	566
7205NWO512	566
7205NWO614	566
7205NWO616	566
7205NWO816	566
7205NWO818	566
7205NWO822	566
7205NWO1018	566
8555H10	566
8555H12	566
8555H14	566
8555H16	566
8555H18	566
8555H20	566
8555H22	566
8555H26	566
8555H30	566
8555P10	566
8555P12	566
8555P14	566
8555P16	566
8555P18	566
8555P20	566
8555P22	566
8555P26	566
8555P30	566
9522H2	565
9522H4	565
9522H6	565
9522H8	565
9522H12	565
9522H16	565
9522P2	565
9522P4	565
9522P6	565
9522P8	565
9522P12	565
9522P16	565
9600FJ3	273
9600FJ4	273
9600FJ6	273
9600FJ8	273
9600FJ10	273
9600FJ12	273
9600FL3	271
9600FL4	271
9600FL6	271
9600FL8	271
9600FL10	271
9600FL12	271
9600FL25	271
9600MJ3	272
9600MJ4	272
9600MJ6	272
9600MJ8	272
9600MJ10	272
9600MJ12	272
9610F3	270
9610F4	270
9610F6	270
9610F8	270
9610F10	270
9610F12	270
9610F25	270
9610NYCF3	270
9610NYCF4	270
9610NYCF6	270
9610NYCF8	270
9610NYCF10	270
9610NYCF12	270
9610NYCF25	270
9650EX1224	266
9650EX1236	266
9650EX1248	266
9650EX1260	266
9650EX1272	266
9650EX2324	266
9650EX2336	266
9650EX2348	266
9650EX2360	266
9650EX2372	266
9650EX4624	266
9650EX4636	266
9650EX4648	266
9650EX4660	266
9650EX4672	266
9650G2	264
9650G2.5	264
9650G2.5SE	264
9650G2SE	264
9650G3	264
9650G3SE	264
9650G4	264
9650G4SE	264
9650G6	264
9650G6SE	264
9650G8	264
9650G8SE	264
9650G10	264
9650G10SE	264
9650G12	264
9650G12SE	264
9650G23	266
9650G46	266
9650G120	266
9650G812	266
9650IP23	266
9650IP46	266
9650IP812	266
9650L2	264
9650L2.5	264
9650L2SE	264
9650L3	264
9650L3SE	264
9650L4	264
9650L4SE	264
9650L5	264
9650L5SE	264
9650L6	264
9650L6SE	264
9650L8	264
9650L8SE	264
9650L10	264
9650L10SE	264
9650L12	264
9650L12SE	264
9650L23	266
9650L46	266
9650L120	266
9650L812	266

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
9650RP12	266
9650RP23	266
9650RP46	266
9650WH23	266
9650WH46	266
9650WH812	266
9660G2	265
9660G2.5	265
9660G2.5SE	265
9660G2SE	265
9660G3	265
9660G3SE	265
9660G4	265
9660G4SE	265
9660G6	265
9660G6SE	265
9660G8	265
9660G8SE	265
9660G10	265
9660G10SE	265
9660G12	265
9660G12SE	265
9660L2	265
9660L2.5	265
9660L2SE	265
9660L3	265
9660L3SE	265
9660L4	265
9660L4SE	265
9660L5	265
9660L5SE	265
9660L6	265
9660L6SE	265
9660L8	265
9660L8SE	265
9660L10	265
9660L10SE	265
9660L12	265
9660L12SE	265
10001	50
10002	50
10003	50
10003L	50
10004	50
10005	50
10006	50
10007	50
10008	50
10013	50
10013	88
10013LF	180
10014	50
10014LF	180
10015	50
10015L	50
10015LF	180
10016	50
10016LF	180
10017	50
10017L	50
10017LF	180
10018	50
10018LF	180
10019	50
10019L	50
10019LF	180
10020	50
10020L	50
10020LF	180
10021	50
10021LF	180
10022	50
10023	50
10024	50
10025	50
10026	50
10028	51
10030	51
10031	51
10032	51
10033	51
10038	51
10039	51
10039LF	180
10040	51
10041	51
10041LF	180
10042	51
10042LF	180
10043	51
10043LF	180
10044	51
10044LF	180
10045	51
10046	51
10047	51
10048	51
10049	51
10051	51
10052	51
10052LF	180
10053	51
10054	51
10054LF	180
10055	51
10056	51
10056LF	180
10058	51
10062	52
10063	52
10064	52
10064LF	182
10065	52
10066	52
10066LF	182
10067	52
10067LF	182
10068	52
10068LF	182
10069	52
10073	52
10074	52
10075	52
10075EH	52
10075LF	181
10076	52
10076LF	181
10077	52
10077LF	181
10078	52
10078LF	181
10079	52
10079LF	181
10080	52
10080LF	181
10081	52
10082	52
10084	52
10085	52
10086	52
10087	52
10088	52
10089	52
10090	52
10094	53
10095	53
10097	53
10098	53
10099	53
10100	53
10104	53
10104LF	181
10105	53
10105LF	181
10106	53
10106EH	53
10106L	53
10106LF	181
10107	53
10107LF	181
10108	53
10108L	53
10108LF	181
10109	53
10109L	53
10109LF	181
10110	53
10110L	53
10110LF	181
10111	53
10111LF	181
10112	53
10115	54
10116	54
10117	54
10118	54
10118LF	181
10119	54
10120	54
10120LF	181
10121	54
10121LF	181
10122	54
10122LF	181
10123	54
10123LF	181
10126	54
10127	54
10131	53
10132	53
10133	53
10135	60
10136	60
10137	60
10138	60
10139	60
10157	54
10157LF	181
10158	54
10158LF	181
10159	54
10159LF	181
10160	54
10160LF	181
10161	54
10161LF	181
10162	54
10162LF	181
10163	54
10163LF	181
10164	54
10165	54
10170	54
10171	54
10172	54
10173	54
10174	54
10174LF	181
10175	54
10175LF	181
10176	54
10178	54
10179	54
10180	54
10181	54
10181LF	181
10182	54
10182LF	181
10187	54
10188	54
10189	54
10189LF	181
10203	55
10204	55
10204LF	182
10205	55
10205LF	182
10206	55
10206LF	182
10207	55
10208	55
10209	55
10210	55
10210LF	182
10211	55
10211LF	182
10212	55
10212LF	182
10213	55
10214	55
10214LF	182
10215	55
10215LF	182
10216	55
10217	55
10218	55
10218LF	182
10219	55
10220	55
10227	55
10227LF	182
10228	55
10228L	55
10228LF	182
10229	55
10229L	55
10229LF	182
10230	55
10230LF	182
10231	55
10231LF	182
10232	55
10232LF	182
10233	55
10233LF	182
10234	55
10234LF	182
10235	55
10235L	55
10235LF	182
10236	55
10236L	55
10236LF	182
10237	55
10237L	55
10237LF	182
10238	55
10238LF	182
10239	55
10239LF	182
10240	55
10240L	55
10240LF	182
10241	55
10241L	55
10241LF	182
10242	55
10242L	55
10242LF	182
10243	55
10243LF	182
10244	55
10244L	55
10244LF	182
10245	55
10245LF	182
10246	55
10247	55
10247LF	182
10248	55
10251LF	183
10252LF	183
10253	56
10253LF	183
10254	56
10254LF	183
10255	56
10255EH	56
10255L	56
10255LF	183
10256	56
10256EHLF	183
10256L	56
10256LF	183
10256SS	56
10256WC	53
10257	56
10257LF	183
10258	56
10258LF	183
10259	56
10259L	56
10259LF	183
10260	56
10260L	56
10260LF	183
10261	56
10261LF	183
10262	56
10262LF	183
10263	56
10263L	56
10263LF	183
10263SS	56
10264	56
10264L	56
10264LF	183
10264SS	56
10265	56
10265L	56
10265LF	183
10266	56
10266LF	183
10267	56
10267LF	183
10268	56
10268L	56
10268LF	183
10269	56
10269L	56
10269LF	183
10270	56
10270LF	183
10271	56
10272	56
10272L	56
10272LF	183
10273	56
10273L	56
10273LF	183
10274	56
10274LF	183
10275	56
10275LF	183
10276	56
10276LF	183
10277	56
10278	56
10278LF	183
10279	56
10280	56
10283	57
10283B	57
10284	57
10284B	57
10284LF	184
10285	57
10286	57
10286B	57
10286L	57
10286LF	184
10287	57
10287B	57
10287LF	184
10288	57
10288LF	184
10289	57
10289LF	184
10290	57
10290B	57
10290LF	184
10291	57
10291B	57
10291LF	184
10292	57
10293	57
10293B	57
10293LF	184
10294	57
10294B	57
10294LF	184
10295	57
10295B	57
10295L	57
10295LF	184
10296	57
10296LF	184
10297	57
10297LF	184
10298	57
10298B	57
10298LF	184
10299	57
10299B	57
10299LF	184
10300	57
10300B	57
10300LF	184
10301	57
10301LF	184
10302	57
10302B	57
10302LF	184
10303	57
10303B	57
10303L	57
10303LF	184
10304	57
10304LF	184
10305	57
10305LF	184
10306	57
10306B	57
10306B	58
10306LF	184
10307	57
10308	57
10309	57
10311	57
10312	58
10313	58
10313B	58
10313LF	185
10314	58
10314B	58
10314LF	185
10315	58
10316	58
10317	58
10318	58
10319	58
10319B	58

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
10319LF	185
10320	58
10320B	58
10320LF	185
10321	58
10321L	58
10321LF	185
10322	58
10322LF	185
10323	58
10324	58
10324B	58
10324LF	185
10325	58
10325L	58
10325LF	185
10326	58
10326LF	185
10327	58
10328	58
10328LF	185
10329	58
10329LF	185
10331LF	185
10333	58
10340	58
10343	58
10344	58
10344B	58
10345	58
10347	58
10348	58
10350	58
10351	58
10352	58
10353	58
10354	58
10355	58
10357	58
10359	58
10360	58
10361	58
10373	59
10374	59
10375	59
10376	59
10382	59
10404	59
10405	59
10406	59
10406B	59
10406LF	184
10407	59
10407LF	184
10408	59
10409	59
10409B	59
10409LF	184
10410	59
10410LF	184
10411	59
10412	59
10416	59
10419	59
10419LF	184
10421	59
10438	60
10439	60
10440	60
10441	60
10442	60
10443	60
10444	60
10461	60
10462	60
10463	60
10464	60
10467	60
10468	60
10469	60
10470	60
10473	60
10481	61
10481LF	183
10482	61
10482LF	183
10483	61
10483L	61
10483LF	183
10484	61
10484L	61
10484LF	183
10485	61
10485LF	183
10486	61
10487	61
10487LF	183
10488	61
10488LF	183
10489	61
10493	61
10494	61
10495	61
10496	61
10497	61
10600	61
10602	61
10611	61
10612	61
10613	61
10614	61
10615	61
10616	61
10617	61
10618	61
10619	61
10620	61
10621	61
10622	61
12000	69
12001	69
12002	69
12003	69
12004	69
12005	69
12006	69
12007	69
12008	69
12009	69
12010	69
12011	69
12012	69
12013	69
12014	69
12015	69
12016	69
12017	69
12018	69
12022	70
12023	70
12024	70
12025	70
12026	70
12027	70
12028	70
12029	70
12030	70
12031	70
12032	70
12033	70
12034	70
12035	70
12036	70
12037	70
12038	70
12039	70
12040	70
12041	70
12042	70
12043	70
12044	70
12045	70
12046	70
12047	70
12048	70
12049	70
12050	70
12051	70
12052	70
12053	70
12054	71
12055	70
12056	71
12057	71
12058	71
12059	71
12060	71
12061	71
12062	71
12063	71
12064	71
12065	71
12066	71
12067	71
12068	71
12069	71
12070	71
12072	71
12073	71
12074	71
12075	71
12076	71
12077	71
12079	71
12080	71
12081	71
12082	71
12083	69
12084	69
12085	71
12086	71
12087	71
12088	71
12089	71
12090	71
12091	72
12092	72
12093	72
12094	72
12095	72
12096	72
12097	72
12098	72
12099	70
12100	72
12101	72
12102	72
12103	72
12104	70
12105	70
12107	70
12108	70
12110	72
12111	72
12112	72
12114	71
12115	71
12118	72
12119	72
12120	72
12121	72
12127	73
12129	73
12130	73
12144	73
12145	73
12146	73
12147	73
12148	73
12149	73
12150	73
12151	73
12200	73
12202	73
12205	75
12206	74
12207	74
12208	74
12209	74
12210	74
12211	74
12212	74
12213	74
12214	74
12215	74
12216	74
12217	74
12218	74
12220	74
12221	74
12222	74
12224	74
12230	74
12250	75
12252	75
12254	75
12256	75
12257	75
12260	69
12261	69
12262	69
12263	69
12264	69
12265	69
12266	69
12267	69
12268	69
12269	69
12270	69
12271	69
12272	69
12273	69
12274	69
12275	69
12310	74
12326	75
12327	75
12328	75
12329	75
12330	75
12335	75
12336	75
12337	75
12339	75
12341	75
12342	75
12343	75
12344	75
12345	75
14001	62
14011	62
14016	62
14017	62
14018	62
14025	62
16001	86
16002	86
16003	86
16004	86
16005	86
16006	86
16007	86
16009	86
16010	86
16011	86
16012	86
16090	86
16117	86
16118	86
16119	86
16120	86
16121	86
16122	86
16123	86
16125	86
16127	86
16128	86
16129	86
16130	86
16131	86
16133	86
17064N	375
17064P	375
17065N	375
17066N	375
17066P	375
17068P	375
17078N	375
17079N	375
17079P	375
17088N	375
17090N	375
17103N	375
17105N	375
17124N	375
17124P	375
17126P	375
17145P	375
17146N	375
17153N	375
17153P	375
17154P	375
17158P	375
17176N	375
17179N	375
17179P	375
17180N	375
17180P	375
17188N	375
17188P	375
17189N	375
17189P	375
17190N	375
17190P	375
17193N	375
17193P	375
17194N	375
17194P	375
17224N	375
17225N	375
17225P	375
17233N	375
17233P	375
17234N	375
17234P	375
17237N	375
17237P	375
18001	77
18001LF	186
18002	77
18002LF	186
18003	77
18003LF	186
18004	77
18004LF	186
18005	77
18005LF	186
18006	77
18006LF	186
18007	77
18007LF	186
18008	77
18008LF	186
18009	77
18009LF	186
18010	77
18010LF	186
18011	77
18015	88
18015	186
18016	88
18016	186
18017	88
18017	186
18018	88
18018	186
18019	88
18019	186
18028	84
18029	84
18030	84
18031	84
18032	84
18033	77
18033LF	187
18034	77
18034LF	187
18035	77
18035L	77
18035LF	187
18036	77
18036LF	187
18037	77
18037L	77
18037LF	187
18038	77
18038LF	187
18039	77
18039L	77
18039LF	187
18040	77
18040L	77
18040LF	187
18041	77
18041LF	187
18042	77
18042LF	187
18043	77
18046LF	187
18047	84
18047LF	187
18048	84
18048LF	187
18049	84
18049LF	187
18050	84
18050LF	187
18054LF	196
18055LF	196
18056LF	196
18057LF	196
18062	77
18062LF	188
18063	77
18063LF	188
18064	77
18064L	77
18064LF	188
18065	77
18065LF	188
18066	77
18066DLF	188

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
18066L	77
18066LF	188
18067	77
18067LF	188
18068	77
18068DLF	188
18068L	77
18068LF	188
18069	77
18069DLF	188
18069L	77
18069LF	188
18070	77
18070LF	188
18071	77
18071DLF	188
18071L	77
18071LF	188
18072	77
18076	78
18076LF	188
18077	78
18077LF	188
18078	78
18078LF	188
18079	78
18079LF	188
18080	78
18080LF	188
18081	78
18081LF	188
18082	78
18082LF	188
18083	78
18083LF	188
18084	78
18085	78
18086	78
18088	85
18090	85
18092	85
18093	85
18094	85
18096	85
18101	78
18101B	78
18101LF	188
18102	78
18102B	78
18102LF	188
18103	78
18103B	78
18103LF	188
18104	78
18104B	78
18104LF	188
18105	78
18105B	78
18105LF	188
18106	78
18106B	78
18106LF	188
18107	78
18107LF	188
18108	78
18109	78
18109LF	188
18110	78
18110LF	189
18111	78
18114	78
18114LF	189
18115	78
18115LF	189
18116	78
18116LF	189
18117	78
18117LF	189
18118	78
18118LF	189
18119	78
18122B	79
18122LF	189
18123	79
18123LF	189
18124	79
18124LF	189
18125	79
18125LF	189
18126	79
18126LF	189
18127	79
18127LF	189
18128	79
18128LF	189
18129	79
18129LF	189
18130	79
18130LF	189
18135	79
18135LF	189
18136	79
18136LF	189
18137	79
18137LF	189
18138LF	189
18142	79
18142LF	190
18143	79
18143LF	190
18144	79
18144LF	190
18145	79
18145L	79
18145LF	190
18146	79
18146L	79
18146LF	190
18147LF	190
18148	79
18148LF	190
18149	79
18149LF	190
18150	79
18150LF	190
18151LF	190
18152	79
18152LF	190
18153	79
18153L	79
18153LF	190
18154	79
18154L	79
18154LF	190
18155	79
18155LF	190
18156	79
18156LF	190
18157	79
18157LF	190
18158	79
18158L	79
18158LF	190
18159	79
18159L	79
18159LF	190
18160	79
18160LF	190
18161LF	190
18162	79
18162L	79
18162LF	190
18163	79
18163LF	190
18164	79
18164LF	190
18165	79
18165LF	190
18166	79
18166LF	190
18167	79
18167LF	190
18171LF	190
18175	80
18176	80
18176LF	191
18177	80
18177LF	191
18177TLF	192
18178	80
18178LF	191
18179	80
18179L	80
18179LF	191
18180	80
18180L	80
18180LF	191
18181	80
18181LF	191
18182	80
18182LF	191
18183	80
18183LF	191
18184	80
18184L	80
18184LF	191
18185	80
18185LF	191
18186	80
18186LF	191
18187	80
18187L	80
18187LF	191
18188	80
18188L	80
18188LF	191
18189	80
18189L	80
18189LF	191
18190	80
18190L	80
18190LF	191
18191	80
18191LF	191
18192	80
18192LF	191
18193	80
18193L	80
18193LF	191
18194	80
18194L	80
18194LF	191
18195	80
18195L	80
18195LF	191
18196	80
18196LF	191
18197	80
18197LF	191
18198	80
18198LF	191
18199	80
18199LF	191
18200	80
18200LF	191
18201	80
18201LF	191
18202	80
18202LF	191
18203	80
18203LF	191
18204	80
18204LF	191
18205	80
18205LF	191
18206	80
18207	80
18208	85
18208LF	192
18209	85
18209LF	192
18210	85
18210LF	192
18211	85
18211LF	192
18212	85
18212LF	192
18213	85
18213LF	192
18214	85
18214LF	192
18215	85
18215LF	192
18216	80
18219	81
18220	81
18220B	81
18220LF	192
18221	81
18221B	81
18221LF	192
18223	81
18223B	81
18223LF	192
18224	81
18224B	81
18224LF	192
18225	81
18225B	81
18225LF	192
18226	81
18226LF	192
18227	81
18227LF	192
18228	81
18228B	81
18228LF	192
18229	81
18229B	81
18229LF	192
18230	81
18230LF	192
18231	81
18232	81
18232B	81
18232LF	192
18233	81
18233B	81
18233LF	192
18234	81
18234B	81
18234LF	192
18235	81
18235B	81
18235LF	192
18236	81
18236B	81
18236LF	192
18237	81
18237B	81
18237LF	192
18238	81
18238B	81
18238LF	192
18239	81
18239LF	192
18240	81
18240LF	192
18241	81
18241B	81
18241LF	192
18242	81
18242LF	192
18243	81
18243LF	192
18245	81
18245LF	192
18246	81
18246LF	192
18247	81
18247LF	192
18248	81
18248B	81
18248LF	192
18250	82
18250LF	193
18251	82
18251B	82
18251LF	193
18252	82
18252B	82
18252LF	193
18253	82
18253B	82
18253LF	193
18254	82
18254B	82
18254LF	193
18255	82
18255LF	193
18256	82
18256LF	193
18257	82
18257LF	193
18258	82
18258LF	193
18259	82
18259LF	193
18260	82
18260LF	193
18261	82
18262	82
18262LF	193
18263	82
18263LF	193
18264	82
18264LF	193
18265	82
18265LF	193
18266	82
18267	82
18267LF	193
18268	82
18268LF	193
18269	82
18269LF	193
18270	82
18272	82
18273	82
18273B	82
18273LF	193
18274	82
18274B	82
18274LF	193
18275	82
18275LF	193
18276	82
18276LF	193
18277	82
18277LF	193
18278	82
18279	82
18279LF	193
18280	82
18280LF	193
18281	82
18281LF	193
18282	82
18283	82
18284	82
18289LF	194
18290	83
18290LF	194
18291	83
18291B	83
18291LF	194
18292	83
18292LF	194
18293	83
18293LF	194
18294	83
18294LF	194
18295	83
18295LF	194
18296	83
18296LF	194
18297	83
18297LF	194
18298	83
18299	83
18299B	83
18299LF	194
18300	83
18300LF	194
18301	83
18301LF	194
18302	83
18303	83
18303LF	194
18304	83
18307	83
18307LF	194
18314	83
18315LF	194
18316	83
18321	84
18322	84
18322LF	194
18323	84
18323LF	194
18324	84
18325	84
18325LF	194
18326	84
18327	84
18327LF	194
18328	84
18329	84
18330	84
18330LF	193
18331	84
18332	84
18333	84
18333LF	193
18334	84
18334LF	193
18335	84
18335LF	193
18336	84
18336LF	193
18338	84
18338LF	193
18339	84
18339LF	193
18500LF	195
18501LF	195
18502LF	194
18503LF	194
18510LF	195
18534	21
20001C	120
20009	101

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
20010	101
20011	101
20012	97
20013	101
20015C	120
20015N	103
20016C	120
20016N	103
20017	97
20017C	120
20017N	103
20018	97
20018C	120
20018N	103
20018P	376
20019	97
20019C	120
20019N	103
20019P	376
20020	97
20020C	120
20020N	103
20020P	376
20021	97
20021C	120
20021N	103
20021P	376
20022	97
20022C	120
20022N	103
20023	98
20023N	104
20024C	120
20024N	103
20025	97
20025C	120
20025N	103
20026	97
20026C	120
20026N	103
20027	97
20027C	120
20028	97
20028C	120
20028N	103
20028P	376
20029	97
20029C	120
20029N	103
20029P	376
20030	97
20030C	120
20030N	103
20030P	376
20031	97
20031C	120
20031N	103
20032	97
20032N	103
20034	97
20034C	120
20034N	103
20035	97
20035C	120
20035N	103
20035P	377
20036	97
20036C	120
20036N	103
20036P	377
20037	97
20037C	120
20037N	103
20038	97
20038N	103
20039	98
20045	98
20046	98
20046N	104
20047	98
20047N	104
20048	98
20048N	104
20049	98
20049C	121
20049N	104
20050	98
20050C	121
20050N	104
20050P	377
20051	98
20052	98
20053	98
20053C	121
20053N	104
20054	98
20054C	121
20054N	104
20054P	377
20055	98
20055C	121
20055N	104
20055P	377
20056	98
20056C	121
20056N	104
20056P	377
20057	98
20057C	121
20057N	104
20057P	377
20058	98
20058C	121
20058N	104
20058P	377
20059	98
20059C	121
20059N	104
20059P	377
20060	98
20060C	121
20060N	104
20061	98
20061C	121
20061N	104
20061P	377
20062	98
20062C	121
20062N	104
20062P	377
20063	98
20063C	121
20063N	104
20063P	377
20064	99
20065	99
20066	99
20067	99
20068	99
20068N	104
20068P	377
20069	99
20069N	104
20069P	377
20070	99
20070P	377
20071	99
20072	99
20072N	104
20072P	377
20073	99
20073N	104
20073P	377
20074	99
20075	99
20076	98
20076N	105
20077	98
20077C	121
20078	98
20078C	121
20079	98
20079C	121
20079N	105
20080	98
20080C	121
20080N	105
20081	98
20081C	121
20081N	105
20082	98
20082C	121
20082N	105
20083	98
20083C	121
20083N	105
20084	98
20084C	121
20084N	105
20085	98
20085C	121
20085N	105
20086	98
20086C	121
20086N	105
20087	98
20087C	121
20087N	105
20088	98
20088C	121
20088N	105
20089	99
20089C	122
20089N	105
20089S	99
20090	99
20090C	122
20090N	105
20090S	99
20091	99
20091C	122
20091N	105
20091S	99
20092	98
20092C	121
20092N	105
20093	100
20094	99
20094N	105
20094S	99
20095	100
20095N	105
20097	100
20098	100
20099	100
20099C	122
20100	100
20100C	122
20101	100
20102	100
20103	100
20103C	122
20103N	106
20104	100
20104C	122
20104N	106
20105	100
20105C	122
20105N	106
20106	100
20106C	122
20106N	106
20107	100
20107C	122
20107N	106
20108	100
20108C	122
20108N	106
20109	100
20109C	122
20109N	106
20110	100
20110C	122
20110N	106
20111	100
20111C	122
20111N	106
20112	100
20112N	106
20113	100
20115	100
20116	100
20117	100
20118	100
20119	100
20120	100
20121C	122
20123N	106
20124	101
20124N	106
20125	101
20125N	106
20126	101
20127	101
20127C	123
20127N	106
20127P	376
20128	101
20128C	123
20128N	106
20128P	376
20129	101
20129C	123
20129N	106
20129P	376
20135C	122
20136C	122
20137C	122
20138C	122
20139C	122
20140C	122
20142	101
20143	101
20149C	120
20150	97
20150C	120
20150N	103
20151	97
20151C	120
20151N	103
20152	97
20152C	120
20152N	103
20152P	376
20153	97
20153C	120
20153N	103
20153P	376
20154	97
20154C	120
20154N	103
20154P	376
20155	97
20155C	120
20155N	103
20156N	106
20157N	106
20158C	122
20158N	106
20159N	105
20160	100
20160C	122
20161	100
20162	100
20162C	122
20162N	105
20163	100
20163C	122
20163N	105
20164	100
20164N	105
20165	100
20165C	122
20165N	105
20166	100
20166C	122
20166N	105
20167	100
20167C	122
20167N	105
20168N	105
20170	101
20170C	123
20171	101
20171C	123
20172	101
20172C	123
20173C	123
20174	100
20174C	122
20174N	105
20175C	123
20176C	123
20179C	123
20181C	122
20181N	105
20182C	120
20184C	121
20184N	105
20185C	120
20187C	123
20188C	123
20189C	123
20192	99
20193C	123
20194C	123
20195C	123
20200	91
20201	94
20203	94
20204	94
20205	94
20206	94
20206N	108
20207	94
20208	94
20211	91
20212	91
20213	91
20214	91
20218	94
20219	94
20220	94
20221	94
20222	94
20223	94
20227	94
20228	94
20229	94
20230	94
20231	94
20232	94
20235	91
20237	91
20240	91
20241	91
20242	91
20243	91
20244	91
20245	91
20248	92
20249	92
20250	92
20251	92
20252	92
20253	92
20256	92
20257	92
20259	92
20260	92
20261	92
20262	92
20263	92
20265	92
20268	92
20269	92
20270	92
20271	92
20272	92
20273	92
20274	92
20275	92
20276	92
20277	92
20278	92
20279	92
20282	92
20287	92
20288	92
20289	92
20290	92
20291	92
20292	92
20293	92
20294	92
20295	92
20296	92
20300	93
20301	93
20302	93
20303	93
20304	93
20305	93
20308	93
20309	93
20310	93
20311	93
20312	93
20313	93
20314	93
20317	93
20318	93
20319	93
20320	93
20321	93
20322	93
20323	93
20324	93
20327	93
20328	93
20330	92
20333	91
20334	91
20337	91
20338	91
20339	91
20487C	123
20488C	123
20489C	123
20510	101
20510N	106
20511	101

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
20511N	106
20512	101
20512N	106
20512P	377
20513N	106
20514N	106
20514P	377
20515C	120
20516C	120
20517C	121
20518C	121
20519C	122
20524P	377
20525P	377
20528P	377
20529P	377
20530	98
20530C	121
20530N	104
20531	98
20531C	121
20531N	104
20532	98
20532N	104
20535	98
20535C	121
20535N	105
20537C	121
20537N	105
20538	98
20538C	121
20538N	105
20539	98
20539C	121
20539N	105
20551	101
20551C	120
20552	101
20553	101
20553C	120
20553N	106
20555C	120
20557C	123
20572C	121
20573C	121
20574C	121
20579C	121
20580C	121
20581C	121
20582C	121
20583C	121
20584C	121
20591C	122
20595C	122
20596C	122
20597C	122
20598C	122
20600	124
20600N	108
20601	124
20601N	108
20602	124
20603	124
20603N	108
20604	124
20604N	108
20610	124
20610N	108
20611	124
20611N	108
20612	124
20612N	108
20613	124
20613N	108
20614	124
20614N	108
20619N	109
20620N	109
20621N	109
20622N	109
20623N	109
20624N	109
20625N	109
20626N	109
20627N	109
20628N	109
20629N	109
20630	124
20630N	109
20631	124
20631N	109
20632	124
20632N	109
20633	124
20633N	109
20634	124
20634N	109
20635	124
20635N	109
20636	124
20636N	109
20637	124
20637N	109
20638	124
20638N	109
20642	125
20642N	109
20655	125
20655N	109
20656	125
20656N	109
20657	125
20657N	109
20658	125
20658N	109
20659	125
20659N	109
20660	124
20660N	108
20661	124
20661N	108
20668N	110
20669N	110
20670	125
20670N	110
20672	125
20672N	110
20673	125
20673N	110
20674	125
20674N	110
20675	125
20676	125
20676N	110
20677	125
20677N	110
20678	125
20678N	110
20679	125
20679N	110
20680	125
20680N	110
20682	125
20682N	110
20683	125
20683N	110
20684	125
20684N	110
20685	125
20686	125
20686N	110
20687	125
20687N	110
20688	125
20688N	110
20689	125
20689N	110
20690	125
20690N	110
20691N	110
20692	125
20698	125
20699	125
20700N	109
20701N	109
20702N	109
20703N	109
20704N	109
20705N	109
20706N	109
20707N	109
20708N	109
20709N	109
20710N	109
20711	125
20711N	109
20712	125
20712N	109
20713	125
20713N	109
20714	125
20714N	109
20715N	109
20716N	110
20717	125
20717N	110
20718	125
20718N	110
20719	125
20719N	110
20720	125
20720N	110
20721	125
20721N	110
20722N	110
20723N	108
20724N	108
20724P	376
20725N	108
20725P	376
20726N	108
20727C	123
20727N	108
20728C	123
20728N	108
20729N	108
20730N	108
20731N	110
20732N	110
20733N	110
20734N	110
20734P	376
20735N	110
20736N	110
20736P	376
20737N	110
20738N	108
20739N	108
20740	124
20740N	108
20740P	378
20741N	108
20742N	108
20742P	378
20743N	108
20744N	108
20745N	108
20745P	378
20746	126
20746N	108
20747P	378
20748N	108
20748P	378
20749N	108
20750N	108
20750P	376
20751N	108
20752N	108
20753N	108
20755P	376
20756P	376
20758P	376
20762N	105
20763P	377
20775P	378
20776P	378
20777P	378
20778P	379
20780	498
20780C	123
20781C	123
20782C	123
20785C	123
20786C	123
20787C	123
20788C	123
20789C	123
20790	125
20801	124
20801N	109
20802	126
20803	125
20803N	109
20805	125
20805N	109
20806	124
20807	124
20807N	108
20808	124
20808N	108
20809	125
20809N	110
20810	125
20810N	110
20811	125
20811N	110
20813	126
20813N	108
20814	126
20814N	108
20815	126
20815N	108
20816	126
20817	126
20818	126
20819	126
20820	126
20821	126
20822	126
20823	126
20824	126
20825	126
20826	126
20827	126
20830C	122
20831C	122
20832C	122
20833C	122
20834C	122
20835C	122
20841N	104
20842N	104
20843N	104
20844N	104
20845N	104
20846N	104
20847N	104
20848N	105
20850N	106
20851N	105
20852N	105
20853N	105
20854	125
20855	125
20856	125
20857	125
20859	125
20860	125
20861	124
20862	124
20876P	378
20878P	378
20880P	378
20881P	378
20900P	378
20901P	378
20904P	378
20905P	378
20910P	379
20925P	378
20936P	377
20937P	377
20938P	377
20939P	377
20940P	377
20941P	377
20944P	377
20950P	378
20951P	378
20953P	378
20954P	378
20955P	378
20956P	378
20958P	377
20960P	377
20961P	377
20964P	377
20965P	377
20966P	377
20967P	377
20968P	377
20969P	377
20970P	378
20971P	378
20972P	378
20973P	377
20974P	377
20975P	379
20976P	379
20977P	379
20980P	379
20981P	379
20983P	379
20985P	379
20986P	379
20988P	379
20989P	379
20990P	379
20993P	377
21003	26
21007	26
21021	26
21023	26
21025	26
21043	26
21046	26
21049	26
21082	26
21083	26
21084	26
21095	26
21097	26
21099	26
21109	26
21111	26
21113	26
21115	26
21117	26
21119	26
21133	26
21151	26
21153	26
21155	26
21159	26
21161	26
21174	346
21175	346
21176	346
21177	346
21178	346
21179	346
21180	346
21193	26
21207	26
22008	88
22008A	88
22008LF	187
22009	88
22009A	88
22009LF	187
22010	88
22010A	88
22010B	88
22010LF	187
22011	88
22011A	88
22011LF	187
22012	88
22012LF	187
22013	88
22013LF	187
22014	88
22014LF	187
22015	88
24002	88
24003	88
24004	88
24005	88
24006	88
24007	88
24082	544
24083	544
24084	544
24085	544
24086	544
24088	544
25001	87
25002	87
25003	87
25033	87
25062	87
25064	87
25175	87
25176	87
25177	87
25179	87
25219	87
25220	87
25221	87
25224	87
26001	89
26001LF	187
26002	89
26002LF	187
26003	89
26003LF	187
26004	89
26004LF	187
26005	89
26005LF	187
26007	89
26007LF	187

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
26008LF	187
26011	89
26014	89
26015LF	187
26016LF	187
26021	89
26023	89
26062	89
26063	89
26064	89
26065	89
26066	89
26068	89
26079	89
26102	89
26103	89
26142	89
26145	89
26146	89
26153	89
26175	89
26176	89
26177	89
26178	89
26179	89
26180	89
26180L	89
26181	89
26182	89
26183	89
26184	89
26188	89
26189	89
26190	89
26193	89
26194	89
26195	89
26198	89
26220	89
26220B	89
26221	89
26221B	89
26223	89
26224	89
26224B	89
26225	89
26225B	89
26226	89
26228	89
26229	89
26232	89
26233	89
26233B	89
26234	89
26235	89
26237	89
26238	89
26291	89
26292	89
26293	89
26296	89
27001	88
27002	88
27003	88
27005	88
27006	88
27008	546
27014	547
27015	547
27016	547
27018	547
27024	547
27026	547
27028	547
27034	547
27036	547
27038	547
27044	547
27046	547
27048	547
28001	2
28001LF	166
28002	2
28002LF	166
28003	2
28003LF	166
28004	2
28004LF	166
28005	2
28005LF	166
28009	2
28009LF	166
28010	2
28010LF	166
28011	2
28011LF	166
28012	2
28012LF	166
28013	2
28013LF	166
28014	2
28015	2
28015B	2
28015LF	166
28016	2
28016B	2
28017	2
28018	2
28018LF	166
28019	2
28019LF	166
28020	2
28021B	2
28022	2
28023	2
28024	2
28024LF	167
28025	2
28025LF	167
28026	2
28026LF	167
28027	2
28027LF	167
28028	2
28028LF	167
28029	3
28030	3
28031	3
28032	2
28032LF	167
28033	2
28033LF	167
28034	2
28034LF	167
28035	2
28035LF	167
28036	2
28036LF	167
28038	3
28039	3
28039LF	167
28041	3
28041LF	167
28042	3
28042LF	167
28043	3
28043LF	167
28044	3
28044LF	167
28045	3
28045LF	167
28046	3
28047	3
28048	3
28049	3
28050	3
28051	3
28052	3
28053B	2
28057	3
28058	3
28058L	3
28058LF	167
28059	3
28059	502
28059	502
28059	504
28059EHLF	167
28059L	3
28059LF	167
28060	3
28060L	3
28060LF	167
28061	3
28061L	3
28061LF	167
28062	3
28062L	3
28062LF	167
28063	3
28067	4
28067LF	168
28068	4
28068LF	168
28069	4
28069LF	168
28070	4
28070LF	168
28071	4
28071LF	168
28075	4
28075LF	168
28076	4
28076LF	168
28077	4
28077LF	168
28078	4
28078LF	168
28079	4
28079LF	168
28080	4
28084	6
28084LF	168
28084SLF	168
28085	6
28085LF	168
28085SLF	168
28086	6
28086LF	168
28086SLF	168
28087	6
28087LF	168
28087SLF	168
28088	6
28088LF	168
28088SLF	168
28089	6
28090	6
28091	5
28092	6
28093	6
28093LF	168
28094	6
28094LF	168
28095	6
28095LF	168
28096	6
28096LF	168
28097LF	168
28101	5
28102	5
28102L	5
28102LF	169
28103	5
28103LF	169
28104	5
28104L	5
28104LF	169
28105	5
28105L	5
28105LF	169
28106	5
28106L	5
28106LF	169
28107	5
28107L	5
28107LF	169
28108	5
28108LF	169
28109L	5
28109LF	169
28110L	5
28110LF	169
28111	5
28111L	5
28111LF	169
28112	5
28112LF	169
28113	5
28113LF	169
28114	5
28114LF	169
28115	5
28115LF	169
28116	6
28116LF	169
28117	6
28117LF	169
28118	6
28118LF	169
28119	6
28120	6
28121	6
28121LF	169
28122	6
28123	7
28124	7
28125	7
28126	7
28127	7
28128	6
28129	6
28130	6
28131	7
28131LF	170
28132	7
28132LF	170
28133	7
28133LF	170
28134	7
28134LF	170
28135	7
28135LF	170
28136	7
28140	7
28140LF	170
28141	7
28141LF	170
28142	7
28142LF	170
28143	7
28143LF	170
28144	7
28144LF	170
28145	7
28145LF	170
28146	7
28146LF	170
28147	7
28147LF	170
28148	7
28148LF	170
28149	7
28149LF	170
28150	7
28150LF	170
28151	7
28152	7
28153	7
28154	7
28155	7
28156	4
28156LF	172
28156S	4
28156SLF	171
28157	4
28157LF	172
28157S	4
28157SLF	171
28158	4
28158LF	172
28158SLF	171
28159	4
28159LF	172
28159SLF	171
28160	4
28160LF	172
28160SLF	171
28161	4
28165	5
28165LF	172
28166	5
28166LF	172
28167	5
28167LF	172
28168	5
28168LF	172
28169	5
28169LF	172
28174	6
28175	6
28176	6
28178	4
28179	4
28180	4
28180LF	171
28181	4
28181L	4
28181LF	171
28182	4
28182LF	171
28183	4
28183L	4
28183LF	171
28184	4
28184L	4
28184LF	171
28185	4
28185L	4
28185LF	171
28187	4
28188	4
28189	4
28189LF	171
28190	9
28190L	9
28190LF	171
28191	9
28191L	9
28191LF	171
28192	9
28192L	9
28192LF	171
28193	9
28193L	9
28193LF	171
28194	9
28194L	9
28194LF	171
28195	9
28195L	9
28195LF	171
28196	9
28196L	9
28196LF	171
28197	9
28198	9
28198LF	171
28199	9
28199LF	171
28200	6
28201	6
28201LF	169
28201S	7
28201SLF	169
28202	6
28202LF	169
28202S	7
28202SLF	169
28203	6
28203LF	169
28203S	7
28203SLF	169
28204	6
28204LF	169
28204S	7
28204SLF	169
28205	6
28205LF	169
28205S	7
28207	9
28208	9
28208L	9
28208LF	171
28209	9
28209LF	171
28210	8
28211	8
28211L	8
28211LF	170
28212	8
28212	502
28212	504
28212L	8
28212LF	170
28213	8
28213L	8
28213LF	170
28214	8
28214L	8
28214LF	170
28215	8
28215L	8
28215LF	170
28216L	8
28216LF	170
28218	8
28220	8
28220L	8
28220LF	171
28221	8
28221L	8
28221LF	171
28222	8
28222L	8
28222LF	171
28223	8
28223L	8
28223LF	171
28224	8
28224L	8
28224LF	171

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
28225	8
28225L	8
28225LF	171
28227	8
28230	8
28230LF	172
28231	8
28231LF	172
28232	8
28232LF	172
28233	8
28233LF	172
28234	8
28234LF	172
28238	8
28239	8
28240	8
28245	9
28245LF	172
28246	9
28246LF	172
28247	9
28247LF	172
28248	9
28248LF	172
28249	9
28249LF	172
28253	9
28253LF	172
28254	9
28254LF	172
28255	9
28255LF	172
28256	9
28259	5
28260	5
28261	5
28261B	5
28261LF	172
28262	5
28262LF	172
28263	5
28264	5
28264LF	172
28265	5
28265B	5
28265LF	172
28266	10
28266B	10
28266BLF	173
28266LF	173
28267	10
28267B	10
28267BLF	173
28267LF	173
28268	10
28268B	10
28268LF	173
28268LF	173
28269	10
28269B	10
28269LF	173
28270B	10
28272LF	173
28273LF	173
28274	10
28275	10
28275LF	173
28276	10
28276B	10
28276LF	173
28281	10
28281F	10
28281LF	173
28282	10
28282F	10
28282LF	173
28283	10
28283LF	173
28284	10
28284LF	173
28285	10
28290	11
28290LF	173
28291	11
28291LF	173
28292	11
28292LF	173
28293	11
28294	11
28295	11
28296	11
28298	11
28299	12
28300	12
28300SS	13
28301	12
28301SS	13
28302	12
28303	12
28303SS	13
28304	12
28304SS	13
28306	13
28307	13
28308	13
28309	13
28310	13
28311	12
28312	13
28313	12
28315	12
28316	12
28317	12
28318	12
28319	12
28320	13
28321	12
28322	12
28325	13
28328	11
28329	11
28330	11
28331	11
28332	11
28333	11
28335	11
28336	11
28337	11
28338	11
28339	11
28340	11
28345	13
28346	12
28347	12
28348	12
28350	494
28351	494
28352	494
28353	494
28354	494
28363	495
28364	495
28365	495
28366	495
28367	495
28368	495
28369	495
28370	495
28371	495
28372	495
28373	495
28374	495
28375	495
28376	495
28377	495
28378	495
28379	495
28380	495
28381	495
28382	495
28400	107
28401	107
28402	107
28403	107
28404	107
28405	107
28407	107
28415	17
28417	17
28424	9
28425	9
28426	9
28427	9
28430	5
28440	11
28441	11
28442	11
28443	11
28450	496
28452	496
28456	496
28458	496
28460	496
28464	496
28465	496
28467	496
28468	496
28469	496
28470	496
28475	7
28481	7
28487	7
28493	7
28497	7
28498	7
28499	7
28500	491
28501	491
28501B	491
28502	491
28503	491
28504	491
28507	491
28507S	491
28508	491
28509	491
28510	491
28510B	491
28511	491
28512	491
28512	504
28513	491
28514S	491
28515	491
28516	491
28516S	491
28517	491
28518	492
28519S	491
28520	492
28521	492
28522	492
28523	492
28524	492
28525S	491
28525S	504
28528	492
28530	492
28531	492
28532	492
28533	488
28534	488
28534	502
28534	502
28534	502
28534	503
28534	503
28534	504
28534	504
28534	504
28534B	488
28534B	503
28534SS	489
28535	488
28536	492
28540	487
28540	502
28540	502
28540	502
28540	503
28540S	487
28540S	503
28540S	503
28540S	504
28540S	504
28540S	504
28540S	504
28541	487
28541S	487
28545	488
28546	488
28546	502
28546	502
28546	502
28546	503
28546	503
28546	504
28546	504
28546	504
28546	504
28546B	488
28546B	503
28546SS	489
28547	488
28552	487
28552	503
28552S	487
28553	487
28553S	487
28557	488
28558	488
28559	488
28560	489
28560SS	489
28561	488
28562	487
28562S	487
28564	487
28564S	487
28565	487
28565S	488
28566	487
28566S	488
28578	490
28579	489
28579SS	489
28583	490
28584	490
28586	490
28587	490
28589	489
28592	490
28593	490
28594	490
28595	490
28597	490
28601	490
28601B	368
28601W	368
28602B	368
28602W	368
28603	490
28603B	368
28603W	368
28604B	368
28604W	368
28605	493
28605B	368
28605W	368
28606W	368
28607W	368
28608	493
28608W	368
28609W	368
28611B	369
28611W	369
28612B	369
28612P	369
28612W	369
28613B	369
28613P	369
28613W	369
28614P	369
28614W	369
28615P	369
28615W	369
28616W	369
28617W	369
28618W	369
28619	493
28620	493
28620W	369
28622W	369
28623B	369
28623W	369
28624B	369
28624W	369
28625W	369
28628B	369
28628W	369
28639	493
28640	493
28640W	370
28641W	370
28642W	370
28651	493
28652	493
28659P	369
28659W	369
28660P	369
28660W	369
28661P	369
28661W	369
28663P	369
28663W	369
28663W	369
28664P	369
28664W	369
28665	493
28666	493
28666P	369
28666W	369
28667	493
28667W	369
28668	493
28668P	369
28668W	369
28669	493
28670	493
28671	493
28671P	369
28671W	369
28672	493
28672P	369
28672W	369
28673	493
28674	493
28674W	369
28675	493
28675P	369
28675W	369
28676	493
28677	493
28678P	369
28678W	369
28679	493
28679W	369
28680	493
28680P	369
28680W	369
28681	493
28682W	369
28683	492
28683W	369
28684	492
28685	492
28685W	369
28686	492
28687	492
28688	493
28690	489
28691	489
28693P	370
28694P	370
28695P	370
28696P	370
28697P	370
28698P	370
28701	66
28702	66
28702P	368
28703	66
28703W	368
28704	66
28704P	368
28704W	368
28705	66
28705W	368
28706	66
28706W	368
28707	66
28707W	368
28708	66
28708W	368
28709	66
28710	66
28711	66
28712	66
28713	66
28714	66
28715	66
28716	66
28717	66
28718	66
28719	66
28720W	368
28721W	368
28722F	67
28723P	368
28723W	368
28724F	67
28724W	368
28725W	368
28726W	368
28727W	368
28728F	67
28729F	67
28731F	67
28733F	67
28734F	67
28736F	67

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
28738F	67
28740F	67
28741P	368
28741W	368
28742F	67
28742P	368
28743P	368
28743W	368
28744P	368
28744W	368
28745W	368
28746W	368
28747W	368
28748	66
28748W	368
28749	66
28752	66
28753	66
28754	66
28756	66
28760F	67
28761P	370
28761W	370
28762F	67
28762P	370
28762W	370
28763P	370
28763W	370
28764P	370
28764W	370
28765W	370
28766F	67
28767W	370
28768F	67
28768W	370
28770F	67
28772F	67
28773F	67
28774F	67
28777F	67
28778F	67
28780F	67
28781F	67
28783F	67
28784F	67
28786F	67
28803W	370
28811P	369
28814P	369
28815W	369
28816P	369
28818W	369
28819P	368
28819W	368
28820P	368
28820W	368
28957	66
28958	66
28959	66
28960	66
28961	66
28962	66
28963	66
28964	66
28966	66
28969	66
28970	66
28971	66
28972	66
28973	67
28974	67
28975	67
28988	478
28989	478
28990	478
28991	478
29900	493
29901	493
29902	493
29903	493
29904	493
29905	493
29906	493
29907	493
29908	493
29909	493
29910	493
29911	493
29912	493
29913	493
29914	493
30000	38
30001	38
30001LF	178
30006	38
30006LF	178
30011	38
30011LF	177
30012	38
30012LF	177
30013	38
30013LF	179
30016	38
30016LF	178
30017	38
30018	38
30019	38
30019LF	179
30020	38
30020LF	179
30021	40
30021LF	179
30022	40
30022LF	179
30025	43
30025LF	177
30027	43
30027LF	177
30027SS	43
30028	43
30028LF	177
30028SS	43
30029	43
30029LF	177
30029SS	43
30030	43
30031	43
30031LF	177
30032	43
30032LF	177
30032SS	43
30033	43
30033LF	177
30033SS	43
30034	43
30034LF	177
30034SS	43
30035	43
30039	43
30039LF	177
30040	43
30040LF	177
30040SS	43
30041	43
30041LF	177
30041SS	43
30042	43
30042LF	177
30042SS	43
30043	43
30044	43
30045	43
30046	43
30047	39
30047LF	178
30048	39
30048LF	178
30049	39
30049LF	178
30050	42
30050LF	195
30051	42
30051LF	195
30052	42
30053	40
30053LF	179
30054	40
30055	39
30055LF	195
30056	39
30058	40
30058LF	179
30058S	40
30058SLF	179
30063	40
30063BE	40
30063LF	179
30063S	40
30064	40
30065	40
30066	40
30066LF	178
30067	40
30067LF	178
30068	40
30068LF	178
30073	40
30073LF	178
30074	40
30075	40
30078	39
30078LF	178
30083	39
30083LF	178
30087	39
30088	39
30088LF	178
30088S	39
30093	39
30093L	39
30094	39
30094LF	178
30098	40
30098LF	178
30099	40
30099LF	178
30100	40
30101	40
30103	41
30103LF	179
30103P	374
30123	42
30128	42
30133	42
30135	42
30136	42
30137	42
30138	42
30139	42
30140	47
30140LF	179
30141	47
30142	41
30149	42
30150	41
30150B	41
30150R	41
30151	41
30160	47
30161	46
30162	46
30163	46
30180	41
30180F	41
30181	39
30182	39
30183	39
30184	39
30200	31
30200LF	173
30200SS	36
30201	31
30201LF	173
30201SS	36
30202	31
30203	31
30203LF	173
30203SS	36
30204	31
30204LF	173
30204SS	36
30205	31
30206	31
30206LF	173
30206SS	36
30207	31
30207LF	173
30207SS	36
30208	31
30209	31
30210	31
30210SS	36
30211	31
30212	31
30213	31
30214	31
30215	31
30215SS	36
30216	31
30217	31
30218	31
30219	31
30220	32
30221	32
30222	32
30223	32
30224	32
30225	32
30226	32
30227	32
30229	32
30230	33
30230LF	173
30230SS	36
30231	33
30232	33
30233	33
30234	33
30234SS	36
30235	33
30236	33
30237	33
30238	31
30239	31
30240	33
30241	33
30243	33
30245	33
30246	33
30247	33
30249	33
30250	34
30251	34
30252	34
30253	34
30254	34
30255	34
30257	34
30258	34
30259	34
30260	34
30261	34
30264	34
30265	34
30266	34
30266SS	36
30267	34
30268	34
30269	34
30269SS	36
30270	34
30271	33
30275	34
30276	34
30277	34
30279	34
30280	34
30282	34
30283	34
30284	34
30286	34
30290	33
30291	33
30292	33
30293	33
30294	33
30295	22
30297	33
30298	33
30299	33
30300	32
30301	32
30302	32
30303	32
30304	32
30305	32
30306	32
30310	35
30311	35
30312	35
30313	35
30314	35
30315	35
30316	35
30340	35
30341	35
30342	35
30343	35
30344	35
30345	35
30346	35
30349	35
30358	31
30359	31
30360	31
30361	31
30362	31
30363	31
30366	31
30370	32
30371	32
30372	32
30373	32
30374	32
30375	32
30376	32
30377	32
30378	32
30379	32
30381	32
30382	32
30383	32
30384	32
30385	31
30386	31
30387	31
30388	31
30389	31
30390	31
30391	32
30392	31
30393	32
30394	32
30395	32
30396	32
30397	32
30398	32
30399	32
30400	32
30401	25
30402	32
30403	32
30406	25
30410	25
030410	542
30411	25
030412	542
30413	25
030416	542
30420	25
30421	25
30422	31
30423	31
30424	31
30426	33
30427	33
30428	33
30429	34
30430	35
30450	42
30451	42
30452	42
30453	44
30454	44
30455	44
30457	44
30458	44
30459	44
30464	44
30466	44
30467	44
30468	44
30469	44
30471	44
30472	44
30480	35
30482	35
30483	35
30484	35
30486	35
30505	44
30506	44
30507	44
30508	44
30510	44
30511	44
30512	44
30513	44
30516	44
30517	44
30518	44
30526	46
30527	46
30530	46
30540	45
30541	45
30542	45
30543	45
30550	45
30551	45
30552	45
30553	45

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
30560	45
30561	45
30562	45
30563	45
30565	45
30566	45
30567	45
30568	45
30570	45
30571	45
30572	45
30573	45
30600	48
30609	48
030610	546
030612	546
030614	546
030616	546
30620	48
030620	546
30626	47
30627	47
30629	47
30630	48
30631	46
30637	48
30638	48
30640	48
31022	374
31030	374
31031	374
31032	374
31033	374
31034	374
31038	374
31039	374
31040	374
31041	374
31042	374
31055	374
31058	374
31063	374
31064	374
31066LF	196
31067	374
31068	374
31068LF	196
31069	374
31079LF	196
31081LF	196
31082LF	196
31083LF	196
31093	374
31095	374
31096	374
31105LF	196
31106LF	196
31126LF	196
31127LF	196
31137LF	196
31154LF	196
31155LF	196
31158LF	196
31159LF	196
31171LF	197
31188LF	197
31189LF	197
31190LF	197
31194LF	197
31195LF	197
31198LF	197
31233LF	197
31234LF	197
31235LF	197
31237LF	197
31238LF	197
31260LF	197
031810	542
031812	542
031814	542
031816	542
031820	542
031824	542
031910	542
031912	542
031914	542
031916	542
031920	542
031924	542
031932	542
32001	15
32001LF	174
32001SS	27
32002	15
32002LF	174
32002SS	27
32003	15
32003LF	174
32003SS	27
32004	15
32004LF	174
32004SS	27
32005	15
32005LF	174
32005SS	27
32006	15
32006LF	174
32006SS	27
32007	15
32007LF	174
32008	15
32008LF	174
32008SS	27
32009	15
32009LF	174
32009SS	27
32010	15
32010LF	174
32010SS	27
32011	15
32011LF	174
32011SS	27
32012	15
32012LF	174
32012SS	27
32013	15
32013LF	174
32013SS	27
32014	15
32014LF	174
32014SS	27
32015	15
32015LF	174
32015SS	27
32016	15
32016LF	174
32016SS	27
32017	15
32017LF	174
32017SS	27
32018	15
32018LF	174
32018SS	27
32019	15
32019LF	174
32019SS	27
32020	15
32020LF	174
32020SS	27
32021	15
32021LF	174
32021SS	27
32022	15
32022LF	174
32022SS	27
32023	15
32023LF	174
32023SS	27
32024	15
32024LF	174
32024SS	27
32025	15
32025LF	174
32026	15
32026LF	174
32027	15
32027LF	174
32028	15
32029	15
32030	21
32031	21
32032	21
32033	21
32034	21
32036	18
32036B	19
32036LF	176
32038	18
32038B	19
32038LF	176
32038SS	27
32039	18
32039B	19
32039LF	176
32039SS	27
32040	18
32040B	19
32040LF	176
32041	18
32041B	19
32041LF	176
32041SS	27
32042	18
32042B	19
32042LF	176
32042SS	27
32043	18
32043B	19
32043LF	176
32043SS	27
32044	18
32045	18
32046	18
32046B	19
32046LF	176
32047	18
32047B	19
32047LF	176
32048	18
32048B	19
32048LF	176
32049	17
32050	17
32050LF	175
32051	17
32051LF	175
32052	17
32052LF	175
32053	17
32053LF	175
32054	17
32054LF	175
32055	17
32055LF	175
32056	17
32056LF	175
32057	17
32057LF	175
32058	17
32058LF	175
32059	17
32059LF	175
32060	17
32060LF	175
32061	17
32061LF	175
32062	17
32062LF	175
32063	17
32063LF	175
32064	17
32064LF	175
32065	17
32065LF	175
32066	21
32067	21
32068	21
32069	21
32070	21
32071	21
32072	21
32073	21
32074	21
32075	21
32076	21
32077	21
32078	21
32079	16
32080	16
32081	21
32082	21
32083	21
32084	21
32085	21
32086	21
32087	16
32088	16
32089	16
32090	16
32091	16
32091LF	176
32091SS	27
32092	16
32092LF	176
32093	16
32093LF	176
32093SS	27
32094	16
32094LF	176
32094SS	27
32095	16
32095LF	176
32095SS	27
32096	42
32096	16
32096LF	176
32096SS	27
32097	16
32097	42
32097LF	176
32098	42
32098	16
32098LF	176
32098SS	27
32099	16
32099	42
32100	22
32100LF	176
32101	22
32102	22
32103	22
32104	22
32105	22
32105C	22
32105LF	176
32106	22
32107	22
32107C	22
32109	20
32110	20
32111	20
32112	20
32113	20
32114	20
32115	20
32116	20
32117	18
32118	18
32119	18
32120	18
32121	18
32122	18
32123	18
32124	18
32125	18
32126	19
32126LF	176
32128	19
32129	18
32130	18
32131	18
32132	18
32133	18
32150	26
32151	26
32153	26
32159	26
32170	26
32176	24
32177	24
32178	24
32179	24
32180	24
32181	24
32182	24
32183	24
32184	24
32185	24
32186	24
32187	24
32188	24
32189	24
32190	24
32191	24
32192	24
32194	24
32195	24
32200	16
32201	16
32202	16
32300	15
32301	15
32302	15
32303	15
32304	15
32305	15
32306	15
32306LF	174
32307	15
32308	18
32309	18
32309B	19
32309LF	176
32310	18
32310B	19
32311	18
32311B	19
32311LF	176
32311SS	27
32312	18
32313	18
32313LF	176
32314	18
32314B	19
32314SS	27
32315	18
32316	15
32317	17
32317LF	175
32318	17
32318LF	175
32319	18
32320	17
32321	17
32322	21
32326	22
32327	22
32328	22
32329	16
32330	18
32331	16
32332	16
32334	22
32335	22
32336	22
32336C	22
32337	22
32337C	22
32338	22
32338C	22
32338SS	22
32339	22
32340	22
32341	22
32341C	22
32342	22
32345	20
32346	20
32349	16
32350	19
32351	16
32352	19
32353	19
32354	18
32355	16
32356	16
32357	16
32359	21
32360	16
32361	19
32362	21
32363	19
32364	21
32365	19
32365LF	176
32366	19
32366LF	176
32367	19
32368	19
32375	16
32376	16
32377	24
32379	16
32380	16
32381	24
32382	24
32383	24
32384	24
32385	24
32386	16
32387	24
32388	24
32389	21
32391	18
32392	21
32394	22
32397	22
32400	19
32401	20
32402	20
32403	20
32404	20

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
32405	20
32406	20
32407	20
32409	20
32410	20
32411	20
32412	19
32413	19
32414	19
32415	19
32416	19
32417	19
32418	19
32419	19
32420	19
32425	19
32429	19
32433	19
32434	19
32435	19
32436	19
32437	25
32438	25
32439	25
32440	25
32441	17
32441LF	175
32442	17
32443	17
32444	17
32445	17
32446	17
32447	17
32448	17
32449	17
32450	16
32451	16
32452	16
32453	16
32454	16
32455	16
32456	16
32457	16
32458	16
32460	21
32461	21
32462	21
32463	21
32470	17
32472	17
32473	17
32475	17
32476	17
32500	472
32501	472
32502	472
32503	472
32504	472
32506	472
32507	472
32508	472
32510	472
32517	472
32521	472
32526	472
32533	472
32535	472
32539	472
32543	472
32545	472
32549	472
32550	472
32551	472
32552	472
32552SS	472
32553	472
32554	472
32555	472
32556	472
32557	472
32557SS	472
32558	472
32559	472
32559SS	472
32561	472
32561SS	472
32563	472
32564	472
32564SS	472
32565	472
32566	472
32566SS	472
32567	472
32568	472
32568SS	472
32570	472
32570SS	472
32571	472
32572	472
32573	472
32574	472
32575	472
32575SS	472
32576	472
32577	472
32577SS	472
32578	472
32579	472
32580	472
32584	472
32586	472
32588	472
32588SS	472
32590	472
32591	472
32592	472
32596	472
32597	472
32608	20
32609	20
32610	20
32725	23
32726	23
32727	23
32728	23
32741	23
32742	23
32744	23
32746	23
32747	23
32749	23
32750	23
32751	23
32752	23
32753	23
32754	23
32755	23
32756	23
32758	23
32759	23
32760	23
32761	23
32770	23
32771	23
32772	23
32773	23
32774	23
32775	23
32781	17
32782	498
32783	498
32900	33
32901	33
32902	33
32903	33
32905	33
32906	33
32907	33
32912	15
32915	15
32950	15
32951	15
32952	15
32953	15
32954	15
32954LF	174
32956	15
32957	15
32958	15
32960	16
32961	16
32962	21
33000P	370
33000W	371
33002B	370
33002W	371
33003B	370
33003W	371
33004B	370
33004W	371
33005B	370
33005W	371
33006B	370
33006W	371
33007B	370
33007W	371
33008B	370
33008W	371
33009B	370
33009W	371
33010W	371
33011W	371
33012B	370
33012P	370
33012W	371
33013B	370
33013P	370
33013W	371
33014B	370
33014P	370
33014W	371
33015B	370
33015P	370
33015W	371
33016B	370
33016P	370
33016W	371
33017B	370
33017P	370
33017W	371
33018B	370
33018P	370
33018W	371
33019W	371
33020B	370
33020P	370
33020W	371
33021B	370
33021W	371
33022B	370
33022P	370
33022W	371
33023B	370
33023P	370
33023W	371
33024B	370
33024P	370
33024W	371
33025P	370
33025W	371
33026B	370
33026W	371
33027W	371
33028W	371
33029W	371
33030W	371
33032W	371
33033W	371
33035W	371
33038B	371
33038W	371
33039B	371
33039W	371
33040W	371
33041B	371
33041W	371
33042B	371
33042W	371
33043B	371
33043W	371
33044B	371
33044W	371
33045B	371
33045W	371
33046B	371
33046W	371
33047B	371
33047W	371
33048P	371
33048W	371
33050W	371
33052W	372
33053B	372
33053W	372
33058W	372
33059W	372
33060W	372
33061W	372
33062P	372
33063W	372
33064W	372
33066W	372
33067W	372
33068W	372
33079W	372
33089W	372
33091B	372
33091W	372
33092B	372
33092W	372
33093B	372
33093W	372
33094W	372
33095B	372
33095P	372
33095W	372
33096B	372
33096P	372
33096W	372
33097B	372
33097W	372
33098P	372
33098W	372
33099W	372
33300P	373
33301P	373
33301W	373
33303W	371
33306W	371
33308B	371
33309B	371
33309W	371
33310W	371
33311B	371
33311P	371
33311W	371
33312B	371
33312W	371
33313B	371
33313P	371
33313W	371
33314B	371
33314P	371
33314W	371
33315W	371
33316P	371
33316W	371
33318W	371
33320W	371
33321W	371
33322W	371
33329W	371
33334P	371
33342W	372
33343P	372
33343W	372
33344P	372
33344W	372
33345W	372
33347W	372
33348W	372
33351W	371
33380W	371
33381W	371
33384W	371
33385B	371
33385P	371
33385W	371
33386W	371
33390B	372
33390W	372
33391B	372
33391W	372
33394B	372
33394W	372
33395B	372
33395W	372
33396W	372
33397W	372
33398W	372
33399W	372
33402W	372
33406B	372
33406W	372
33407B	372
33407W	372
33408B	372
33408W	372
33409W	372
33410W	372
33415B	373
33415W	373
33417W	373
33418B	373
33420B	373
33420W	373
33422B	373
33422W	373
33426B	373
33426W	373
33429B	373
33429W	373
33430B	373
33430W	373
33431W	373
33432W	373
33433B	373
33433W	373
33434B	373
33435B	373
33435W	373
33436B	373
33436W	373
33437B	373
33437W	373
33438W	373
33439W	373
33440P	373
33440W	373
33442W	372
33448W	373
33450W	373
33451W	373
33454W	373
33455W	373
33456W	373
33460W	371
33461P	371
33461W	371
33462W	371
33463W	371
33470W	372
33471P	372
33471W	372
33480W	372
33481W	372
34001	63
34011	63
34016	63
34022	63
34031	63
34041	63
34046	63
34051	63
34060	64
34061	64
34062	64
34063	64
34064	64
34065	64
34072	64
34073	64
34074	64
34079	65
34080	64
34082	64
34084	64
34088	64
34111	65
34112	65
34113	65
34114	65
34120	65
34121	65
34122	65
34123	65
34130	63
34131	63
34141	63
34143	65
34160	65
34170	65
34172	65
34174	65
34176	65
34501	28
34502	28
34504	28
34510	28
34525	29
34526	29
34529	29
34531	29
34532	28
34533	28
34533T	28
34534	28
34535	28
34535T	28
34536	28
34537	28
34538	28

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
34539	28
34540T	28
34541T	28
34543	28
34550	29
34551	29
34551T	29
34552	29
34552T	29
34553T	29
34561	29
34562	29
34562T	29
34563	29
34563T	29
34564T	29
34565	29
34565T	29
34567	29
34567T	29
34568	29
34568T	29
34572	28
34572T	28
34579	28
34580	28
34581	28
34583	28
34584	28
34585	28
34586	28
34587	28
34588	28
34589	28
34590	28
34591	28
34592	28
34595	28
34600	29
34601	29
34610	29
34611	29
34612	29
34613	29
34621T	29
34622T	29
34625	28
34633	29
34633T	29
34635T	29
34638T	29
34650T	29
34652T	29
34658	29
34661	29
34710	28
34711	28
34712	28
34713	28
34714	28
34715	28
34716	28
34716	28
34717	28
34718	28
34720	28
34721	28
34722	28
34723	28
34725	28
34726	28
34727	28
34728	28
35130	62
35131	62
35132	62
35133	62
35134	62
35136	62
35186	62
35210	216
35211	216
35212	216
35231	217
35232	217
35233	217
35235	217
35236	217
35237	217
35238	217
35240	216
35241	216
35242	217
35243	216
35244	216
35246	217
35247	217
35248	217
35249	217
35250	217
35251	217
35252	217
35253	217
35254	217
35257	217
35258	217
35259	217
35260	217
35261	217
35263	216
35268	216
35270	216
35271	216
35272	216
35273	216
35276	216
35277	216
35278	216
35279	216
35280	216
35281	216
35284	217
35285	217
35286	217
35287	217
35290	216
35291	216
35292	216
35403LF	218
35403SS	218
35404LF	218
35404SS	218
35405LF	218
35405SS	218
35406LF	218
35406SS	218
35407LF	218
35407SS	218
35408LF	218
35408SS	218
35413LF	218
35413SS	218
35414LF	218
35414SS	218
35415LF	218
35415SS	218
35416LF	218
35416SS	218
35417LF	218
35417SS	218
35418LF	218
35418SS	218
35420LF	218
35420SS	218
36110	149
36110SS	149
36111	149
36112	149
36113	149
36114	149
36116	149
36116SS	149
36118	149
36120	149
36120SS	149
36121	149
36130	149
36130SS	149
36132	150
36140	150
36140SS	150
36141	150
36142	150
36144	150
36146	150
36146SS	150
36148	150
36150	150
36150SS	150
36152	150
36160	151
36164	151
36164SS	151
36166	151
36166SS	151
36168	151
36170	151
36172	151
36174	151
36176	151
36178	151
36180	152
36182	152
36184	152
36186	152
36188	152
36200	152
36205	152
36210	152
36212	152
36214	152
36216	152
36220	152
36264	216
36265	216
36269	216
36300	153
36301	153
36304	153
36305	153
36306	153
36307	153
36308	153
36309	153
36310	153
36311	153
36340	153
36350	153
36360	153
36362	153
36370	153
36371	153
36372	153
36374	153
36375	153
36376	153
36377	153
38000	140
38001	140
38002	140
38003	140
38004	140
38005	140
38009	140
38010	140
38011	140
38012	140
38013	140
38014	140
38015	147
38016	147
38018	140
38019	140
38020	140
38021	140
38022	140
38023	140
38028	140
38029	140
38030	140
38035	140
38036	140
38037	140
38038	140
38039	140
38040	140
38041	140
38042	140
38043	140
38044	141
38045	141
38046	141
38047	141
38048	140
38049	141
38052	141
38053	141
38054	141
38055	141
38057	141
38059	141
38060	141
38061	141
38062	141
38063	141
38064	141
38065	141
38066	141
38067	141
38068	141
38072	142
38073	142
38074	142
38075	142
38076	142
38077	142
38078	142
38078S	142
38079	142
38080	142
38081	142
38081S	142
38082	142
38083	142
38084	142
38085	142
38086	142
38087	142
38088	142
38090	142
38091	142
38092	142
38093	142
38094	142
38095	142
38101	142
38102	142
38103	142
38104	142
38105	142
38106	142
38107	142
38108	142
38109	142
38110	142
38111	142
38113	142
38114	142
38115	142
38116	142
38117	142
38118	142
38119	142
38124	143
38125	143
38126	143
38127	143
38128	143
38129	143
38132	143
38133	143
38134	143
38136	143
38137	143
38138	143
38139	143
38140	143
38141	143
38142	143
38143	143
38144	143
38146	143
38148	143
38149	143
38150	143
38151	143
38152	143
38152S	143
38153	143
38154	143
38154S	143
38155	143
38156	143
38157	143
38158	143
38161	144
38162	144
38163	144
38164	144
38165	144
38170	144
38171	144
38172	144
38173	144
38174	144
38179	144
38180	144
38181	144
38182	144
38183	144
38188	144
38189	144
38190	144
38191	144
38196	144
38204	145
38205	145
38206	145
38207	145
38208	145
38209	145
38210	145
38211	145
38212	145
38213	145
38217	145
38218	145
38221	145
38222	145
38223	145
38224	145
38225	145
38226	145
38227	145
38228	145
38229	145
38235	145
38236	145
38237	145
38239	145
38240	145
38241	145
38243	145
38244	145
38246	145
38278	145
38279	145
38300	146
38301	146
38306	146
38307	146
38312	146
38313	146
38318	147
38319	147
38324	148
38325	148
38326	148
38327	148
38328	148
38333	148
38334	148
38335	148
38336	148
38337	148
38342	148
38343	148
38344	148
38345	148
38346	148
38351	147
38352	147
38357	147
38358	147
38363	147
38364	147
38368	148
38369	148
38370	148
38371	148
38372	148
38711	87
38715	87
38718	87
38732	87
38761	87
38769	87
38770	87
38800	24
38802	24
38806	24
38808	24
38810	24
38828	24
38830	24
38832	24
38834	24
38836	24
38860	24
38862	24
38864	24
38866	24

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
38868	24
38873	25
38874	25
38910	530
38915	530
38920	530
38923	530
38926	530
38927	530
38950	529
38950B2	529
38951	529
38951B1	529
38951BA	529
38952	529
38952BA	529
38952G	529
38952G1	529
38952GA	529
38952O	529
38952OA	529
38952R	529
38952R1	529
38952RA	529
38952U	529
38952U1	529
38952UA	529
38952Y	529
38952Y1	529
38952YA	529
38953	529
38953B1	529
38953BA	529
38954	529
38954B5	529
38954BA	529
38960	529
38960B5	529
38960BA	529
38960G	529
38960G5	529
38960GA	529
38960O	529
38960O5	529
38960OA	529
38960R	529
38960R5	529
38960RA	529
38960U	529
38960U5	529
38960UA	529
38960Y	529
38960Y5	529
38960YA	529
38965	529
38965B5	529
38965BA	529
38965G	529
38965G5	529
38965GA	529
38965O	529
38965O5	529
38965OA	529
38965R	529
38965R5	529
38965RA	529
38965U	529
38965U5	529
38965UA	529
38965Y	529
38965Y5	529
38965YA	529
38970	529
38970BA	529
38970BC	529
38970G	529
38970GA	529
38970GC	529
38970R	529
38970RA	529
38970RC	529
38975	529
38975BA	529
38975BC	529
38975G	529
38975GA	529
38975GC	529
39318	147
39319	147
39357	147
39358	147
39409	510
39410	510
39411	510
39411	511
39412	510
39413	510
39414	510
39415	510
39416	510
39418	510
39419	510
39425	510
39426	510
39436	512
39437	512
39438	512
39442	512
39443	512
39444	512
39446	512
39447	512
39448	512
39451	512
39452	512
39453	512
39454	512
39457	512
39459	512
39460	512
39461	512
39462	512
39463	511
39464	511
39466	512
39467	512
39468	512
39469	511
39470	512
39471	511
39472	511
39473	511
39474	512
39475	512
39477	511
39506	513
39507	513
39508	513
39509	514
39510	514
39511	513
39512	513
39515	514
39520	514
39521	514
39522	514
39524	514
39530	514
39531	514
39535	515
39537	515
39541	515
39542	515
39543	515
39544	515
39550	515
39551	515
39552	515
39556	515
39557	515
39558	515
39560	515
39563	516
39564	516
39566	515
39570	516
39572	516
39573	516
39574	516
39575	516
39592	519
39595	155
39595	519
39596	155
39596	519
39597	155
39597	519
39600	155
39600	519
39604	519
39605	519
39606	519
39610	519
39611	519
39613	519
39614	519
39615	519
39616	520
39655	518
39656	518
39657	518
39658	518
39659	518
39660	518
39661	518
39662	518
39663	518
39665	518
39667	518
39669	518
39672	517
39673	517
39674	517
39675	517
39676	517
39677	517
39684	520
39687	520
39688	520
39689	520
39690	520
39712	526
39713	526
39736	521
39737	521
39738	521
39739	521
39740	521
39741	521
39742	522
39743	522
39744	522
39745	522
39748	522
39749	522
39752	522
39753	522
39754	522
39757	523
39758	523
39764	524
39765	524
39766	524
39768	524
39769	524
39772	523
39773	523
39774	523
39775	523
39778	524
39779	524
39782	524
39783	524
39786	523
39787	523
39788	523
39789	523
39792	525
39793	525
39794	525
39795	525
39800	525
39801	525
39802	525
39803	525
39805	525
39807	524
39809	524
39814	525
39818	523
39819	523
39820	523
39828	513
39829	513
39830	513
39832	513
39833	513
39834	513
39855	510
39856	510
39857	510
39860	516
39870	513
39871	513
39874	513
39875	513
39877	513
39878	513
40001	276
40002	276
40003	276
40004	276
40005	276
40006	276
40007	276
40008	276
40009	276
40010	276
40011	276
40012	276
40013	276
40014	276
40015	276
40016	276
40017	276
40018	276
40019	276
40020	276
40021	276
40022	276
40023	276
40024	276
40025	276
40026	276
40027	276
40028	276
40029	276
40030	276
40031	276
40032	276
40033	276
40034	276
40035	276
40036	276
40040	277
40041	277
40042	277
40043	277
40044	277
40045	277
40046	277
40047	277
40048	277
40049	277
40050	277
40051	277
40052	277
40053	277
40054	277
40055	277
40056	277
40060	277
40061	277
40062	277
40063	277
40064	277
40065	277
40066	277
40067	277
40068	277
40069	277
40070	277
40071	277
40072	277
40073	277
40074	277
40075	277
40076	277
40079	277
40080	278
40081	278
40082	278
40083	278
40084	278
40085	278
40086	278
40087	278
40088	278
40089	278
40090	278
40091	278
40092	278
40093	278
40094	278
40095	278
40096	278
40097	278
40098	278
40100	278
40101	278
40102	278
40103	278
40104	278
40105	278
40106	278
40107	278
40108	278
40109	278
40110	278
40111	278
40112	278
40113	278
40114	278
40115	278
40118	278
40119	278
40120	279
40121	279
40122	279
40123	279
40124	279
40125	279
40126	279
40127	279
40128	279
40129	279
40130	279
40131	279
40132	279
40133	279
40134	279
40135	279
40136	279
40140	279
40141	279
40142	279
40143	279
40144	279
40145	279
40146	279
40147	279
40148	279
40149	279
40150	279
40151	279
40152	279
40153	279
40154	279
40155	279
40156	279
40160	280
40161	280
40162	280
40163	280
40164	280
40165	280
40166	280
40167	280
40168	280
40169	280
40170	280
40171	280
40172	280
40173	280
40174	280
40175	280
40176	280
40178	280
40179	280
40180	280
40181	280
40182	280
40183	280
40184	280
40185	280
40186	280
40187	280
40193	280
40200	281
40201	281
40202	281
40203	281
40204	281
40205	281
40206	281
40207	281
40209	281
40213	281
40220	281
40221	281
40222	281
40223	281

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
40224	281
40225	281
40226	281
40234	281
40245	277
40254	281
40256	281
40259	281
40260	281
40261	281
41040	282
41041	282
41042	282
41043	282
41044	282
41045	282
41046	282
41047	282
41048	282
41049	282
41050	282
41054	282
41056	282
41060	282
41061	282
41062	282
41063	282
41064	282
41065	282
41066	282
41067	282
41068	282
41069	282
41070	282
41074	282
41075	282
41076	282
41077	282
41079	282
41080	283
41081	283
41082	283
41083	283
41084	283
41085	283
41086	283
41087	283
41088	283
41089	283
41090	283
41100	283
41101	283
41102	283
41103	283
41104	283
41105	283
41106	283
41107	283
41108	283
41109	283
41244	282
41245	282
43200L	226
43200T	226
43204L	226
43206L	226
43265LF	197
43266LF	197
44100	285
44100LF	285
44101	285
44101LF	285
44102	285
44102LF	285
44103	285
44103LF	285
44104	285
44104LF	285
44105	285
44105LF	285
44106	285
44106LF	285
44107	285
44107LF	285
44108	285
44108LF	285
44109	285
44109LF	285
44110	285
44110LF	285
44112	285
44112LF	285
44120	285
44120LF	285
44121LF	285
44122	285
44122LF	285
44123	285
44123LF	285
44124	285
44124LF	285
44125	285
44125LF	285
44126LF	285
44127	285
44127LF	285
44128LF	285
44129LF	285
44130LF	285
44131	285
44131LF	285
44132LF	285
44133LF	285
44134	285
44134LF	285
44135LF	285
44136LF	285
44137	285
44137LF	285
44138LF	285
44140	285
44140LF	285
44141LF	285
44142LF	285
44146LF	285
44150LF	285
44160	286
44160LF	286
44161	286
44161LF	286
44162	286
44162LF	286
44163	286
44163LF	286
44164	286
44164LF	286
44165	286
44165LF	286
44166	286
44166LF	286
44167	286
44167LF	286
44168	286
44168LF	286
44169	286
44169LF	286
44170	286
44170LF	286
44180	286
44180LF	286
44181	286
44181LF	286
44182	286
44182LF	286
44183	286
44183LF	286
44184	286
44184LF	286
44185	286
44185LF	286
44186	286
44186LF	286
44187	286
44187LF	286
44188	286
44188LF	286
44189	286
44189LF	286
44190	286
44190LF	286
44191LF	286
44200	287
44201	287
44201LF	287
44202	287
44202LF	287
44203	287
44203LF	287
44204	287
44204LF	287
44205	287
44205LF	287
44206	287
44206LF	287
44207	287
44207LF	287
44208	287
44208LF	287
44250	288
44250LF	288
44251	288
44251LF	288
44252	288
44252LF	288
44253	288
44253LF	288
44254	288
44254LF	288
44255	288
44255LF	288
44256	288
44256LF	288
44257	288
44257LF	288
44258	288
44258LF	288
44259	288
44259LF	288
44260	288
44260LF	288
44261LF	288
44268LF	289
44270LF	289
44273LF	289
44276	289
44276LF	289
44279LF	289
44280	289
44280LF	289
44282	289
44282LF	289
44283	289
44283LF	289
44286	289
44286LF	289
44287	289
44287LF	289
44288LF	289
44290LF	289
44291	289
44291LF	289
44292LF	289
44293LF	289
44296	289
44296LF	289
44298	289
44298LF	289
44301	289
44301LF	289
44303	289
44303LF	289
44306	289
44306LF	289
44314LF	289
44315LF	289
44316LF	289
44318LF	289
44322LF	289
44327LF	289
44328LF	289
44330LF	289
44334LF	289
44336LF	289
44344LF	289
44351LF	289
44391	287
44391LF	287
44392	287
44392LF	287
44393	287
44393LF	287
44394	287
44394LF	287
44395	287
44395LF	287
44396	287
44396LF	287
44397	287
44397LF	287
44398	287
44398LF	287
44410	290
44410LF	290
44411	290
44411LF	290
44412	290
44412LF	290
44413	290
44413LF	290
44414	290
44414LF	290
44415	290
44415LF	290
44416	290
44416LF	290
44417	290
44417LF	290
44418	290
44418LF	290
44419	290
44419LF	290
44420	290
44420LF	290
44421LF	290
44430	291
44430LF	291
44431	291
44431LF	291
44432	291
44432LF	291
44433	291
44433LF	291
44434	291
44434LF	291
44435	291
44435LF	291
44436	291
44436LF	291
44437	291
44437LF	291
44438	291
44438LF	291
44440	291
44440LF	291
44441	291
44441LF	291
44442	291
44442LF	291
44444	291
44444LF	291
44445	291
44445LF	291
44446	291
44446LF	291
44447	291
44447LF	291
44448	291
44448LF	291
44449	291
44449LF	291
44450	291
44450LF	291
44451	291
44451LF	291
44452	291
44452LF	291
44453	291
44453LF	291
44454	291
44454LF	291
44456	291
44456LF	291
44458	291
44458LF	291
44461	291
44461LF	291
44462	291
44462LF	291
44463	291
44463LF	291
44470	292
44470LF	292
44471	292
44471LF	292
44472	292
44472LF	292
44473	292
44473LF	292
44474	292
44474LF	292
44475	292
44475LF	292
44476	292
44476LF	292
44477	292
44477LF	292
44478	292
44478LF	292
44479	292
44479LF	292
44480	292
44480LF	292
44481LF	292
44500	293
44500LF	293
44501	293
44501LF	293
44502	293
44502LF	293
44503	293
44503LF	293
44504	293
44504LF	293
44505	293
44505LF	293
44506	293
44506LF	293
44507	293
44507LF	293
44508	293
44508LF	293
44509	293
44509LF	293
44510	293
44510LF	293
44511	293
44511LF	293
44512	293
44512LF	293
44513	293
44513LF	293
44514	293
44514LF	293
44515	293
44515LF	293
44516	293
44516LF	293
44517	293
44517LF	293
44518	293
44518LF	293
44519	293
44519LF	293
44520	293
44520LF	293
44521	293
44521LF	293
44522	293
44522LF	293
44523	293
44523LF	293
44524	293
44524LF	293
44527	293
44527LF	293
44528	293
44528LF	293
44529	293
44529LF	293
44530	293
44530LF	293
44531	293
44531LF	293
44532	293
44532LF	293
44533LF	293
44534	293
44534LF	293
44535	293
44535LF	293
44537	293
44537LF	293
44538	293
44538LF	293
44539	293
44539LF	293
44541	293
44541LF	293
44542LF	293
44543	293
44543LF	293
44557	293
44600	292
44600LF	292
44601	292
44601LF	292
44602	292
44602LF	292
44603	292
44603LF	292
44604	292
44604LF	292

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
44605	292
44605LF	292
44606	292
44606LF	292
44607	292
44607LF	292
44608	292
44608LF	292
44609	292
44609LF	292
44610	292
44610LF	292
44611LF	292
44630LF	294
44631LF	294
44632LF	294
44633	294
44633LF	294
44634	294
44634LF	294
44635	294
44635LF	294
44636	294
44636LF	294
44637	294
44637LF	294
44638	294
44638LF	294
44639	294
44639LF	294
44640	294
44640LF	294
44641	294
44641LF	294
44650	294
44650LF	294
44651	294
44651LF	294
44652	294
44652LF	294
44653	294
44653LF	294
44654	294
44654LF	294
44655	294
44655LF	294
44656	294
44656LF	294
44657	294
44657LF	294
44658	294
44658LF	294
44659	294
44659LF	294
44660	294
44660LF	294
44662	294
44662LF	294
44670	295
44670LF	295
44671	295
44671LF	295
44672	295
44672LF	295
44673	295
44673LF	295
44674	295
44674LF	295
44675	295
44675LF	295
44676	295
44676LF	295
44677	295
44677LF	295
44678	295
44678LF	295
44679LF	295
44680LF	295
44700	294
44700LF	294
44701	294
44701LF	294
44702	294
44702LF	294
44703	294
44703LF	294
44704	294
44704LF	294
44705	294
44705LF	294
44706	294
44706LF	294
44707	294
44707LF	294
44708	294
44708LF	294
44720	295
44721	295
44722	295
44723	295
44724	295
44725	295
44726	295
44727	295
44728	295
44729	295
44730M	295
44740	295
44742	295
44753	295
44780LF	296
44781LF	296
44782LF	296
44783LF	296
44784LF	296
44785LF	296
44790LF	296
44791LF	296
44792LF	296
44793LF	296
44794LF	296
44795LF	296
44796LF	296
44797LF	296
44798LF	296
44799LF	296
44800LF	296
44827LF	296
44828LF	296
44829LF	296
44830LF	296
44831LF	296
44840LF	299
44840LF	364
44841LF	299
44841LF	364
44842LF	299
44842LF	364
44843LF	299
44843LF	364
44844LF	299
44844LF	364
44845LF	299
45100	297
45101	297
45102	297
45102LF	297
45103	297
45103LF	297
45104	297
45104LF	297
45105	297
45105LF	297
45124	297
45127	297
45160	297
45161	297
45162	297
45163	297
45163LF	297
45164	297
45165	297
45180	298
45181	298
45182	298
45183	298
45184	298
45185	298
45200	297
45201	297
45202	297
45203	297
45204	297
45250	298
45251	298
45252	298
45252LF	297
45253	298
45253LF	297
45254	298
45255	298
45393	297
45394	297
45410	298
45411	298
45412	298
45412LF	297
45413	298
45413LF	297
45414	298
45415	298
45432	298
45435	298
45438	298
45439	298
45470	298
45471	298
45472	298
45473	298
45474	298
45475	298
45502	298
45504	298
45505	298
45509	298
45513	298
45600	298
45601	298
45602	298
45603	298
45604	298
45605	298
45606	298
45652	298
45653	298
45654	298
45655	298
45657	298
46002	158
46002LF	198
46003	158
46003LF	198
46005LF	198
46011	158
46011LF	198
46011X	158
46012	158
46012LF	198
46013	158
46013LF	198
46015LF	198
46016LF	198
46020	158
46021	158
46021LF	198
46022	158
46022LF	198
46023	158
46023LF	198
46028	158
46029	158
46029LF	198
46031	158
46036	159
46038	159
46039	159
46040	159
46045	159
46045LF	198
46046	159
46046LF	198
46048	159
46050	159
46051	159
46051LF	199
46055	159
46055LF	198
46056	159
46056LF	198
46056P	159
46060	159
46060LF	198
46061	159
46061L	159
46061LF	198
46064	155
46066	155
46067	155
46069	155
46070	155
46071	155
46072	155
46073	155
46074	156
46075	156
46076	156
46077	156
46078	156
46079	156
46080	156
46081	156
46082	156
46083	156
46084	156
46085	156
46086	156
46087	156
46088	156
46089	156
46089A	156
46090ALF	199
46090HLF	199
46091LF	199
46093LF	199
46099LF	199
46130	157
46131	157
46132	157
46134	157
46140	157
46141	157
46142	157
46143	157
46151	157
46152	157
46152T	157
46153	157
46160	157
46161	157
46161T	157
46162	157
46165	157
46166	157
46166T	157
46167	157
46174LF	199
46175LF	199
46177LF	199
46237	162
46241	161
46243	161
46244	161
46247	161
46248	161
46250	161
46251	161
46252	161
46255	161
46256	161
46257	161
46260	161
46270	262
46277	262
46400	160
46400M	160
46401	160
46401M	160
46406M	160
46411	160
46429M	160
46430M	160
46440	163
46443	163
46450	160
46451	160
46455	160
46457	160
46465	160
46466	160
46475	160
46485	160
46500	164
46505	164
46510	164
46511	164
46512	164
46513	164
46514	164
46515	164
46516	164
46520	162
46520A	162
46521	162
46523	162
46523A	162
46529	162
46530	162
46530A	162
46531	162
46531A	162
46532	162
46532A	162
46540	12
46541	12
46560	164
46560V	164
46561	164
46561V	164
46562	164
46562V	164
46563	164
46563V	164
46564	164
46564V	164
46565	164
46566	164
46567	164
46568	164
46569	164
46570	164
46571	164
46572	164
46573	164
46575	164
46576	164
46577	164
46578	164
46600	501
46600	502
46600	503
46605	501
46605	502
46607	501
46615	500
46620	498
46621	498
46622	498
46630	498
46631	498
46650	107
46651	107
46652	107
46653	107
46660	107
46661	107
46662	107
46663	107
46670	107
46671	107
46672	107
46680	107
46681	107
46682	107
46830	163
46832	163
46833	163
46834	163
46875	163
46878	163
46900	163
46903	163
46903I	234
46903SS	251
46904I	234
46904SS	251
46905SS	251
46910	163
46912	163
46912SS	251
46913SS	251
46914SS	251
46920	163
46921	163
46922A	163
46922I	234
46922SS	251
46923	163
46923I	234
46923SS	251
46924	163
46924I	234
46924SS	251
46925	163
46930	236
46930S	236
46930SS	250
46930T	236
46931	236
46931S	236
46931SS	250
46931T	236
46932	236

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
46932S	236
46932SS	250
46932T	236
46933	236
46933S	236
46933SS	250
46933T	236
46934	235
46934LS	235
46934LT	235
46934SS	250
46935	235
46935LS	235
46935LT	235
46935SS	250
46936	235
46936LS	235
46936LT	235
46936SS	250
46937	235
46937LS	235
46937SS	250
46951	163
46956	163
46980	163
46981	163
46986	162
46987	162
46988	162
46989	162
47042	163
48001	303
48002	303
48003	303
48004	303
48005	303
48006	303
48007	303
48008	303
48009	303
48010	303
48011	303
48015	303
48020	303
48021	303
48022	303
48023	303
48024	303
48025	303
48026	303
48027	303
48028	303
48029	303
48030	303
48031	303
48032	303
48034	303
48036	303
48040	304
48041	304
48042	304
48043	304
48044	304
48045	304
48046	304
48047	304
48048	304
48049	304
48050	304
48052	304
48053	304
48054	304
48056	304
48060	304
48061	304
48062	304
48063	304
48064	304
48065	304
48066	304
48067	304
48068	304
48069	304
48070	304
48071	304
48072	304
48073	304
48074	304
48075	304
48076	304
48080	305
48081	305
48082	305
48083	305
48084	305
48085	305
48086	305
48087	305
48088	305
48089	305
48090	305
48091	305
48092	305
48094	305
48096	305
48100	305
48101	305
48102	305
48103	305
48104	305
48105	305
48106	305
48107	305
48108	305
48109	305
48110	305
48111	305
48113	305
48115	305
48120	306
48121	306
48122	306
48123	306
48124	306
48125	306
48126	306
48127	306
48128	306
48129	306
48131	306
48135	306
48140	306
48141	306
48142	306
48143	306
48144	306
48145	306
48146	306
48147	306
48148	306
48149	306
48151	306
48152	306
48153	306
48155	306
48160	307
48161	307
48162	307
48163	307
48164	307
48165	307
48166	307
48167	307
48168	307
48169	307
48170	307
48171	307
48172	307
48174	307
48180	307
48181	307
48187	307
48193	307
48200	307
48201	307
48203	307
48205	307
48207	307
48209	307
48213	307
48220	307
48227	307
49001	303
49002	303
49003	303
49004	303
49005	303
49006	303
49007	303
49008	303
49009	303
49010	303
49011	303
49013	303
49017	303
49020	303
49021	303
49022	303
49023	303
49024	303
49025	303
49026	303
49027	303
49028	303
49029	303
49030	303
49031	303
49032	303
49033	303
49034	303
49035	303
49036	303
49037	303
49038	303
49040	304
49041	304
49042	304
49043	304
49044	304
49045	304
49046	304
49047	304
49048	304
49049	304
49050	304
49052	304
49054	304
49060	304
49061	304
49062	304
49063	304
49064	304
49065	304
49066	304
49067	304
49068	304
49069	304
49070	304
49072	304
49074	304
49076	304
49080	305
49081	305
49082	305
49083	305
49084	305
49085	305
49086	305
49087	305
49088	305
49089	305
49090	305
49091	305
49092	305
49094	305
49096	305
49100	305
49101	305
49102	305
49103	305
49104	305
49105	305
49106	305
49107	305
49108	305
49109	305
49110	305
49111	305
49113	305
49115	305
49120	306
49121	306
49122	306
49123	306
49124	306
49125	306
49126	306
49127	306
49128	306
49129	306
49140	306
49141	306
49142	306
49143	306
49144	306
49145	306
49146	306
49147	306
49148	306
49149	306
49151	306
49153	306
49160	307
49161	307
49162	307
49163	307
49164	307
49165	307
49166	307
49167	307
49168	307
49169	307
49170	307
49200	307
49201	307
49203	307
49205	307
49207	307
49209	307
49213	307
49220	307
49223	307
49234	307
49236	307
49240	307
50001	62
50002	548
50004	503
50004	503
50004	548
50008	548
50011	62
50016	38
54042	548
54044	503
54044	503
54044	504
54044	504
54044	548
54046	548
54048	548
55002	550
55004	550
55006	550
55008	550
55018	551
55022	551
55024	551
55026	551
55032	551
55034	551
55036	551
55038	551
55042	551
55044	551
55046	551
55048	551
55054	551
55056	551
55058	551
55060	366
55061	366
55062	366
55063	366
55064	366
55065	366
55066	366
55067	366
55068	366
55069	366
55070	366
55072	366
55074	366
55075	366
55076	366
55080	366
55081	366
55082	366
55083	366
55084	366
55085	366
55086	366
55087	366
55088	366
55089	366
55090	366
55092	366
55093	366
55096	366
55097	366
55098	366
55100	366
55101	366
55102	366
55103	366
55104	366
55105	366
55106	366
55107	366
55108	366
55109	366
55111	366
55115	366
55116	366
55117	366
55120	366
55121	366
55122	366
55123	366
55124	366
55125	366
55126	366
55127	366
55128	366
55129	366
55132	366
55140	367
55141	367
55142	367
55143	367
55144	367
55145	367
55146	367
55147	367
55148	367
55149	367
55150	367
55151	367
55160	367
55161	367
55162	367
55163	367
55164	367
55165	367
55166	367
55167	367
55168	367
55170	367
55174	367
55179	367
55200	367
55201	367
55203	367
55205	367
55207	367
55209	367
55211	367
55213	367
55241	366
56001	317
56002	317
56003	317
56004	317
56005	317
56006	317
56007	317
56008	317
56009	317
56010	317
56011	317
56012	317
56013	317
56014	317
56015	317
56017	317
56020	317
56021	317
56022	317
56023	317
56024	317
56025	317
56026	317
56027	317
56028	317
56029	317
56030	317
56031	317
56032	317
56033	317
56034	317
56035	317
56036	317

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
56038	317
56040	318
56041	318
56042	318
56043	318
56044	318
56045	318
56046	318
56047	318
56048	318
56049	318
56050	318
56051	318
56052	318
56053	318
56054	318
56055	318
56056	318
56058	552
56060	318
56061	318
56062	318
56063	318
56064	318
56065	318
56066	318
56067	318
56068	318
56069	318
56070	318
56071	318
56072	318
56073	318
56074	318
56075	318
56076	318
56080	319
56081	319
56082	319
56083	319
56084	319
56085	319
56086	319
56087	319
56088	319
56089	319
56090	319
56091	319
56092	319
56093	319
56094	319
56095	319
56096	319
56100	320
56101	320
56102	320
56103	320
56104	320
56105	320
56106	320
56107	320
56108	320
56109	320
56110	320
56111	320
56112	320
56113	320
56114	320
56115	320
56120	321
56121	321
56122	321
56123	321
56124	321
56125	321
56126	321
56127	321
56128	321
56129	321
56130	321
56131	321
56132	321
56133	321
56134	321
56135	321
56140	321
56141	321
56142	321
56143	321
56144	321
56145	321
56146	321
56147	321
56148	321
56149	321
56150	321
56151	321
56152	321
56153	321
56154	321
56155	321
56160	322
56161	322
56162	322
56163	322
56164	322
56165	322
56166	322
56167	322
56168	322
56169	322
56170	322
56171	322
56172	322
56173	322
56174	322
56180	322
56181	322
56182	322
56183	322
56184	322
56185	322
56186	322
56187	322
56188	322
56189	322
56190	322
56191	322
56192	322
56193	322
56200	323
56201	323
56202	323
56203	323
56204	323
56205	323
56206	323
56207	323
56208	323
56209	323
56210	323
56211	323
56212	323
56213	323
56220	323
56221	323
56223	323
56224	323
56225	323
56226	323
56227	323
56228	323
56229	323
56240	318
56241	318
56242	318
56243	318
56244	318
56245	318
56246	318
56250	319
56251	319
56252	319
56253	319
56254	319
56255	319
56256	319
56257	319
56260	320
56261	320
56262	320
56263	320
56264	320
56265	320
56266	320
56267	320
56270	321
56271	321
56272	321
56273	321
56275	321
56276	321
56280	321
56281	321
56282	321
56283	321
56285	321
56286	321
56290	322
56291	322
56292	322
56293	322
56294	322
56295	322
56296	322
56297	322
56300	324
56330	323
56331	323
56332	323
56430	318
57001	317
57002	317
57003	317
57004	317
57005	317
57006	317
57007	317
57008	317
57009	317
57010	317
57011	317
57012	317
57013	317
57014	317
57015	317
57017	317
57020	317
57021	317
57022	317
57023	317
57024	317
57025	317
57026	317
57027	317
57028	317
57029	317
57030	317
57031	317
57032	317
57033	317
57034	317
57035	317
57036	317
57040	318
57041	318
57042	318
57043	318
57044	318
57045	318
57046	318
57047	318
57048	318
57049	318
57050	318
57051	318
57052	318
57053	318
57054	318
57055	318
57056	318
57060	318
57061	318
57062	318
57063	318
57064	318
57065	318
57066	318
57067	318
57068	318
57069	318
57070	318
57071	318
57072	318
57073	318
57074	318
57075	318
57076	318
57080	319
57081	319
57082	319
57083	319
57084	319
57085	319
57086	319
57087	319
57088	319
57089	319
57090	319
57091	319
57092	319
57093	319
57094	319
57095	319
57096	319
57100	320
57101	320
57102	320
57103	320
57104	320
57105	320
57106	320
57107	320
57108	320
57109	320
57110	320
57111	320
57112	320
57113	320
57114	320
57115	320
57120	321
57121	321
57122	321
57123	321
57124	321
57125	321
57126	321
57127	321
57128	321
57129	321
57130	321
57131	321
57132	321
57133	321
57134	321
57135	321
57140	321
57141	321
57142	321
57143	321
57144	321
57145	321
57146	321
57147	321
57148	321
57149	321
57150	321
57151	321
57152	321
57153	321
57154	321
57155	321
57160	322
57161	322
57162	322
57162GBS	334
57162TV	333
57162V	334
57163	322
57164	322
57164TV	333
57164V	334
57165	322
57166	322
57167	322
57168	322
57168TV	333
57168V	334
57169	322
57170	322
57170TV	333
57170V	334
57171	322
57172	322
57172TV	333
57172V	334
57173	322
57174	322
57174TV	333
57174V	334
57180	322
57181	322
57182	322
57183	322
57184	322
57185	322
57186	322
57187	322
57188	322
57189	322
57190	322
57191	322
57192	322
57193	322
57200	323
57201	323
57201GBS	334
57201TV	333
57201V	334
57202	323
57203	323
57203TV	333
57203V	334
57204	323
57205	323
57206	323
57207	323
57207TV	333
57207V	334
57208	323
57209	323
57209TV	333
57209V	334
57210	323
57211	323
57211TV	333
57211V	334
57212	323
57213	323
57213TV	333
57213V	334
57220	323
57222GBS	334
57222TV	333
57223	323
57223TV	333
57223V	334
57224	323
57225	323
57226	323
57227	323
57227TV	333
57227V	334
57228	323
57228TV	333
57228V	334
57229	323
57229TV	333
57229V	334
57240	318
57241	318
57242	318
57243	318
57244	318
57245	318
57246	318
57250	319
57251	319
57252	319
57253	319
57254	319
57255	319
57256	319
57257	319
57260	320
57261	320
57262	320
57263	320
57264	320
57265	320
57266	320
57267	320
57270	321
57271	321
57272	321
57273	321
57275	321
57276	321
57280	321
57281	321
57282	321
57283	321
57285	321
57286	321
57290	322
57291	322
57292	322
57293	322
57294	322
57295	322

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
57296	322
57297	322
57300	324
57301	324
57304	324
57305	324
57306	324
57308	324
57311	323
57320	324
57322	324
57324	324
57326	324
57328	324
57330	323
57331	323
57332	323
57332TV	333
57332V	334
57400GBS	334
57430	318
57431	318
57500GBS	334
57600GBS	334
59001SMLS	326
59002SMLS	326
59003SMLS	326
59004SMLS	326
59005SMLS	326
59006SMLS	326
59007SMLS	326
59009SMLS	326
59010SMLS	326
59011SMLS	326
59020SMLS	326
59021SMLS	326
59022SMLS	326
59023SMLS	326
59024SMLS	326
59025SMLS	326
59026SMLS	326
59027SMLS	326
59028SMLS	326
59029SMLS	326
59030SMLS	326
59031SMLS	326
59032SMLS	326
59033SMLS	326
59034SMLS	326
59036SMLS	326
59040SMLS	327
59041SMLS	327
59042SMLS	327
59043SMLS	327
59044SMLS	327
59045SMLS	327
59046SMLS	327
59047SMLS	327
59048SMLS	327
59049SMLS	327
59050SMLS	327
59052SMLS	327
59054SMLS	327
59056SMLS	327
59060SMLS	327
59060SMLSXX	332
59061SMLS	327
59062SMLS	327
59062SMLSXX	332
59063SMLS	327
59064SMLS	327
59064SMLSXX	332
59065SMLS	327
59066SMLS	327
59066SMLSXX	332
59067SMLS	327
59068SMLS	327
59069SMLS	327
59070SMLS	327
59070SMLSXX	332
59071SMLS	327
59072SMLS	327
59073SMLS	327
59074SMLS	327
59075SMLS	327
59076SMLS	327
59080SMLS	328
59080SMLSXX	332
59081SMLS	328
59082SMLS	328
59082SMLSXX	332
59083SMLS	328
59084SMLS	328
59085SMLS	328
59086SMLS	328
59086SMLSXX	332
59087SMLS	328
59088SMLS	328
59089SMLS	328
59090SMLS	328
59090SMLSXX	332
59091SMLS	328
59092SMLS	328
59094SMLS	328
59096SMLS	328
59100SMLS	328
59100SMLSXX	332
59101SMLS	328
59101SMLSXX	332
59102SMLS	328
59103SMLS	328
59103SMLSXX	332
59104SMLS	328
59105SMLS	328
59105SMLSXX	332
59106SMLS	328
59107SMLS	328
59108SMLS	328
59109SMLS	328
59109SMLSXX	332
59110SMLS	328
59111SMLS	328
59111SMLSXX	332
59112SMLS	328
59113SMLS	328
59114SMLS	328
59115SMLS	328
59115SMLSXX	332
59120SMLS	329
59121SMLS	329
59122SMLS	329
59123SMLS	329
59124SMLS	329
59125SMLS	329
59126SMLS	329
59127SMLS	329
59128SMLS	329
59129SMLS	329
59130SMLS	329
59131SMLS	329
59132SMLS	329
59133SMLS	329
59134SMLS	329
59135SMLS	329
59140SMLS	329
59141SMLS	329
59142SMLS	329
59143SMLS	329
59144SMLS	329
59145SMLS	329
59146SMLS	329
59147SMLS	329
59148SMLS	329
59149SMLS	329
59150SMLS	329
59151SMLS	329
59152SMLS	329
59153SMLS	329
59154SMLS	329
59155SMLS	329
59160SMLS	330
59160SMLSXX	332
59161SMLS	330
59161SMLSXX	332
59162SMLS	330
59162SMLSXX	332
59162TV	333
59162V	334
59163SMLS	330
59163SMLSXX	332
59164SMLS	330
59164SMLSXX	332
59164TV	333
59164V	334
59165SMLS	330
59166SMLS	330
59166SMLSXX	332
59167SMLS	330
59168SMLS	330
59168SMLSXX	332
59168TV	333
59168V	334
59169SMLS	330
59169SMLSXX	332
59170SMLS	330
59170SMLSXX	332
59170TV	333
59170V	334
59171SMLS	330
59171SMLSXX	332
59172SMLS	330
59172SMLSXX	332
59172TV	333
59172V	334
59173SMLS	330
59174SMLS	330
59174SMLSXX	332
59174TV	333
59174V	334
59179SMLSXX	332
59180SMLS	330
59181SMLS	330
59182SMLS	330
59183SMLS	330
59184SMLS	330
59185SMLS	330
59186SMLS	330
59187SMLS	330
59188SMLS	330
59189SMLS	330
59190SMLS	330
59191SMLS	330
59192SMLS	330
59193SMLS	330
59196SMLS	330
59197SMLS	330
59198SMLS	330
59199SMLS	330
59201TV	333
59201V	334
59203TV	333
59203V	334
59207TV	333
59207V	334
59209TV	333
59209V	334
59211TV	333
59211V	334
59213TV	333
59213V	334
59220SMLS	331
59221SMLS	331
59221TV	333
59221V	334
59222TV	333
59223SMLS	331
59224SMLS	331
59225SMLS	331
59225TV	333
59225V	334
59226SMLS	331
59227SMLS	331
59227TV	333
59227V	334
59228SMLS	331
59229SMLS	331
59229TV	333
59229V	334
59231SMLS	331
59231TV	333
59231V	334
59300SMLS	331
59301SMLS	331
59305SMLS	331
59306SMLS	331
59308SMLS	331
61447	396
61448	396
61449	396
61450	396
61451	396
61452	396
61453	396
61454	396
61455	396
61457	396
61775	301
61775	335
61776	301
61776	335
61777	301
61777	335
61778	301
61778	335
62075	312
62076	312
62077	312
62078	312
62079	312
62080	312
62081	312
62082	312
62083	312
62100	309
62101	309
62102	309
62103	309
62104	309
62105	309
62106	309
62107	309
62108	309
62109	309
62110	309
62112	309
62160	309
62161	309
62162	309
62163	309
62164	309
62165	309
62166	309
62167	309
62168	309
62169	309
62180	309
62181	309
62182	309
62183	309
62184	309
62185	309
62186	309
62187	309
62188	309
62189	309
62190	309
62191	309
62250	310
62251	310
62252	310
62253	310
62254	310
62255	310
62256	310
62257	310
62258	310
62259	310
62260	310
62391	310
62392	310
62393	310
62394	310
62395	310
62396	310
62397	310
62398	310
62410	311
62410B	311
62411	311
62411B	311
62412	311
62412B	311
62413	311
62413B	311
62414	311
62414B	311
62415	311
62415B	311
62415DC	301
62415HDDC	301
62416	311
62416B	311
62416DC	301
62416HDDC	301
62417	311
62417B	311
62417DC	301
62417HDDC	301
62418	311
62418B	311
62418DC	301
62418HDDC	301
62419	311
62420	311
62420B	311
62421	311
62428	311
62430	311
62431	311
62432	311
62433	311
62434	311
62435	311
62436	311
62437	311
62438	311
62440	311
62441	311
62442	311
62445	311
62446	311
62447	311
62448	311
62449	311
62450	311
62451	311
62452	311
62453	311
62454	311
62455	311
62456	311
62457	311
62459	311
62462	311
62470	312
62471	312
62472	312
62473	312
62474	312
62475	312
62476	312
62477	312
62478	312
62480	312
62481	312
62500	313
62501	313
62502	313
62503	313
62504	313
62505	313
62506	313
62507	313
62508	313
62509	313
62510	313
62511	313
62512	313
62513	313
62515	313
62516	313
62517	313
62518	313
62521	313
62522	313
62524	313
62527	313
62528	313
62529	313
62530	313
62531	313
62532	313
62534	313
62535	313
62536	313
62537	313
62538	313
62539	313
62543	313
62547	313
62557	313
62559	313
62600	312
62601	312
62602	312
62603	312
62604	312
62605	312
62606	312
62607	312
62608	312
62609	312
62610	312
62630	314
62631	314
62632	314
62633	314
62634	314
62635	314
62636	314
62637	314
62638	314

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
62640	314
62653	314
62654	314
62655	314
62656	314
62657	314
62658	314
62659	314
62660	314
62670	314
62671	314
62672	314
62700	314
62701	314
62702	314
62703	314
62704	314
62705	314
62706	314
62707	314
62708	314
62720	310
62721	310
62722	310
62723	310
62724	310
62725	310
62726	310
62727	310
62728	310
62740	310
62741	310
62742	310
62744	310
62745	310
62747	310
62748	310
62749	310
62770	312
62771	312
62772	312
62773	312
62774	312
62775	312
62776	312
62777	312
62778	312
62779	312
63075	312
63076	312
63077	312
63078	312
63079	312
63080	312
63081	312
63082	312
63083	312
63100	309
63101	309
63102	309
63103	309
63104	309
63105	309
63106	309
63107	309
63108	309
63109	309
63110	309
63112	309
63160	309
63161	309
63162	309
63163	309
63164	309
63165	309
63166	309
63167	309
63168	309
63170	309
63171	309
63180	309
63181	309
63182	309
63183	309
63184	309
63185	309
63186	309
63187	309
63188	309
63190	309
63192	309
63214	13
63215	13
63216	13
63217	13
63218	13
63250	310
63251	310
63252	310
63253	310
63254	310
63255	310
63256	310
63257	310
63258	310
63260	310
63261	310
63390	310
63391	310
63392	310
63393	310
63394	310
63395	310
63396	310
63397	310
63398	310
63400	310
63401	310
63410	311
63410B	311
63411	311
63411B	311
63412	311
63412B	311
63413	311
63413B	311
63414	311
63414B	311
63415	311
63415B	311
63416	311
63416B	311
63417	311
63417B	311
63418	311
63418B	311
63419	311
63420	311
63421	311
63430	311
63431	311
63432	311
63433	311
63434	311
63435	311
63436	311
63437	311
63438	311
63440	311
63441	311
63442	311
63445	311
63446	311
63447	311
63448	311
63449	311
63450	311
63452	311
63453	311
63454	311
63455	311
63459	311
63470	312
63471	312
63472	312
63473	312
63474	312
63475	312
63476	312
63477	312
63478	312
63480	312
63500	313
63501	313
63502	313
63504	313
63505	313
63506	313
63507	313
63508	313
63509	313
63510	313
63511	313
63512	313
63513	313
63516	313
63517	313
63518	313
63521	313
63522	313
63523	313
63524	313
63526	313
63527	313
63528	313
63529	313
63530	313
63531	313
63534	313
63535	313
63537	313
63538	313
63539	313
63540	313
63541	313
63543	313
63550	313
63600	312
63601	312
63602	312
63603	312
63604	312
63605	312
63606	312
63607	312
63608	312
63610	312
63630	314
63631	314
63632	314
63633	314
63634	314
63635	314
63636	314
63637	314
63638	314
63641	314
63653	314
63654	314
63655	314
63656	314
63657	314
63658	314
63660	315
63661	315
63662	315
63663	315
63664	315
63665	315
63670	314
63671	314
63672	314
63680	315
63681	315
63682	315
63683	315
63684	315
63701	314
63702	314
63703	314
63704	314
63705	314
63706	314
63707	314
63708	314
63720	310
63721	310
63722	310
63723	310
63724	310
63725	310
63726	310
63727	310
63728	310
63740	310
63741	310
63742	310
63744	310
63745	310
63747	310
63748	310
63749	310
63759	315
63760	315
63761	315
63762	315
63763	315
63764	315
63765	315
63771	312
63772	312
63773	312
63774	312
63775	312
63776	312
63777	312
63778	312
64002	553
64003	553
64004	553
64005	553
64006	553
64008	553
64100	338
64101	338
64102	338
64103	338
64104	338
64105	338
64106	338
64107	338
64108	338
64109	338
64110	338
64112	338
64114	338
64122	338
64123	338
64124	338
64126	338
64127	338
64130	338
64131	338
64133	338
64134	338
64136	338
64137	338
64138	338
64140	338
64141	338
64142	338
64145	338
64146	338
64148	338
64160	338
64161	338
64162	338
64163	338
64164	338
64165	338
64166	338
64167	338
64168	338
64169	338
64170	338
64171	338
64180	339
64181	339
64182	339
64183	339
64184	339
64185	339
64186	339
64187	339
64188	339
64189	339
64190	339
64191	339
64192	339
64200	339
64201	339
64202	339
64203	339
64204	339
64205	339
64206	339
64207	339
64208	339
64209	339
64210	339
64211	339
64250	340
64251	340
64252	340
64253	340
64254	340
64255	340
64256	340
64257	340
64258	340
64259	340
64260	340
64261	340
64262	340
64268	340
64269	340
64273	340
64276	340
64279	340
64280	340
64282	340
64283	340
64286	340
64287	341
64288	341
64289	340
64291	340
64294	341
64296	341
64297	341
64298	340
64299	340
64300	340
64301	340
64303	340
64306	340
64309	341
64316	340
64317	340
64318	340
64319	340
64322	340
64327	340
64328	340
64330	340
64334	340
64336	340
64343	340
64351	340
64363	341
64364	341
64372	341
64383	341
64384	341
64385	341
64386	341
64390	339
64391	339
64392	339
64393	339
64394	339
64395	339
64396	339
64397	339
64398	339
64399	339
64400	339
64410	342
64411	342
64412	342
64413	342
64414	342
64415	342
64416	342
64417	342
64418	342
64419	342
64420	342
64421	342
64422	342
64430	342
64431	342
64432	342
64433	342
64434	342
64435	342
64436	342
64437	342
64438	342
64439	342
64440	342
64441	342
64442	342
64443	342
64444	342
64445	342
64446	342
64447	342
64448	342
64449	342
64450	342
64451	342

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
64452	342
64453	342
64454	342
64456	342
64457	342
64458	342
64459	342
64460	342
64461	342
64462	342
64463	342
64464	342
64465	342
64470	344
64471	344
64472	344
64473	344
64474	344
64475	344
64476	344
64477	344
64478	344
64479	344
64480	344
64481	344
64482	344
64486	342
64500	343
64501	343
64502	343
64503	343
64504	343
64505	343
64506	343
64507	343
64508	343
64509	343
64510	343
64511	343
64512	343
64513	343
64514	343
64515	343
64516	343
64517	343
64518	343
64519	343
64520	343
64521	343
64522	343
64523	343
64524	343
64525	343
64526	343
64527	343
64528	343
64529	343
64530	343
64531	343
64532	343
64533	343
64534	343
64535	343
64537	343
64538	343
64539	343
64540	343
64541	343
64542	343
64543	343
64544	343
64545	343
64546	343
64547	343
64549	343
64549	343
64550	343
64551	343
64552	343
64553	343
64573	345
64574	345
64575	345
64576	345
64577	345
64578	345
64583	345
64584	345
64585	345
64586	345
64587	345
64588	345
64600	344
64601	344
64602	344
64603	344
64604	344
64605	344
64606	344
64607	344
64608	344
64609	344
64610	344
64611	344
64651	344
64652	344
64653	344
64654	344
64655	344
64656	344
64657	344
64658	344
64659	344
64660	344
64661	344
64692	346
64693	346
64694	346
64695	346
64696	346
64703	345
64704	345
64705	345
64706	345
64707	345
64708	345
64721	340
64729	340
64733	340
64770	335
64771	335
64772	335
64773	335
64773H	335
64774	335
64774H	335
64775	335
64775H	335
64776	335
64776H	335
64777	335
64777H	335
64778	335
64778H	335
64779	335
64780	335
64780H	335
64781	335
64781H	335
64963	345
64964	345
64968	345
65004	555
65006	555
65008	555
65024	555
65026	555
65028	555
65100	338
65101	338
65102	338
65103	338
65104	338
65105	338
65106	338
65107	338
65108	338
65109	338
65110	338
65112	338
65114	338
65115	338
65122	338
65123	338
65124	338
65126	338
65127	338
65130	338
65131	338
65133	338
65134	338
65136	338
65137	338
65138	338
65139	338
65140	338
65141	338
65142	338
65145	338
65146	338
65148	338
65160	338
65161	338
65162	338
65163	338
65164	338
65165	338
65166	338
65167	338
65168	338
65169	338
65170	338
65171	338
65180	339
65181	339
65182	339
65183	339
65184	339
65185	339
65186	339
65187	339
65188	339
65189	339
65190	339
65191	339
65192	339
65194	339
65200	339
65201	339
65202	339
65203	339
65204	339
65205	339
65206	339
65207	339
65208	339
65209	339
65210	339
65211	339
65250	340
65251	340
65252	340
65253	340
65254	340
65255	340
65256	340
65257	340
65258	340
65259	340
65260	340
65261	340
65262	340
65264	340
65267	341
65268	340
65269	340
65273	340
65276	340
65279	340
65280	340
65281	341
65282	340
65283	340
65286	340
65287	341
65288	341
65289	340
65291	340
65292	341
65293	341
65294	341
65295	341
65296	341
65297	341
65298	340
65299	340
65300	340
65301	340
65302	341
65303	340
65304	341
65305	341
65306	340
65309	341
65310	341
65311	341
65312	341
65313	341
65314	341
65316	340
65317	340
65318	340
65322	340
65323	341
65325	341
65327	340
65328	340
65330	340
65332	341
65334	340
65335	340
65335	341
65336	340
65342	340
65343	340
65346	341
65347	341
65348	341
65349	341
65350	341
65351	340
65359	340
65363	341
65364	341
65372	341
65375	341
65377	341
65383	341
65384	341
65385	341
65386	341
65387	341
65388	341
65390	339
65391	339
65392	339
65393	339
65394	339
65395	339
65396	339
65397	339
65398	339
65399	339
65400	339
65401	339
65410	342
65411	342
65412	342
65413	342
65414	342
65415	342
65416	342
65417	342
65418	342
65419	342
65420	342
65421	342
65422	342
65429	342
65430	342
65431	342
65432	342
65433	342
65434	342
65435	342
65436	342
65437	342
65438	342
65439	342
65440	342
65441	342
65442	342
65443	342
65444	342
65445	342
65446	342
65447	342
65448	342
65449	342
65450	342
65451	342
65452	342
65453	342
65454	342
65455	342
65456	342
65457	342
65458	342
65459	342
65460	342
65461	342
65462	342
65463	342
65464	342
65465	342
65466	342
65467	342
65468	342
65470	344
65471	344
65472	344
65473	344
65474	344
65475	344
65476	344
65477	344
65478	344
65479	344
65480	344
65481	344
65482	344
65486	342
65491	342
65500	343
65501	343
65502	343
65503	343
65504	343
65505	343
65506	343
65507	343
65508	343
65509	343
65510	343
65511	343
65512	343
65513	343
65514	343
65515	343
65516	343
65517	343
65518	343
65518DT	346
65519	343
65520	343
65521	343
65522	343
65522DT	346
65523	343
65523DT	346
65524	343
65525	343
65526	343
65527	343
65527DT	346
65528	343
65528DT	346
65529	343
65529DT	346
65530	343
65530DT	346
65531	343
65531DT	346
65532	343
65533	343
65534	343
65535	343
65537	343
65538	343
65539	343
65540	343
65541	343
65541DT	346
65542	343
65543	343
65544	343
65545	343
65546	343
65547	343
65549	343
65550	343
65551	343
65552	343
65553	343
65555	343
65557	343
65558	343
65559	343
65560	343
65573	345
65574	345
65575	345

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
65576	345
65577	345
65578	345
65583	345
65584	345
65585	345
65586	345
65587	345
65588	345
65600	344
65601	344
65602	344
65603	344
65604	344
65605	344
65606	344
65607	344
65608	344
65609	344
65610	344
65611	344
65621	346
65622	346
65650	344
65651	344
65652	344
65653	344
65654	344
65655	344
65656	344
65657	344
65658	344
65659	344
65660	344
65661	344
65662	344
65664	344
65690	346
65691	346
65692	346
65693	346
65694	346
65695	346
65696	346
65703	345
65704	345
65705	345
65706	345
65707	345
65708	345
65721	340
65733	340
65770	335
65770API	336
65770H	335
65771	335
65771API	336
65771H	335
65772	335
65772API	336
65772H	335
65773	335
65773API	336
65773H	335
65774	335
65774API	336
65774H	335
65775	335
65775API	336
65775H	335
65776	335
65776API	336
65776H	335
65777	335
65777API	336
65777H	335
65778	335
65778API	336
65778H	335
65779	335
65779API	336
65779H	335
65780	335
65780API	336
65780H	335
65781	335
65781API	336
65781H	335
65782	335
65783	335
65783API	336
65784API	336
65963	345
65964	345
65965	345
65966	345
65967	345
65968	345
65969	345
65970	345
65971	345
66000	404
66001	404
66002	404
66003	404
66004	404
66005	404
66006	404
66007	404
66008	404
66009	404
66010	404
66011	404
66012	404
66013	404
66015	396
66024	556
66025	556
66026	556
66028	556
66470	347
66471	347
66472	347
66473	347
66474	347
66475	347
66500	347
66501	347
66502	347
66503	347
66504	347
66505	347
66506	347
66507	347
66508	347
66509	347
66510	347
66511	347
66512	347
66513	347
66630	348
66631	348
66632	348
66633	348
66634	348
66635	348
66636	348
66637	348
66638	348
66653	348
66654	348
66655	348
66656	348
66657	348
66658	348
66670	348
66671	348
66672	348
66705	347
66709	347
66760	348
66761	348
66762	348
66763	348
66764	348
66765	348
66766	348
66767	348
66768	348
66769	348
66770	348
66771	348
66772	348
66773	348
66774	348
66775	348
66776	348
66777	348
66778	348
67470	347
67471	347
67472	347
67473	347
67474	347
67475	347
67476	347
67477	347
67500	347
67501	347
67502	347
67503	347
67504	347
67505	347
67506	347
67507	347
67508	347
67509	347
67510	347
67511	347
67512	347
67513	347
67630	348
67631	348
67632	348
67633	348
67634	348
67635	348
67636	348
67637	348
67638	348
67653	348
67654	348
67655	348
67656	348
67657	348
67658	348
67670	348
67671	348
67672	348
67700	347
67702	347
67704	347
67705	347
67708	347
67709	347
67713	347
67760	348
67761	348
67762	348
67763	348
67764	348
67765	348
67766	348
67767	348
67768	348
67769	348
67770	348
67771	348
67772	348
67773	348
67774	348
67775	348
67776	348
67777	348
67778	348
69101	349
69102	349
69103	349
69104	349
69105	349
69106	349
69107	349
69108	349
69161	349
69162	349
69163	349
69164	349
69165	349
69166	349
69167	349
69168	349
69181	349
69182	349
69183	349
69184	349
69185	349
69186	349
69187	349
69188	349
69252	349
69253	349
69254	349
69255	349
69256	349
69257	349
69258	349
69411	349
69412	349
69413	349
69414	349
69415	349
69416	349
69417	349
69418	349
69432	350
69434	350
69435	350
69438	350
69441	350
69442	350
69471	350
69472	350
69473	350
69474	350
69475	350
69476	350
69477	350
69478	350
69600	350
69601	350
69602	350
69603	350
69604	350
69605	350
69606	350
69607	350
69608	350
72404	564
72406	564
72408	564
73003	405
73004	405
73005	405
73006	405
73007	405
73008	405
73009	405
73010	405
73011	405
73023	405
73024	405
73025	405
73026	405
73027	405
73028	405
73029	405
73030	405
73031	405
73033	405
73035	405
73036	405
73037	405
73038	405
73039	405
73040	405
73043	406
73044	406
73045	406
73046	406
73047	406
73048	406
73049	406
73050	406
73051	406
73063	405
73064	405
73065	405
73066	405
73067	405
73068	405
73070	405
73200N5	475
73203B	476
73203B1	476
73203B5	476
73203G	476
73203N1	475
73203N5	475
73203R	476
73203R1	476
73203R5	476
73203U	476
73203U1	476
73203U5	476
73204B	476
73204N5	475
73205B	476
73205B5	476
73206B	476
73206B1	476
73206B5	476
73206N1	475
73206N5	475
73206R	476
73206R5	476
73206U	476
73206U5	476
73207B	476
73207B5	476
73207N5	475
73207U	476
73208B	476
73230B	477
73231B	477
73232B	477
73232N5	477
73233B	477
73238B	477
73238U	477
73341B	474
73341R	474
73341U	474
73343B	474
73343R	474
73343U	474
73345B	474
73345R	474
73345U	474
73346B	474
73346R	474
73669	403
73670	403
73671	403
73672	403
73673	403
73674	403
73675	403
73676	403
73677	403
73951	27
73951	314
73952	27
73952	314
73953	27
73953	314
73954	27
73954	314
73955	27
73955	314
73956	27
73956	314
73957	27
73957	314
73958	27
73958	314
73959	27
73959	314
73960	27
73960	314
73961	314
73970	27
73970	315
73971	27
73971	315
73972	27
73972	315
73973	27
73973	315
73974	27
73974	315
73975	27
73975	315
73976	27
73976	315
73977	27
73977	315
73979	27
73979	315
73980	27
73980	315
73981	27
73981	315
73982	27
73982	315
73983	403
73984	403
73985	403
73986	403
73987	403
74252	564
74254	564
74258	564

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
77101	360
77102	360
77104	360
77108	360
77110	360
77113	360
77114	360
77116	360
77119	360
77124	360
77125	360
77126	360
77128	360
77129	360
77130	360
77131	360
77132	360
77134	360
77143	360
77144	360
77145	360
77156	360
77159	360
77160	360
77163	360
77164	360
77166	360
77167	360
77168	360
77169	360
77170	360
77179	361
77181	361
77182	361
77183	361
77201	361
77202	361
77203	361
77204	361
77205	361
77206	361
77207	361
77208	361
77209	361
77210	361
77212	361
77220	361
77222	361
77223	361
77224	361
77225	361
77226	361
77227	361
77238	361
77240	361
77241	361
77252	362
77253	362
77255	362
77256	362
77258	362
77262	362
77265	362
77267	362
77268	362
77269	362
77271	362
77272	362
77275	362
77276	362
77277	362
77294	362
77297	362
77298	362
77300	362
77306	362
77307	362
77308	362
77309	362
77311	362
77312	362
77314	362
77315	362
77318	362
77322	362
77331	363
77333	363
77334	363
77335	363
77340	363
77341	363
77343	363
77345	363
77346	363
77347	363
77349	363
77352	362
77354	362
77355	362
77357	362
77358	362
77359	362
77361	362
77398	362
77401	362
77402	363
77406	363
77410	363
77413	363
77420	363
77423	363
77424	363
77425	363
77430	363
77431	363
77432	363
77433	363
77434	363
77435	363
77436	363
77437	363
77455LF	364
77456LF	364
77457LF	364
77461	364
77462	364
77467	364
77468	364
77470	364
77473	364
77483	364
77485	364
77486	364
77488	364
77489	364
77490	364
77493	364
77496	364
77499	364
77501	364
77504	364
77519	364
77522	364
77523	364
77543	364
77547	364
77606LF	364
77607LF	364
77608LF	364
78024	564
78026	564
78028	564
78252	564
78254	564
78256	564
78258	564
80001	505
80002	505
80003	505
80004	505
80005	505
80006	505
80007	505
80031	505
80032	505
80033	505
80034	505
80035	505
80036	505
80061	506
80062	506
80063	506
80064	506
80065	506
80066	506
80067	506
80068	506
80069	506
80080	506
80081	506
80100	506
80101	506
80102	506
80103	506
80104	506
80105	506
80201	506
80202	506
80203	506
80204	506
80205	506
80206	506
80207	506
80208	506
80209	506
80301	505
80302	505
80303	505
80304	505
80305	505
80306	505
80331	505
80332	505
80333	505
80334	505
80335	505
80336	505
80463	506
80501	505
80502	505
80503	505
80504	505
80505	505
80506	505
80511	505
80512	505
80513	505
80514	505
80515	505
80516	505
80601	506
80602	506
80603	506
80604	506
80605	506
80611	506
80612	506
80613	506
80614	506
80615	506
86001	485
86002	485
86005	485
86006	485
86012	485
86013	485
86017	485
86018	485
86020	485
86022	485
86030	484
86030RG	485
86030SS	484
86031	484
86031RG	485
86031SS	484
86032	484
86035	484
86035RG	485
86035SS	484
86036	484
86036RG	485
86036SS	484
86037	484
86040	484
86040SS	484
86041	484
86041SS	484
86042	484
86045	484
86045SS	484
86046	484
86046SS	484
86047	484
87001	497
87002	497
87003	497
87004	497
87008	497
87009	497
87020	497
87021	497
87023	497
88024	470
88028	470
88032	470
88038	470
88050	470
88056	470
88065	470
88075	470
88085	470
88095	470
88112	470
90002	351
90003	351
90004	351
90005	351
90008	351
90011	351
90103	352
90104	352
90105	352
90106	352
90107	352
90110	352
90111	352
90114	352
90115	352
90116	352
90117	352
90119	352
90120	352
90121	352
90122	352
90123	352
90126	352
90127	352
90128	352
90130	352
90131	352
90132	352
90140	352
90141	352
90212	351
90213	351
91008	351
92010	470
92011	470
92012	470
92013	470
92014	470
92015	470
92016	470
92017	470
92110	352
92116	352
92121	352
92128	352
93001	351
93008	470
93009	470
93011	470
93013	470
93017	470
93113	351
93121	351
93122	351
93123	351
93127	351
93128	351
93130	351
93131	351
93139	351
93212	351
95082	563
95084	563
95086	563
95088	563
95300	471
95301	471
95302	471
95303	471
95304	471
95305	471
95306	471
95307	471
95308	471
95309	471
95310	471
95311	471
95312	471
95313	471
95314	471
95315	471
95316	471
95317	471
95318	471
95319	471
95320	471
95321	471
95322	471
95323	471
95324	471
95325	471
95326	471
95327	471
95328	471
95329	471
95330	471
95331	471
95402	471
95404	471
95406	471
95408	471
95410	471
95414	471
95418	471
95422	471
95424	471
95427	471
95432	471
95433	471
95450	526
95451	526
95452	526
95504	471
95506	471
95508	471
95510	471
95512	471
95514	471
95516	471
95518	471
95522	471
95523	471
95524	471
95601	527
95602	527
95603	527
95604	527
95605	527
95606	527
95610	527
95611	527
95612	527
95613	527
95620	528
95621	528
95622	528
95623	528
95624	528
95625	528
95626	528
95627	528
95628	528
95631	511
95640	511
95641	511
96022	470
96027	470
96032	470
96040	470
96050	470
96060	470
96070	470
96080	470
96090	470
96100	470
96110	470
96120	470
96130	470
96140	470
96150	470
96160	470
96203LW	268
96203UL	268
96204LW	268
96204UL	268
96206LW	268
96206UL	268
96208LW	268
96208UL	268
98801	488
98802	488
98810	487
98811	487
98812	487
98814	488
98815	488
98823	487
98824	487

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
98825	487
98828	488
98830	488
98840	487
98841	487
98842	488
99803	488
99804	488
99812	487
99816	488
99817	488
99825	487
99826	487
99828	488
99830	488
99841	487
99843	487
100025	260
100035	260
100045	260
100065	260
100085	260
100145	260
100165	260
100185	260
107004	354
107005	354
107007	354
107009	354
107011	354
107012	354
107024	353
107025	353
107026	353
107027	353
107029	353
107031	353
107032	353
107042	354
107044	354
107045	354
107047	354
107049	354
107060	353
107061	353
107062	353
107063	353
107064	353
107065	353
107066	353
107067	353
107069	353
107071	353
107072	353
107073	353
108025	356
108026	356
108027	356
108028	356
108029	356
108031	355
108032	355
108033	355
108034	355
108035	355
108036	355
108037	355
108038	355
108039	355
108040	355
108041	355
108062	356
108063	356
108064	356
108065	356
108065BF	356
108066	356
108067	356
108067BF	356
108069	356
108069BF	356
108070BF	356
108071	356
108071BF	356
108072	356
108072BF	356
108073	356
108073BF	356
108074	356
108075	355
108076	355
108077	355
108088	355
108089	355
108090	355
108091	355
108092	355
108094	355
108095	355
108096	355
108097	355
108098	355
108099	355
108100	355
108101	355
140422	540
140442	540
140444	540
140464	540
140466	540
140468	540
140484	540
140486	540
140488	540
140522	540
140542	540
140544	540
140546	540
140564	540
140566	540
140568	540
140584	540
140586	540
140588	540
150122	540
150124	540
150142	540
150144	540
150146	540
150148	540
150164	540
150166	540
150184	540
150186	540
150188	540
150222	540
150242	540
150244	540
150246	540
150264	540
150266	540
150268	540
150284	540
150286	540
150288	540
150322	541
150344	541
150346	541
150364	541
150366	541
150368	541
150384	541
150386	541
150388	541
150422	541
150444	541
150466	541
150488	541
160122	541
160144	541
160166	541
160188	541
160244	541
160266	541
160288	541
160344	541
160366	541
160388	541
170088	573
170388	573
170488	573
180088	573
190112	574
190116	574
190120	574
190124	574
190132	574
190212	574
190216	574
190220	574
190224	574
190232	574
195456	220
195457	220
195458	220
195459	220
195460	220
195461	220
195462	220
195470	220
195471	220
195472	220
195473	220
195474	220
195475	220
195476	220
195481	220
195502	220
195510	220
195511	220
195512	220
195520	220
195521	220
196112	574
196116	574
196120	574
196124	574
196132	574
196212	574
196216	574
196220	574
196224	574
196232	574
206112	575
206116	575
206120	575
206124	575
206132	575
206212	575
206216	575
206220	575
206224	575
206232	575
226188	575
240322	542
240324	542
240332	542
240333	542
240344	542
240355	542
240364	542
240366	542
240384	542
240386	542
240388	542
240422	543
240432	543
240434	543
240442	543
240444	543
240446	543
240448	543
240462	543
240464	543
240466	543
240468	543
240484	543
240486	543
240488	543
240522	543
240532	543
240542	543
240544	543
240546	543
240564	543
240566	543
240584	543
240586	543
240588	543
240664	544
240665	544
240668	544
240684	544
240686	544
240810	544
240812	544
240814	544
240816	544
240820	544
240824	544
240832	544
250022	544
250044	544
250055	544
250064	544
250066	544
250086	544
250088	544
250122	545
250142	545
250144	545
250146	545
250148	545
250162	545
250164	545
250166	545
250168	545
250184	545
250186	545
250188	545
250242	545
250244	545
250246	545
250262	545
250264	545
250266	545
250268	545
250284	545
250286	545
250288	545
250322	545
250342	545
250344	545
250346	545
250362	545
250364	545
250366	545
250368	545
250384	545
250386	545
250388	545
260144	546
260166	546
260188	546
260244	546
260266	546
260288	546
260322	546
260333	546
260344	546
260366	546
260388	546
270010	546
270012	546
270014	546
270016	546
270022	546
270044	546
270055	546
270066	546
270110	547
270112	547
270116	547
270120	547
270210	547
270212	547
270216	547
270310	547
270312	547
270316	547
270410	547
270412	547
270416	547
270544	547
270566	547
270588	547
270644	547
270666	547
270688	547
300000	494
300001	494
300002	494
300003	494
300004	494
300005	453
300006	494
300007	494
300008	494
300010	453
300012	453
300014	494
300015	494
300016	453
300017	494
300018	494
300019	494
300020	494
300021	494
300022	494
300023	494
300024	494
300026	494
300028	494
300031	494
300032	494
300033	494
300034	494
300035	494
300036	494
300037	494
307030	500
307030	502
307030	503
308070	469
320000	501
320005	501
320005	503
320005	503
320010	501
320011	501
320021	500
320021	503
320021	503
320022	500
320023	500
320035	499
320036	499
320050	499
320050	502
320050	502
320050	502
320050	502
320050	503
320050	503
320050	503
320053	499
320054	499
320055	499
320061	9
320065	488
320070	499
320070	502
320070	502
320070	502
320070	503
320070	503
320075	499
320075	502
320075	502
320075	502
320075	502
320075	503
320075	503
320075	503
320076	500
320076	502
320076	502
320076	502
320076	503
320076	503
320076	503
320077	500
320077	502
320078	500
320078	502
320078	503
320080	500
320080	502
320095	500
320095	502
320095	502
320095	502
320095	502
320095	503
320095	503
320095	503
320120	496
320121	496
320122	496
320410	500
320410	502
320414	502
325004	454
325005	454
325006	454
325008	454
325010	454
325012	454
325016	454
325020	454
350004	455

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
350004SS	456
350005	455
350005SS	456
350006	455
350006SS	456
350008	455
350008SS	456
350010	455
350010SS	456
350012	455
350012SS	456
350016	455
350016SS	456
350020	455
350020SS	456
389522	529
389523	529
400010	559
400012	559
400014	559
400016	559
400020	559
400022	559
400024	559
400032	559
400044	559
400066	559
400088	559
400110	559
400112	559
400116	559
400120	559
400122	559
400124	559
400144	559
400166	559
400188	559
444000	408
444001	408
444002	408
444005	408
444006	408
444007	408
444008	408
444011	408
444020	408
444021	408
444023	408
444040	408
444042	408
444045	408
444048	408
444049	408
444060	408
444062	408
444095	408
444111	408
444112	408
444113	408
444313	408
444318	408
444320	408
466900	107
466901	107
466902	107
500012	457
500016	548
500020	457
500024	548
500028	457
500032	548
500036	457
500042	548
500048	457
500056	457
500064	548
500066	548
500072	457
500084	548
500086	548
500088	457
500104	457
500128	457
500152	457
500188	457
500216	457
500248	457
500280	457
540402	132
540402S	132
540402SC	137
540404	132
540404S	132
540404SC	137
540412	548
540416	548
540420	548
540424	548
540442	548
540462	548
540464	548
540484	548
540486	548
540522	548
540524	548
540542	548
540544	548
540548	548
540564	548
540566	548
540568	548
540588	548
540602	132
540602S	132
540602SC	137
540604	132
540604S	132
540604SC	137
540606	132
540606S	132
540606SC	137
540608	132
540608SC	137
540642	549
540662	549
540664	549
540682	549
540684	549
540686	549
540802C	137
540804	132
540804S	132
540804SC	137
540806	132
540806S	132
540806SC	137
540808	132
540808S	132
540808SC	137
541006	132
541006SC	137
541008	132
541008S	132
541008SC	137
541208	132
541208SC	137
541212	132
545302C	137
550016	550
550024	550
550032	550
550042	550
550064	550
550084	550
550086	550
550122	551
550144	551
550166	551
550212	551
550220	551
550224	551
550264	551
550268	551
550284	551
550286	551
550288	551
550412	551
550416	551
550420	551
550424	551
550442	551
550484	551
550486	551
550512	551
550516	551
550520	551
560012	552
560016	552
560022	552
560044	552
560066	552
560088	552
560112	552
560116	552
560122	552
560144	552
560166	552
560212	552
560216	552
560222	552
560244	552
560266	552
560288	552
560312	552
560316	552
560322	552
560344	552
560366	552
560388	552
560412	552
560416	552
560422	552
560444	552
560466	552
560488	552
560512	552
560516	552
560520	552
560522	552
560544	552
560566	552
590400	128
590600	128
590800	128
595320	128
600006	453
600008	453
600010	453
600012	453
600016	453
600020	453
600024	453
600028	453
600032	453
600036	453
600040	453
600044	453
600048	453
600052	453
600056	453
600060	453
600064	453
600072	453
600080	453
600088	453
600096	453
600104	453
611006	454
611008	454
611010	454
611012	454
611016	454
611020	454
611024	454
611028	454
611032	454
611036	454
611040	454
611044	454
611048	454
611052	454
611056	454
611060	454
611064	454
611072	454
611080	454
611088	454
611096	454
611104	454
611116	454
611128	454
611152	454
611164	454
611176	454
611188	454
611200	454
611212	454
611224	454
611248	454
611270	454
611312	454
611332	454
611390	454
620006	455
620006SS	456
620008	455
620008SS	456
620010	455
620010SS	456
620012	455
620012SS	456
620016	455
620016SS	456
620020	455
620020SS	456
620024	455
620024SS	456
620028	455
620028SS	456
620032	455
620032SS	456
620036	455
620036SS	456
620040	455
620040SS	456
620044	455
620044SS	456
620048	455
620048SS	456
620052	455
620052SS	456
620056	455
620056SS	456
620060	455
620060SS	456
620064	455
620064SS	456
620072	455
620072SS	456
620080	455
620088	455
620096	455
620104	455
620116	455
620128	455
620152	455
620164	455
620176	455
620188	455
620200	455
620212	455
620224	455
620248	455
620270	455
620312	455
620332	455
620390	455
620400	128
620400C	135
620409C	138
620532	128
620532C	135
620553C	138
620555C	138
620557C	138
620559C	138
620600	128
620600C	135
620604	128
620604C	138
620606C	138
620800	128
620800C	135
620806C	138
620808C	138
621000	128
621000C	135
621200	128
640010	553
640012	553
640016	553
640020	553
640024	553
640032	553
640042	553
640046	553
640048	553
640064	553
640068	553
640084	553
640086	553
640142	553
640144	553
640164	553
640166	553
640186	553
640188	553
640400	128
640400C	135
640442	554
640444	554
640464	554
640466	554
640468	554
640486	554
640488	554
640600	128
640600C	135
640800	128
640800C	135
641000	128
641000C	135
641200	128
645320C	135
650010	555
650012	555
650016	555
650020	555
650024	555
650032	555
650086	555
650142	555
650144	555
650164	555
650166	555
650186	555
650188	555
650210	555
650212	555
650216	555
650344	555
650364	555
650366	555
650386	555
650388	555
650400	128
650400C	135
650444	556
650466	556
650488	556
650542	556
650544	556
650546	556
650564	556
650566	556
650586	556
650588	556
650600	128
650600C	135
650642	556
650644	556
650664	556
650666	556
650668	556
650686	556
650688	556
650800	128
650800C	135
655320	128
655320C	135
660010	556
660012	556
660016	556
660020	556
660044	556
660066	556
660088	556
660212	556
660216	556
660224	556
660402	129
660402C	135
660404	129
660404C	135
660406C	135
660602	129
660602C	135
660604	129
660604C	135
660606	129
660606C	135
660608C	135
660802C	135
660804	129
660804C	135
660806	129
660806C	135
660808	129
660808C	135
665302C	135
665304C	135
680302	129

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
680402	129
680402C	136
680404	129
680404C	136
680406	129
680406C	136
680421	129
680602	129
680602C	136
680604	129
680604C	136
680606	129
680606C	136
680608	129
680608C	136
680804	129
680804C	136
680806	129
680806C	136
680808	129
680808C	136
681006	129
681006C	136
681008	129
681008C	136
681208	129
681208C	136
681212	129
685301C	136
685302C	136
685304C	136
685320	129
685321	129
685322	129
690302	130
690402	130
690402S	130
690402SC	136
690404	130
690404S	130
690404SC	136
690406	130
690406S	130
690406SC	136
690602	130
690602S	130
690602SC	136
690604	130
690604S	130
690604SC	136
690606	130
690606S	130
690606SC	136
690608	130
690608S	130
690608SC	136
690804	130
690804S	130
690804SC	136
690806	130
690806S	130
690806SC	136
690808	130
690808S	130
690808SC	136
691006	130
691006S	130
691006SC	136
691008	130
691008S	130
691008SC	136
691208	130
691208S	130
691208SC	136
691212	130
691212S	130
695302	130
695322	130
695322S	130
695322SC	136
700042	563
700044	563
700064	563
700066	563
700068	563
700086	563
700088	563
700242	564
700244	564
700246	564
700248	564
700264	564
700266	564
700268	564
700286	564
700288	564
700402	131
700402SC	136
700404	131
700404S	131
700404SC	136
700406	131
700406SC	136
700602	131
700602C	136
700604	131
700604SC	136
700606	131
700606SC	136
700608SC	136
700804C	136
700806	131
700806SC	136
700808	131
700808SC	136
702242	565
702244	565
702266	565
702288	565
704222	565
704242	565
704244	565
704266	565
704288	565
705302C	136
705304C	136
710402	131
710402S	132
710402SC	137
710404	131
710404S	132
710404SC	137
710604	131
710604S	132
710604SC	137
710606	131
710606S	132
710606SC	137
710608	131
710608SC	137
710804C	137
710804S	132
710806	131
710806S	132
710806SC	137
710808C	137
710808S	132
715301C	137
715302C	137
715304C	137
720042	563
720044	563
720064	563
720066	563
720068	563
720086	563
720088	563
720302	132
720402	132
720402S	133
720402SC	137
720404	132
720404S	133
720404SC	137
720406SC	137
720602S	133
720604	132
720604S	133
720604SC	137
720606	132
720606S	133
720606SC	137
720608C	137
720804	132
720804C	137
720804S	133
720806	132
720806S	133
720806SC	137
720808	132
720808S	133
720808SC	137
721006C	137
721008C	137
724010	564
724012	564
724016	564
725301C	137
725302C	137
725304C	137
742022	563
742042	563
742064	563
742066	563
742086	563
742088	563
742510	564
742512	564
742516	564
746435	212
746436	212
746437	212
746438	212
746439	212
746440	212
746446	212
746456	212
746457	212
746466	212
746470	212
746506	213
746535	213
746536	213
746537	213
746538	213
746546	213
746556	213
746566	213
746567	213
746570	213
752022	563
752044	563
752066	563
752088	563
770402	133
770402C	137
770404	133
770404C	137
770604	133
770604C	137
770806C	137
771004C	137
780212	564
780216	564
782512	564
782516	564
820400	133
820400C	138
820600	133
820600C	138
820800	133
820800C	138
821000	133
821000C	138
825320C	138
840131	458
840150	458
840175	458
840188	458
840200	458
840225	458
840238	458
840250	458
840256	458
840263	458
840275	458
840288	458
840300	458
840312	458
840325	458
840350	458
840375	458
840382	458
840400	458
840425	458
840450	458
840475	458
840500	458
840525	458
840550	458
840575	458
840600	458
840625	458
840650	458
840675	458
840700	458
840750	458
840800	458
840850	458
840888	458
841004	465
841005	465
841040	465
841045	465
841050	465
841175	465
841200	465
841250	465
841300	465
841350	465
841400	465
841450	465
841500	465
842010	462
842012	462
842016	462
842020	462
842024	462
842200	462
842250	462
842300	462
842350	462
842400	462
842450	462
842500	462
842550	462
843321	462
843382	462
843388	462
843450	462
843461	462
843475	462
843525	462
843588	462
844213	461
844225	461
844238	461
844250	461
844263	461
844275	461
844300	461
844306	461
844313	461
844325	461
844338	461
844350	461
844356	461
844363	461
844375	461
844406	461
844413	461
844425	461
844456	461
844500	461
844525	461
844600	461
844625	461
845200	466
845300	466
845350	466
845400	466
845500	466
845600	466
846200	466
846250	466
846275	466
846300	466
846350	466
846400	466
846500	466
847200	466
847250	466
847275	466
847300	466
847350	466
847400	466
847500	466
847600	466
848200	466
848225	466
848250	466
848275	466
848300	466
848350	466
848400	466
848500	466
848600	466
848700	466
860402	133
860402C	138
860404	133
860404C	138
860604	133
860604C	138
860606	133
860606C	138
860806C	138
860808	133
860808C	138
865304C	138
880402C	138
880404C	138
880406C	138
899000	261
899001	261
899002	261
899003	261
899004	261
899005	261
899050	261
899051	261
899052	261
899053	261
899054	261
899055	261
922009	215
922012	214
922012	215
922016	214
922020	214
922024	215
922030	214
922030	215
922036	214
922036	215
922048	215
922060	215
922072	215
922096	215
922112	214
922116	214
922120	214
922130	214
922136	214
922412	214
922416	214
922420	214
922430	214
922436	214
922712	215
922718	215
922724	215
922812	215
922818	215
922824	215
922912	215
922918	215
922924	215
923112	215
923124	215
923136	215
923148	215
923161	215
923196	215
923209	214
923212	214
923216	214
923220	214
923409	214
923412	214
923416	214
923420	214
923509	214
923512	214
923520	214
923648	215
923660	215
923672	215
923684	215
923936	215
923948	215
923960	215
923972	215
924115	215
924118	215
924124	215
924248	215
924260	215
924272	215
924284	215
924297	215
935044LF	195

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
935045LF	195
939132	241
939133	241
939134	241
939135	241
939136	241
939137	241
939138	241
939139	241
939140	241
940121	238
940122	238
940123	238
940130	240
940130LF	207
940131	240
940131LF	207
940132	240
940132LF	207
940133	240
940133LF	207
940134	240
940134LF	207
940135	240
940135LF	207
940136	240
940136LF	207
940137	240
940137LF	207
940138	240
940139	240
940142LF	207
940143LF	207
940144LF	207
940145LF	207
940146LF	207
940147LF	207
940171	222
940171L	223
940171LF	202
940171T	223
940172	222
940172L	223
940172LF	202
940172T	223
940173	222
940173L	223
940173LF	202
940173T	223
940174	222
940174L	223
940174LF	202
940174T	223
940175	222
940175L	223
940175LF	202
940176	222
940176L	223
940176LF	202
940177	222
940177L	223
940177LF	202
940178	222
940178L	223
940178LF	202
940179	222
940179LF	202
940180	222
940180LF	202
940181	222
940181LF	202
940212LF	203
940213LF	203
940214LF	203
940215LF	203
940216LF	203
940281	261
940282	261
940284	261
940285	261
940286	261
940287	261
940288	261
940289	261
940291	261
940292	261
940294	261
940295	261
940296	261
940297	261
940298	261
940299	261
940300	261
940301	261
940302	261
940325	262
940326	262
940327	262
940328	262
940329	262
940330	262
940331	262
940332	262
940333	262
940334	262
940335	262
940336	262
940352	244
940352LF	207
940353	244
940353LF	207
940354	244
940354LF	207
940355	244
940355LF	207
940356	244
940356LF	207
940357	244
940357LF	207
940358	244
940358LF	207
940359	244
940359LF	207
940360	244
940360LF	207
940362LF	207
940363LF	207
940364LF	207
940365LF	207
940366LF	207
940367LF	207
940403LF	204
940404LF	204
940405LF	204
940406LF	204
940407LF	204
940408LF	204
940409LF	204
940410LF	204
940411LF	204
940461	238
940462	238
940464	238
940465	238
940521	243
940522	243
940523	243
940523LF	207
940524	243
940525	243
940526	243
940527	243
940528	243
940529	243
940530	243
940800	494
940801	494
940803	494
940804	494
940805	494
940806	494
940810	495
940811	495
940812	495
940813	495
940814	495
940815	495
940822	495
940823	495
940824	495
940825	495
940826	495
940827	495
940840	495
940841	495
940842	495
940843	495
940844	495
940845	495
940846	495
940847	495
940848	495
941121NP	225
941122NP	225
941123NP	225
941124NP	225
941125NP	225
941126NP	225
941127NP	225
941128NP	225
941133	242
941134	242
941135	242
941136	242
941137	242
941138	242
941140	242
941151LF	201
941151NP	224
941152LF	201
941152NP	224
941153LF	201
941153NP	224
941154LF	201
941154NP	224
941155LF	201
941155NP	224
941156LF	201
941156NP	224
941157LF	201
941157NP	224
941158LF	201
941158NP	224
941159LF	201
941160LF	201
941161LF	201
941163LF	201
941164LF	201
941165LF	201
941166LF	201
941167LF	201
941168LF	201
941169LF	201
941170LF	201
941171LF	201
942100	239
942101	239
942102	239
942110LF	209
942111LF	209
942112LF	209
942113LF	209
942123LF	209
942132LF	210
942133LF	210
942134LF	210
942135LF	210
942142	239
942142LF	211
942143LF	211
942144LF	211
942145LF	211
942150LF	208
942151LF	208
942152LF	208
942162LF	210
942163LF	210
942164LF	210
942165LF	210
942170	239
942171	239
942208	226
942209	226
942210	226
943200	226
943201	226
943202	226
943203	226
943204	226
943205	226
943206	226
943207	226
943212	233
943213	233
943233LF	203
943234LF	203
943235LF	203
943236LF	203
943237LF	203
943284	239
943287	239
943311	233
943312	233
943313	233
943314	233
943331	233
943332	233
943342	233
943343	233
943344	233
943345	233
943347	233
943348	233
943351	233
943612LF	202
943613LF	202
943614LF	202
943615LF	202
943616LF	202
943617LF	202
943750LF	206
943751LF	206
943752LF	206
944100	237
944101	237
944102	237
944106	237
944107	237
944109	237
944110	237
944113	237
944116	237
944117	237
944128	237
944130	237
944132	237
944134LF	177
944136	237
944138	237
944140	237
944142	237
944142LF	177
944142LF	237
944401	246
944402	246
944403	246
944404	246
944405	246
944406	246
944407	246
944408	246
944409	246
944410	246
944411	246
944428	245
944429	245
944430	245
944430LF	207
944431	245
944431LF	207
944432	245
944432LF	207
944433	245
944433LF	207
944434	245
944434LF	207
944435LF	207
944436LF	207
944437LF	207
944438LF	207
945601LF	205
945602LF	205
945603LF	205
945604LF	205
945605LF	205
945606LF	205
945611LF	205
945612LF	205
945613LF	205
945614LF	205
945615LF	205
945616LF	205
945621LF	205
945622LF	205
945623LF	205
945631LF	205
945632LF	205
945633LF	205
945640LF	205
945650LF	205
945651LF	205
945652LF	205
947055	211
947055LF	211
947103	231
947104	231
947105	231
947111	231
947112	231
947113	231
947133	239
947134	239
947140	245
947141	245
947142	245
947143	245
947144	245
947145	245
948101	228
948102	228
948103	228
948104	228
948105	228
948106	228
948107	228
948108	228
948131	232
948132	232
948133	232
948134	232
948170	227
948170L	230
948170T	229
948171	227
948171L	230
948171T	229
948172	227
948172L	230
948172T	229
948173	227
948173L	230
948173T	229
948174	227
948174L	230
948174T	229
948175	227
948175L	230
948176	227
948176L	230
948176T	229
948177	227
948177L	230
949101	248
949102	248
949103	248
949104	248
949105	248
949106	248
949107	248
949108	248
949111	258
949112	258
949113	258
949114	258
949115	258
949116	258
949117	258
949118	258
949121	257
949122	257
949123	257
949124	257
949125	257
949126	257
949127	257
949128	257
949161	249
949162	249
949163	249
949164	249
949165	249
949166	249
949167	249
949168	249
949170	249
949171	247
949172	247
949173	247
949174	247
949175	247
949176	247
949177	247
949178	247
949180	249
949253	256
949254	256
949255	256
949256	256
949257	256
949258	256
949303	256
949304	256

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
949305	256
949306	256
949307	256
949308	256
949353	256
949354	256
949355	256
949356	256
949357	256
949358	256
949401	253
949402	253
949403	253
949404	253
949405	253
949406	253
949407	253
949408	253
949430	252
949431	252
949432	252
949441	255
949442	255
949443	255
949444	255
949445	255
949446	255
949447	255
949448	255
949451	254
949452	254
949453	254
949454	254
949455	254
949471	254
949472	254
949473	254
949474	254
949475	254
949481	255
949482	255
949483	255
949484	255
949485	255
949486	255
949487	255
949488	255
949521	256
949522	256
949523	256
949524	256
949525	256
949526	256
949527	256
949528	256
950812	563
950816	563
962003	269
962004	269
962006	269
962008	269
962010	269
962010LW	268
962010UL	268
962012	269
962012LW	268
962012UL	268
963002	267
963003	267
963004	267
963005	267
963006	267
963008	267
963010	267
963012	267
963014	267
963016	267
963025	267
970207	219
970208	219
970217	219
970218	219
970227	219
970228	219
970253	219
970254	219
970255	219
970257	219
970258	219
970300	299
970301	299
970302	299
970303	299
970304	299
970305	299
970306	299
970307	299
970308	299
970309	299
970310	299
970311	299
970312	299
970313	299
970314	299
970330	299
970331	299
970332	299
970333	299
970700	299
970701	299
970702	299
970703	299
970704	299
970705	299
970706	299
970707	299
972171	479
972172	479
972173	479
972180	479
972181	479
972182	479
972183	479
972184	479
972185	479
972186	479
972187	479
972190	479
972191	479
972192	479
972193	479
972194	479
972195	479
973200	475
973201	475
973203	475
973204	475
973205	475
973206	475
973207	475
973208	475
973211	475
973215	478
973216	478
973217	478
973219	478
973221	478
973223	478
973224	478
973226	477
973230	477
973231	477
973232	477
973233	477
973234	477
973238	477
973252	478
973253	478
973255	478
973262	478
973323	477
973325	477
973326	477
973327	477
973329	477
973332	477
973334	477
973341	474
973343	474
973345	474
973567	325
973568	325
973569	325
973570	324
973571	324
973572	324
973573	324
973574	324
973575	324
973600	399
973601	399
973602	399
973603	399
973604	399
973605	399
973606	399
973607	399
973620	399
973621	399
973622	399
973623	399
973624	399
973625	399
973626	399
973627	399
973628	399
973650	403
973651	403
973652	403
973653	403
973654	403
973655	403
973656	403
973657	403
973658	403
973659	403
973667	325
973668	325
973669	325
973670	324
973671	324
973672	324
973673	324
973674	324
973675	324
973697	398
973698	398
973699	398
973700	398
973701	398
973702	398
973703	398
973704	398
973705	398
973706	398
973707	398
973708	398
973850	398
973851	398
973852	398
973853	398
973854	398
973855	398
973856	398
973857	398
973858	398
973859	398
973861	398
973862	398
973863	398
973864	398
973865	398
973866	398
973867	398
973868	398
973869	398
973870	398
973871	398
973872	398
973873	398
973874	398
973875	398
973876	398
973877	398
973878	398
973879	398
973880	398
973881	398
973884	398
973885	398
973886	398
973887	398
973888	398
973890	403
973891	403
973892	403
973893	403
973894	403
973895	403
973900	300
973901	300
973902	300
973903	300
973904	300
973905	300
973906	300
973907	300
973908	300
973909	300
973910	300
973911	300
973912	300
973913	300
973914	300
973925	300
973925SS	301
973926SS	301
973927	300
973927SS	301
973928	300
973928SS	301
973929	300
973930	300
973930SS	301
973947SS	301
973948	300
973948SS	301
973949	300
973949SS	301
973951	27
973951	314
973952	27
973952	314
973953	27
973953	314
973954	27
973954	314
973955	27
973955	314
973956	27
973956	314
973957	27
973957	314
973958	27
973958	314
973959	27
973959	314
973960LF	301
973961LF	301
973962LF	301
973963LF	301
973965	300
973965LF	301
973966	300
973966LF	301
973967	300
973967LF	301
973969LF	301
973970LF	301
973971LF	301
973975	300
973975LF	301
973976	300
973976LF	301
973977	300
973978	300
973979	300
973980	300
973980SS	301
973981	300
973982	300
973982SS	301
973985SS	301
973990	27
973990	314
973991	314
974264	300
974265	300
974266	300
974267	300
982107	503
982107	508
982108	508
982109	508
982110	508
982120	508
982121	508
982122	508
982125	508
982126	508
982130	508
982131	508
982132	508
982135	508
982136	508
982137	508
982138	508
982140	508
983100	508
983101	508
983110	508
983111	508
983115	508
983116	508
983120	508
983121	508
983125	508
983126	508
983130	508
987245	357
987246	357
987247	357
987248	357
987249	357
987250	357
987251	357
987252	357
987253	357
987254	357
987255	357
987256	357
987257	357
987258	357
987259	357
987260	357
987261	357
987262	357
987400	358
987401	358
987402	358
987403	358
987404	358
987405	358
987406	358
987407	358
987408	358
988245	357
988246	357
988247	357
988248	357
988249	357
988250	357
988251	357
988252	357
988253	357
988254	358
988255	358
988256	358
988257	358
988258	358
988259	358
988260	358
988261	358
988262	358
988400	358
988401	358
988402	358
988403	358
988404	358
988405	358
988406	358
988407	358
988408	358
990571	478
990781	325
990782	325
990783	325
990784	325
990785	325
990786	325
990790	528
990791	528
990792	528
990793	528
990794	528
991249	507
991250	507
991251	507
991259	507
995210	507
995211	507
995212	507
995213	507
995214	507
995215	507
995216	507
995217	507
1000105	260
1000125	260
1000265	260
1000365	260
1000465	260

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
1000665	260
1000865	260
1001125	260
1001165	260
1001205	260
1001245	260
1001465	260
1001665	260
1001865	260
1050000	467
1050001	467
1050002	467
1050003	467
1050006	467
1050007	467
1050008	467
1050009	467
1050010	467
1050011	467
1050012	467
1050013	467
1050014	467
1050015	467
1050016	467
1050017	467
1050018	467
1050020	467
1050021	467
1050023	467
1050025	467
1050026	467
1050029	467
1050030	467
1050032	467
1050033	467
1404126	540
1404128	540
1404812	540
1405128	540
1405812	540
1410083	469
1410118	469
1501126	540
1501128	540
1501168	540
1501612	540
1502128	540
1502812	540
1503128	541
1503812	541
1700812	573
1703812	573
1704812	573
2403108	542
2403126	542
2403128	542
2404104	543
2404106	543
2404108	543
2404126	543
2404128	543
2404612	543
2404812	543
2404816	543
2405106	543
2405108	543
2405128	543
2405812	543
2406104	544
2406106	544
2406108	544
2406124	544
2406126	544
2406128	544
2406164	544
2406166	544
2406168	544
2406208	544
2406812	544
2501106	545
2501108	545
2501128	545
2501612	545
2501812	545
2501816	545
2502128	545
2503106	545
2503108	545
2503612	545
3000004	453
3000006	453
3000008	453
3000020	453
5000128	548
5000168	548
5404126	548
5404128	548
5404166	548
5404168	548
5405612	548
5405812	548
5405816	548
5406124	549
5406126	549
5406128	549
5406164	549
5406166	549
5406168	549
5406206	549
5406208	549
5406248	549
5500128	550
5502128	551
5502812	551
5504128	551
6400106	553
6400108	553
6400128	553
6400610	553
6400612	553
6400616	553
6400810	553
6400812	553
6401108	553
6401128	553
6401812	553
6404108	554
6500108	555
6501108	555
6505128	556
6506106	556
6506128	556
7000108	563
7000128	563
7000812	563
7002108	564
7002812	564
7005410	565
7005412	565
7005414	565
7005418	565
7005512	565
7005514	565
7005614	565
7005616	565
7005618	565
7005816	565
7005818	565
7005822	565
7022108	565
7025410	566
7025412	566
7025512	566
7025614	566
7025616	566
7025816	566
7045210	566
7045412	566
7045414	566
7045612	566
7045616	566
7045618	566
7045816	566
7045818	566
7045822	566
7420108	563
7420128	563
8401088	458
10001065	260
10001265	260
10011265	260
10011665	260
10012065	260
10012465	260
14041212	540
14041216	540
14041612	540
14041616	540
14041620	540
14042016	540
14042020	540
14042024	540
14042424	540
14043232	540
14051212	540
14051216	540
14051612	540
14051616	540
14052020	540
14052424	540
14053232	540
15011212	540
15011216	540
15011612	540
15011616	540
15012016	540
15012020	540
15013232	540
15021212	540
15021616	540
15022020	540
15022424	540
15031212	541
15031216	541
15031612	541
15031616	541
15031620	541
15032020	541
15041212	541
15041616	541
16011212	541
16011616	541
16021212	541
16021616	541
16031212	541
16031616	541
16700001	468
16700004	468
16700007	468
16700010	468
16700012	468
16700013	468
16700016	468
16700017	468
16700022	468
16700024	468
17001212	573
17001216	573
17001612	573
17001616	573
17001620	573
17001624	573
17002016	573
17002020	573
17002024	573
17002032	573
17002420	573
17002424	573
17002432	573
17003232	573
17031212	573
17031216	573
17031612	573
17031616	573
17031620	573
17032016	573
17032020	573
17032024	573
17032420	573
17032424	573
17032432	573
17033232	573
17041016	573
17041212	573
17041216	573
17041220	573
17041612	573
17041616	573
17041620	573
17041624	573
17042016	573
17042020	573
17042024	573
17042032	573
17042420	573
17042424	573
17042432	573
17043232	573
18001212	573
18001216	573
18001612	573
18001616	573
18001620	573
18001624	573
18002016	573
18002020	573
18002024	573
18002420	573
18002424	573
18003232	573
18031212	574
18031216	574
18031612	574
18031616	574
18031620	574
18031624	574
18032016	574
18032020	574
18032024	574
18032420	574
18032424	574
18033232	574
18041212	574
18041216	574
18041612	574
18041616	574
18041620	574
18041624	574
18042016	574
18042020	574
18042024	574
18042420	574
18042424	574
18043232	574
22611212	575
22611616	575
22612020	575
22612424	575
22613232	575
22621212	575
22621616	575
22622020	575
22622424	575
22623232	575
23611212	575
23611616	575
23612020	575
23612424	575
23621212	575
23621616	575
23622020	575
23622424	575
24031010	542
24031210	542
24031212	542
24031414	542
24031612	542
24031616	542
24032016	542
24032020	542
24041012	543
24041212	543
24041216	543
24041612	543
24041616	543
24041620	543
24041624	543
24042012	543
24042016	543
24042020	543
24042024	543
24042416	543
24042420	543
24042424	543
24042432	543
24043224	543
24043232	543
24051212	543
24051216	543
24051612	543
24051616	543
24052020	543
24061210	544
24061216	544
24061612	544
24061620	544
24062012	544
24062012	544
24062016	544
24062416	544
24062420	544
24063224	544
25001010	544
25001212	544
25001612	544
25001616	544
25002020	544
25002424	544
25003232	544
25011212	545
25011216	545
25011612	545
25011616	545
25011620	545
25012016	545
25012020	545
25012024	545
25012420	545
25012424	545
25013232	545
25021212	545
25021612	545
25021616	545
25022020	545
25031012	545
25031212	545
25031216	545
25031616	545
25031620	545
25032016	545
25032020	545
26011212	546
26031010	546
26031212	546
26031616	546
27051212	547
27051616	547
27052020	547
27061212	547
27061616	547
50001212	548
50001612	548
50002020	548
54041612	548
54042012	548
54042016	548
54042412	548
54042416	548
54042420	548
54051212	548
54051216	548
54051220	548
54051616	548
54051620	548
54052020	548
54052024	548
54052424	548
54061612	549
54062012	549
54062016	549
54062412	549
54062416	549
54062420	549
54063212	549
54063216	549
54063220	549
55001212	550
55001612	550
55001612	550
55002016	550
55002020	550
55011212	551
55011616	551
55021612	551
55021616	551
55031212	551
55041612	551
64001012	553
64001210	553
64001214	553
64001216	553
64001612	553
64001620	553
64001624	553
64002012	553
64002016	553
64002024	553
64002420	553
64002432	553
64003224	553
64011212	553
64011616	553
64012020	553
64012020	553
64012424	553
64041212	554
64041616	554
65011212	555
65011616	555
65012020	555
65012424	555
65013232	555

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
65031212	555
65041010	556
65041212	556
65041616	556
65042020	556
65051212	556
65051612	556
65051616	556
65052424	556
65061212	556
65061616	556
65062020	556
65062424	556
65063232	556
70001012	563
70001212	563
70001616	563
70021212	564
70021216	564
70021616	564
70051018	565
70051020	565
70051022	565
70051222	565
70221212	565
70221616	565
70251022	566
70251227	566
70251633	566
70421212	565
70421616	565
70451227	566
70451633	566
71040604	131
71060404	131
71060406	131
72001212	563
72060404	132
72100808	132
74201212	563
74201612	563
74201616	563
75201010	563
75201212	563
ANV1F	567
ANV1M	567
ANV12F	567
ANV12M	567
ANV14F	567
ANV14M	567
ANV34F	567
ANV34M	567
ANV38F	567
ANV38M	567
AR2	496
ARI-300	420
ARI-400	420
ARI-600	420
BC2-075A-DP	406
BC2-075C-DP	406
BC4-100B-DP	406
BC4-125-DP	406
BC4-200A-DP	406
BC4-200-DP	406
BE-300-SP	404
BG50	397
BG75	397
BG100	397
BG125	397
BG150	397
BG200	397
BG250	397
BG300	397
BG400	397
BG500	397
BG600	397
BG800	397
BLAY-100	431
BLAY-125	431
BLAY-150	431
BLAY-150-CASS	431
BLAY-200	431
BLAY-200-CASS	431
BLAY-250	431
BLAY-300	431
BLAY-300-CASS	431
BLAY-400	431
BLAY-400-CASS	431
BLAY-600	431
BLAY-600-CASS	431
BLOW150-300	417
BLOW150-400	417
BOPF-C	591
BRLAYHD-200	432
BRLAYHD-300	432
BRLAYHD-400	432
BRLAYHD-600	432
BSB-400-187	421
BSB-400-250	421
BSB-450-125	421
BSB-500-187	421
BSB-500-250	421
BSB-600-250	421
BW-16-16API-C	591
CC-1113	468
CC-1315	468
CC-1517	468
CC-1518	468
CC-1720	468
CC-2023	468
CC-2225	468
CC-2327	468
CC-2528	468
CC-2731	468
CC-3134	468
CC-3437	468
CCP-1098	469
CDC-050-A1	382
CDC-050-B1	391
CDC-050-PP	386
CDC-050-SS1	388
CDC-075-A1	382
CDC-075-B1	391
CDC-075-PP	386
CDC-075-SS1	388
CDC-100-A1	382
CDC-100-B1	391
CDC-100-PP	386
CDC-100-SS1	388
CDC-125-A1	382
CDC-125-B1	391
CDC-125-PP	386
CDC-125-SS1	388
CDC-150-A1	382
CDC-150-B1	391
CDC-150-PP	386
CDC-150-SS1	388
CDC-200-A1	382
CDC-200-B1	391
CDC-200-PP	386
CDC-200-SS1	388
CDC-250-A1	382
CDC-250-B1	391
CDC-250-SS1	388
CDC-300-A1	382
CDC-300-B1	391
CDC-300-PP	386
CDC-300-SS1	388
CDC-400-A1	382
CDC-400-B1	391
CDC-400-PP	386
CDC-400-SS1	388
CDC-500-A1	382
CDC-500-B1	391
CDC-500-SS1	388
CDC-600-A1	382
CDC-600-B1	391
CDC-600-SS1	388
CDC-800-A1	382
CDC-800-SS1	388
CDC-1000-A	382
CDCSL-200-A1	393
CDCSL-200-SS1	394
CDCSL-300-A1	393
CDCSL-300-SS1	394
CDCSL-400-A1	393
CDCSL-400-SS1	394
CDCSL-600-A1	393
CDCSL-600-SS1	394
CDP-050-A1	382
CDP-050-B1	391
CDP-050-PP	386
CDP-050-SS1	388
CDP-075-A1	382
CDP-075-B1	391
CDP-075-PP	386
CDP-075-SS1	388
CDP-100-A1	382
CDP-100-B1	391
CDP-100-PP	386
CDP-100-SS1	388
CDP-125-A1	382
CDP-125-B1	391
CDP-125-PP	386
CDP-125-SS1	388
CDP-150-A1	382
CDP-150-B1	391
CDP-150-PP	386
CDP-150-SS1	388
CDP-200-A1	382
CDP-200-B1	391
CDP-200-PP	386
CDP-200-SS1	388
CDP-250-A1	382
CDP-250-B1	391
CDP-250-SS1	388
CDP-300-A1	382
CDP-300-B1	391
CDP-300-PP	386
CDP-300-SS1	388
CDP-400-A1	382
CDP-400-B1	391
CDP-400-PP	386
CDP-400-SS1	388
CDP-500-A1	382
CDP-500-B1	391
CDP-600-A1	382
CDP-600-B1	391
CDP-600-SS1	388
CDP-800-A1	382
CDP-800-SS1	388
CDP-1000-A	382
CF-05101-SS304	443
CF-05101S-SP	439
CF-05102-SS304	443
CF-08105-SP	439
CF-08105-SS304	443
CF-08106-SS304	443
CF-08108-SS304	443
CF-10108-SS304	443
CF-10109-SP	439
CF-10109-SS304	443
CF-10110-SP	439
CF-10110-SS304	443
CF-10111-SP	439
CF-10111-SS304	443
CF-13113-SP	439
CF-13114-SP	439
CF-13114-SS304	444
CF-13115-SS304	444
CF-15115-SP	440
CF-15115-SS304	444
CF-15200-SS304	444
CF-15201-SP	440
CF-15201-SS304	444
CF-15202L-SP	440
CF-15202-SP	440
CF-15202-SS304	444
CF-15203-SP	440
CF-15203-SS304	444
CF-15204-SS304	444
CF-15205-SP	440
CF-15205-SS304	444
CF-20208-SP	440
CF-20208-SS304	444
CF-20209L-SP	440
CF-20209-SP	440
CF-20209-SS304	444
CF-20210-SP	440
CF-20210-SS304	444
CF-20211L-SP	440
CF-20211-SP	440
CF-20211-SS304	444
CF-20212L-SP	440
CF-20212-SP	440
CF-20212-SS304	444
CF-20213L-SP	440
CF-20213-SP	440
CF-20213-SS304	444
CF-20214-SP	440
CF-20214-SS304	444
CF-20215-SP	440
CF-25303L-SP	441
CF-25303-SP	441
CF-30309-SP	441
CF-30309-SS304	444
CF-30310L-SP	441
CF-30310-SP	441
CF-30310-SS304	444
CF-30311L-SP	441
CF-30311-SP	441
CF-30311-SS304	444
CF-30312L-SP	441
CF-30312-SP	441
CF-30312-SS304	444
CF-30313L-SP	441
CF-30313-SP	441
CF-30313-SS304	444
CF-30314L-SP	441
CF-30314-SP	441
CF-30314-SS304	444
CF-30315L-SP	441
CF-30315-SP	441
CF-30315-SS304	444
CF-30400L-SP	441
CF-30400-SP	441
CF-30400-SS304	444
CF-40409-SP	442
CF-40410L-SP	442
CF-40410-SP	442
CF-40410-SS304	445
CF-40411L-SP	442
CF-40411-SP	442
CF-40411-SS304	445
CF-40412L-SP	442
CF-40412-SP	442
CF-40412-SS304	445
CF-40413L-SP	442
CF-40413-SP	442
CF-40413-SS304	445
CF-40414L-SP	442
CF-40414-SP	442
CF-40414-SS304	445
CF-40415L-SP	442
CF-40415-SP	442
CF-40415-SS304	445
CF-40500L-SP	442
CF-40500-SP	442

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
CF-40501L-SP	442
CF-40501-SP	442
CF-60610-SP	442
CF-60612-SP	442
CF-60614-SP	442
CF-60702-SP	442
CF-60704-SP	442
CFT-08104T-SS304	443
CFT-08106T-SP	439
CFT-08106T-SS304	443
CFT-08107T-SP	439
CFT-08107T-SS304	443
CFT-08108T-SP	439
CFT-08108T-SS304	443
CFT-08109T-SP	439
CFT-08109T-SS304	443
CFT-10114T-SP	439
CFT-10115T-SP	439
CFT-10117T-SP	439
CFT-10117T-SS304	443
CFT-10118T-SP	439
CG-050-EPDM	397
CG-050-VI	397
CG-075-NBR	397
CG-075-VI	397
CG-100-NBR	397
CG-100-VI	397
CG-125-NBR	397
CG-125-VI	397
CG-150-NBR	397
CG-150-VI	397
CG-200-EPDM	397
CG-200-NBR	397
CG-200-VI	397
CG-250-NBR	397
CG-250-VI	397
CG-300-EPDM	397
CG-300-NBR	397
CG-300-VI	397
CG-400-NBR	397
CG-400-VI	397
CG-500-NBR	397
CG-600-NBR	397
CG-800-NBR	397
CGA-050-A1	381
CGA-050-B1	390
CGA-050-PP	385
CGA-050-SS1	387
CGA-075-A1	381
CGA-075-B1	390
CGA-075-PP	385
CGA-075-SS1	387
CGA-100-A1	381
CGA-100-B1	390
CGA-100-PP	385
CGA-100-SS1	387
CGA-125-A1	381
CGA-125-B1	390
CGA-125-PP	385
CGA-125-SS1	387
CGA-150-A1	381
CGA-150-B1	390
CGA-150-PP	385
CGA-150-SS1	387
CGA-200-A1	381
CGA-200-B1	390
CGA-200-PP	385
CGA-200-SS1	387
CGA-250-A1	381
CGA-250-B1	390
CGA-250-SS1	387
CGA-300-A1	381
CGA-300-B1	390
CGA-300-PP	385
CGA-300-SS1	387
CGA-400-A1	381
CGA-400-B1	390
CGA-400-PP	385
CGA-400-SS1	387
CGA-500-A1	381
CGA-500-B1	390
CGA-500-SS1	387
CGA-600-A1	381
CGA-600-B1	390
CGA-600-SS1	387
CGA-800-A1	381
CGA-800-SS1	387
CGA-1000-A	381
CGA-1520-A	383
CGA-2015-A	383
CGA-2030-A	383
CGA-3040-A	383
CGA-4030-A	383
CGA-6040-A	383
CGASV-300-A	383
CGASV-400-A	383
CGB-050-A1	381
CGB-050-B1	390
CGB-050-PP	385
CGB-050-SS1	387
CGB-075-A1	381
CGB-075-B1	390
CGB-075-PP	385
CGB-075-SS1	387
CGB-100-A1	381
CGB-100-B1	390
CGB-100-PP	385
CGB-100-SS1	387
CGB-125-A1	381
CGB-125-B1	390
CGB-125-PP	385
CGB-125-SS1	387
CGB-150-A1	381
CGB-150-B1	390
CGB-150-PP	385
CGB-150-SS1	387
CGB-200-A1	381
CGB-200-B1	390
CGB-200-PP	385
CGB-200-SS1	387
CGB-250-A1	381
CGB-250-B1	390
CGB-250-SS1	387
CGB-300-A1	381
CGB-300-B1	390
CGB-300-PP	385
CGB-300-SS1	387
CGB-400-A1	381
CGB-400-B1	390
CGB-400-PP	385
CGB-400-SS1	387
CGB-500-A1	381
CGB-500-B1	390
CGB-500-SS1	387
CGB-600-A1	381
CGB-600-B1	390
CGB-600-SS1	387
CGB-800-A1	381
CGB-800-SS1	387
CGB-1000-A	381
CGB-3020-A	383
CGB-3040-A	383
CGB-4030-A	383
CGBSL-200-A1	393
CGBSL-200-SS1	394
CGBSL-300-A1	393
CGBSL-300-SS1	394
CGBSL-400-A1	393
CGBSL-400-SS1	394
CGBSL-600-A1	393
CGC-050-A1	381
CGC-050-B1	390
CGC-050-PP	385
CGC-050-SS1	387
CGC-075-A1	381
CGC-075-B1	390
CGC-075-PP	385
CGC-075-SS1	387
CGC-100-A1	381
CGC-100-B1	390
CGC-100CR-SS1	395
CGC-100-PP	385
CGC-100-SS1	387
CGC-125-A1	381
CGC-125-B1	390
CGC-125-PP	385
CGC-125-SS1	387
CGC-150-A1	381
CGC-150-B1	390
CGC-150CR-A1	395
CGC-150CR-SS1	395
CGC-150-PP	385
CGC-150-SS1	387
CGC-200-A1	381
CGC-200-B1	390
CGC-200CR-A1	395
CGC-200CR-SS1	395
CGC-200-PP	385
CGC-200-SS1	387
CGC-250-A1	381
CGC-250-B1	390
CGC-250CR-A1	395
CGC-250-SS1	387
CGC-300-A1	381
CGC-300-B1	390
CGC-300CR-A1	395
CGC-300CR-SS1	395
CGC-300-PP	385
CGC-300-SS1	387
CGC-400-A1	381
CGC-400-B1	390
CGC-400CR-A1	395
CGC-400CR-SS1	395
CGC-400-PP	385
CGC-400-SS1	387
CGC-500-A1	381
CGC-500-B1	390
CGC-500-SS1	387
CGC-600-A1	381
CGC-600CR-A1	395
CGC-600-SS1	387
CGC-800-A1	381
CGC-800CS-A1	395
CGC-800-SS1	387
CGC-1000-A	381
CGC-1590-A	383
CGC-2015-A	383
CGC-2090-A	383
CGC-3020-A	383
CGC-3025-A	383
CGC-4030-A	383
CGCSL-200CR-A1	393
CGCSL-200CR-SS1	394
CGCSL-300CR-A1	393
CGCSL-300CR-SS1	394
CGCSL-400CR-A1	393
CGCSL-400CR-SS1	394
CGCSL-600CR-A1	393
CGCSL-600CR-A4	393
CGCSL-600CR-SS1	394
CGD-050-A1	381
CGD-050-B1	390
CGD-050-PP	385
CGD-050-SS1	387
CGD-075-A1	381
CGD-075-B1	390
CGD-075-PP	385
CGD-075-SS1	387
CGD-100-A1	381
CGD-100-B1	390
CGD-100-PP	385
CGD-100-SS1	387
CGD-125-A1	381
CGD-125-B1	390
CGD-125-PP	385
CGD-125-SS1	387
CGD-150-A1	381
CGD-150-B1	390
CGD-150-PP	385
CGD-150-SS1	387
CGD-200-A1	381
CGD-200-B1	390
CGD-200-PP	385
CGD-200-SS1	387
CGD-250-A1	381
CGD-250-B1	390
CGD-250-SS1	387
CGD-300-A1	381
CGD-300-B1	390
CGD-300-PP	385
CGD-300-SS1	387
CGD-400-A1	381
CGD-400-B1	390
CGD-400-PP	385
CGD-400-SS1	387
CGD-500-A1	381
CGD-500-B1	390
CGD-500-SS1	387
CGD-600-A1	381
CGD-600-SS1	387
CGD-800-A1	381
CGD-1000-A	381
CGD-1510-A	384
CGD-2015-A	384
CGD-2090-SS	389
CGD-3020-A	384
CGDSL-200-A1	393
CGDSL-200-SS1	394
CGDSL-300-A1	393
CGDSL-300-SS1	394
CGDSL-400-A1	393
CGDSL-400-SS1	394
CGDSL-600-A1	393
CGDSL-600-SS1	394
CGDSV-300-A	384
CGDSV-400-A	384
CGE-050-A1	382
CGE-050-B1	391
CGE-050-PP	386
CGE-050-SS1	388
CGE-075-A1	382
CGE-075-B1	391
CGE-075-PP	386
CGE-075-SS1	388
CGE-100-A1	382
CGE-100-B1	391
CGE-100CR-SS1	395
CGE-100-PP	386
CGE-100-SS1	388
CGE-125-A1	382
CGE-125-B1	391
CGE-125-PP	386
CGE-125-SS1	388
CGE-150-A1	382
CGE-150-B1	391
CGE-150CR-A1	395
CGE-150CR-SS1	395
CGE-150-PP	386
CGE-150-SS1	388
CGE-200-A1	382
CGE-200-B1	391
CGE-200CR-A1	395
CGE-200CR-SS1	395
CGE-200-PP	386
CGE-200-SS1	388
CGE-250-A1	382
CGE-250-B1	391
CGE-250CR-A1	395

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
CGE-250-SS1	388
CGE-300-A1	382
CGE-300-B1	391
CGE-300CR-A1	395
CGE-300CR-SS1	395
CGE-300-PP	386
CGE-300-SS1	388
CGE-400-A1	382
CGE-400-B1	391
CGE-400CR-A1	395
CGE-400CR-SS1	395
CGE-400-PP	386
CGE-400-SS1	388
CGE-500-A1	382
CGE-500-B1	391
CGE-500-SS1	388
CGE-600-A1	382
CGE-600-B1	391
CGE-600CR-A1	395
CGE-600-SS1	388
CGE-800-A1	382
CGE-800CS-A1	395
CGE-800-SS1	388
CGE-1000-A	382
CGF-050-A1	382
CGF-050-B1	391
CGF-050-PP	386
CGF-050-SS1	388
CGF-075-A1	382
CGF-075-B1	391
CGF-075-PP	386
CGF-075-SS1	388
CGF-100-A1	382
CGF-100-B1	391
CGF-100-PP	386
CGF-100-SS1	388
CGF-125-A1	382
CGF-125-B1	391
CGF-125-PP	386
CGF-125-SS1	388
CGF-150-A1	382
CGF-150-B1	391
CGF-150-PP	386
CGF-150-SS1	388
CGF-200-A1	382
CGF-200-B1	391
CGF-200-PP	386
CGF-200-SS1	388
CGF-250-A1	382
CGF-250-B1	391
CGF-250-SS1	388
CGF-300-A1	382
CGF-300-B1	391
CGF-300-PP	386
CGF-300-SS1	388
CGF-400-A1	382
CGF-400-B1	391
CGF-400-PP	386
CGF-400-SS1	388
CGF-500-A1	382
CGF-500-B1	391
CGF-500-SS1	388
CGF-600-A1	382
CGF-600-B1	391
CGF-600-SS1	388
CGF-800-A1	382
CGF-800-SS1	388
CGF-1000-A	382
CGF-1520-A	384
CGF-2030-A	384
CGF-3020-A	384
CGF-3040-A	384
CGF-4030-A	384
CGF-4060-A	384
CNFL-200CR-S	402
CNFL-200CR-SS316	402
CNFL-300CR-S	402
CNFL-300CR-SS316	402
CNFL-400CR-S	402
CNFL-400CR-SS316	402
CNFL-600CR-S	402
CNFL-600CR-SS316	402
CNG-150-SP	399
CNG-200CR-SP	402
CNG-200CR-SS316	402
CNG-200-S	399
CNG-200-SP	399
CNG-250CR-SS316	402
CNG-250-SP	399
CNG-300CR-SP	402
CNG-300CR-SS316	402
CNG-300-S	399
CNG-300-SP	399
CNG-400CR-SP	402
CNG-400CR-SS316	402
CNG-400CS-S	401
CNG-400CS-SP	401
CNG-400-S	399
CNG-400-SP	399
CNG-500-SP	399
CNG-600CR-SP	402
CNG-600CS-S	401
CNG-600CS-SP	401
CNG-600-S	399
CNG-600-SP	399
CNG-800CS-S	401
CNG-800CS-SP	401
CNL-200CR-SP	401
CNL-250CR-SP	401
CNL-300CR-SP	401
CNL-400CR-SP	401
CNSC-300CR-SP	402
CNSC-400CR-SP	402
CNT-100CR-SP	401
CNT-100CR-SS316	401
CNT-125CR-SP	401
CNT-125CR-SS316	401
CNT-150CR-SP	401
CNT-150CR-SS316	401
CNT-200CR-SP	401
CNT-200CR-SS316	401
CNT-250CR-SP	401
CNT-250CR-SS316	401
CNT-300CR-SP	401
CNT-300CR-SS316	401
CNT-400-B	399
CNT-400CR-SP	401
CNT-400CR-SS316	401
CNT-400CS-S	401
CNT-400CS-SP	401
CNT-600CR-SP	401
CNT-600CR-SS316	401
CNT-600CS-S	401
CNT-600CS-SP	401
CNT-600-S	398
CNT-800CS-S	401
CNT-800CS-SP	401
CNT-1200-S	398
CNT-1200-SP	398
CNTB-200CR-S	402
CNTB-200CR-SS316	402
CNTB-300CR-S	402
CNTB-300CR-SS316	402
CNTB-400CR-S	402
CNTB-400CR-SS316	402
CNTB-600CR-S	402
CNTB-600CR-SS316	402
CPHL-03	468
CPHL-04	468
CPHL-05	468
CPHL-06	468
CPHL-07	468
CPHL-08	468
CPHL-09	468
CPHL-10	468
CPHL-11	468
CPHL-12	468
CPHL-14	468
CPHL-16	468
CPHL-18	468
CPHL-20	468
CPHL-24	468
CPHL-26	468
CPHL-28	468
CPHL-32	468
CPHLS-04	468
CPHLS-05	468
CPHLS-06	468
CPHLS-07	468
CPHLS-08	468
CPHLS-09	468
CPHLS-10	468
CPHLS-11	468
CPHLS-12	468
CPHLS-14	468
CPHLS-16	468
CPHLS-18	468
CPHLS-20	468
CPHLS-24	468
CPHLS-28	468
CPHLS-32	468
CRPVC-019	416
CRPVC-025	416
CRPVC-025-100	416
CRPVC-031	416
CRPVC-031-100	416
CRPVC-038	416
CRPVC-038-100	416
CRPVC-050	416
CRPVC-050-100	416
CRPVC-063	416
CRPVC-063-100	416
CRPVC-075	416
CRPVC-075-100	416
CRPVC-100	416
CRPVC-100-100	416
CRPVC-125	416
CRPVC-150	416
CRPVC-200	416
CSL-05100S-SP	446
CSL-05100S-SS304	450
CSL-08102S-SP	446
CSL-08104-SS304	450
CSL-08104S-SS304	450
CSL-08105S-SP	446
CSL-08106-SP	446
CSL-10107-SP	446
CSL-10107S-SP	446
CSL-10108-SP	446
CSL-10108-SS304	450
CSL-10108S-SP	446
CSL-10109-SP	446
CSL-10109S-SP	446
CSL-10109S-SS304	450
CSL-10110-SP	446
CSL-10110-SS304	450
CSL-10110S-SS304	450
CSL-10111-SP	446
CSL-10111S-SP	446
CSL-10112-SP	446
CSL-10112-SS304	450
CSL-13113S-SP	446
CSL-13113S-SS304	451
CSL-13114-SS304	451
CSL-13114S-SP	446
CSL-15112-SP	447
CSL-15115-SP	447
CSL-15200-SP	447
CSL-15201-SP	447
CSL-15201-SS304	451
CSL-15202-SP	447
CSL-15202S-SP	447
CSL-15203-SP	447
CSL-15204-SP	447
CSL-15205-SP	447
CSL-15206-SP	447
CSL-20204-SP	447
CSL-20206-SP	447
CSL-20206-SS304	451
CSL-20206S-SP	447
CSL-20207-SP	447
CSL-20207-SS304	451
CSL-20207S-SP	447
CSL-20208-SP	447
CSL-20208-SS304	451
CSL-20209-A	445
CSL-20209-SP	447
CSL-20209-SS304	451
CSL-20209S-SP	447
CSL-20210-A	445
CSL-20210-SP	447
CSL-20210-SS304	451
CSL-20210S-SP	447
CSL-20211-A	445
CSL-20211-SP	447
CSL-20211-SS304	451
CSL-20211S-SP	447
CSL-20212-SP	447
CSL-20212-SS304	451
CSL-20213-SP	447
CSL-20214-SP	447
CSL-20214-SS304	451
CSL-20215-SP	447
CSL-20300-SP	447
CSL-25302-SP	448
CSL-25306-SP	448
CSL-30304-SP	448
CSL-30306-SP	448
CSL-30306S-SP	448
CSL-30307-SP	448
CSL-30308-SP	448
CSL-30308S-SP	448
CSL-30309-SP	448
CSL-30309-SS304	451
CSL-30309S-SP	448
CSL-30310-A	445
CSL-30310-SP	448
CSL-30310-SS304	451
CSL-30310S-SP	448
CSL-30311-SP	448
CSL-30311-SS304	451
CSL-30311S-SP	448
CSL-30312-SP	448
CSL-30312-SS304	451
CSL-30312S-SP	448
CSL-30313-A	445
CSL-30313-SP	448
CSL-30313-SS304	451
CSL-30313S-SP	448
CSL-30314-A	445
CSL-30314-SP	448
CSL-30314-SS304	451
CSL-30314S-SP	448
CSL-30315-A	445
CSL-30400-SP	448
CSL-40406-SP	449
CSL-40408-SP	449
CSL-40409-SP	449
CSL-40410-SP	449
CSL-40410S-SP	449
CSL-40411-A	445
CSL-40411-SP	449
CSL-40411S-SP	449
CSL-40412-A	445
CSL-40412-SP	449
CSL-40412S-SP	449
CSL-40413-A	445
CSL-40413-SP	449

MIDLAND INDUSTRIES
NUMERICAL INDEX

Part#	Page
CSL-40413S-SP	449
CSL-40414-A	445
CSL-40414-SP	449
CSL-40414S-SP	449
CSL-40415-SP	449
CSL-40500-SP	449
CSL-40500S-SP	449
CSL-60604-SP	449
CSL-60606-SP	449
CSL-60608-SP	449
CSL-60610-SP	449
CSL-60612-SP	449
CSL-60614-SP	449
CSL-60700-SP	449
CSL-60702-SP	449
CSL-60704-SP	449
CSL-80812-SP	449
CSL-80900-SP	449
CSL-80904-SP	449
CSL-80908-SP	449
CSL-100108-SP	450
CSL-100114-SP	450
DA-1510-A	384
DA-1520-A	384
DA-2015-A	384
DA-2030-A	384
DA-2030-SS	389
DA-2040-A	384
DA-3015-A	384
DA-3020-A	384
DA-3020-SS	389
DA-3040-A	384
DA-3040-SS	389
DA-4020-A	384
DA-4030-A	384
DA-4030-SS	389
DA-4060-A	384
DBC-40-DP	463
DBC-60-DP	463
DBC-76-DP	463
DBC-94-DP	463
DBC-400-DP	463
DBC-431-DP	463
DBC-463-DP	463
DBC-525-DP	463
DBC-550-DP	463
DBC-600-DP	463
DBC-639-DP	463
DBC-675-DP	463
DBC-769-DP	463
DBC-818-DP	463
DBC-875-DP	463
DBC-988-DP	463
DBC-1125-DP	463
DBC-1275-DP	463
DBC-1360-DP	463
DD-1515-A	384
DD-1515-SS	389
DD-2020-A	384
DD-2020-SS	389
DD-2030-A	384
DD-2030-SS	389
DD-3030-A	384
DD-3030-SS	389
DD-3040-A	384
DD-3040-SS	389
DD-4040-SS	389
DURFL-200	433
DURFL-200-CASSP	433
DURFL-300	433
DURFL-300-CASSP	433
DURFL-400	433
DURFL-400-CASSP	433
DURFL-600	433
DX35TR25	482
DX35TR38	482
DX4324	483
DX4336	483
DX4424	483
DX4436	483
DX4524VG	483
DX4536VG	483
DX5005	483
DX5006	483
DX5022	483
DX5090	483
DX5190	483
DX5197	483
DX60021	482
DX60021V	482
DX60022	482
DX60022V	482
DX60023	482
DX60023V	482
DX60092	482
DX140030MG	481
DX140040MG	481
DX140050MG	481
DX140060MG	481
DX140070MG	481
DX141530MG	481
DX141540MG	481
DX141550MG	481
DX141560MG	481
DX141570MG	481
DX142530MG	481
DX142540MG	481
DX142550MG	481
DX142560MG	481
DX142570MG	481
DX144030MG	481
DX144040MG	481
DX144050MG	481
DX144060MG	481
DX144070MG	481
DX250030	481
DX250040	481
DX250050	481
DX250060	481
DX251530	481
DX251540	481
DX251550	481
DX251560	481
DX252530	481
DX252540	481
DX252550	481
DX252560	481
DX254030	481
DX254040	481
DX254050	481
DX254060	481
DX256500	481
DX259520	481
DX259530	481
DX259540	481
DX259550	481
DX259560	481
DX259570	481
DX722530	482
DX722540	482
DX722550	482
DX722560	482
DX723230	482
DX723240	482
DX723250	482
DX723260	482
DX724030	482
DX724040	482
DX724050	482
DX724060	482
DX725030	482
DX725040	482
DX725050	482
DX725060	482
EPDM-150	422
EPDM-200	422
EPDM-300	422
EPDM-400	422
F38	469
F40	469
F100	469
FE-025-SP	404
FE-125-SP	404
FE-150-SP	404
FE-200-SP	404
FF-1-F	568
FF1M	568
FF12F	568
FF12M	568
FF14F	568
FF14M	568
FF34F	568
FF34M	568
FF38F	568
FF38M	568
FF1234F	568
FF1234M	568
FF3416F	568
FF3416M	568
FF3812F	568
FF3812M	568
FHE-075-MP	400
FLDROP-200	429
FLDROP-400	429
FLX-075	423
FLX-100	423
FLX-150	423
FLX-200	423
FLX-300	423
FLX-400	423
FLXS-100	423
FLXS-200	423
FLXS-300	423
FLXS-400	423
FN-075	407
FN-075G	407
FN-075R	407
FN-100	407
FN-150	407
FN-200	407
FRAC400-300	427
FRAC400-400	427
FRAC400-600	427
FS6400O44	562
FS6400O46	562
FS6400O64	562
FS6400O66	562
FS6400O68	562
FS6400O86	562
FS6400O88	562
FS6400O108	562
FS6400O128	562
FS6400O810	562
FS6400O1010	562
FS6400O1012	562
FS6400O1210	562
FS6400O1212	562
FS6400O1216	562
FS6400O1612	562
FS6400O1616	562
FS6400O1620	562
FS6400O2020	562
FS6400O2024	562
FS6400O2424	562
FS250044	561
FS250066	561
FS250144	561
FS250164	561
FS250166	561
FS250186	561
FS250188	561
FS250344	561
FS250366	561
FS250388	561
FS260344	561
FS260366	561
FS260388	561
FS640244	561
FS640266	561
FS640288	561
FS650044	562
FS650066	562
FS650088	562
FS650444	562
FS650466	562
FS650488	562
FS680144	562
FS680146	562
FS680164	562
FS680166	562
FS680168	562
FS680186	562
FS680188	562
FS680244	562
FS680266	562
FS680288	562
FS680944	563
FS680966	563
FS680988	563
FS2501108	561
FS2501128	561
FS2501812	561
FS6801108	562
FS6801810	562
FS25001010	561
FS25001212	561
FS25001616	561
FS25011012	561
FS25011212	561
FS25011216	561
FS25011616	561
FS25012020	561
FS25012424	561
FS25031212	561
FS25031616	561
FS26031212	561
FS64021010	561
FS64021212	561
FS65001212	562
FS65041010	562
FS65041616	562
FS68011012	562
FS68011210	562
FS68011212	562
FS68011216	562
FS68011616	562
FS68011620	562
FS68012016	562
FS68012020	562
FS68012424	562
FS68021010	562
FS68021212	562
FS68021616	562
FS68022020	562
FS68091212	563
FSO304C4	560
FSO304C6	560
FSO304C8	560
FSO304C10	560
FSO304C12	560
FSO304C16	560
FSO304C20	560
FSO304C24	560
FSO3064	560
FSO3066	560
FSO3068	560
FSO3184	559
FSO3186	559

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
FSO3188	559
FSO3194	560
FSO3196	560
FSO3198	560
FSO24084	561
FSO24086	561
FSO24088	561
FSO30612	560
FSO30616	560
FSO31810	559
FSO31812	559
FSO31816	559
FSO31820	559
FSO31910	560
FSO31912	560
FSO31916	560
FSO31920	560
FSO240344	560
FSO240366	560
FSO240388	560
FSO240664	560
FSO240684	560
FSO240810	561
FSO240812	561
FSO240816	561
FSO240820	561
FSO240824	561
FSO2406106	560
FSO2406108	560
FSO2406126	560
FSO24031212	560
FSO24031616	560
FUEL-025	420
FUEL-031	420
FUEL-038	420
FV-200-DP	407
FV-300-DP	407
FV-400-DP	407
FV-600-DP	407
GDS-050-B	405
GDS-075-B	405
GE3L1NPT	259
GE3L04SAE	259
GE3L06SAE	259
GE3L08SAE	259
GE3L12NPT	259
GE3L12SAE	259
GE3L14NPT	259
GE3L16SAE	259
GE3L34NPT	259
GE3L38NPT	259
GE3L112TNPT	259
GE3L114TNPT	259
GE21NPT	259
GE204SAE	259
GE206SAE	259
GE208SAE	259
GE212NPT	259
GE212SAE	259
GE214NPT	259
GE216SAE	259
GE234NPT	259
GE238NPT	259
GE2112TNPT	259
GE2114TNPT	259
GJM-050CR-SP	400
GJM-075CR-SP	400
GJM-100CR-SP	400
GJM-125CR-SP	400
GJM-150CR-SP	400
GJM-200CR-SP	400
GJM-250CR-SP	400
GJM-300CR-SP	400
GJS-050CR-SP	400
GJS-075CR-SP	400
GJS-100CR-SP	400
GJS-125CR-SP	400
GJS-150CR-SP	400
GJS-200CR-SP	400
GJS-250CR-SP	400
GJS-300CR-SP	400
GPE-025-300	418
GPE-038-300	418
GPE-050-300	418
GPE-063-300	418
GPE-075-300	418
GPE-100-300	418
GT15	507
GT30	507
GT60	507
Handle	206
HE-050CF-SP	400
HE-075CF-SP	400
HE-075CR-SP	400
HE-100CF-SP	400
HE-100CR-SP	400
HE-125-SP	404
HE-150-SP	404
HE-200-SP	404
HM-063-S	403
HM-063-SP	403
HM-300-S	403
HM-400-S	403
HM-600-S	403
HM-600-SP	403
HM-800-S	403
HM-800-SP	403
HN-075-B	408
HN-100-B	408
HN-125-B	408
HN-150-B	408
HN-200-B	408
HNC-04-02-SP	406
HNC-04-04-SP	406
HNC-06-04-SP	406
HNC-06-06-SP	406
HNC-08-06-SP	406
HNC-08-08-SP	406
HNC-12-08-SP	406
HNC-16-12-SP	406
HNV12F	567
HNV12FB	567
HNV12M	567
HNV12MB	567
HNV14F	567
HNV14FB	567
HNV14M	567
HNV14MB	567
HNV34F	567
HNV34FB	567
HNV34M	567
HNV34MB	567
HNV38F	567
HNV38FB	567
HNV38M	567
HNV38MB	567
HPCWB-150	434
HPCWB-200	434
HPCWB200-150	434
HPCWB200-400	434
HPCWB250-200	434
HPCWB250-300	434
HPCWB-300	434
HPCWB-400	434
HPCWB-600	434
HSK2-200-SS	396
HSK2-300-SS	396
HSK5-200-SS	396
HSK5-300-SS	396
HTA-300	428
HTA-400	428
IVB-800-250RPG2	421
IVB-800-250RPG3	421
IVB-800-250RPG7	421
JACK-075-50	417
JACK-075BL-50	417
JACK-075-CUASSP	417
JACK-075G-50	417
JACK-075R-50	417
KZEB14PF	569
KZEB14SM	569
KZEB38PF	569
LSQVEP1PF	568
LSQVEP1SF	568
LSQVEP12PF	568
LSQVEP12SF	568
LSQVEP20PF	568
LSQVEP20SF	568
LSQVEP34PF	568
LSQVEP34SF	568
M6-23	459
M6-26	459
M6-29	459
M6-32	459
M6-36	459
M6-40	459
M6S-23	459
M6S-26	459
M6S-29	459
M6S-32	459
M6S-36	459
M6S-40	459
M8-44	460
M8-48	460
M8-52	460
M8-56	460
M8-60	460
M8-64	460
M8-68	460
M8-74	460
M8-80	460
M8-86	460
M8-92	460
M8-98	460
M8-104	460
M8-113	460
M8-122	460
M8S-44	460
M8S-48	460
M8S-52	460
M8S-56	460
M8S-60	460
M8S-64	460
M8S-68	460
M8S-74	460
M8S-80	460
M8S-86	460
M8S-92	460
M8S-98	460
M8S-104	460
M8S-113	460
M8S-122	460
M8S-131	460
M8S-140	460
M8S-149	460
M8S-162	460
M10-131	460
M10-140	460
M10-149	460
M10-162	460
M10-175	460
M10-188	460
M10-201	460
M10-214	460
M10-227	460
M10-240	460
M10DC-86	464
M10DC-92	464
M10DC-104	464
M10DC-113	464
M10DC-122	464
M10DC-131	464
M10DC-140	464
M10DC-149	464
M10DC-162	464
M10DC-175	464
M10DC-188	464
M10DC-200	464
M10DC-220	464
M10DC-240	464
M10DC-260	464
M10DC-280	464
M10DC-300	464
M10DC-325	464
M10DC-350	464
M10DC-375	464
M10DC-400	464
M10DC-425	464
M10DC-450	464
MB4004	571
MB4006	571
MB4008	571
MB4012	571
MB4016	571
ME-025-SP	404
MFC12N	571
MFC34N	571
MFC38N	571
MKL-019-SP	459
MKL-022-SP	459
MKL-025-SP	459
MKL-028-SP	459
MKL-031-SP	459
MKL-035-SP	459
MKL-039-SP	459
MKL-043-SP	459
MKL-047-SP	459
MKL-051-SP	459
MKL-055-SP	459
MKL-059-SP	459
MKL-063-SP	459
MKL-067-SP	459
MKL-073-SP	459
MKL-079-SP	459
MKL-085-SP	459
MKL-091-SP	459
MKL-097-SP	459
MKL-103-SP	459
MKL-112-SP	459
MKL-121-SP	459
MKL-130-SP	459
MKL-139-SP	459
MKL-148-SP	459
MKL-161-SP	459
MKL-174-SP	459
MKL-187-SP	459
MKL-200-SP	459
MKL-213-SP	459
MKL-226-SP	459
MKL-239-SP	459
MMFC4NPT	570
MMFC6NPT	570
MMFC8NPT	570
MMFC12NPT	570
MMFC16NPT	570
MMFC20NPT	570
MMNV4NPT	570
MMNV6NPT	570
MMNV8NPT	570
MMNV12NPT	570
MMNV16NPT	570
MXH-238	419
MXH-250	419
MXH-300	419
MXH-350	419
MXH-400	419
MXH-500	419
NV1F	569

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
NV1M	569
NV12F	569
NV12M	569
NV14F	569
NV14M	569
NV34F	569
NV34M	569
NV38F	569
NV38M	569
OETP-1098	469
OILVC-200	426
OILVC-300	426
OILVC-400	426
OILVS-150	425
OILVS-200	425
OILVS-300	425
OILVS-400	425
PDB250-200	428
PDB250-300	428
PDB250-400	428
PDB250-600	428
PDR-125	427
PDR-150	427
PDR-300	427
PDR-400	427
PDR-600	427
PF-150-AD	406
PF-200-AD	406
PF-300-AD	406
PF-400-AD	406
PF-600-AD	406
PL-150-AD	406
PL-200-AD	406
PL-300-AD	406
PL-400-AD	406
PM-150-A	406
PM-200-A	406
PM-300-A	406
PON-025-B	419
PON-038-B	419
PON-050-B	419
PON-063-B	419
PON-075-B	419
PREM-125-250	418
PREMR-038-300	418
PREMR-050-300	418
PREMR-075-300	418
PREMR-100-300	418
R88DB-12-DP	463
R88DB-16-DP	463
R88DB-20-DP	463
R88DB-24-DP	463
R88DB-32-DP	463
RSPVC -200	438
RSPVC-300	438
RSPVC-400	438
RSPVC-600	438
SA-100-A	383
SA-100-SS	389
SA-150-A	383
SA-150-SS	389
SA-200-A	383
SA-200-SS	389
SA-250-A	383
SA-300-A	383
SA-300-SS	389
SA-400-A	383
SA-1520-SS	389
SA-2030-A	383
SA-2030-SS	389
SA-3040-A	383
SA-3040-SS	389
SAT-200	436
SAT-300	436
SAT-400	436
SATG-075	435
SATG-100	435
SATG-125	435
SATG-150	435
SATG-200	435
SATG-250	435
SATG-300	435
SATO-200	435
SATO-300	435
SATW-100	436
SATW-125	436
SATW-150	436
SATW-200	436
SATW-300	436
SATW-400	436
SB-200-SP	407
SB-300-SP	407
SBB-075-50	422
SBB-075-100	422
SBB-125-50S	422
SBB-125-100S	422
SBB-150-50	422
SBB-300	422
SC-200R-SP	464
SC-250R-SP	464
SC-300R-SP	464
SC-400R-SP	464
SC-500R-SP	464
SC-600R-SP	464
SC-800R-SP	464
SC-1000R-SP	464
SC-1200R-SP	464
SCR-300-SS304	407
SCR-400-SS304	407
SG300	397
SG400	397
SL-200-SP	407
SL-300-SP	407
SR-200-SP	407
SR-250-SP	407
SR-300-SP	407
SR-400-SP	407
SR-600-SP	407
SR-800-SP	407
SS43-04-04FJ	591
SS43-04-04FJ90	591
SS43-04-04MP	591
SS43-04-06FJ	591
SS43-04-06FJ90	591
SS43-04-06MP	591
SS43-06-04FJ	591
SS43-06-04MP	591
SS43-06-06FJ	591
SS43-06-06FJ90	591
SS43-06-06MP	591
SS43-06-08FJ	591
SS43-08-08FJ	591
SS43-08-08FJ90	591
SS43-08-08MP	591
SS43-08-10FJ	591
SS43-10-08MP	591
SS43-12-12FJ90	591
SS43-12-12MP	591
SS43-16-16FJ90	591
SS43-16-16MP	591
SS304-C-04	580
SS304-C-06	580
SS304-C-08	580
SS304-C-10	580
SS304-C-12	580
SS304-C-16	580
SS306-04	583
SS306-06	583
SS306-08	583
SS306-10	583
SS306-12	583
SS306-16	583
SS318-04	580
SS318-06	580
SS318-08	580
SS318-10	580
SS318-12	580
SS318-16	580
SS319-04	580
SS319-06	580
SS319-08	580
SS319-10	580
SS319-12	580
SS319-16	580
SS1404-04-04	579
SS1404-06-06	579
SS1404-08-08	579
SS1404-12-12	579
SS1404-16-16	579
SS1405-04-04	579
SS1405-06-06	579
SS1405-08-08	579
SS1405-12-12	579
SS1405-16-16	579
SS2403-04-04	581
SS2403-06-04	581
SS2403-06-06	581
SS2403-08-04	581
SS2403-08-06	581
SS2403-08-08	581
SS2403-10-08	581
SS2403-10-10	581
SS2403-12-04	581
SS2403-12-06	581
SS2403-12-08	581
SS2403-12-12	581
SS2403-16-12	581
SS2403-16-16	581
SS2404-04-02	581
SS2404-04-04	581
SS2404-04-06	581
SS2404-04-08	581
SS2404-06-04	581
SS2404-06-06	581
SS2404-06-08	581
SS2404-08-04	581
SS2404-08-06	581
SS2404-08-08	581
SS2404-08-12	581
SS2404-08-16	581
SS2404-10-08	581
SS2404-12-08	581
SS2404-12-12	581
SS2404-12-16	581
SS2404-16-08	581
SS2404-16-12	581
SS2404-16-16	581
SS2405-04-04	582
SS2405-06-04	582
SS2405-06-06	582
SS2405-08-08	582
SS2405-12-12	582
SS2405-16-16	582
SS2406-06-04	582
SS2406-08-04	582
SS2406-08-06	582
SS2406-10-08	582
SS2406-12-04	582
SS2406-12-06	582
SS2406-12-08	582
SS2406-16-04	582
SS2406-16-06	582
SS2406-16-08	582
SS2406-16-12	582
SS2408-04	582
SS2408-06	582
SS2408-08	582
SS2408-10	582
SS2408-12	582
SS2408-16	582
SS2700-04-04	583
SS2700-06-06	583
SS2700-08-08	583
SS2700-12-12	583
SS2700-16-16	583
SS2705-04-04	583
SS2705-06-06	583
SS2705-08-08	583
SS2705-12-12	583
SS2705-16-16	583
SS2707-04-04	583
SS2707-06-06	583
SS2707-08-08	583
SS5000-02-02	584
SS5000-04-04	584
SS5000-06-04	584
SS5000-06-06	584
SS5000-08-06	584
SS5000-08-08	584
SS5000-12-12	584
SS5000-16-08	584
SS5000-16-12	584
SS5000-16-16	584
SS5404-02-02	584
SS5404-04-02	584
SS5404-04-04	584
SS5404-06-04	584
SS5404-06-06	584
SS5404-08-04	584
SS5404-08-06	584
SS5404-08-08	584
SS5404-12-04	584
SS5404-12-06	584
SS5404-12-08	584
SS5404-12-12	584
SS5404-16-08	584
SS5404-16-12	584
SS5404-16-16	584
SS5405-02-02	585
SS5405-02-04	585
SS5405-04-04	585
SS5405-04-06	585
SS5405-04-08	585
SS5405-06-06	585
SS5405-06-08	585
SS5405-06-12	585
SS5405-08-08	585
SS5405-08-12	585
SS5405-08-16	585
SS5405-12-12	585
SS5405-12-16	585
SS5405-16-16	585
SS5406-04-02	585
SS5406-06-04	585
SS5406-08-04	585
SS5406-08-06	585
SS5406-12-04	585
SS5406-12-06	585
SS5406-12-08	585
SS5406-16-04	585
SS5406-16-06	585
SS5406-16-08	585
SS5406-16-12	585
SS5406-20-12	585
SS5406-C-04	586
SS5406-C-06	586
SS5406-C-08	586
SS5406-C-12	586
SS5406-C-16	586
SS5406-HHP-04	585
SS5406-HHP-06	585
SS5406-HHP-08	585
SS5406-HHP-12	585
SS5406-HHP-16	585
SS5406-P-04	585
SS5406-P-06	585
SS5406-P-08	585
SS5406-P-12	585

MIDLAND INDUSTRIES

NUMERICAL INDEX

Part#	Page
SS5406-P-16	585
SS5500-02-02	586
SS5500-04-04	586
SS5500-06-06	586
SS5500-08-08	586
SS5500-12-12	586
SS5500-16-16	586
SS5502-02-02	586
SS5502-04-04	586
SS5502-06-06	586
SS5502-08-08	586
SS5502-12-12	586
SS5502-16-16	586
SS5504-02-02	587
SS5504-04-04	587
SS5504-06-06	587
SS5504-08-08	587
SS5504-12-12	587
SS5504-16-16	587
SS5600-04-04-04	587
SS5600-06-06-06	587
SS5600-08-08-08	587
SS5600-12-12-12	587
SS5600-16-16-16	587
SS5605-02-02-02	587
SS5605-04-04-04	587
SS5605-06-06-06	587
SS5605-08-08-08	587
SS5605-12-12-12	587
SS5605-16-16-16	587
SS6400-04-04	588
SS6400-04-06	588
SS6400-06-06	588
SS6400-06-08	588
SS6400-06-10	588
SS6400-08-06	588
SS6400-08-08	588
SS6400-08-10	588
SS6400-08-12	588
SS6400-12-08	588
SS6400-12-12	588
SS6400-12-16	588
SS6400-16-12	588
SS6400-16-16	588
SS6402-04-04	588
SS6402-06-06	588
SS6402-08-08	588
SS6402-12-12	588
SS6402-16-16	588
SS6405-04-04	588
SS6405-06-04	588
SS6405-06-06	588
SS6405-08-08	588
SS6405-12-08	588
SS6405-12-12	588
SS6405-16-16	588
SS6408-04	589
SS6408-06	589
SS6408-08	589
SS6408-10	589
SS6408-12	589
SS6408-16	589
SS6408-HH-02	589
SS6408-HH-04	589
SS6408-HH-06	589
SS6408-HH-08	589
SS6408-HH-10	589
SS6408-HH-12	589
SS6408-HH-16	589
SS6505-04-04	590
SS6505-06-06	590
SS6505-08-08	590
SS6505-12-12	590
SS6505-16-16	590
SS6506-04-04	590
SS6506-06-06	590
SS6506-08-08	590
SS6506-12-12	590
SS6506-16-16	590
SSCN-04	584
SSCN-06	584
SSCN-08	584
SSCN-12	584
SSCN-16	584
ST250-075-50	430
ST250-075-100	430
ST250-100-50	430
ST250-100-100	430
ST250-200-50	430
ST250-200-100	430
ST250-300	430
ST250B-075-50	429
ST250B-100-50	429
ST250B-150-50	429
ST250B-200-50	429
SUPER-200	437
TLB-075	425
TLB-100	425
TLB-125	425
TLB-150	425
TLB-200	425
TLB-250	425
TLB-400	425
TLBS150-100	424
TLBS150-150	424
TLBS150-200	424
TLBS150-300	424
TLBS150-400	424
TLBS150-600	424
TLBS300-200	426
TLBS300-300	426
TLBS300-400	426
TLBS300-600	426
TPT-1	469
TTD150-200	424
TTD150-300	424
TTD150-400	424
VG100	397
VG150	397
VG200	397
VG250	397
VG300	397
WHIP-L	407
WHIP-S	407
WSB-125	437
WSB-150	437
WSB-200	437
WSB-300	437
WSB-400	437

Standard Terms and Conditions of Sale

Any order by a person ("Buyer") for goods (an "Order"), if accepted, is accepted subject to these Midland Industries Standard Terms and Conditions of Sale ("T&Cs"), which are incorporated into any acceptance, acknowledgement, invoice and other document issued by Midland Industries ("Seller") in response to such Order (each a "Response"), and any reference thereto shall include these T&Cs. No waiver, alteration, or modification of these T&Cs shall be valid unless expressly agreed to in writing by Seller. The T&Cs constitute the entire agreement between the parties and any different, additional or conflicting terms or conditions set forth in Buyer's purchase order or any other document issued by Buyer are expressly objected to by Seller and the terms hereof, including those contained in the applicable Response, shall exclusively govern the purchase and sale of the goods covered by the Response unless there is another manually signed agreement between the parties, which shall control to the extent there is a conflict between the terms of such agreement and these T&Cs.

Payment Terms. Payment terms are 2%-10days/net 30 on approved accounts in good standing and shall be paid in United States dollars. The 2% discount terms is for purchased goods only-there is no discount off of freight. Any additional discounts taken will be charged back to the account, and is due by the customer. The allowed discount amount is stated on each invoice. Shipment may be held if account is past due. Buyer agrees that any overdue amounts shall be subject to a late payment charge on the overdue balance of 1.5% per month or such lesser amount as is the maximum rate of interest allowed by law. Buyer shall pay any and all reasonable costs, including attorneys' fees, incurred by Seller while collecting any delinquent balance. Debit memos are not accepted unless approved.

Price. The Seller list or quoted price is subject to change without notice. The goods are invoiced at prices in effect on date of shipment. Prices do not include taxes, if any, based upon or measured by the sales price, which taxes will be added to the prices where applicable. Any taxes which Seller may be required to pay or collect, upon or with respect to the sale, purchase, delivery, storage, processing, use, or transportation of the goods purchased hereunder, shall be for Buyer's account, and shall be paid promptly by Buyer to Seller upon demand.

Delivery Terms. All goods are sold FOB our shipping USA locations. Title and risk of loss passes to the buyer upon delivery to the carrier. Freight is prepaid via the carrier of our choice on orders totaling $1,500 or more to any destination in the USA. Backorders for items from prepaid orders that are marked in our price list as "stock" items will be shipped prepaid along with upcoming prepaid orders when possible. Non-stocked or special-ordered items will be shipped when available. Buyer is responsible for costs associated with shipment upon acceptance if so assigned based on freight classification (*i.e.*, "prepaid" or FOB)

Title/Security. Unless a conditional sale is noted in this Agreement, title to the goods covered by this Agreement shall pass to Buyer upon delivery to carrier. Buyer hereby grants Seller and Seller hereby reserves a purchase money security interest in and to the goods sold to Buyer together with all proceeds thereof to secure Buyer's performance and payment. Buyer agrees upon Seller's request to do all acts and execute all documents reasonably necessary to assist Seller's perfection and maintenance of any such security title and right of possession, including, but not limited to, executing and filing documents with the appropriate governmental agency.

Orders. (A) Domestic (USA) Sales. Buyer shall submit a purchase order ("Purchase Order") for the goods which shall, at minimum, include: (a) part number of the goods ordered; (b) quantity; (c) price of the goods; (d) requested delivery date; and (e) shipping instructions and shipping address, including a statement that the goods will be shipped in accordance with these T&Cs. All Purchase Orders are subject to acceptance by Seller. Buyer shall be responsible for all additional costs resulting from errors made in connection with telephone, online, or hand written Purchase Orders accepted by Seller and any errors related to such a Purchase Order must be disputed within 1 hour from Seller's receipt of the Purchase Order. Confirming Purchase Orders are not accepted by Seller. If such a confirming Purchase Order is sent to Seller, it may be treated as an original open Order and duplicated. Seller will not be responsible for expenses or inconveniences incurred thereby. If Buyer's Order is in the form of a blanket Purchase Order, Buyer agrees that each release shall be treated as a separate sales transaction hereunder, that all releases shall be non-cancelable and, unless agreed in writing by Seller, all releases under such blanket Purchase Order shall be accepted by Buyer within 12 months of Seller's Order acknowledgement. If the aggregate purchase price of goods pursuant to a Purchase Order is under $50, or such other amount that is agreed to from time to time by the parties, then the cost of such goods shall be rounded up to that minimum order value.

Order Cancellation/Amendment. Orders cannot be canceled or amended except with Seller's consent. Cancellation charges may be applied at Seller's discretion. Seller may, in its sole discretion and without liability, alter the specifications for any goods.

Acceptance. Buyer shall conduct any incoming inspection tests on the goods within 5 days of delivery. In the event of any shortage, damage or discrepancy in or to a shipment of goods or pricing discrepancies, Buyer shall promptly give notice, but in no event later than within 15 days of delivery thereof to Seller and shall furnish such written evidence or other documentation as Seller reasonably may deem appropriate. If such evidence indicates, in Seller's reasonable judgment, that such shortage, damage or discrepancy existed at the time of delivery of the goods to the carrier, Seller shall promptly deliver additional or substitute goods to Buyer; provided, however, that Seller may, in its sole discretion, require Buyer to return all damaged goods prior to delivery of substitute goods. If Buyer shall fail to timely give Seller such written notice, the goods shall be deemed to conform to the warranty and Buyer shall be deemed to have accepted the goods and shall pay for the goods in accordance herewith.

Termination. Seller shall have the right to cancel for default hereunder all or any part of Buyer's order. This right of cancellation is in addition to and not in lieu of any other remedies which Seller may have in law or equity.

Returns. Returns without the proper paperwork will not be accepted. Once the return paperwork has been received by the buyer, that return goods authorization will expire in 30 days. No goods shall be returned to Seller without Seller's prior written authorization to Buyer to make such returns and must be returned within 30 days of such authorization at Buyer's cost. If Buyer returns goods in the manner required under the previous sentence, and if the returned goods are (a) in new, unused, unopened and undamaged condition; and (b) not more than 12 months after the original invoice date; the returned goods will, subject to the applicable handling charge, be accepted by Seller for return. Used or discontinued goods or parts or goods specially manufactured will not be accepted for credit unless specifically agreed to by Seller in its sole discretion. Buyer's sole remedy for returns of goods shall be a credit for the purchase price less any handling charges. Normal returned goods are subject to a 10% restocking fee. Some returns, such as inventory returns, are subject to a 25% restocking fee, unless otherwise approved by Midland. Returns found to be free of material and workmanship defects will be held for 20 days and if Buyer does not provide Seller repair or return instructions, the Seller will scrap the goods.

Buyer's Specifications. Buyer shall be solely responsible for ensuring that all specifications, drawings, information, advice, recommendations or requests provided to Seller by Buyer or any of its agents are accurate and suitable. Seller's examination or consideration of any such specifications, drawings, information, advice, recommendations or requests shall not result in any liability on the part of Seller.

GENERAL
INFORMATION

Seller Warranty. Seller warrants that goods sold hereunder are warranted to be free from defects in material and workmanship for a period of one year from the date of invoice when used according to the manufacturer's recommended usage and in an ordinary manner. Seller's liability for breach of this warranty is limited to the repair of or replacement in kind or credit, at Seller's option, of any items proved defective, in Seller's reasonable discretion, provided the allegedly defective goods are returned to Seller prepaid. All costs and expense related to shipping of any replacement parts or goods shall be paid by Seller if there is a breach of this warranty but Buyer shall pay for all installation costs. Buyer must provide prompt written notice to Seller of any breach of this warranty to obtain its benefits. THE WARRANTY EXPRESSED ABOVE IS IN LIEU OF AND EXCLUSIVE OF ALL OTHER WARRANTIES. THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, EXCEPT AS STATED HEREIN. THERE ARE NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE SPECIFICALLY DISCLAIMED. SELLER'S LIABILITY FOR BREACH OF WARRANTY IS AS HEREIN STATED AND IS THE EXCLUSIVE REMEDY AND IN NO EVENT SHALL SELLER BE LIABLE OR RESPONSIBLE FOR INCIDENTAL, SPECIAL, INDIRECT, PUNITIVE, OR CONSEQUENTIAL DAMAGES OR LOST PROFITS, OR EVEN IF THE POSSIBILITY OF SUCH INCIDENTAL, SPECIAL, INDIRECT, PUNITIVE OR CONSEQUENTIAL DAMAGES, OR LOST PROFITS HAS BEEN MADE KNOWN TO SELLER. THE WARRANTY SET FORTH ABOVE IS SOLELY FOR THE BENEFIT OF BUYER. **All claims hereunder shall be made by Buyer and not by Buyer's customers.** It shall not be deemed a "defect," and Seller will not be liable under the warranty in this Section 11, if the goods have been exposed to any: (1) maintenance, repair, or other use that is improper for the good's ordinary use or otherwise not in compliance with Seller's instruction; (2) goods alteration, modification or repair by anyone other than Seller or authorized by Seller; (3) damage after shipment to Buyer; (4) improper voltage or wiring; or (5) use of parts that are not 100% compatible with the goods.

Buyer Warranty. Buyer shall provide a no defect in materials or workmanship warranty with respect to each product sold to an end customer for a period not less than the then remaining warranty period related to such product and afforded to Buyer pursuant to Section (Seller Warranty) above. Except with respect to the remedies provided by Seller to Buyer under Section (Seller Warranty), any other warranties or representations, or remedies for breach thereof, which Buyer may provide to its end customers shall be the sole responsibility of Buyer, and Seller shall not be bound thereby. Unless Buyer receives Seller's prior written consent, Buyer will not sell Seller's products to end-users or intermediaries that sell to end-users that will use or sell the products in a nuclear or in an-aircraft application or for any other application that Seller may notify Buyer of in writing.

Damages Amount Limitation. Other than as set forth in Section (Buyer Indemnification) and any breaches of Section (Confidentiality) hereof, Seller's cumulative liability for damages to Buyer for any cause whatsoever, and regardless of the form of action, whether in contract or in tort, including, but not limited to, negligence, shall be limited to the total contract price of the goods sold hereunder, plus or minus, as applicable, the amounts of all unpaid accounts payable and receivable between the parties, if any.

Damages Limitation. In no event shall Seller's liability of any kind include any special, indirect, incidental or consequential loss or damage or lost profits, even if Seller shall have been advised of the possibility of such potential loss or damage.

Sole Remedy. The sole and exclusive remedy for breach of any non-warranty obligation of Seller and the sole remedy for Seller's liability of any kind (including liability for negligence) with respect to the goods and services provided to Buyer shall be to use all commercially reasonable efforts to promptly cure such breach. Buyer must commence any suit for a cause of action arising hereunder within one year from the date in which the facts that gave rise to the cause of action first occurred.

Buyer Indemnification. Buyer shall hold harmless, indemnify and defend (at Seller's request) Seller for any and all damages, liabilities, costs and expenses (including any costs of litigation, including but not limited to, attorneys' fees and any other costs and expenses), fines, or losses in connection with any threatened or actual claims, actions, demands, investigations, or suits, including, but not limited to, claims or suits by third parties, arising out of any of the following: (a) Buyer's negligent or willful acts, or those of its employees and/or agents, (b) such goods being repaired or altered by persons other than Seller (unless expressly authorized in writing by Seller), (c) in the event that Buyer modifies, or combines with any non-Seller goods, any of the goods purchased from Seller, and such modification or combination results in the actual or alleged infringement of any intellectual property rights of any third party, (d) from goods produced by Seller according to Buyer's specifications, (e) any violations of export control laws by Buyer, or (f) Buyer's breach of any provision in these T&Cs.

Confidentiality. "Confidential Information" means any of Seller's business information, specifications and all related writings, drawings, designs and similar works or any other information which is disclosed by Seller and labeled or marked as confidential, proprietary or its equivalent, or oral or visual information that is designated confidential, proprietary or its equivalent at the time of its disclosure. All Confidential Information shall be the exclusive property of Seller, and Seller retains all its right, title and interest. Buyer agrees to use Confidential Information for the exclusive purpose of performance under the Purchase Order and not to disclose or provide any Confidential Information to any third party and to take all necessary measures to prevent any such disclosure by its employees, agents, contractors or consultants. Upon request of Seller or completion of the Order, Buyer shall return all Confidential Information to Seller and provide certification of such return.

Tooling. Charges made for tools, dies, gauges, jigs, fixtures or equipment made or acquired by Seller in connection with the work do not convey title to or any proprietary interest in such tools. All such tools will remain the exclusive property of Seller.

Force Majeure. Seller shall not be liable for any failure to perform this agreement when such failure is due to circumstances beyond its control. Circumstances beyond the control of Seller shall be deemed to include, but shall not be limited to, acts of God, governmental action, accidents, labor trouble, and inability to obtain materials, equipment or transportation.

Waiver. No oral statements, recommendations or assistance given by a representative and/or distributor of Seller to Buyer or its representatives in connection with the use of the goods shall constitute a waiver by Seller of any of the provisions hereof, or affect Seller's liability herein.

Arbitration. Except for any action where the sole relief sought is an injunction, any controversy or claim arising out of or relating to these T&Cs, or the making, performance or interpretation thereof, including without limitation alleged fraudulent inducement thereof, shall be settled by binding arbitration in the city of Seller's choosing in the state of Seller's business address as shown on the Response, by one arbitrator in accordance with the Commercial Arbitration Rules of the American Arbitration Association. Judgment upon any arbitration award may be entered in any court having jurisdiction thereof.

Representation of Buyer. Buyer is duly organized, validly existing and in good standing under the laws of the state of its formation and has full corporate power and authority to own, operate or lease the properties and assets now owned, operated or leased by it and to carry on its business as currently conducted. Buyer is duly licensed or qualified to do business and is in good standing in each jurisdiction in which such licensing or qualification is necessary. The execution and delivery by Buyer of this Agreement, the performance by Buyer of its obligations hereunder and thereunder and the consummation by Buyer of the transactions contemplated

hereby have been duly authorized by all requisite corporate action on the part of Buyer, and this Agreement constitutes a legal, valid and binding obligation of Buyer enforceable against Buyer in accordance with its terms.

Risk of Loss. Commencing at the time of delivery, Buyer shall bear all risk of loss, damage, destruction, theft and condemnation to or of the Equipment from any cause whatsoever.

Events of Default. Each of the following events is an "Event of Default" under this Agreement: (a) if Buyer fails to pay when due any installment of the purchase price or any other amount under this Agreement; (b) if Buyer defaults in the observance or performance of any other term, covenant or condition of Buyer under this Agreement and Buyer shall fail to remedy such default within ten days after notice by Seller to Buyer of such default; (c) if Buyer's interest or any portion thereof in this Agreement devolve on or pass to any person, whether by operation of law or otherwise; (d) if Buyer: (i) does not, or is unable to, or admits in writing its inability to, pay its debts as they become due; (ii) commences or institutes any case, proceeding or other action seeking relief on its behalf as debtor, or to adjudicate it a bankrupt or insolvent, or seeking reorganization, arrangement, adjustment, winding up, liquidation, dissolution, composition or other relief with respect to it or its debts under any existing or future law of any jurisdiction, domestic or foreign, relating to bankruptcy, insolvency, reorganization or relief of debtors; (iii) commences or institutes any case, proceeding or other action seeking appointment of a receiver, trustee, custodian or other similar official for it or for all or any substantial part of its property; or (iv) makes a general assignment for the benefit of creditors; (e) if a receiver, trustee, custodian or other similar official is appointed for any substantial part of the assets of Buyer which appointment is not vacated or stayed within 30 days; (f) if Buyer sells, transfers or disposes of all or substantially all of its assets, or merges or consolidates with any other entity; or (g) a breach of any representation or warranty of Buyer.

Headings. The headings in this Agreement are for reference only and shall not affect the interpretation of this Agreement.

Entire Agreement. This Agreement, including any exhibits and schedules, constitutes the sole and entire agreement of the parties to this Agreement with respect to the subject matter contained herein and therein, and supersedes all prior and contemporaneous understandings, agreements, representations and warranties, both written and oral, with respect to such subject matter.

Amendment and Modification. No amendment to this Agreement is effective unless it is in writing and signed by each party to this Agreement.

Cumulative Remedies. All rights and remedies provided in this Agreement are cumulative and not exclusive, and the exercise by either party of any right or remedy does not preclude the exercise of any other rights or remedies that may now or subsequently be available at law, in equity, by statute, in any other agreement between the parties or otherwise.

Assignment. Buyer may not assign any of its rights under this Agreement without the prior written consent of Seller and provided that such assignment shall not relieve Buyer of its obligations under this Agreement, and Buyer shall remain primarily liable under this Agreement. Any purported assignment in violation of this Section is null and void.

Successors and Assigns. This Agreement is binding on and inures to the benefit of the parties to this Agreement and their respective successors and permitted assigns.

No Third-party Beneficiaries. This Agreement benefits solely the parties to this Agreement and their respective successors and permitted assigns and nothing in this Agreement, express or implied, confers on any third party any legal or equitable right, benefit or remedy of any nature whatsoever under or by reason of this Agreement.

Waiver of Jury Trial. Each party acknowledges and agrees that any controversy that may arise under this Agreement, including any exhibits attached to this Agreement, is likely to involve complicated and difficult issues and, therefore, each such party irrevocably and unconditionally waives any right it may have to a trial by jury in respect of any legal action arising out of or relating to this Agreement, including any exhibits attached to this Agreement, or the transactions contemplated hereby.

Drafting. No provision of this Agreement shall be interpreted for or against any party hereto on the basis that such party was the draftsman of such provision, and no presumption or burden of proof shall arise favoring or disfavoring any party by virtue of the authorship of any of the provisions of this Agreement.

Counterparts. This Agreement may be executed in counterparts, each of which is deemed an original, but all of which together is deemed to be one and the same agreement. A signed copy of this Agreement delivered by facsimile, e-mail or other means of electronic transmission is deemed to have the same legal effect as delivery of an original signed copy of this Agreement.

Miscellaneous. All provisions set forth herein regarding warranty, confidential information, indemnification, liability and limits thereon, and any other provisions that survive by their terms will survive any termination or expiration of any Response delivered in connection herewith pursuant to the terms of such sections. In the event that any provision of these terms is held to be illegal, invalid or unenforceable under any present or future law, rule or regulation, such provision shall be deemed stricken from these T&Cs, but such illegality, invalidity or unenforceability shall not invalidate any of the other provisions of these T&Cs. Buyer represents and covenants that it has, and will continue to, comply with all laws and regulations related to the goods sold hereunder, including, but not limited to, export control laws. This sale transaction shall be governed, construed and enforced solely by the laws of the State of Seller's business address as shown on the Response. The United Nations Convention on the International Sale of Goods shall not be applicable to these T & C. The relationship of Buyer and Seller is that of independent contractors.

California Customers. Midland Industries does not guarantee that all products meet California environmental laws of Proposition 65. It is the sole responsibility and liability of the Midland distributor to order products for use in California that comply with California laws.

Threading Information

Abbreviation	System Name
BSPP	**B**ritish **S**tandard **P**ipe **P**arallel
BSPT	**B**ritish **S**tandard **P**ipe **T**aper
CHT	American Standard Fire Hose Thread (1" National Hose Thread is **C**hemical **H**ose **T**hread, also known as Booster Hose Thread)
GHT	**G**arden **H**ose **T**hread (FGH - Female Garden Hose) (MGH - Male Garden Hose)
IPS	**I**ron **P**ipe **S**traight Thread
IPT	**I**ron **P**ipe **T**hread
JIC	**J**oint **I**ndustrial **C**ommittee
NH or NST	American Standard Fire Hose Coupling Thread (**N**ational **H**ose thread also known as **N**ational **S**tandard **T**hread)
NPT	American Standard Taper Pipe Thread (**N**ational **P**ipe **T**apered)
NPTF	American Standard Taper Pipe Fuel Dryseal Thread (**N**ational **P**ipe **T**apered)(Dryseal)
NPSH	American Standard Straight Pipe for Hose Couplings (**N**ational **P**ipe **S**traight **H**ose)
NPSM	American Standard Straight Mechanical Joints (**N**ational **P**ipe **S**traight **M**echanical)

Association Abbreviations

SAE International (**SAE**) is a professional organization for mobility engineering professionals in the aerospace, automotive, and commercial vehicle industries. The Society is a standards development organization for the engineering of powered vehicles of all kinds, including cars, trucks, boats, aircraft, and others.

AGA - **A**merican **G**as **A**ssociation
JIC - **J**oint **I**ndustrial **C**ommittee
ASA - **A**merican **S**tatistical **A**ssociation
ASME - **A**merican **S**ociety of **M**echanical **E**ngineers

For more detailed information, suggested sealing methods, thread compatability, etc...
visit **www.midlandindustries.com** and click on "**Knowledge Bank**"

Need help identifying a fitting?


Let our engineering team assist you!

Step 1 - Determine material. (Brass, Steel, Stainless, etc...)

Step 2 - Check Threads. (See Intro page 20 for threading types)

Step 3 - Measure Outer Diameter(O.D.) , Inner Diameter (I.D.), Length and any other relevant measurement.

Step 4 - If you have the fitting with you, place it on the grid below and take a photo. If the fitting cannot be placed on the grid please use any photo available.



Step 5- Email photo of fitting along with information collected to :

engineer@midlandindustries.com

Please allow up to 1 business day for a response. If the request is urgent please call 1-800-821-5725

PLASTIC TUBING
INFORMATION

CORROSION RESISTANCE VALUES
for Plastic Tubing

Ratings based on tests at 70^{0}F and should not be exposed to higher temperature without testing


F-5000 Poly Vinyl Chloride
U-2000 Polyurethane
E-1000 Low Density Polyethylene
N-6000 Nylon
P-1100 Polypropylene
D-4000 EVA
T-7000 Teflon
U-8000 Special Plasticizers PVC

G-Good
L-Limited
P-Poor
N-Not Tested

FUELS:	F	U	E	N	P	D	T	U
Butane (1)	G	G	L	G	L	G	G	N
Diesel Fuel	L	G	L	G	L	P	N	G
Gasoline (regular)	L	G	P	G	L	N	G	G
Kerosene	L	G	P	G	G	P	G	G
Methane (nat. gas)(1)	G	G	L	G	G	N	N	N
Propane (1)	G	G	L	G	L	N	N	N
OTHERS:								
Acetylene	N	G	G	G	G	N	N	N
Ammonia gas	P	G	G	G	G	G	N	N
Ammonium salts	G	G	G	G	G	G	N	N
Amyl acetate	P	P	L	G	P	P	G	N
Aniline	P	P	L	L	G	P	G	N
Animal oils	G	G	P	G	G	N	G	G
Bleach, 7%	G	P	G	L	L	N	N	G
Bromine	L	G	P	P	P	P	G	N
Butandiol	G	G	G	G	G	N	N	N
Calcium salts incl. Chloride	G	G	G	G	G	N	G	G
Chlorine gas, dry	G	G	P	P	P	P	N	N
Dibutyl phthalate	N	P	L	G	L	P	N	G
Glucose	G	G	G	G	G	G	G	G
Glycerine	G	G	G	G	G	G	N	G
Hydrogen peroxide 10%	G	G	G	G	G	G	G	G
Hydrogen peroxide 25%	L	G	G	P	G	G	G	G
Hydrogen sulfide	G	P	G	L	G	N	G	N
Isocyanates	N	G	G	G	N	P	N	N
Lead salts (3)	G	G	G	G	G	N	N	N
Magnesium salts	G	G	G	G	G	N	G	N
Mercury	G	G	G	G	G	G	N	N
Milk	G	G	G	G	G	G	N	G
Mineral Oil	G	G	L	G	L	P	G	G
Nitrous Oxide (1)	G	G	L	G	G	N	N	N
Oxygen (1)	G	G	G	G	G	G	G	G
Ozone, ambient	G	G	L	G	L	N	N	G
Paint, oil base	L	G	L	G	G	N	N	G
Polyglycols	G	G	G	G	G	N	N	N
Potassium salts	G	G	G	G	G	N	G	N
Pydraul	P	P	P	G	N	N	N	N
Pyridine	P	L	G	L	G	N	G	N
Salt Water	G	G	G	G	G	G	G	G
Silver Nitrate	G	G	G	G	G	G	G	N
Skydrol	P	P	P	G	N	N	N	N
Soap solution (conc.)	G	G	L	G	G	N	G	G
Sodium salts	G	G	G	G	G	N	G	G
Sodium thiosulphate	G	G	G	G	G	N	G	G
Styrene	P	G	P	G	N	N	N	G
Trisodium phosphate	G	G	N	G	G	G	N	G
Ucon oil	G	G	G	G	N	N	N	N
Urea	G	G	G	G	G	N	G	G
Vegetable oils (1)	G	G	G	G	G	P	N	G
Water at 730F	G	G	G	G	G	G	G	G
Water at 1400F	L	G	G	G	G	G	G	G
Water at 1700F	P	L	N	L	G	P	N	G
Whiskey, wine (1)	N	G	G	G	G	G	N	G
Zinc Chloride	G	G	G	G	G	G	G	N

ACIDS & BASES	F	U	E	N	P	D	T
Acetic, 50%	G	P	P	L	G	P	G
Boric	G	G	G	G	G	G	G
Carbolic (phenol)	P	P	G	P	G	P	N
Fatty	G	G	P	G	G	N	G
Formic, 90%	G	P	G	P	G	G	G
Hydrochloric, 10%	G	G	G	L	G	G	G
Hydrochloric, 25%	G	L	G	P	G	L	G
Hydrochloric, 50%	G	L	G	P	G	L	G
Hydrocyanic, 50%	L	P	G	P	G	G	G
Maleic	G	P	G	G	G	N	N
Nitric, 10%	G	P	G	L	G	L	G
Nitric, 30%	G	P	G	P	L	L	G
Oleic	L	G	L	G	G	P	N
Phosphoric, 25%	G	L	G	G	G	G	N
Sulfuric, 30%	G	L	G	L	G	L	G
Sulfuric, 70%	L	P	P	P	G	P	G
Sulfuric, 98%	P	P	P	P	G	P	G
Sulfurous, 30%	G	P	G	L	G	N	G
Tannic	G	P	G	G	G	N	G
Ammonium hydroxide, 25%	P	G	L	G	G	G	N
Potassium hydroxide, 25%	L	G	G	G	G	G	G
Sodium hydroxide, 50%	G	G	G	G	G	L	G
SOLVENTS:							
Acetone	P	P	G	G	L	P	G
Benzene	P	L	P	G	P	P	G
Carbon tetrachloride	P	L	L	L	P	P	G
Chloroform	P	P	P	L	P	P	G
Cyclohexanone	P	P	P	G	L	P	G
Dimethylformamide	P	P	L	N	G	N	N
Dioxane	N	N	P	G	L	N	N
Ethyl acetate	P	L	G	G	L	P	G
Ethyl alcohol (1)	L	G	G	L	G	G	G
Ethyl ether	L	L	G	G	L	P	N
Ethylene glycol	G	G	G	G	G	G	N
Formaldehyde	G	G	G	G	G	L	N
Freon - 12'	L	L	G	G	L	N	G
Methyl alcohol	L	G	G	L	G	N	N
Methylene chloride	P	P	L	G	L	P	N
Methyl ethyl ketone	P	P	G	G	L	P	N
Naphthas (2)	P	G	P	G	L	P	G
Tolulene	P	G	P	G	L	P	N
Triclorethylene	P	P	P	L	P	P	G
Turpentine	G	G	P	G	L	P	G
Xylene	P	G	P	G	L	P	N
HYDRAULIC FLUIDS:							
Diester base grease	N	G	P	G	L	P	N
Petroleum base grease	G	G	L	G	L	P	N
Phosphate ester	L	P	P	G	G	N	N
Polyol ester	P	N	P	G	G	N	N
Water-glycol	G	G	G	G	G	N	N
SAE motor oils	G	G	G	G	G	N	N
Machine oil	G	G	L	G	L	N	N
MIL-L-7808 H	G	G	L	G	G	N	N
Brake Fluid	N	N	N	N	N	N	N





Conversion chart

Fraction / Decimal / mm

Fraction	Decimal	mm
1/64	0.0156	0.3969
1/32	0.0313	0.7938
3/64	0.0469	1.1906
1/16	0.0625	1.5875
5/64	0.0781	1.9844
3/32	0.0938	2.3813
7/64	0.1094	2.7781
1/8	**0.125**	**3.175**
9/64	0.1406	3.5719
5/32	0.1563	3.9688
11/64	0.1719	4.3656
3/16	0.1875	4.7625
13/64	0.2031	5.1594
7/32	0.2188	5.5563
15/64	0.2344	5.9531
1/4	**0.25**	**6.35**
17/64	0.2656	6.7469
9/32	0.2813	7.1438
19/64	0.2969	7.5406
5/16	0.3125	7.9375
21/64	0.3281	8.3344
11/32	0.3438	8.7313
23/64	0.3594	9.1281
3/8	**0.375**	**9.525**
25/64	0.3906	9.9219
13/32	0.4063	10.3188
27/64	0.4219	10.7156
7/16	0.4375	11.1125
29/64	0.4531	11.5094
15/32	0.4688	11.9063
31/64	0.4844	12.3031
1/2	**0.5**	**12.7**

Fraction	Decimal	mm
33/64	0.5156	13.0969
17/32	0.5313	13.4938
35/64	0.5469	13.8906
9/16	0.5625	14.2875
37/64	0.5781	14.6844
19/32	0.5938	15.0813
39/64	0.6094	15.4781
5/8	**0.625**	**15.875**
41/64	0.6406	16.2719
21/32	0.6563	16.6688
43/64	0.6719	17.0656
11/16	0.6875	17.4625
45/64	0.7031	17.8594
23/32	0.7188	18.2563
47/64	0.7344	18.6531
3/4	**0.75**	**19.05**
49/64	0.7656	19.4469
25/32	0.7813	19.8438
51/64	0.7969	20.2406
13/16	0.8125	20.6375
53/64	0.8281	21.0344
27/32	0.8438	21.4313
55/64	0.8594	21.8281
7/8	**0.875**	**22.225**
57/64	0.8906	22.6219
29/32	0.9063	23.0188
59/64	0.9219	23.4156
15/16	0.9375	23.8125
61/64	0.9531	24.2094
31/32	0.9688	24.6063
63/64	0.9844	25.0031
1	**1**	**25.4**

JIC 37°
INFORMATION

Midland	Parker	Tomco	Amflo	Breco	Milton	Dixon	Hansen	Foster	
28560	UC304F-4	UC2-16		C60		745			
28579	UC304M-4	UC2-15		C61		746			
28589	UC304M-6	UC2-20		C61-03					
28551	B22A	M180	C20-01		B2CM1-B		DC2101	900	2903
28552	B22	M181	C21	B2CM2-B	716M	DC21	1100	3103	
28553	B22E	M182	C21-03		B2CM3-B	719M	DC2103	1300	3303
28539	B23A	M183	C20-21		B2CF1-B		DC2021	800	2803
28540	B23	M184	C20	B2CF2-B	715M	DC20	1000	3003	
28541	B23E	M185	C20-23		B2CF3-B	718M	DC2023	1200	3203
28562	B20-3B	M186	C20-42		B2CS2-B	717M	DC2042		
28564	B20-5B	M187		B2CS3-B	717-6M		DC2044	1700	3703
28565	B20-3BP	M189	C20-42L		B2CPS2-B	1717-4M	DC2042L	1600P	1513
28566	B20-5BP	M190	C20-44L		B2CPS3-B	1717-6M	DC2044L	1700P	1713
28545	H0C	1802	CP21-01		BB2M1-S	726	DCP2101	12	12-3
28546	H2C	1804	CP21	BB2M2-S	727	DCP21	10	10-3	
28547	H2C-E	1806	CP21-03		BB2M3-S	733	DCP2103	14	14-3
28533	H1C	1803	CP20-21		BB2F1-S	729	DCP2021	13	13-3
28534	H3C	1805	CP20	BB2F2-S	728	DCP20	11	11-3	
28535	H3C-E	1807	CP20-23		BB2F3-S	732	DCP2023	15	15-3
28557	H8C	1824	CP21-42		BB2S2-S	736	DCP2142	16	16-3
28559	H9C	1826	CP21-44		BB2S3-S	736-6	DCP2144	17	17-3
28558	H8CP	1850	CP21-42L		BB2PS2-S	1736-4	DCP2142L		51-3
28561	H9CP	1860	CP21-44L		BB29S3-S	1736-6	DCP2144L		71-3
28515	B12A	A2180	C1-01	B2JM1-B		DC101	B21QS-12M	TF2903	
28516	B12	A2181	C1	B2JM2-B	786	DC1	B21QS-25M	TF3103	
28517	B12E	A2182	C1-03	B2JM3-B	789	DC103	B21QS-37M	TF3303	
28506	B13A	A2183	C2-21	B2JF1-B		DC221	B21QS-12F	TF2803	
28507	B13	A2184	C2	B2JF2-B	785	DC2	B21QS-25F	TF3003	
28508	B13E	A2185	C2-23	B2JF3-B	788	DC223	B21QS-37F	TF3203	
28528	B10-3B	A2186	C2-42	B2JS2-B		786-4	DC242	B21QS-25H	TF3603
28530	B10-5B	A2188	C2-44	B2JS3-B		786-6	DC244	B21QS-37H	TF3703
28531	B10-3BP	A2189	C2-42L		B2JPS2-B	1786-4	DC242L	B21QS-25HP	TF1513
28532	B10-5BP	A2190	C2-44L		B2JPS3-B	1786-6	DC244L	B21QS-37HP	TF1713
28509	0C	2152	CP1-01		BJ2M1-S		DCP101	TF12	
28510	2C	2154	CP1	BJ2M2-S	783	DCP1	21AP-25M	TF10	
28511	2C-E	2156	CP1-03		BJ2M3-S		DCP103	21AP-37M	TF14
28500	1C	2153	CP2-21		BJ2F1-S		DCP221	TF13	
28501	3C	2155	CP2	BJ2F2-S	784	DCP2	21AP-25F	TF11	
28502	3C-E		CP2-23		BJ2F3-S		DCP223	21AP-37F	TF15
28518	8C	2164	CP1-42		BJ2S2-S	783-4	DCP142	21AP-25H	TF16
28520	9C	2166	CP1-44		BJ2S3-S	783-6	DCP144	21AP-37H	TF17
28521	8CP	2150	CP1-42L		BJ2PS2-S	1783-4	DCP142L	TF51	

Industrial Interchange 1/4

Parker Interchange (Tru-Flate) 1/4

Aro 210 Interchange 1/4

ST Series/High Flow 1/4 , 3/8

Lincoln Interchange 1/4

Industrial Interchange 3/8


Thread Chart

DASH SIZE	2		3	4	5	6	7	8	10	12	14	16	20	24	32	40	48
O.D. TUBING SIZE	1/8	5/32	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1-1/4	1-1/2	2	2-1/2	3
STANDARD PIPE SIZE N.P.T.F. (DRYSEAL)*	1/8-27			1/4-18		3/8-18		1/2-14		3/4-14		1-11 1/2	1 1/4-11 1/2	1 1/2-11 1/2	2-11 1/2	2 1/2 -8	3-8
S.A.E. 45° FLARE	5/16-24		3/8-24	7/16-20	1/2-20	5/8-18	11/16-16	3/4-16	7/8-14	1 1/16-14	1 1/4-12	1 3/8-12					
INVERTED FLARE	5/16-24		3/8-24	7/16-24	1/2-20	5/8-18	11/16-18	3/4-18	7/8-18	1 1/16-16							
J.I.C. 37° FLARE	5/16-24		3/8-24	7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12	3-12	3 1/2-12
COMPRESSION	5/16-24	5/16-24	3/8-24	7/16-24	1/2-24	9/16-24	5/8-24	11/16-20	13/16-18	1 -18	1 1/8-18						
FLARELESS COMPRESSION (PLASTIC TUBE)	5/16-24		3/8-24	3/8-24	7/16-24	1/2-24		11/16-20									
AIR BRAKE - PLASTIC TUBE				7/16-24		17/32-24		11/16-20	13/16-18	1 -18							
AIR BRAKE - COPPER TUBE				7/16-24	1/2-24	17/32-24		11/16-20	13/16-18	1-18							
DOUBLE COMPRESSION	5/16-24		3/8-24	7/16-24	1/2-20	9/16-20		11/16-16									
STEEL COMPRESSION (HIGH PRESSURE)	5/16-24		3/8-24	7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12		
S.A.E. 0-RING	5/16-24		3/8-24	7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12		
INTERNAL 0-RING				1/2-20	9/16-18	5/8-18		7/8-14	1 -14	1 1/8-12	1 1/2-12	1 3/4-12	2 -12				
NPSM SWIVEL THREAD	1/8-27			1/4-18		3/8-18		1/2-14		3/4-14		1-11 1/2	1 1/4 -11 1/2	1 1/2 - 11 1/2	2- 11 1/2		
FLAT FACE THREAD				9/16-18		11/16-16		13/16-16	1-14	1 3/16-12		1 7/16-12	1 11/16-12	2-12			
BRITISH THREAD BSPP/BSPT	1/8-28			1/4-19		3/8-19		1/2-14		3/4-14		1-11	1 1/4-11	1 1/2-11	2-11		
METRIC THREAD	10 M10X1.0		12 M12x1.5	14 M14x1.5	16 M16x1.5	18 M18x1.5	20 M20x1.5	22 M22x1.5	24 M24x1.5	26 M26x1.5	27 M27x2.0	30 M30x2.0	33 M33x2.0	36 M36x2.0	42 M42x2.0	48 M48x2.0	
CODE 61 FLANGE HEAD O.D								1.19	1.335	1.50		1.75	2.00	2.38	2.81	3.31	4.00
CODE 62 FLANGE HEAD O.D								1.25		1.62		1.88	2.12	2.50	3.12		

Fax 1-800-877-5391
sales@midlandindustries.com


THREAD PROFILES
INFORMATION

Pipe Threads




Hose Barbs

• Actual profile



Push-On Barbs

• Actual profile




Garden Hose Fittings


Male Garden Hose Threads are 3/4" with O.D. of 1.0625 and 11-1/2 threads per inch




Brass 45° Flared Tube Fittings




Brass Inverted Flare Fittings



Brass Compression Fittings




Tubing O.D. Size




MIDLAND INDUSTRIES APP


START USING THESE GREAT FEATURES TODAY



- CHECK STOCK
- CHECK PRICING
- SCAN BARCODES
- PLACE ORDER/ REPLENISH STOCK



View all Products/ Categories



See product, price and stock



Scan barcodes for easy ordering


Available on the iPhone App Store

Google play

The Midland app provides a convenient way to browse Midland's entire product catalog, check product availability and place restocking orders. The built-in barcode scanner feature provides an easy way to quickly build and submit orders directly at the bin. No longer do you need to write down the part numbers and quantities and then manually enter your order at a later time while sitting at a computer. You simply press the "Scan" button and aim the camera at the item barcode label (Labels available through our "Bin Label on demand" program). Once the barcode is successfully scanned, you enter the desired quantity and move onto the next item until your order is complete.

Visit www.MIDLANDINDUSTRIES.com/app for more information.

CUSTOM CATALOGS



BUILDING ADVANTAGE STARTS WITH VISIBILITY

EXPAND YOUR BUSINESS WITHOUT ADDING INVENTORY

CUSTOM COVER

Our designers will work with you to create a cover that incorporates your logo, colors and photos.

CUSTOM PRICING

List price, net price or anywhere in between. You set the pricing that is right for you.

YOUR INFORMATION

Your company logo and contact information will print on the footer of each page.

Visit www.MIDLANDINDUSTRIES.com/custom



BIN LABELS ON DEMAND

Now you can create and print personalized Bin Labels on demand for any product that Midland carries. Labels can be customized with your logo or name. Multiple sizes available

4" x 2"



3.5" x 2"



2.625" x 1"





FAST ▪ ACCURATE ▪ EASY ▪ FREE

to learn more about how Bin Labels on Demand can help your business, visit www.MIDLANDINDUSTRIES.com/bin

NEW PRODUCTS INTRO PGS 7-8
PICTORIAL INDEX PGS 21-49
BRASS PGS 1-164
LEAD FREE PGS 165-199
LF VALVES & PLUMBING PGS 200-220
VALVES PGS 221-273
NIPPLES & FITTINGS PGS 274-364
PLASTIC PGS 365-379
HOSE ACCESSORIES PGS 380-408
HOSE PGS 409-438
CLAMPS PGS 452-472
TUBING PGS 473-479
PRESSURE WASHER 480-485
PNEUMATICS PGS 486-508
TRUCK & TRAILER PGS 509-530
HYDRAULICS PGS 531-575
STAINLESS STEEL ADAPTERS 576-591
NUMERICAL INDEX 592-626

MIDLAND INDUSTRIES

...TOO CONVENIENT NOT TO BUY FROM

TOLL FREE PHONE 800-821-5725


TOLL FREE FAX 800-877-5391

INTERNATIONAL PHONE 816-842-0493

INTERNATIONAL FAX 816-842-6707

Email: Sales@MidlandIndustries.com

6 FULL STOCKING LOCATIONS



1) MIDWEST DISTRIBUTION
Full Stocking Location
3145 Oak Street
Kansas Ciy, MO 64111

2) TEXAS DISTRIBUTION
Full Stocking Location
5544 Armour Drive,
Houston, TX 77020

4) TEXAS DISTRIBUTION
Full Stocking Location
600 E. Centre Park
DeSoto, TX 75115

3) WEST COAST DISTRIBUTION
Full Stocking Location
659 E Ball Rd
Anahiem, CA 92805

CANADIAN DISTRIBUTION

5) BUCHANAN RUBBER - EDMONTON
9547-12 Ave SW, Edmonton, AB T6X-0C3

6) BUCHANAN RUBBER-TORONTO
50 Fasken Drive (units 11-21), Etobicoke, ON M9W-1K5

7) AMIFLEX-MONTREAL
9555 Henri Bourassa Ouest, Montreal, QC H4S-1S7

WWW.MIDLANDINDUSTRIES.COM