



150# 304 & 316 Stainless Steel Fittings

Our high quality standard pattern 150lb rated stainless steel threaded fittings are manufactured to the highest standards. All stainless steel fittings are monitored by our quality control personnel for strict compliance with applicable standards and specifications.

These stainless steel pipe fittings are excellent for uses that involve chemicals or liquids that may be corrosive. Along with fighting corrosion, a stainless steel pipe fitting will prevent contamination making it useful to many professionals.


- Use with air, water, oil, natural gas, steam
- NPT and FNPT threads conform to ASME B1.20.1
- Maximum Pressure: 150 psi @ 72 F; 150 psi @ 366 F for steam
- Maximum Steam Pressure: 150 psi
- Material Conforms to ASTM A-351. Class 150 Pressure Ratings
- Manufacturing facility is ISO 9001:2008
- 304 Stainless Steel is economically priced, chromium-nickel material that offers very good corrosion resistance. 316 Stainless Steel has higher nickel content and contains molybdenum for even better corrosion resistance.

PRICING FILE AVAILABLE ONLINE

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707



90 ELBOW

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)			
304 S.S.	316 S.S.			A	D	D1	D2
62100	63100	1/8"	0.08	0.66	0.56	0.35	0.48
62101	63101	1/4"	0.11	0.75	0.71	0.45	0.63
62102	63102	3/8"	0.16	0.90	0.81	0.59	0.74
62103	63103	1/2"	0.17	1.05	1.04	0.71	0.98
62104	63104	3/4"	0.25	1.22	1.26	0.94	1.18
62105	63105	1"	0.38	1.38	1.57	1.17	1.50
62106	63106	1 1/4"	0.58	1.73	1.95	1.51	1.87
62107	63107	1 1/2"	0.83	1.85	2.22	1.73	2.11
62108	63108	2"	1.23	2.36	2.68	2.19	2.56
62109	63109	2 1/2"	2.74	2.60	3.31	2.76	3.23
62110	63110	3"	3.37	3.15	3.90	3.17	3.78
62112	63112	4"	6.38	3.62	4.92	4.15	4.80

TOLL FREE PHONE:

888-821-5725

INTERNATIONAL PHONE

816-842-0493




TOLL FREE FAX:

888-877-5391

INTERNATIONAL FAX:

816-842-6707




STREET ELBOW

Material		SIZE	Weight (lbs)	DIMENSIONS (inch)					
304 S.S.	316 S.S.			L	B1	B2	D	D2	L2
62160	63160	1/8"	0.04	1.30	0.43	0.17	0.57	0.32	0.91
62161	63161	1/4"	0.07	1.46	0.57	0.31	0.67	0.43	1.07
62162	63162	3/8"	0.12	1.69	0.68	0.41	0.86	0.57	1.22
62163	63163	1/2"	0.18	2.20	0.85	0.51	1.10	0.67	1.32
62164	63164	3/4"	0.25	2.42	1.04	0.71	1.26	0.87	1.75
62165	63165	1"	0.42	2.80	1.36	1.00	1.57	1.14	2.24
62166	63166	1 1/4"	0.65	3.31	1.65	1.30	1.95	1.48	2.56
62167	63167	1 1/2"	0.86	3.64	1.89	1.52	2.20	1.69	2.87
62168	63168	2"	1.34	4.25	2.38	1.95	2.68	2.17	3.41
		2 1/2"		5.12	3.03	2.54	3.31	2.72	4.21
		3"		5.98	3.60	3.03	3.94	3.52	4.96
		4"		7.44	4.61	4.06	5.00	4.17	5.67

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




45 ELBOW

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)			
304 S.S.	316 S.S.			A	D	D1	D2
62180	63180	1/8"	0.07	0.64	0.55	0.36	0.48
62181	63181	1/4"	0.10	0.67	0.65	0.43	0.58
62182	63182	3/8"	0.13	0.71	0.78	0.54	0.71
62183	63183	1/2"	0.15	0.82	1.04	0.67	0.97
62184	63184	3/4"	0.22	0.97	1.23	0.87	1.15
62185	63185	1"	0.34	1.08	1.49	1.10	1.42
62186	63186	1 1/4"	0.48	1.23	1.87	1.42	1.78
62187	63187	1 1/2"	0.67	1.35	2.07	1.64	2.00
62188	63188	2"	1.14	1.57	2.52	2.07	2.45
62189	63189	2 1/2"	2.82	1.87	3.14	2.41	3.06
62190	63190	3"	2.91	2.09	3.70	3.01	3.59
62191	63192	4"	5.05	2.43	4.69	3.96	4.62

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




TEE

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)						
304 S.S.	316 S.S.			A	D	D1	D2	D3	L	L1
62250	63250	1/8"	0.10	0.68	0.58	0.35	0.35	0.50	1.42	0.20
62251	63251	1/4"	0.14	0.74	0.72	0.45	0.45	0.64	1.50	2.89
62252	63252	3/8"	0.20	0.85	0.86	0.60	0.60	0.77	1.72	3.24
62253	63253	1/2"	0.23	1.02	1.02	0.71	0.86	0.97	2.17	4.72
62254	63254	3/4"	0.33	1.20	1.25	0.93	1.07	1.19	2.45	6.14
62255	63255	1"	0.53	1.39	1.54	1.17	1.34	1.48	2.72	8.76
62256	63256	1 1/4"	0.79	1.69	1.93	1.51	1.67	1.85	3.37	13.82
62257	63257	1 1/2"	1.12	1.88	2.19	1.74	1.91	2.11	3.76	19.29
62258	63258	2"	1.67	2.25	2.66	2.20	2.40	2.58	4.47	21.85
62259	63259	2 1/2"	2.59	2.71	3.35	2.76	3.01	3.25	5.35	31.89
62260	63260	3"	4.45	3.07	3.90	3.19	3.52	3.78	6.10	46.91
62261	63261	4"	6.81	3.74	4.92	4.13	4.49	4.80	7.32	62.36

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




CROSS

Material		SIZE	Weight (lbs)	DIMENSIONS (inch)		
304 S.S.	316 S.S.			L1	B	D
62390	63390	1/8"	0.08	1.32	0.56	0.32
62391	63391	1/4"	0.13	1.50	0.70	0.44
62392	63392	3/8"	0.18	1.83	0.83	0.56
62393	63393	1/2"	0.29	2.15	1.08	0.69
62394	63394	3/4"	0.44	2.50	1.28	0.91
62395	63395	1"	0.74	2.85	1.59	1.15
62396	63396	1 1/4"	1.25	3.39	1.96	1.50
62397	63397	1 1/2"	1.53	3.78	2.24	1.69
62398	63398	2"	2.28	4.47	2.70	2.19

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




HEX NIPPLE

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)				
304 S.S.	316 S.S.			A	L	D	D1	SW
62720	63720	1/8"	0.03	0.50	1.10	0.22	0.65	0.31
62721	63721	1/4"	0.05	0.59	1.27	0.32	0.65	0.31
62722	63722	3/8"	0.08	0.74	1.46	0.46	0.65	0.31
62723	63723	1/2"	0.12	0.89	1.59	0.61	0.87	0.31
62724	63724	3/4"	0.18	1.11	1.73	0.82	1.09	0.31
62725	63725	1"	0.29	1.39	1.88	1.04	1.36	0.31
62726	63726	1 1/4"	0.47	1.73	2.00	1.40	1.70	0.31
62727	63727	1 1/2"	0.60	2.00	2.04	1.61	1.94	0.31
62728	63728	2"	0.88	2.46	2.40	2.09	2.42	0.31
		2 1/2"		3.07	2.97	2.54	3.04	0.31
		3"		3.62	3.15	3.15	3.62	0.31
		4"		4.65	3.40	4.15	4.60	0.31

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




REDUCING HEX NIPPLE

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)						
304 S.S.	316 S.S.			A	L	D	D1	D2	D3	SW
62740	63740	1/4" × 1/8"	0.04	0.63	1.13	0.34	0.55	0.22	0.42	0.24
62742	63742	3/8" × 1/4"	0.07	0.67	1.22	0.45	0.67	0.33	0.54	0.24
62744	63744	1/2" × 1/4"	0.09	0.94	1.50	0.58	0.88	0.33	0.56	0.24
62745	63745	1/2" × 3/8"	0.11	0.94	1.52	0.58	0.87	0.43	0.69	0.24
62749	63749	3/4" × 1/2"	0.15	1.14	1.73	0.79	1.08	0.57	0.86	0.24
		1" × 1/2"		1.42	1.85	1.03	1.35	0.57	0.86	0.24
		1" × 3/4"		1.42	1.87	0.95	1.35	0.71	1.13	0.24
		1 1/4" × 3/4"		1.78	2.01	1.36	1.69	0.79	1.09	0.31
		1 1/4" × 1"		1.76	2.05	1.37	1.66	1.04	1.32	0.31
		1 1/2" × 1"		2.04	2.17	1.59	1.93	1.03	1.35	0.31
		1 1/2" × 1 1/4"		2.01	2.16	1.58	1.89	1.36	1.67	0.31
		2" × 1 1/4"		2.45	2.35	2.06	2.41	1.40	1.69	0.31
		2" × 1 1/2"		2.49	2.40	2.05	2.40	1.59	1.94	0.31

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




BANDED COUPLING

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)			
304 S.S.	316 S.S.			L	D	D1	D2
		1/8"		0.98	0.57	0.34	0.51
		1/4"		0.98	0.69	0.46	0.61
		3/8"		1.18	0.83	0.59	0.75
62413	63413	1/2"	0.15	1.38	1.08	0.69	1.01
62414	63414	3/4"	0.19	1.52	1.26	0.94	1.18
62415	63415	1"	0.31	1.69	1.56	1.16	1.48
62416	63416	1 1/4"	0.47	1.93	1.95	1.50	1.87
62417	63417	1 1/2"	0.60	2.09	2.19	1.73	2.11
62418	63418	2"	0.83	2.56	2.68	2.20	2.60
62419	63419	2 1/2"	1.62	2.83	3.27	2.72	3.11
62420	63420	3"	1.98	3.03	3.86	3.15	3.70
62421	63421	4"	2.88	3.43	4.84	4.09	4.69

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




REDUCING COUPLING

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)						
304 S.S.	316 S.S.			L	D	D1	D2	D3	D4	D5
62430	63430	1/4" x 1/8"	0.08	1.02	0.58	0.34	0.51	0.71	0.45	0.83
62432	63432	3/8" x 1/4"	0.11	1.19	0.69	0.45	0.62	0.87	0.57	0.95
62433	63433	1/2" x 1/8"	0.20	1.25	0.58	0.34	0.50	0.97	0.71	1.06
62434	63434	1/2" x 1/4"	0.18	1.30	0.69	0.43	0.61	1.02	0.71	0.70
62435	63435	1/2" x 3/8"	0.15	1.35	0.82	0.58	0.75	1.00	0.71	1.09
62437	63437	3/4" x 3/8"	0.18	1.44	0.83	0.56	0.76	1.20	0.93	1.29
62438	63438	3/4" x 1/2"	0.17	1.54	1.10	0.72	0.98	1.24	0.92	1.35
62440	63440	1" x 3/8"	0.22	1.54	0.82	0.59	0.75	1.51	1.15	1.60
62441	63441	1" x 1/2"	0.20	1.60	1.10	0.72	0.98	1.54	1.14	1.69
62442	63442	1" x 3/4"	0.24	1.65	1.26	0.91	1.18	1.48	1.16	1.57
62444	63444	1 1/4" x 1/2"		1.69	1.08	0.69	1.05	1.86	1.50	1.97
62446	63446	1 1/4" x 1"	0.52	1.81	1.61	1.13	1.52	1.86	1.50	1.97
62447	63447	1 1/2" x 1/2"	0.57	1.77	1.08	0.70	1.00	2.11	1.71	2.22
62448	63448	1 1/2" x 3/4"	0.45	1.83	1.28	0.89	1.20	2.13	1.72	2.22
62449	63449	1 1/2" x 1"	0.48	2.05	1.56	1.12	1.50	2.09	1.73	2.20
62450	63450	1 1/2" x 1 1/4"	0.56	1.94	1.96	1.47	1.86	2.13	1.73	2.22
		2" x 1/2"		1.77	1.07	0.69	1.02	2.58	2.17	2.69
62451	63451	2" x 3/4"		1.81	1.28	0.89	1.19	2.59	2.17	2.68
62452	63452	2" x 1"	0.67	2.28	1.57	1.13	1.51	2.59	2.20	2.69
62453	63453	2" x 1 1/4"	0.72	1.95	1.96	1.46	1.85	2.60	2.19	2.72
62454	63454	2" x 1 1/2"	0.76	1.97	2.20	1.72	2.11	2.59	2.17	2.70
62461	63461	2 1/2" x 1 1/2"	1.29	2.20	2.17	1.73	2.07	3.19	2.76	3.28
62462	63462	2 1/2" x 2"	1.20	2.15	2.67	2.17	2.56	3.15	2.76	3.28
		3" x 1 1/2"		2.17	2.20	1.76	2.11	3.74	3.23	3.88
		3" x 2"		2.40	2.72	2.17	2.62	3.69	3.15	3.82
62463	63463	3" x 2 1/2"	1.77	2.66	3.31	2.76	3.23	3.78	3.19	3.90
		4" x 3"		2.87	3.94	3.29	3.86	4.84	4.25	4.92

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




OD MACHINE COUPLING

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)		
304 S.S.	316 S.S.			L	D	D1
62410B	63410B	1/8"	0.05	0.67	0.56	0.35
62411B	63411B	1/4"	0.07	0.94	0.71	0.45
62412B	63412B	3/8"	0.09	1.02	0.84	0.59
62413B	63413B	1/2"	0.17	1.33	1.02	0.72
62414B	63414B	3/4"	0.24	1.41	1.27	0.93
62415B	63415B	1"	0.38	1.69	1.54	1.16
62416B	63416B	1 1/4"	0.56	1.93	1.90	1.50
62417B	63417B	1 1/2"	0.66	1.93	2.17	1.72
62418B	63418B	2"	1.00	2.06	2.66	2.17
		2 1/2"	1.32	2.43	3.27	2.70
		3"	1.56	2.66	3.81	3.15
		4"	2.45	3.15	4.87	4.22

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




HALF COUPLING

Material		SIZE	Weight (lbs)	DIMENSIONS (inch)		
304 S.S.	316 S.S.			L	D	D1
62771	63771	1/4"	0.03	0.44	0.69	0.45
62772	63772	3/8"	0.04	0.41	0.81	0.59
62773	63773	1/2"	0.07	0.59	0.98	0.72
62774	63774	3/4"	0.12	0.67	1.22	0.93
62775	63775	1"	0.16	0.79	1.47	1.16
62776	63776	1 1/4"	0.25	0.95	1.83	1.50
62777	63777	1 1/2"	0.33	0.94	2.11	1.72
62778	63778	2"	0.56	1.06	2.61	2.17

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




UNION

Material		SIZE	Weight (lbs)	DIMENSIONS (inch)			
304 S.S.	316 S.S.			L	L1	SW	SW2
62601	63601	1/4"	0.16	1.22	0.53	1.20	0.67
62602	63602	3/8"	0.23	1.28	0.61	1.33	0.81
62603	63603	1/2"	0.33	1.43	0.64	1.46	0.95
62604	63604	3/4"	0.48	1.71	0.71	1.81	1.19
62605	63605	1"	0.83	1.81	0.76	2.06	1.37
62606	63606	1 1/4"	1.18	2.07	0.87	2.52	1.82
62607	63607	1 1/2"	1.62	2.15	0.94	2.78	2.06
62608	63608	2"	2.27	2.61	1.03	3.47	2.56
62610	63610	2 1/2"	4.45	2.88	1.10	4.28	3.22
		3"		3.16	1.23	4.83	3.77
		4"		3.74	1.34	5.91	4.76

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




HEX BUSHING

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)							
304 S.S.	316 S.S.			A	D	D1	D2	L	L1	L2	SW
62501	63501	3/8" x 1/8"	0.03	0.75	0.67	0.46	0.35	0.47	0.24	0.33	0.31
62504	63504	1/2" x 1/4"	0.06	0.91	0.85	0.61	0.45	0.59	0.26	0.50	0.31
62507	63507	3/4" x 1/4"	0.15	1.09	1.07	0.81	0.45	0.72	0.28	0.67	0.31
62508	63508	3/4" x 3/8"	0.15	1.09	1.06	0.80	0.57	0.72	0.28	0.64	0.31
62509	63509	3/4" x 1/2"	0.12	1.10	1.08	0.81	0.72	0.72	0.28	0.63	0.31
62510	63510	1" x 1/4"	0.27	1.37	1.34	1.02	0.45	0.73	0.28	0.66	0.31
62511	63511	1" x 3/8"	0.25	1.38	1.34	1.02	0.57	0.74	0.28	0.67	0.31
62512	63512	1" x 1/2"	0.23	1.37	1.34	1.02	0.72	0.74	0.28	0.53	0.31
62513	63513	1" x 3/4"	0.20	1.39	1.34	1.02	0.93	0.74	0.27	0.50	0.31
62514	63514	1 1/4" x 1/4"	0.35	1.69	1.67	1.36	0.44	0.85	0.30	1.00	0.31
62516	63516	1 1/4" x 1/2"	0.30	1.73	1.70	1.36	0.72	0.82	0.32	0.67	0.31
62518	63518	1 1/4" x 1"	0.28	1.73	1.69	1.36	1.17	0.81	0.33	0.56	0.31
		1 1/2" x 1/4"	0.64	1.93	1.91	1.59	0.43	0.87	0.33	1.05	0.31
		1 1/2" x 3/8"	0.62	1.94	1.91	1.59	0.57	0.87	0.32	0.99	0.31
62521	63521	1 1/2" x 1/2"	0.56	1.93	1.91	1.58	0.71	0.87	0.32	0.99	0.31
62522	63522	1 1/2" x 1"	0.52	1.98	1.93	1.58	1.16	0.85	0.31	0.58	0.31
62524	63524	1 1/2" x 1 1/4"	0.34	1.98	1.93	1.58	1.52	0.85	0.31	0.53	0.31
		2" x 1/4"	0.99	2.40	2.36	2.04	0.44	1.02	0.32	1.16	0.31
62525	63525	2" x 3/8"	0.93	2.41	2.37	2.03	0.58	1.14	0.33	1.12	0.31
62527	63527	2" x 1/2"	0.86	2.40	2.36	2.04	0.71	1.02	0.33	1.13	0.31
62528	63528	2" x 3/4"	0.88	2.40	2.36	2.04	0.92	1.10	0.32	1.10	0.31
62529	63529	2" x 1"	0.85	2.40	2.36	2.04	1.15	1.02	0.33	1.02	0.31
62530	63530	2" x 1 1/4"	0.75	2.44	2.40	2.02	1.51	1.02	0.36	0.72	0.31
62531	63531	2" x 1 1/2"	0.63	2.44	2.40	2.03	1.75	1.00	0.36	0.72	0.31
62533	63533	2 1/2" x 1 1/4"	1.59	3.12	3.02	2.50	1.48	1.10	0.43	0.87	0.31
62534	63534	2 1/2" x 1 1/2"	0.90	3.12	3.02	2.50	1.70	1.10	0.43	0.83	0.31
62535	63535	2 1/2" x 2"	0.80	3.12	3.02	2.50	2.17	1.10	0.43	0.74	0.31
62537	63537	3" x 1 1/2"	1.97	3.60	3.54	3.07	1.74	1.26	0.49	0.74	0.31
62538	63538	3" x 2"	1.89	3.59	3.54	3.06	2.22	1.26	0.47	0.81	0.31
62538	63538	3" x 2 1/2"	1.89	3.60	3.54	3.04	2.57	1.26	0.47	0.87	0.31
62541	63541	4" x 2"	3.72	4.61	4.59	4.08	2.19	1.46	0.51	1.19	0.31
62542	63542	4" x 2 1/2"	3.88	4.62	4.57	4.07	2.54	1.46	0.51	1.06	0.31
62543	63543	4" x 3"	3.06	4.63	4.57	4.10	3.18	1.46	0.55	1.02	0.31

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




LOCKNUT

Material		SIZE	Weight (lbs)	DIMENSIONS (inch)		
304 S.S.	316 S.S.			L	B	D
62701	63701	1/4"	0.04	0.71	0.28	0.43
62702	63702	3/8"	0.04	0.93	0.31	0.57
62703	63703	1/2"	0.06	1.26	0.31	0.71
62704	63704	3/4"	0.08	1.45	0.35	0.91
62705	63705	1"	0.15	1.80	0.39	1.16
62706	63706	1 1/4"	0.21	2.03	0.43	1.50
62707	63707	1 1/2"	0.25	2.26	0.47	1.73
62708	63708	2"	0.36	2.81	0.51	2.17

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




CAP

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)				
304 S.S.	316 S.S.			L	D	D1	D2	D3
62470	63470	1/8"	0.02	0.63	0.57		0.34	0.50
62471	63471	1/4"	0.03	0.59	0.69		0.45	0.69
62472	63472	3/8"	0.04	0.63	0.81		0.57	0.74
62473	63473	1/2"	0.09	0.79	1.12	0.86	0.74	1.01
62474	63474	3/4"	0.12	0.88	1.29	1.06	0.95	1.21
62475	63475	1"	0.21	1.03	1.61	1.34	1.16	1.52
62476	63476	1 1/4"	0.32	1.09	1.96	1.66	1.48	1.87
62477	63477	1 1/2"	0.40	1.24	2.21	1.89	1.73	2.11
62478	63478	2"	0.60	1.36	2.69	2.34	2.19	2.57
62479	63479	2 1/2"	0.85	1.54	3.35	2.98	2.74	3.23
62480	63480	3"	1.12	1.69	3.87	3.46	3.15	3.77
62481	63481	4"	1.98	1.77	4.92	4.46	4.16	4.78

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




HEX CAP

Material		SIZE	Weight (lbs)	DIMENSIONS (inch)	
304 S.S.	316 S.S.			L	A
62075	63075	1/8"	0.04	0.55	0.63
62076	63076	1/4"	0.04	0.58	0.62
62077	63077	3/8"	0.06	0.63	0.75
62078	63078	1/2"	0.12	0.79	1.04
62079	63079	3/4"	0.17	0.87	1.25
62080	63080	1"	0.32	1.01	1.53
62081	63081	1 1/4"	0.41	1.06	1.89
62082	63082	1 1/2"	0.64	1.24	2.13
62083	63083	2"	0.8	1.34	2.59

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493



TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707




SQUARE HEAD PLUG

Material		SIZE	Weight (lbs)	DIMENSIONS (inches)					
304 S.S.	316 S.S.			A	L	L1	D	D1	SW
62670	63670	1/8"	0.02	0.28	0.67	0.31	0.41	0.22	0.16
62671	63671	1/4"	0.03	0.32	0.63	0.24	0.56	0.33	0.16
62672	63672	3/8"	0.04	0.39	0.67	0.28	0.68	0.43	0.16
62653	63653	1/2"	0.09	0.55	0.83	0.31	0.86	0.60	0.16
62654	63654	3/4"	0.12	0.57	0.95	0.31	1.08	0.79	0.16
62655	63655	1"	0.21	0.66	1.05	0.34	1.34	1.03	0.16
62656	63656	1 1/4"	0.32	0.66	1.22	0.47	1.70	1.39	0.16
62657	63657	1 1/2"	0.40	0.87	1.22	0.47	1.93	1.66	0.16
62658	63658	2"	0.60	1.07	1.49	0.47	2.40	2.06	0.16
62659	63659	2 1/2"	0.85	1.26	1.51	0.45	3.02	2.55	0.16
62660	63660	3"	1.00	1.42	1.71	0.53	3.59	3.07	0.16
62661	63661	4"	1.45	1.61	2.30	0.87	4.58	4.04	0.16

TOLL FREE PHONE:
888-821-5725
 INTERNATIONAL PHONE
816-842-0493




TOLL FREE FAX:
888-877-5391
 INTERNATIONAL FAX:
816-842-6707



HEX HEAD PLUG

Material		SIZE	Weight (lbs)	DIMENSIONS (inch)			
304 S.S.	316 S.S.			L	B	D	H
62630	63630	1/8"	0.03	0.51	0.63	0.43	0.20
62631	63631	1/4"	0.05	0.61	0.80	0.55	0.33
62632	63632	3/8"	0.07	0.75	0.78	0.67	0.41
62633	63633	1/2"	0.08	0.90	0.91	0.87	0.56
62634	63634	3/4"	0.14	1.12	0.94	1.06	0.77
62635	63635	1"	0.26	1.40	1.14	1.34	1.00
62636	63636	1 1/4"	0.31	1.77	1.22	1.70	1.32
62637	63637	1 1/2"	0.44	1.99	1.21	1.93	1.56
62638	63638	2"	0.65	2.46	1.18	2.40	1.97
		2 1/2"		3.07	1.57	3.03	2.52
		3"		3.70	1.73	3.58	3.07
		4"		4.67	1.93	4.55	4.03



Part #	Description	Barbs	B	C	A	D	E	F	Hex
73951	1/4 HOSE BARB X MIP 304SS ADAPT	3	0.27	0.30	0.190	0.340	1.54	0.870	0.600
73952	3/8 HOSE BARB X MIP 304SS ADAPT	3	0.37	0.41	0.250	0.420	1.81	1.08	0.750
73953	1/2 HOSE BARB X MIP 304SS ADAPT	3	0.54	0.59	0.390	0.520	2.370	1.420	0.910
73954	3/4 HOSE BARB X MIP 304SS ADAPT	3	0.75	0.81	0.580	0.740	2.50	1.500	1.150
73955	1 HOSE BARB X MIP 304SS ADAPTER	3	0.98	1.03	0.780	0.960	2.950	1.770	1.420
73956	1-1/4 HOSE BARB X MIP 304SS ADPT	3	1.27	1.33	1.070	1.300	3.320	2.02	1.780
73957	1-1/2 HOSE BARB X MIP 304SS ADPT	3	1.54	1.59	1.300	1.530	3.480	2.180	2.010
73958	2 HOSE BARB X MIP 304SS ADAPTER	3	1.98	2.06	1.760	2.030	3.850	2.400	2.500
73961	4 HOSE BARB X MIP 304SS ADAPTER	3	3.98	4.07	3.770	4.060	4.710	2.720	4.640
73970	1/4 X 1/8 HB X MIP 304SS ADAPTER	3	0.30	0.32	0.210	0.210	1.500	0.870	0.470
73971	3/8 X 1/4 HB X MIP 304SS ADAPTER	3	0.37	0.41	0.250	0.330	1.780	1.060	0.590
73972	1/2 X 3/8 HB X MIP 304SS ADAPTER	3	0.50	0.55	0.380	0.440	2.160	1.320	0.720
73973	1/2 X 1/4 HB X MIP 304SS ADAPTER	4	0.50	0.55	0.360	0.270	2.010	1.230	0.680
73974	3/4 X 1/2 HB X MIP 304SS ADAPTER	3	0.75	0.81	0.590	0.580	2.540	1.580	0.900
73975	1 X 3/4 HB X MIP 304SS ADAPTER	3	0.95	1.03	0.780	0.780	2.770	1.71	1.13
73976	1 X 1/2 HB X MIP 304SS ADAPTER		0.98	1.06			2.67	2.12	1.14
73977	1-1/4 X 1 HB X MIP 304SS ADAPTER	3	1.27	1.33	1.090	1.010	3.140	1.980	1.410
73979	1-1/2 X 1-1/4 HB X MIP 304SS ADP	3	1.52	1.59	1.320	1.370	3.450	2.180	1.750
73980	1-1/2 X 1 HB X MIP 304SS ADAPTER	3	1.52	1.59	1.300	1.030	3.300	2.090	1.700
73981	2 X 1-1/2 HB X MIP 304SS ADAPTER		1.98	2.06			3.44	2.12	2.09
73982	2 X 1-1/4 HB X MIP 304SS ADAPTER	4	1.98	2.01	1.710	1.230	3.880	2.500	2.070
973951	1/4 HOSE BARB X MIP 316SS ADAPT	3	0.28	0.31	0.190	0.330	1.630	0.880	0.600
973952	3/8 HOSE BARB X MIP 316SS ADAPT	3	0.38	0.43	0.250	0.430	1.890	1.000	0.740
973953	1/2 HOSE BARB X MIP 316SS ADAPT	3	0.54	0.59	0.380	0.510	2.21	1.27	0.890
973954	3/4 HOSE BARB X MIP 316SS ADAPT	3	0.75	0.81	0.580	0.740	2.50	1.500	1.150
973955	1 HOSE BARB X MIP 316SS ADAPTER	3	0.96	1.03	0.770	0.950	0.78	1.20	1.39
973956	1-1/4 HOSE BARB X MIP 316SS ADPT	3	1.27	1.33	1.090	1.290	3.340	2.030	1.780
973957	1-1/2 HOSE BARB X MIP 316SS ADPT	3	1.54	1.60	1.310	1.540	3.500	2.190	2.000
973958	2 HOSE BARB X MIP 316SS ADAPTER	3	1.98	2.06	1.750	2.000	3.86	2.410	2.43
973991	4 HOSE BARB X MIP 316SS ADAPTER	3	3.98	4.07	3.770	4.060	4.710	2.720	4.640